

Alfred Colpaert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/399025/publications.pdf>

Version: 2024-02-01

21
papers

434
citations

933447

10
h-index

752698

20
g-index

23
all docs

23
docs citations

23
times ranked

389
citing authors

#	ARTICLE	IF	CITATIONS
1	Condition, Potential Recovery Rate, and Productivity of Lichen (<i>Cladonia</i> spp.) Ranges in the Finnish Reindeer Management Area. <i>Arctic</i> , 2000, 53, .	0.4	87
2	Survival, ranging, habitat choice and diet of the Northern Goshawk <i>Accipiter gentilis</i> during winter in Northern Finland. <i>Ibis</i> , 2001, 143, 41-50.	1.9	46
3	Range Selection by Semi-Domesticated Reindeer (<i>Rangifer tarandus tarandus</i>) in Relation to Infrastructure and Human Activity in the Boreal Forest Environment, Northern Finland. <i>Arctic</i> , 2011, 64, 1.	0.4	45
4	Both reindeer management and several other land use factors explain the reduction in ground lichens (<i>Cladonia</i> spp.) in pastures grazed by semi-domesticated reindeer in Finland. <i>Regional Environmental Change</i> , 2014, 14, 541-559.	2.9	44
5	Regional Differences in the Incidence of Insulin-dependent Diabetes Mellitus among Children in Finland from 1987 to 1991. <i>Annals of Medicine</i> , 1997, 29, 297-304.	3.8	32
6	Reproduction and productivity of semidomesticated reindeer in northern Finland. <i>Canadian Journal of Zoology</i> , 1998, 76, 269-277.	1.0	31
7	Reindeer Pasture Biomass Assessment Using Satellite Remote Sensing. <i>Arctic</i> , 2003, 56, .	0.4	31
8	Remote sensing, a tool for reindeer range land management. <i>Polar Record</i> , 1995, 31, 235-244.	0.8	29
9	Spatial variation of river-ice thickness in a meandering river. <i>Cold Regions Science and Technology</i> , 2017, 137, 17-29.	3.5	26
10	Detecting changes in the state of reindeer pastures in northernmost Finland, 1995–2005. <i>Polar Record</i> , 2012, 48, 74-82.	0.8	16
11	Effects of weather and snow conditions on reproduction and survival of semi-domesticated reindeer (<i>R. t. tarandus</i>). <i>Polar Research</i> , 2003, 22, 225-233.	1.6	10
12	Assessing the Trend of the Trophic State of Lake Ladoga Based on Multi-Year (1997–2019) CMEMS GlobColour-Merged CHL-OC5 Satellite Observations. <i>Sensors</i> , 2020, 20, 6881.	3.8	6
13	Satellite and UAV Platforms, Remote Sensing for Geographic Information Systems. <i>Sensors</i> , 2022, 22, 4564.	3.8	6
14	MOBILE ENVIRONMENTAL INFORMATION SYSTEMS. <i>Cybernetics and Systems</i> , 2004, 35, 737-751.	2.5	5
15	Assessing the Impact of Wildlife on Vegetation Cover Change, Northeast Namibia, Based on MODIS Satellite Imagery (2002–2021). <i>Sensors</i> , 2022, 22, 4006.	3.8	5
16	DETECTION OF OVERALL SPACE-TIME CLUSTERING IN A NON-UNIFORMLY DISTRIBUTED POPULATION. , 1996, 15, 2561-2572.		4
17	Local and regional income differences in Finland in 1989 to 1997 – a GIS approach. <i>Geografiska Annaler, Series B: Human Geography</i> , 2001, 83, 205-220.	1.4	2
18	Income differences within municipalities in Finland, 1989–1997. <i>Scottish Geographical Journal</i> , 2002, 118, 69-86.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Nature Represented: Environmental Dialogue in Finnish-Karelian Historical Museums. <i>Museum International</i> , 2019, 71, 88-105.	0.2	1
20	Historical Trajectory in Vegetation Cover in Northeastern Namibia Based on AVHRR Satellite Imagery (1982â€“2015). <i>Land</i> , 2019, 8, 160.	2.9	1
21	Exile and Repatriation: Experiences from the Zambezi Region, Namibia. <i>Journal of Borderlands Studies</i> , 2020, 35, 19-39.	1.4	0