

Louise Björkholt Andersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3990942/publications.pdf>

Version: 2024-02-01

20
papers

736
citations

758635

12
h-index

794141

19
g-index

21
all docs

21
docs citations

21
times ranked

1701
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of physical activity and exercise on brain-derived neurotrophic factor in healthy humans: A review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, 1-10.	1.3	333
2	Association between Perfluorinated Compound Exposure and Miscarriage in Danish Pregnant Women. <i>PLoS ONE</i> , 2015, 10, e0123496.	1.1	78
3	A 3-year longitudinal analysis of changes in fitness, physical activity, fatness and screen time. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 140-144.	0.7	58
4	Diagnosis of preeclampsia with soluble Fms-like tyrosine kinase 1/placental growth factor ratio: an inter-assay comparison. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 86-96.	2.3	38
5	Vitamin D Depletion Aggravates Hypertension and Target Organ Damage. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	38
6	Exposure to perfluoroalkyl substances and blood pressure in pregnancy among 1436 women from the Odense Child Cohort. <i>Environment International</i> , 2021, 151, 106442.	4.8	28
7	Aldosterone, Salt, and Potassium Intakes as Predictors of Pregnancy Outcome, Including Preeclampsia. <i>Hypertension</i> , 2019, 74, 391-398.	1.3	24
8	Blood Pressure and Angiogenic Markers in Pregnancy. <i>Hypertension</i> , 2020, 76, 901-909.	1.3	23
9	The association between angiogenic markers and fetal sex: Implications for preeclampsia research. <i>Journal of Reproductive Immunology</i> , 2016, 117, 24-29.	0.8	22
10	Prediction of preeclampsia with angiogenic biomarkers. Results from the prospective Odense Child Cohort. <i>Hypertension in Pregnancy</i> , 2016, 35, 405-419.	0.5	21
11	Early pregnancy angiogenic markers and spontaneous abortion: an Odense Child Cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 594.e1-594.e11.	0.7	20
12	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020, 24, 1-252.	1.3	17
13	Adverse metabolic risk profiles in greenlandic inuit children compared to danish children. <i>Obesity</i> , 2013, 21, 1226-1231.	1.5	9
14	Blood pressure in 3-year-old girls associates inversely with umbilical cord serum 25-hydroxyvitamin D: an Odense Child Cohort study. <i>Endocrine Connections</i> , 2018, 7, 1236-1244.	0.8	7
15	Vitamin D depletion does not affect key aspects of the preeclamptic phenotype in a transgenic rodent model for preeclampsia. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 597-607.e1.	2.3	6
16	Pregnancy or cord 25-hydroxyvitamin D is not associated with measures of body fat or adiposity in children from three months to three years of age. An Odense Child Cohort study. <i>Clinical Nutrition</i> , 2020, 39, 1832-1839.	2.3	6
17	Prediction of birth weight small for gestational age with and without preeclampsia by angiogenic markers: an Odense Child Cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1-8.	0.7	4
18	Normal-range urinary albumin excretion associates with blood pressure and renal electrolyte handling in pregnancy. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F1-F7.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Early pregnancy vitamin D status is associated with blood pressure in children: an Odense Child Cohort study. American Journal of Clinical Nutrition, 2022, 116, 470-481.	2.2	2
20	Aldosterone as independent predictor of placental and birth weights: Odense child cohort Study. , 2018, 78, .		0