

Jarmo Oksi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3991076/publications.pdf>

Version: 2024-02-01

63
papers

2,816
citations

218677

26
h-index

182427

51
g-index

64
all docs

64
docs citations

64
times ranked

2962
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 499.	7.4	498
2	Tick-Borne Encephalitis. <i>Clinical Infectious Diseases</i> , 1999, 28, 882-890.	5.8	329
3	Complement Evasion by <i>Borrelia burgdorferi</i> : Serum-Resistant Strains Promote C3b Inactivation. <i>Infection and Immunity</i> , 2001, 69, 3685-3691.	2.2	167
4	Inflammatory brain changes in Lyme borreliosis. <i>Brain</i> , 1996, 119, 2143-2154.	7.6	165
5	Duration of antibiotic treatment in disseminated Lyme borreliosis: a double-blind, randomized, placebo-controlled, multicenter clinical study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2007, 26, 571-581.	2.9	112
6	<i>Borrelia burgdorferi</i> Detected by Culture and PCR in Clinical Relapse of Disseminated Lyme Borreliosis. <i>Annals of Medicine</i> , 1999, 31, 225-232.	3.8	102
7	CXCL13 and neopterin concentrations in cerebrospinal fluid of patients with Lyme neuroborreliosis and other diseases that cause neuroinflammation. <i>Journal of Neuroinflammation</i> , 2014, 11, 103.	7.2	81
8	IL-6 and other biomarkers as predictors of severity in COVID-19. <i>Annals of Medicine</i> , 2021, 53, 410-412.	3.8	81
9	Elimination of Epidemic Methicillin-Resistant <i>Staphylococcus aureus</i> from a University Hospital and District Institutions, Finland. <i>Emerging Infectious Diseases</i> , 2003, 9, 169-175.	4.3	80
10	Antibodies against whole sonicated <i>Borrelia burgdorferi</i> spirochetes, 41-kilodalton flagellin, and P39 protein in patients with PCR- or culture-proven late Lyme borreliosis. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2260-2264.	3.9	69
11	Prevalence of <i>Chlamydia pneumoniae</i> and <i>Mycoplasma pneumoniae</i> Immunoglobulin G and A Antibodies in a Healthy Finnish Population as Analyzed by Quantitative Enzyme Immunoassays. <i>Vaccine Journal</i> , 2000, 7, 734-738.	2.6	66
12	¹⁸ F-FDG positron emission tomography/computed tomography in infective endocarditis. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 195-206.	2.1	64
13	Rapid Differentiation of <i>Borrelia garinii</i> from <i>Borrelia afzelii</i> and <i>Borrelia burgdorferi</i> Sensu Stricto by LightCycler Fluorescence Melting Curve Analysis of a PCR Product of the <i>recA</i> Gene. <i>Journal of Clinical Microbiology</i> , 2000, 38, 2756-2759.	3.9	63
14	Fatal Encephalitis Caused by Concomitant Infection with Tick-Borne Encephalitis Virus and <i>Borrelia burgdorferi</i> . <i>Clinical Infectious Diseases</i> , 1993, 16, 392-396.	5.8	57
15	Cat Scratch Disease Caused by <i>Bartonella grahamii</i> in an Immunocompromised Patient. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2781-2784.	3.9	51
16	Anti-Tumor Necrosis Factor Treatment Activates <i>Borrelia burgdorferi</i> Spirochetes 4 Weeks after Ceftriaxone Treatment in C3H/He Mice. <i>Journal of Infectious Diseases</i> , 2007, 195, 1489-1496.	4.0	48
17	Decreased interleukin-4 and increased gamma interferon production by peripheral blood mononuclear cells of patients with Lyme borreliosis. <i>Infection and Immunity</i> , 1996, 64, 3620-3623.	2.2	47
18	Trends in occurrence and 30-day mortality of infective endocarditis in adults: population-based registry study in Finland. <i>BMJ Open</i> , 2019, 9, e026811.	1.9	46

#	ARTICLE	IF	CITATIONS
19	Persistence of borrelial DNA in the joints of <i>Borrelia burgdorferi</i> -infected mice after ceftriaxone treatment. <i>Apmis</i> , 2010, 118, 665-673.	2.0	40
20	Long-Lasting T Cell Responses in BNT162b2 COVID-19 mRNA Vaccinees and COVID-19 Convalescent Patients. <i>Frontiers in Immunology</i> , 2022, 13, 869990.	4.8	40
21	Subacute Multiple-Site Osteomyelitis Caused by <i>Borrelia burgdorferi</i> . <i>Clinical Infectious Diseases</i> , 1994, 19, 891-896.	5.8	39
22	Intracranial aneurysms in three patients with disseminated Lyme borreliosis: cause or chance association?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 636-642.	1.9	39
23	Early dissemination of <i>Borrelia burgdorferi</i> without generalized symptoms in patients with erythema migrans. <i>Apmis</i> , 2001, 109, 581-588.	2.0	35
24	Comparison of Oral Cefixime and Intravenous Ceftriaxone followed by Oral Amoxicillin in Disseminated Lyme Borreliosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1998, 17, 715-719.	2.9	33
25	Cultivation of <i>Borrelia burgdorferi</i> from the Blood and a Subcutaneous Lesion of a Patient with Relapsing Febrile Nodular Nonsuppurative Panniculitis. <i>Journal of Infectious Diseases</i> , 1992, 165, 596-597.	4.0	31
26	Real-world efficacy of bezlotoxumab for prevention of recurrent <i>Clostridium difficile</i> infection: a retrospective study of 46 patients in five university hospitals in Finland. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 1947-1952.	2.9	29
27	Prevalence of granulocytic Ehrlichia and <i>Borrelia burgdorferi</i> sensu lato in Ixodes ricinus ticks collected from Southwestern Finland and from Vormsi Island in Estonia. <i>Apmis</i> , 2003, 111, 355-362.	2.0	26
28	Treatment of <i>Clostridioides (Clostridium) difficile</i> infection. <i>Annals of Medicine</i> , 2020, 52, 12-20.	3.8	26
29	Oral Doxycycline Compared to Intravenous Ceftriaxone in the Treatment of Lyme Neuroborreliosis: A Multicenter, Equivalence, Randomized, Open-label Trial. <i>Clinical Infectious Diseases</i> , 2021, 72, 1323-1331.	5.8	26
30	Early administration of tocilizumab in hospitalized COVID-19 patients with elevated inflammatory markers; COVIDSTORM—a prospective, randomized, single-centre, open-label study. <i>Clinical Microbiology and Infection</i> , 2022, 28, 844-851.	6.0	25
31	Persistent joint swelling and borrelia-specific antibodies in <i>Borrelia garinii</i> -infected mice after eradication of vegetative spirochetes with antibiotic treatment. <i>Microbes and Infection</i> , 2006, 8, 2044-2051.	1.9	22
32	Recombinant OspC from <i>Borrelia burgdorferi</i> sensu stricto, <i>B. afzelii</i> and <i>B. garinii</i> in the serodiagnosis of Lyme borreliosis. <i>Journal of Medical Microbiology</i> , 2002, 51, 731-739.	1.8	21
33	Bilateral facial palsy and meningitis caused by borrelia double infection. <i>Lancet, The</i> , 1995, 345, 1583-1584.	13.7	19
34	Head-to-Head Comparison of ⁶⁸ Ga-Citrate and ¹⁸ F-FDG PET/CT for Detection of Infectious Foci in Patients with <i>Staphylococcus aureus</i> Bacteraemia. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-8.	0.8	19
35	<i>Candida dubliniensis</i> spondylodiscitis in an immunocompetent patient. Case report and review of the literature. <i>Medical Mycology Case Reports</i> , 2014, 3, 4-7.	1.3	17
36	Louse-borne relapsing fever in Finland in two asylum seekers from Somalia. <i>Apmis</i> , 2017, 125, 59-62.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Occurrence of fatal infective endocarditis: a population-based study in Finland. <i>BMC Infectious Diseases</i> , 2019, 19, 987.	2.9	16
38	Point-of-care testing for CXCL13 in Lyme neuroborreliosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 91, 226-228.	1.8	15
39	Baseline Chest Computed Tomography as Standard of Care in High-Risk Hematology Patients. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 36.	3.5	15
40	Interstitial Pneumonitis and Coinfection of Human Herpesvirus 6 and <i>Pneumocystis carinii</i> in a Patient with Hypogammaglobulinemia. <i>Journal of Clinical Microbiology</i> , 2004, 42, 5415-5418.	3.9	14
41	The prevalence of antibodies against Sindbis-related (Pogosta) virus in different parts of Finland. <i>British Journal of Rheumatology</i> , 2003, 42, 632-636.	2.3	13
42	Borreliosis: recent research, diagnosis, and management. <i>Scandinavian Journal of Rheumatology</i> , 2008, 37, 161-172.	1.1	13
43	¹⁸ F-FDG positron emission tomography/computed tomography of cardiac implantable electronic device infections. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2992-3003.	2.1	13
44	Group A streptococcal bacteremias in Southwest Finland 2007–2018: epidemiology and role of infectious diseases consultation in antibiotic treatment selection. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 1339-1348.	2.9	9
45	Suspicion of Lyme borreliosis in patients referred to an infectious diseases clinic: what did the patients really have?. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1022-1028.	6.0	8
46	Short- and long-term outcomes of infective endocarditis admission in adults: A population-based registry study in Finland. <i>PLoS ONE</i> , 2021, 16, e0254553.	2.5	8
47	<i>Capnocytophaga canimorsus</i> : a rare case of conservatively treated prosthetic valve endocarditis. <i>Apmis</i> , 2018, 126, 453-456.	2.0	7
48	Low pre-vaccination SARS-CoV-2 seroprevalence in Finnish health care workers: a prospective cohort study. <i>Infectious Diseases</i> , 2022, 54, 448-454.	2.8	7
49	Tick Bites, Clinical Symptoms of Lyme Borreliosis, and <i>Borrelia</i> Antibody Responses in Finnish Army Recruits Training in an Endemic Region during Summer. <i>Military Medicine</i> , 1995, 160, 453-456.	0.8	6
50	<i>Borrelia burgdorferi</i> infection in patients with suspected acute myocardial infarction. <i>Lancet</i> , The, 1997, 350, 1447-1448.	13.7	6
51	<i>Scedosporium apiospermum</i> as a rare cause of central skull base osteomyelitis. <i>Medical Mycology Case Reports</i> , 2016, 11, 28-30.	1.3	5
52	Early impairment of coronary flow reserve is not associated with <i>Chlamydia pneumoniae</i> antibodies. <i>Annals of Medicine</i> , 2002, 34, 284-290.	3.8	4
53	C6 peptide enzyme immunoassay in Lyme borreliosis serology. <i>Journal of Microbiological Methods</i> , 2021, 180, 106122.	1.6	4
54	Erythema migrans - influence of postureNote . Case report. <i>Apmis</i> , 2000, 108, 649-651.	2.0	3

#	ARTICLE	IF	CITATIONS
55	Reply to Wormser et al. and to McSweegan. Journal of Infectious Diseases, 2007, 196, 1866-1867.	4.0	3
56	A single-tube two-color flow cytometric method for distinguishing between febrile bacterial and viral infections. Journal of Microbiological Methods, 2018, 152, 61-68.	1.6	3
57	Clinical characteristics and evaluation of the incidence of cryptococcosis in Finland 2004–2018. Infectious Diseases, 2021, 53, 684-690.	2.8	3
58	Cerebral vasculitis and intracranial multiple aneurysms in a child with Lyme neuroborreliosis. JMM Case Reports, 2017, 4, e005090.	1.3	3
59	Rapid detection of bacterial infection using a novel single-tube, four-colour flow cytometric method: Comparison with PCT and CRP. EBioMedicine, 2021, 74, 103724.	6.1	3
60	Lyme borreliosis. Lancet, The, 1995, 345, 1437.	13.7	2
61	Serum Matrix Metalloproteinase-8 and -9 Levels in Disseminated Lyme Borreliosis with Special Reference to Arthritis. Bio, 2012, 2, 68-74.	0.6	1
62	Consumption of healthcare services and antibiotics in patients with presumed disseminated Lyme borreliosis before and after evaluation of an infectious disease specialist. Ticks and Tick-borne Diseases, 2022, 13, 101854.	2.7	1
63	P3537Contemporary occurrence and short-term mortality of infective endocarditis: a population-based registry study in Finland. European Heart Journal, 2018, 39, .	2.2	0