

Louis Heyns Du Preez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3991363/louis-heyns-du-preez-publications-by-citations.pdf>

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117

papers

2,573

citations

22

h-index

48

g-index

120

ext. papers

2,947

ext. citations

2.8

avg, IF

4.65

L-index

#	Paper	IF	Citations
117	Multiple emergences of genetically diverse amphibian-infecting chytrids include a globalized hypervirulent recombinant lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18732-6	11.5	318
116	Origin of the amphibian chytrid fungus. <i>Emerging Infectious Diseases</i> , 2004 , 10, 2100-5	10.2	308
115	Effects of atrazine on fish, amphibians, and aquatic reptiles: a critical review. <i>Critical Reviews in Toxicology</i> , 2008 , 38, 721-72	5.7	187
114	Biodiversity. Confronting amphibian declines and extinctions. <i>Science</i> , 2006 , 313, 48	33.3	181
113	Rapid global expansion of the fungal disease chytridiomycosis into declining and healthy amphibian populations. <i>PLoS Pathogens</i> , 2009 , 5, e1000458	7.6	166
112	Atrazine concentrations, gonadal gross morphology and histology in ranid frogs collected in Michigan agricultural areas. <i>Aquatic Toxicology</i> , 2006 , 76, 230-45	5.1	100
111	Plasma concentrations of estradiol and testosterone, gonadal aromatase activity and ultrastructure of the testis in <i>Xenopus laevis</i> exposed to estradiol or atrazine. <i>Aquatic Toxicology</i> , 2005 , 72, 383-96	5.1	73
110	Seasonal exposures to triazine and other pesticides in surface waters in the western Highveld corn-production region in South Africa. <i>Environmental Pollution</i> , 2005 , 135, 131-41	9.3	69
109	Gonadal development of larval male <i>Xenopus laevis</i> exposed to atrazine in outdoor microcosms. <i>Environmental Science & Technology</i> , 2005 , 39, 5255-61	10.3	62
108	Effects of atrazine on CYP19 gene expression and aromatase activity in testes and on plasma sex steroid concentrations of male African clawed frogs (<i>Xenopus laevis</i>). <i>Toxicological Sciences</i> , 2005 , 86, 273-80	4.4	60
107	Plasma sex steroid concentrations and gonadal aromatase activities in African clawed frogs (<i>Xenopus laevis</i>) from South Africa. <i>Environmental Toxicology and Chemistry</i> , 2004 , 23, 1996-2007	3.8	58
106	The challenge of conserving amphibian megadiversity in Madagascar. <i>PLoS Biology</i> , 2008 , 6, e118	9.7	41
105	A view of early vertebrate evolution inferred from the phylogeny of polystome parasites (Monogenea: Polystomatidae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002 , 269, 535-43	4.4	39
104	Origin and evolution of African Polystoma (Monogenea: Polystomatidae) assessed by molecular methods. <i>International Journal for Parasitology</i> , 2001 , 31, 697-705	4.3	36
103	Relationships among size, development, and Batrachochytrium dendrobatidis infection in African tadpoles. <i>Diseases of Aquatic Organisms</i> , 2007 , 74, 159-64	1.7	36
102	Correlating early evolution of parasitic platyhelminths to Gondwana breakup. <i>Systematic Biology</i> , 2011 , 60, 762-81	8.4	34
101	Reproduction, larval growth, and reproductive development in African clawed frogs (<i>Xenopus laevis</i>) exposed to atrazine. <i>Chemosphere</i> , 2008 , 71, 546-52	8.4	34

100	Leapfrogging into new territory: How Mascarene ridged frogs diversified across Africa and Madagascar to maintain their ecological niche. <i>Molecular Phylogenetics and Evolution</i> , 2017 , 106, 254-269	4.1	31
99	A revision of African helmeted terrapins (Testudines: Pelomedusidae: Pelomedusa), with descriptions of six new species. <i>Zootaxa</i> , 2014 , 3795, 523-48	0.5	30
98	Plasma steroid hormone concentrations, aromatase activities and GSI in ranid frogs collected from agricultural and non-agricultural sites in Michigan (USA). <i>Aquatic Toxicology</i> , 2006 , 77, 153-66	5.1	25
97	Quantification of the trade in <i>Xenopus laevis</i> from South Africa, with implications for biodiversity conservation. <i>African Journal of Herpetology</i> , 2007 , 56, 77-83	0.6	24
96	Syntopic occurrence of new species of <i>Polystoma</i> and <i>Metapolystoma</i> (Monogenea: Polystomatidae) in <i>Ptychadena porosissima</i> in South Africa. <i>Systematic Parasitology</i> , 1992 , 22, 141-150	1	23
95	Biodiversity of frog haemoparasites from sub-tropical northern KwaZulu-Natal, South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015 , 4, 135-41	2.6	22
94	Lessons from parasitic flatworms about evolution and historical biogeography of their vertebrate hosts. <i>Comptes Rendus - Biologies</i> , 2009 , 332, 149-58	1.4	22
93	Population-specific incidence of testicular ovarian follicles in <i>Xenopus laevis</i> from South Africa: a potential issue in endocrine testing. <i>Aquatic Toxicology</i> , 2009 , 95, 10-6	5.1	22
92	Parasite host-switching from the invasive American red-eared slider, <i>Trachemys scripta elegans</i> , to the native Mediterranean pond turtle, <i>Mauremys leprosa</i> , in natural environments. <i>Aquatic Invasions</i> , 2015 , 10, 79-91	2.9	22
91	Evolutionary processes involved in the diversification of chelonian and mammal polystomatid parasites (Platyhelminthes, Monogenea, Polystomatidae) revealed by palaeoecology of their hosts. <i>Molecular Phylogenetics and Evolution</i> , 2015 , 92, 1-10	4.1	21
90	Monophyly of the species of <i>Hepatozoon</i> (Adeleorina: Hepatozoidae) parasitizing (African) anurans, with the description of three new species from hyperoliid frogs in South Africa. <i>Parasitology</i> , 2018 , 145, 1039-1050	2.7	21
89	Supporting experimental evidence of host specificity among southern African polystomes (Polystomatidae:Monogenea). <i>Parasitology Research</i> , 1997 , 83, 558-62	2.4	20
88	Demonstrating morphometric protocols using polystome marginal hooklet measurements. <i>Systematic Parasitology</i> , 2006 , 63, 1-15	1	20
87	The double odyssey of Madagascan polystome flatworms leads to new insights on the origins of their amphibian hosts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 1575-83	4.4	17
86	<i>Neopolystoma liewi</i> sp. n. (Monogenea: Polystomatidae) from the eye of the Malayan box turtle (<i>Cuora amboinensis</i>). <i>Folia Parasitologica</i> , 2000 , 47, 11-6	1.8	17
85	Urbanization affects frog communities at multiple scales in a rapidly developing African city. <i>Urban Ecosystems</i> , 2015 , 18, 1333-1352	2.8	15
84	Do public attitudes affect conservation effort? Using a questionnaire-based survey to assess perceptions, beliefs and superstitions associated with frogs in South Africa. <i>African Zoology</i> , 2016 , 51, 13-20	1.1	15
83	The effect of airplane noise on frogs: a case study on the Critically Endangered Pickersgill's reed frog (<i>Hyperolius pickersgilli</i>). <i>Ecological Research</i> , 2016 , 31, 393-405	1.9	14

82	Differentiation of two locally sympatric Protopolyxystoma (Monogenea: Polystomatidae) species by temperature-dependent larval development and survival. <i>International Journal for Parasitology</i> , 2001 , 31, 815-21	4.3	14
81	Additional morphological information on Oculotrema hippopotami Stunkard, 1924 (Monogenea: Polystomatidae) parasitic on the African hippopotamus. <i>African Zoology</i> , 2004 , 39, 225-233	1.1	13
80	Polystomatidae (Monogenea) of Anura in southern Africa: Polystoma testimagna n. sp. parasitic in Strongylopus f. fasciatus (Smith, 1849). <i>Systematic Parasitology</i> , 1993 , 25, 213-219	1	13
79	Linking organochlorine exposure to biomarker response patterns in Anurans: a case study of Müller's clawed frog (<i>Xenopus muelleri</i>) from a tropical malaria vector control region. <i>Ecotoxicology</i> , 2018 , 27, 1203-1216	2.9	13
78	Ultrastructural Comparison of Hepatozoon ixoxo and Hepatozoon theileri (Adeleorina: Hepatozoidae), Parasitising South African Anurans. <i>Journal of Eukaryotic Microbiology</i> , 2017 , 64, 193-203 ^{3.6}		12
77	Spatial assessment of amphibian chytrid fungus (<i>Batrachochytrium dendrobatidis</i>) in South Africa confirms endemic and widespread infection. <i>PLoS ONE</i> , 2013 , 8, e69591	3.7	12
76	Polystomatidae (Monogenea) of Southern African Anura: Eupolystoma vanasi n. sp. parasitic in Schismaderma carens (Smith). <i>Systematic Parasitology</i> , 2003 , 54, 71-9	1	12
75	Folk taxonomy and indigenous names for frogs in Zululand, South Africa. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2019 , 15, 17	3.9	11
74	Introduction and invasion of the red-eared slider and its parasites in freshwater ecosystems of Southern Europe: risk assessment for the European pond turtle in wild environments. <i>Biodiversity and Conservation</i> , 2017 , 26, 1817-1843	3.4	10
73	Polystomatidae (Monogenea) of southern African Anura: Polystoma claudelombesi n. sp. parasitic in Rana angolensis Bocage. <i>Systematic Parasitology</i> , 1995 , 30, 223-231	1	10
72	Reproductive strategies of the kangaroo leech, Marsupiobdella africana (Glossiphoniidae). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015 , 4, 142-7	2.6	9
71	Neofoleyellides boerewors n. gen. n. sp. (Nematoda: Onchocercidae) parasitising common toads and mosquito vectors: morphology, life history, experimental transmission and host-vector interaction in situ. <i>International Journal for Parasitology</i> , 2020 , 50, 177-194	4.3	9
70	Weak divergence among African, Malagasy and Seychellois hinged terrapins (<i>Pelusios castanoides</i> , <i>P. subniger</i>) and evidence for human-mediated oversea dispersal. <i>Organisms Diversity and Evolution</i> , 2013 , 13, 215-224	1.7	9
69	Channel Construction by the African Bullfrog: Another Anuran Parental Care Strategy. <i>Journal of Herpetology</i> , 1989 , 23, 435	1.1	9
68	New information on morphology and molecular data of camallanid nematodes parasitising <i>Xenopus laevis</i> (Anura: Pipidae) in South Africa. <i>Folia Parasitologica</i> , 2018 , 65,	1.8	9
67	First monogenean flatworm from a microhylid frog host: Kankana, a new polystome genus from Madagascar. <i>Parasitology International</i> , 2011 , 60, 465-73	2.1	8
66	A new genus of polystomatid parasitic flatworm (Monogenea: Polystomatidae) without free-swimming life stage from the Malagasy poison frogs. <i>Zootaxa</i> , 2010 , 2722, 54	0.5	8
65	The first record of polystomes (Monogenea: Polystomatidae) from caecilian hosts (Amphibia: Gymnophiona), with the description of a new genus and two new species. <i>Systematic Parasitology</i> , 2008 , 69, 201-9	1	8

64	The relative importance of bladder versus neotenic stages of <i>Polystoma marmorati</i> and <i>P. umthakathi</i> in natural frog populations in South Africa. <i>Journal of Helminthology</i> , 1998 , 72, 117-121	1.6	8
63	<i>Polystoma australis</i> (Monogenea): Development and reproduction in neotenic parasites. <i>South African Journal of Zoology</i> , 1989 , 24, 225-230		8
62	An overview of the Dactylosomatidae (Apicomplexa: Adeleorina: Dactylosomatidae), with the description of n. sp. parasitising and from South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020 , 11, 246-260	2.6	8
61	Repeated reduction in parasite diversity in invasive populations of <i>Xenopus laevis</i> : a global experiment in enemy release. <i>Biological Invasions</i> , 2019 , 21, 1323-1338	2.7	8
60	Tracking platyhelminth parasite diversity from freshwater turtles in French Guiana: First report of <i>Neopolystoma</i> Price, 1939 (Monogenea: Polystomatidae) with the description of three new species. <i>Parasites and Vectors</i> , 2017 , 10, 53	4	7
59	Seasonal pattern of chytridiomycosis in common river frog (<i>Amietia angolensis</i>) tadpoles in the South African Grassland Biome. <i>African Zoology</i> , 2011 , 46, 95-102	1.1	7
58	A redescription of <i>Polystoma africanum</i> Szidat, 1932 (Monogenea: Polystomatidae). <i>Zootaxa</i> , 2009 , 2095, 37-46	0.5	7
57	Quantitative measurement of <i>Batrachochytrium dendrobatidis</i> in amphibian skin. <i>Diseases of Aquatic Organisms</i> , 2006 , 72, 153-61	1.7	7
56	Phoretic interaction between the kangaroo leech <i>Marsupiobdella africana</i> (Hirudinea: Glossiphoniidae) and the cape river crab <i>Potamonautus perlatus</i> (Decapoda: Potamonautesidae). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2014 , 3, 6-11	2.6	6
55	The morphology and attachment of <i>Protopolystoma xenopodis</i> (Monogenea: Polystomatidae) infecting the African clawed frog <i>Xenopus laevis</i> . <i>Parasite</i> , 2014 , 21, 20	3	6
54	Uncovering a hidden diversity: two new species of <i>Brevicipes</i> (Anura: Brevicipitidae) from northern KwaZulu-Natal, South Africa. <i>Zootaxa</i> , 2017 , 4300, 195	0.5	6
53	Polystomatidae (Monogenea) of African Anura: <i>Polystoma dawiekoki</i> n. sp. parasitic in <i>Ptychadena anchietae</i> (Bocage). <i>Systematic Parasitology</i> , 2002 , 52, 35-41	1	6
52	<i>Sundapolystoma chalconotae</i> n. g., n. sp. (Monogenea: Polystomatidae) from <i>Rana chalconota</i> (Schlegel) of Peninsular Malaysia. <i>Systematic Parasitology</i> , 2001 , 49, 223-31	1	6
51	A new species of <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda: Rhabdiasidae) from <i>Blommersia domerguei</i> (Guib!) (Amphibia: Mantellidae) in Madagascar. <i>Folia Parasitologica</i> , 2013 , 60, 469-74	1.8	6
50	Some nematodes of the genus <i>Rhabdias</i> Stiles et Hassall, 1905 (Nematoda: Rhabdiasidae) parasitising amphibians in French Guiana. <i>Folia Parasitologica</i> , 2015 , 62,	1.8	6
49	Novel information on the morphology, phylogeny and distribution of camallanid nematodes from marine and freshwater hosts in South Africa, including the description of n. sp. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019 , 10, 263-273	2.6	5
48	<i>Xenopus laevis</i> as UberXL for nematodes. <i>African Zoology</i> , 2020 , 55, 7-24	1.1	5
47	A new polystomatid (Monogenea, Polystomatidae) from the mouth of the North American freshwater turtle <i>Pseudemys nelsoni</i> . <i>ZooKeys</i> , 2015 , 1-9	1.2	5

46	Chitosan Composite Biomaterials for Bone Tissue Engineering: Review. <i>Regenerative Engineering and Translational Medicine</i> , 2020 , 1	2.4	5
45	Endoparasitic mites of the genus <i>Endotrombicula</i> Ewing, 1931 (Acari: Prostigmata: Parasitengona: Trombiculidae) from African and Madagascan anurans, with description of a new species. <i>Folia Parasitologica</i> , 2007 , 54, 225-35	1.8	5
44	Two new species of polystomes (Monogenea: Polystomatidae) from the anuran host <i>Guibemantis liber</i> . <i>Parasitology International</i> , 2014 , 63, 108-19	2.1	4
43	Alternative development in <i>Polystoma gallieni</i> (Platyhelminthes, Monogenea) and life cycle evolution. <i>Experimental Parasitology</i> , 2013 , 135, 283-6	2.1	4
42	Morphology of the elygium and developing umbraculum in the eye of <i>Amietia vertebralis</i> tadpoles. <i>Journal of Morphology</i> , 2013 , 274, 551-6	1.6	4
41	<i>Polystoma vernoni</i> n. sp. (Monogenea: Polystomatidae) from the sharp nosed grass frog <i>Ptychadena oxyrhynchus</i> (Smith, 1849) in South Africa. <i>Journal of Helminthology</i> , 2011 , 85, 294-9	1.6	4
40	Resolving the confusion: <i>Amietia vertebralis</i> and <i>A. umbraculata</i> tadpole morphology. <i>African Zoology</i> , 2011 , 46, 309-319	1.1	4
39	Maluti Mystery: A systematic review of <i>Amietia vertebralis</i> (Hewitt, 1927) and <i>Strongylopus hymenopus</i> (Boulenger, 1920) (Anura: Pyxicephalidae). <i>Zootaxa</i> , 2008 , 1962, 33-48	0.5	4
38	A redescription of <i>Chabaudus leberrei</i> (Bain & Philippon, 1969) (Nematoda: Seuratoidea) from <i>Xenopus</i> spp. in Swaziland. <i>Systematic Parasitology</i> , 2001 , 50, 81-9	1	4
37	Exceptional Enlargement of the Mitochondrial Genome Results from Distinct Causes in Different Rain Frogs (Anura: Brevicipitidae). <i>International Journal of Genomics</i> , 2020 , 2020, 6540343	2.5	3
36	<i>Amphiophilus mooiensis</i> n. sp. (Nematoda: Amphiophilidae), a parasite of <i>Amietia delalandii</i> (Duménil & Bibron) (Amphibia: Pyxicephalidae) from South Africa. <i>Systematic Parasitology</i> , 2018 , 95, 81-89 ¹		3
35	Demonstrating the value and importance of combining DNA barcodes and discriminant morphological characters for polystome taxonomy (Platyhelminthes, Monogenea). <i>Parasitology International</i> , 2018 , 67, 38-46	2.1	3
34	Two new polystomes (Monogenea: Polystomatidae) from the eyes of North American freshwater turtles. <i>Zootaxa</i> , 2012 , 3392, 47	0.5	3
33	<i>Polystoma nacialtuneli</i> n. sp. (Monogenea: Polystomatidae) from the eastern spadefoot, <i>Pelobates syriacus</i> (Pelobatidae) in Turkey. <i>Journal of Helminthology</i> , 2012 , 86, 104-12	1.6	3
32	Assessment of platyhelminth diversity within amphibians of French Guiana revealed a new species of <i>Nanopolystoma</i> (Monogenea: Polystomatidae) in the caecilian <i>Typhlonectes compressicauda</i> . <i>Folia Parasitologica</i> , 2014 , 61, 537-542	1.8	3
31	Two new species of Cephalogonimidae Looss, 1899 (Digenea: Plagiorchioidea) from Africa (Mozambique and Guinea), including a new phylogenetic hypothesis for related plagiorchioids. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021 , 14, 228-240	2.6	3
30	Molecular confirmation of high prevalence of species of infection in free-ranging African wild dogs () in the Kruger National Park, South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021 , 14, 335-340	2.6	3
29	Molecular and morphological characterisation of <i>Rhabdias picardiae</i> Junker, Lhermitte-Vallarino et Bain, 2010 (Nematoda: Rhabdiasidae) from Delaland's River Frog, <i>Amietia delalandii</i> (Duménil et Bibron, 1841) (Amphibia: Pyxicephalidae) in South Africa. <i>Acta Parasitologica</i> , 2018 , 63, 55-64	1.7	2

28	Eupolystoma namibiensis n. sp. (Monogenea: Polystomatidae) parasitic in Poyntonophrynu hoshi (Ahl, 1934) of Namibia. <i>African Zoology</i> , 2015 , 50, 141-145	1.1	2
27	Polystomatidae (Monogenea) of southern African Anura: Polystoma channingi n.sp. parasitic in two closely related Cacosternum species. <i>African Zoology</i> , 2013 , 48, 64-71	1.1	2
26	Polystoma okomuensis n. sp. (Monogenea: Polystomatidae) from Boulenger's striped frog, Phlyctimantis boulengeri (Perret, 1986) in Nigeria. <i>Journal of Helminthology</i> , 2011 , 85, 153-9	1.6	2
25	Has strategic planning made a difference to amphibian conservation research in South Africa?. <i>Bothalia</i> , 2019 , 49,	1.2	2
24	Indopolystoma n. gen. (Monogenea, Polystomatidae) with the description of three new species and reassessment of eight known Polystoma species from Asian frogs (Anura, Rhacophoridae). <i>Parasite</i> , 2019 , 26, 67	3	2
23	First Record of a Polystome from Alligator Snapping Turtle, Macrochelys temminckii (Cryptodira: Chelydridae) or Mississippi; with Comments on "Neopolystoma orbiculare (Stunkard, 1916)" and Its Junior Subjective Synonyms. <i>Journal of Parasitology</i> , 2021 , 107, 74-88	0.9	2
22	Lack of phylogeographic structure in the endangered Pickersgill Reed Frog; Hyperolius pickersgilli (Raw, 1982). <i>African Journal of Herpetology</i> , 2019 , 68, 1-17	0.6	1
21	Polystoma knoffi n. sp. and Polystoma travassosi n. sp. (Monogenea: Polystomatidae): naming museum-archived specimens from Brazil. <i>Systematic Parasitology</i> , 2019 , 96, 755	1	1
20	Polystomatidae (Monogenea) of Southern African Anura:Polystoma channingi.n.sp. Parasitic in Two Closely RelatedCacosternumSpecies. <i>African Zoology</i> , 2013 , 48, 64-71	1.1	1
19	Reviewing taxonomic bias in a megadiverse country: primary biodiversity data, cultural salience, and scientific interest of South African animals. <i>Environmental Reviews</i> , 1-11	4.5	1
18	Eye to eye: classification of conjunctival sac polystomes (Monogenea: Polystomatidae) revisited with the description of three new genera Apaloneotrema n. g., Aussietrema n. g. and Fornixtrema n. g. <i>Parasitology Research</i> , 2020 , 119, 4017-4031	2.4	1
17	New records of Amphiophilus spp. (Nematoda: Amphiophilidae) parasitic in Strongylopus grayii (Smith) and Amietia delalandii (Duméril & Bibron) (Amphibia: Anura: Pyxicephalidae) in South Africa, with a description of Amphiophilus bialatus n. sp. <i>Systematic Parasitology</i> , 2020 , 97, 713-725	1	1
16	Two new species of (Nematoda: Onchocercidae) parasitising anuran amphibians in South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021 , 14, 298-307	2.6	1
15	First record of viviparity in polystomatid flatworms (Monogenea: Polystomatidae) with the description of two new species of from the Madagascan anuran hosts and. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2018 , 7, 343-354	2.6	1
14	Description and molecular characterisation of a new nematode species parasitic in the lungs of Strongylopus grayii (Smith) (Anura: Pyxicephalidae) in South Africa. <i>Systematic Parasitology</i> , 2020 , 97, 369-378	1	0
13	Mom taxi Maternal care in shovel-nosed frogs Hemisus marmoratus and Hemisus guttatus. <i>African Zoology</i> , 2020 , 55, 1-5	1.1	0
12	Polystoma luohetong n. sp. (Monogenea: Polystomatidae) from Rana chaochiaoensis Liu (Amphibia: Ranidae) in China. <i>Systematic Parasitology</i> , 2020 , 97, 639-647	1	0
11	Spiroxys ankrafantsika Roca et Garcia, 2008 (Nematoda: Gnathostomatidae) and Other Nematodes Parasitising Pelusios spp. (Testudines: Pelomedusidae) from South Africa and Mozambique. <i>Acta Parasitologica</i> , 2021 , 66, 954-961	1.7	0

10	Pseudocapillaria (Ichthyocapillaria) bumpi n. sp. (Nematoda: Capillariidae) Parasitising West African Lungfish Protopterus annectens (Owen, 1839) (Lepidosireniformes: Protopteridae) in Mozambique and Its Phylogenetic Position Within Capillariid Nematodes. <i>Acta Parasitologica</i> , 2021 , 66, 1204-1211	1.7	O
9	First record of (Monogenea: Polystomatidae) from tree frogs in Madagascar, with the description of five new species. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021 , 14, 161-178	2.6	O
8	Novel chitosan-poly(vinyl acetate) biomaterial suitable for additive manufacturing and bone tissue engineering applications. <i>Journal of Bioactive and Compatible Polymers</i> , 088391152110432	2	O
7	An integrative taxonomic revision and redefinition of Gephyromantis (Laurentomantis) malagascius based on archival DNA analysis reveals four new mantellid frog species from Madagascar. <i>Vertebrate Zoology</i> , 72 , 271-309	2	O
6	Polystomoides bourgati(Monogenea: Polystomatidae) Infecting Pelusios castaneus in Southern Nigeria. <i>African Zoology</i> , 2012 , 47, 42-47	1.1	
5	n. gen., n. sp. (Digenea: Liolopidae) infecting the intestine of serrated hinged terrapin (), east African black mud turtle (), and South African helmeted turtle () and a phylogenetic hypothesis for liolopid genera.. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022 , 17, 43-52	2.6	
4	ParaSiteDB - A user-friendly database for managing a parasitological collection. <i>Parasitology International</i> , 2021 , 81, 102266	2.1	
3	The tadpole of Afrixalus knysnae (Loveridge) (Anura: Hyperoliidae), with comments on reproductive biology. <i>Zootaxa</i> , 2018 , 4521, 121-124	0.5	
2	A new species of Serpentirhabdias Tkach, Kuzmin et Snyder, 2014 (Nematoda: Rhabdiasidae) parasitic in the herald snake, Crotaphopeltis hotamboeia (Laurenti) (Reptilia: Serpentes: Colubridae) in South Africa. <i>Systematic Parasitology</i> , 2021 , 98, 477-485	1	
1	The helminth infracommunities in three species of herons (Aves: Ardeidae) from Ukraine. <i>Parasitology International</i> , 2021 , 85, 102442	2.1	