

# Giovanna Cutrona

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3992591/publications.pdf>

Version: 2024-02-01

170  
papers

3,965  
citations

126858

33  
h-index

149623

56  
g-index

173  
all docs

173  
docs citations

173  
times ranked

5139  
citing authors

#	ARTICLE	IF	CITATIONS
1	In vivo measurements document the dynamic cellular kinetics of chronic lymphocytic leukemia B cells. <i>Journal of Clinical Investigation</i> , 2005, 115, 755-764.	3.9	515
2	Effects in live cells of a c-myc anti-gene PNA linked to a nuclear localization signal. <i>Nature Biotechnology</i> , 2000, 18, 300-303.	9.4	229
3	CD38 and chronic lymphocytic leukemia: a decade later. <i>Blood</i> , 2011, 118, 3470-3478.	0.6	181
4	Interleukin-21 receptor (IL-21R) is up-regulated by CD40 triggering and mediates proapoptotic signals in chronic lymphocytic leukemia B cells. <i>Blood</i> , 2006, 107, 3708-3715.	0.6	107
5	The opposite effects of IL-15 and IL-21 on CLL B cells correlate with differential activation of the JAK/STAT and ERK1/2 pathways. <i>Blood</i> , 2008, 111, 517-524.	0.6	104
6	Apoptotic cells overexpress vinculin and induce vinculin-specific cytotoxic T-cell cross-priming. <i>Nature Medicine</i> , 2001, 7, 807-813.	15.2	88
7	International prognostic score for asymptomatic early-stage chronic lymphocytic leukemia. <i>Blood</i> , 2020, 135, 1859-1869.	0.6	86
8	Small nucleolar RNAs as new biomarkers in chronic lymphocytic leukemia. <i>BMC Medical Genomics</i> , 2013, 6, 27.	0.7	73
9	Expression of CD10 by Human T Cells That Undergo Apoptosis Both In Vitro and In Vivo. <i>Blood</i> , 1999, 94, 3067-3076.	0.6	66
10	B lymphocytes in humans express ZAP-70 when activated in vivo. <i>European Journal of Immunology</i> , 2006, 36, 558-569.	1.6	60
11	Clinical Monoclonal B Lymphocytosis versus Rai O Chronic Lymphocytic Leukemia: A Comparison of Cellular, Cytogenetic, Molecular, and Clinical Features. <i>Clinical Cancer Research</i> , 2013, 19, 5890-5900.	3.2	60
12	Molecular and transcriptional characterization of 17p loss in B-cell chronic lymphocytic leukemia. <i>Genes Chromosomes and Cancer</i> , 2008, 47, 781-793.	1.5	59
13	Biological and clinical relevance of quantitative global methylation of repetitive DNA sequences in chronic lymphocytic leukemia. <i>Epigenetics</i> , 2011, 6, 188-194.	1.3	58
14	The chronic lymphocytic leukemia international prognostic index predicts time to first treatment in early CLL: Independent validation in a prospective cohort of early stage patients. <i>American Journal of Hematology</i> , 2016, 91, 1090-1095.	2.0	58
15	Transfection of the c-myc oncogene into normal Epstein-Barr virus-harboring B cells results in new phenotypic and functional features resembling those of Burkitt lymphoma cells and normal centroblasts. <i>Journal of Experimental Medicine</i> , 1995, 181, 699-711.	4.2	55
16	Nonjudicious Dispensing of Antibiotics by Drug Stores in Pratumthani, Thailand. <i>Infection Control and Hospital Epidemiology</i> , 2008, 29, 572-575.	1.0	54
17	Integrative Genomics Analyses Reveal Molecularly Distinct Subgroups of B-Cell Chronic Lymphocytic Leukemia Patients with 13q14 Deletion. <i>Clinical Cancer Research</i> , 2010, 16, 5641-5653.	3.2	52
18	High-throughput sequencing for the identification of NOTCH1 mutations in early stage chronic lymphocytic leukaemia: biological and clinical implications. <i>British Journal of Haematology</i> , 2014, 165, 629-639.	1.2	52

#	ARTICLE	IF	CITATIONS
19	microRNAome Expression in Chronic Lymphocytic Leukemia: Comparison with Normal B-cell Subsets and Correlations with Prognostic and Clinical Parameters. <i>Clinical Cancer Research</i> , 2014, 20, 4141-4153.	3.2	52
20	Validation of the CLL-IPI and comparison with the MDACC prognostic index in newly diagnosed patients. <i>Blood</i> , 2016, 128, 2093-2095.	0.6	52
21	Definition of progression risk based on combinations of cellular and molecular markers in patients with Binet stage A chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2009, 146, 44-53.	1.2	50
22	Heterogeneity of TP53 Mutations and P53 Protein Residual Function in Cancer: Does It Matter?. <i>Frontiers in Oncology</i> , 2020, 10, 593383.	1.3	50
23	lncRNA profiling in early-stage chronic lymphocytic leukemia identifies transcriptional fingerprints with relevance in clinical outcome. <i>Blood Cancer Journal</i> , 2016, 6, e468-e468.	2.8	47
24	CD26 expression in mature B-cell neoplasia: its possible role as a new prognostic marker in B-CLL. <i>Hematological Oncology</i> , 2009, 27, 140-147.	0.8	46
25	The cumulative amount of serum-free light chain is a strong prognosticator in chronic lymphocytic leukemia. <i>Blood</i> , 2011, 118, 6353-6361.	0.6	45
26	Chronic lymphocytic leukemia nurse-like cells express hepatocyte growth factor receptor (c-MET) and indoleamine 2,3-dioxygenase and display features of immunosuppressive type 2 skewed macrophages. <i>Haematologica</i> , 2014, 99, 1078-1087.	1.7	43
27	Clonal heterogeneity in chronic lymphocytic leukemia cells: superior response to surface IgM cross-linking in CD38, ZAP-70-positive cells. <i>Haematologica</i> , 2008, 93, 413-422.	1.7	42
28	Constitutive expression of IL-12R $\beta$ 2 on human multiple myeloma cells delineates a novel therapeutic target. <i>Blood</i> , 2008, 112, 750-759.	0.6	38
29	Relevance of telomere/telomerase system impairment in early stage chronic lymphocytic leukemia. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 612-621.	1.5	38
30	Inhibition of Burkitt's lymphoma cells growth in SCID mice by a PNA specific for a regulatory sequence of the translocated c-myc. <i>Cancer Gene Therapy</i> , 2007, 14, 220-226.	2.2	37
31	Predictive value of $\beta$ 2-microglobulin ( $\beta$ 2-m) levels in chronic lymphocytic leukemia since Binet A stages. <i>Haematologica</i> , 2009, 94, 887-888.	1.7	37
32	CD10 is a marker for cycling cells with propensity to apoptosis in childhood ALL. <i>British Journal of Cancer</i> , 2002, 86, 1776-1785.	2.9	36
33	Relevance of Stereotyped B-Cell Receptors in the Context of the Molecular, Cytogenetic and Clinical Features of Chronic Lymphocytic Leukemia. <i>PLoS ONE</i> , 2011, 6, e24313.	1.1	36
34	Effects of miRNA-15 and miRNA-16 expression replacement in chronic lymphocytic leukemia: implication for therapy. <i>Leukemia</i> , 2017, 31, 1894-1904.	3.3	33
35	Inhibition of the translocated c-myc in Burkitt's lymphoma by a PNA complementary to the E mu enhancer. <i>Cancer Research</i> , 2003, 63, 6144-8.	0.4	32
36	Therapeutically Promising PNA Complementary to a Regulatory Sequence for c-myc: Pharmacokinetics in an Animal Model of Human Burkitt's Lymphoma. <i>Oligonucleotides</i> , 2005, 15, 85-93.	2.7	29

#	ARTICLE	IF	CITATIONS
37	A progression-risk score to predict treatment-free survival for early stage chronic lymphocytic leukemia patients. <i>Leukemia</i> , 2016, 30, 1440-1443.	3.3	28
38	Late Epstein-Barr virus infection of a hepatosplenic gamma delta T-cell lymphoma arising in a kidney transplant recipient. <i>Haematologica</i> , 2000, 85, 256-62.	1.7	28
39	Emergence of a B-cell lymphoblastic lymphoma in a patient with B-cell chronic lymphocytic leukemia: evidence for the single-cell origin of the two tumors. <i>Blood</i> , 1991, 78, 797-804.	0.6	27
40	Chromosome 2p gain in monoclonal B-cell lymphocytosis and in early stage chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 24-31.	2.0	27
41	Expression of CD10 by human T cells that undergo apoptosis both in vitro and in vivo. <i>Blood</i> , 1999, 94, 3067-76.	0.6	27
42	Markers of increased angiogenesis and their correlation with biological parameters identifying high-risk patients in early B-cell chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2007, 31, 1575-1578.	0.4	25
43	Multiplex ligation-dependent probe amplification and fluorescence in situ hybridization to detect chromosomal abnormalities in Chronic lymphocytic leukemia: A comparative study. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 726-734.	1.5	24
44	A reversible carnitine palmitoyltransferase (CPT1) inhibitor offsets the proliferation of chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2018, 103, e531-e536.	1.7	24
45	The propensity to apoptosis of centrocytes and centroblasts correlates with elevated levels of intracellular myc protein. <i>European Journal of Immunology</i> , 1997, 27, 234-238.	1.6	23
46	Expression of CD10 by human T cells that undergo apoptosis both in vitro and in vivo. <i>Blood</i> , 2001, 97, 2528-2529.	0.6	23
47	Baff serum level predicts time to first treatment in early chronic lymphocytic leukemia. <i>European Journal of Haematology</i> , 2010, 85, 314-320.	1.1	23
48	Association between gene and miRNA expression profiles and stereotyped subset #4 B-cell receptor in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 3150-3158.	0.6	23
49	Antitumor Effects of PRIMA-1 and PRIMA-1Met (APR246) in Hematological Malignancies: Still a Mutant P53-Dependent Affair?. <i>Cells</i> , 2021, 10, 98.	1.8	23
50	The Peptide Nucleic Acid Targeted to a Regulatory Sequence of the Translocated c-myc Oncogene in Burkitt's Lymphoma Lacks Immunogenicity: Follow-Up Characterization of PNAE1/4-NLS. <i>Oligonucleotides</i> , 2007, 17, 146-150.	2.7	22
51	Heterogeneous expression and function of IL-21R and susceptibility to IL-21-mediated apoptosis in follicular lymphoma cells. <i>Experimental Hematology</i> , 2010, 38, 373-383.	0.2	22
52	Retinoic acid induces persistent, RAR-mediated anti-proliferative responses in Epstein-Barr virus-immortalized b lymphoblasts carrying an activated c-myc oncogene but not in Burkitt's lymphoma cell lines. , 2000, 86, 375-384.		21
53	Igs Expressed by Chronic Lymphocytic Leukemia B Cells Show Limited Binding-Site Structure Variability. <i>Journal of Immunology</i> , 2013, 190, 5771-5778.	0.4	21
54	Apoptosis of Burkitt's lymphoma cells induced by specific interaction of surface IgM with a self-antigen: implications for lymphomagenesis in acquired immunodeficiency syndrome. <i>Blood</i> , 1996, 88, 599-608.	0.6	20

#	ARTICLE	IF	CITATIONS
55	Toll-like receptor stimulation in splenic marginal zone lymphoma can modulate cell signaling, activation and proliferation. <i>Haematologica</i> , 2015, 100, 1460-1468.	1.7	19
56	A seven-gene expression panel distinguishing clonal expansions of pre-leukemic and chronic lymphocytic leukemia B cells from normal B lymphocytes. <i>Immunologic Research</i> , 2015, 63, 90-100.	1.3	18
57	Toll-like receptor 9 stimulation can induce $\text{I}\text{f}\text{I}\text{I}\text{I}$ expression and IgM secretion in chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2017, 102, 1901-1912.	1.7	18
58	Comparison between the CLL $\text{IPI}$ and the $\text{B}$ Barcelona prognostic model: Analysis of 1299 newly diagnosed cases. <i>American Journal of Hematology</i> , 2018, 93, E35-E37.	2.0	18
59	Redefining the prognostic likelihood of chronic lymphocytic leukaemia patients with borderline percentage of immunoglobulin variable heavy chain region mutations. <i>British Journal of Haematology</i> , 2020, 189, 853-859.	1.2	18
60	Role of surface IgM and IgD on survival of the cells from B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2002, 99, 2277-2278.	0.6	17
61	CD5 <sup>+</sup> B cells with the features of subepithelial B cells found in human tonsils. <i>European Journal of Immunology</i> , 2007, 37, 2138-2147.	1.6	17
62	Prognostic relevance of <i>in vitro</i> response to cell stimulation via surface IgD in binet stage a CLL. <i>British Journal of Haematology</i> , 2010, 149, 160-163.	1.2	17
63	Tracing CLL-biased stereotyped immunoglobulin gene rearrangements in normal B cell subsets using a high-throughput immunogenetic approach. <i>Molecular Medicine</i> , 2020, 26, 25.	1.9	17
64	Increased serum BAFF (B-cell activating factor of the TNF family) level is a peculiar feature associated with familial chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2009, 33, 162-165.	0.4	16
65	Expression of Immunoglobulin Receptors with Distinctive Features Indicating Antigen Selection by Marginal Zone B Cells from Human Spleen. <i>Molecular Medicine</i> , 2013, 19, 294-302.	1.9	16
66	Interleukin 21 Controls mRNA and MicroRNA Expression in CD40-Activated Chronic Lymphocytic Leukemia Cells. <i>PLoS ONE</i> , 2015, 10, e0134706.	1.1	16
67	The patterns of IL2, IFN-gamma, IL4 and IL5 gene expression in Hodgkin's disease and reactive lymph nodes are similar. <i>Haematologica</i> , 1997, 82, 542-9.	1.7	16
68	Expression of CD10 by B-chronic lymphocytic leukemia cells undergoing apoptosis <i>in vivo</i> and <i>in vitro</i> . <i>Haematologica</i> , 2003, 88, 864-73.	1.7	16
69	External validation on a prospective basis of a nomogram for predicting the time to first treatment in patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2013, 119, 1177-1185.	2.0	15
70	Immunoglobulin heavy chain variable region gene and prediction of time to first treatment in patients with chronic lymphocytic leukemia: Mutational load or mutational status? Analysis of 1003 cases. <i>American Journal of Hematology</i> , 2018, 93, E216-E219.	2.0	15
71	A laboratory-based scoring system predicts early treatment in Rai O chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, 1613-1620.	1.7	15
72	Insulin Growth Factor 1 Receptor Expression Is Associated with NOTCH1 Mutation, Trisomy 12 and Aggressive Clinical Course in Chronic Lymphocytic Leukaemia. <i>PLoS ONE</i> , 2015, 10, e0118801.	1.1	15

#	ARTICLE	IF	CITATIONS
73	A Retinoic Acid Resistant HL-60 Cell Clone Sensitive to N-(4-hydroxyphenyl) Retinamide-Mediated Clonal Growth Inhibition. <i>Leukemia and Lymphoma</i> , 1995, 17, 155-161.	0.6	14
74	Prospective validation of a risk score based on biological markers for predicting progression free survival in Binet stage A chronic lymphocytic leukemia patients: Results of the multicenter Oâ€CLL1â€GISL study. <i>American Journal of Hematology</i> , 2014, 89, 743-750.	2.0	14
75	Functional Activation of Osteoclast Commitment in Chronic Lymphocytic Leukaemia: a Possible Role for RANK/RANKL Pathway. <i>Scientific Reports</i> , 2017, 7, 14159.	1.6	14
76	Cytogenetic Rearrangement of C-MYC Oncogene Occurs Prior to Infection with Epstein-Barr Virus in the Monoclonal Malignant B Cells From an AIDS Patient. <i>Leukemia and Lymphoma</i> , 1993, 9, 157-164.	0.6	13
77	Microenvironmental regulation of the IL-23R/IL-23 axis overrides chronic lymphocytic leukemia indolence. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	13
78	Time to first treatment and P53 dysfunction in chronic lymphocytic leukaemia: results of the O-CLL1 study in early stage patients. <i>Scientific Reports</i> , 2020, 10, 18427.	1.6	13
79	Prognostic relevance of serum levels and cellular expression of adiponectin in B-cell chronic lymphocytic leukemia. <i>International Journal of Hematology</i> , 2008, 88, 374-380.	0.7	12
80	Surrogate molecular markers for IGHV mutational status in chronic lymphocytic leukemia for predicting time to first treatment. <i>Leukemia Research</i> , 2015, 39, 840-845.	0.4	12
81	Apoptosis Induced by Crosslinking of CD4 on Activated Human B Cells. <i>Cellular Immunology</i> , 1999, 193, 80-89.	1.4	11
82	Mutation Pattern of Paired Immunoglobulin Heavy and Light Variable Domains in Chronic Lymphocytic Leukemia B Cells. <i>Molecular Medicine</i> , 2011, 17, 1188-1195.	1.9	11
83	Berberine affects mitochondrial activity and cell growth of leukemic cells from chronic lymphocytic leukemia patients. <i>Scientific Reports</i> , 2020, 10, 16519.	1.6	11
84	NEAT1 Long Isoform Is Highly Expressed in Chronic Lymphocytic Leukemia Irrespectively of Cytogenetic Groups or Clinical Outcome. <i>Non-coding RNA</i> , 2020, 6, 11.	1.3	11
85	PNAE <sup>1/4</sup> can significantly reduce Burkitt's lymphoma tumor burden in a SCID mice model: cells dissemination similar to the human disease. <i>Cancer Gene Therapy</i> , 2009, 16, 786-793.	2.2	10
86	Total body computed tomography scan in the initial workâ€up of Binet stage A chronic lymphocytic leukemia patients: Results of the prospective, multicenter Oâ€CLL1â€GISL study. <i>American Journal of Hematology</i> , 2013, 88, 539-544.	2.0	10
87	Distinct patterns of global promoter methylation in early stage chronic lymphocytic leukemia. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 264-273.	1.5	10
88	Expanding the repertoire of miRNAs and miRNA-offset RNAs expressed in multiple myeloma by small RNA deep sequencing. <i>Blood Cancer Journal</i> , 2019, 9, 21.	2.8	10
89	Hepatocyte Growth Factor: A Microenvironmental Resource for Leukemic Cell Growth. <i>International Journal of Molecular Sciences</i> , 2019, 20, 292.	1.8	10
90	TP53 dysfunction in chronic lymphocytic leukemia: clinical relevance in the era of B-cell receptors and BCL-2 inhibitors. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 869-880.	1.9	10

#	ARTICLE	IF	CITATIONS
91	Assessment of the 4-factor score: Retrospective analysis of 586 CLL patients receiving ibrutinib. A campus CLL study. <i>American Journal of Hematology</i> , 2021, 96, E168-E171.	2.0	10
92	Intraclonal Cell Expansion and Selection Driven by B Cell Receptor in Chronic Lymphocytic Leukemia. <i>Molecular Medicine</i> , 2011, 17, 834-839.	1.9	9
93	The utility of two prognostic models for predicting time to first treatment in early chronic lymphocytic leukemia patients: Results of a comparative analysis. <i>Leukemia Research</i> , 2013, 37, 943-947.	0.4	9
94	Is ZAP70 still a key prognostic factor in early stage chronic lymphocytic leukaemia? Results of the analysis from a prospective multicentre observational study. <i>British Journal of Haematology</i> , 2015, 168, 455-459.	1.2	9
95	Spotlight on Melphalan Flufenamide: An Up-and-Coming Therapy for the Treatment of Myeloma. <i>Drug Design, Development and Therapy</i> , 2021, Volume 15, 2969-2978.	2.0	9
96	Serum BAFF (B-CELL Activating Factor Of The TNF Family) predicts time to First Treatment in Early B-CELL Chronic Lymphocytic Leukemia. <i>Blood</i> , 2008, 112, 4158-4158.	0.6	9
97	Chronic lymphocytic leukemia cells impair osteoblastogenesis and promote osteoclastogenesis: role of TNF $\alpha$ , IL-6 and IL-11 cytokines. <i>Haematologica</i> , 2021, 106, 2598-2612.	1.7	9
98	A Retinoic Acid Resistant HL-60 Cell Clone Sensitive to N-(4-hydroxyphenyl) Retinamide-Mediated Clonal Growth Inhibition. <i>Leukemia and Lymphoma</i> , 1995, 17, 175-180.	0.6	8
99	Lymphoblastoid cells transfected with c-myc: Downregulation of EBV-lytic antigens and impaired response of autologous CD4+ T cells in vitro. , 1996, 68, 810-816.		8
100	Serum level of CD26 predicts time to first treatment in early B $\alpha$ chronic lymphocytic leukemia. <i>European Journal of Haematology</i> , 2009, 83, 208-214.	1.1	8
101	Validation of a biological score to predict response in chronic lymphocytic leukemia patients treated front-line with bendamustine and rituximab. <i>Leukemia</i> , 2018, 32, 1869-1873.	3.3	8
102	Predictive value of the <sc>CLL</sc>â€‹<sc>IPI</sc> in <sc>CLL</sc> patients receiving chemo-immunotherapy as firstâ€‹line treatment. <i>European Journal of Haematology</i> , 2018, 101, 703-706.	1.1	8
103	<sc>i>TP53</i></sc> disruption as a risk factor in the era of targeted therapies: A multicenter retrospective study of 525 chronic lymphocytic leukemia cases. <i>American Journal of Hematology</i> , 2021, 96, E306-E310.	2.0	8
104	Production of Inflammatory Cytokines by Epstein-Barr Virus (EBV)-Infected Lymphoblastoid Cell Lines Spontaneously Originated from the Peripheral Blood of Patients with Human Immunodeficiency Virus (HIV) Infection. <i>Clinical Immunology and Immunopathology</i> , 1995, 77, 162-171.	2.1	7
105	Analysis of stepwise genetic changes in an AIDS-related Burkitt's lymphoma. <i>International Journal of Cancer</i> , 2000, 88, 744-750.	2.3	7
106	Prospective validation of predictive value of abdominal computed tomography scan on time to first treatment in Rai O chronic lymphocytic leukemia patients: results of the multicenter Oâ€‹<sc>CLL</sc>â€‹<sc>GISL</sc> study. <i>European Journal of Haematology</i> , 2016, 96, 36-45.	1.1	7
107	Validation of a survival-risk score (SRS) in relapsed/refractory CLL patients treated with idelalisibâ€‹rituximab. <i>Blood Cancer Journal</i> , 2020, 10, 92.	2.8	7
108	External Validation On Biological Basis of New Prognostic Index in Early Asymptomatic Chronic Lymphocytic Leukemia (CLL) Patients: The Gruppo Italiano Studio Linfomi (GISL) Experience.. <i>Blood</i> , 2009, 114, 2375-2375.	0.6	7



#	ARTICLE	IF	CITATIONS
109	Prognostic Significance of Telomere Length in Chronic Lymphocytic Leukemia Patients in Early Stage Disease,. <i>Blood</i> , 2011, 118, 3890-3890.	0.6	7
110	Studies on the oncogenic potential of epstein-barr-virus (EBV)-infected B cells in aids-related disorders. <i>International Journal of Cancer</i> , 1989, 44, 78-82.	2.3	6
111	Heterogeneous p53 mutations in a Burkitt lymphoma from an AIDS patient with monoclonal-myc andVDJ rearrangements. , 1997, 73, 816-821.		6
112	B cell chronic lymphocytic leukaemia/small lymphocytic lymphoma: role of ZAP70 determination on bone marrow biopsy specimens. <i>Journal of Clinical Pathology</i> , 2007, 60, 627-632.	1.0	6
113	Epigenetic mechanisms regulate $\beta$ 2-microglobulin promoter function in human tonsil B cells. <i>Molecular Immunology</i> , 2011, 48, 408-414.	1.0	6
114	Validation of the Alternative International Prognostic Score (AIPS): Analysis of Binet stage A chronic lymphocytic leukemia patients enrolled into the CLL1a GISSL protocol. <i>European Journal of Haematology</i> , 2021, 106, 831-835.	1.1	6
115	Lymphocyte Doubling Time As A Key Prognostic Factor To Predict Time To First Treatment In Early-Stage Chronic Lymphocytic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 684621.	1.3	6
116	Survival and Immunosuppression Induced by Hepatocyte Growth Factor in Chronic Lymphocytic Leukemia. <i>Current Molecular Medicine</i> , 2017, 17, 24-33.	0.6	6
117	Lack of mutagenicity and clastogenicity of PNAE1/4-NLS targeted to a regulatory sequence of the translocated c-myc oncogene in Burkitt's lymphoma. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2007, 628, 129-137.	0.9	5
118	Heterogeneous expression of the collagen receptor DDR1 in chronic lymphocytic leukaemia and correlation with progression. <i>Blood Cancer Journal</i> , 2017, 7, e513-e513.	2.8	5
119	Frequency and clinical relevance of coding and noncoding NOTCH1 mutations in early stage Binet A chronic lymphocytic leukemia patients. <i>Hematological Oncology</i> , 2020, 38, 406-408.	0.8	5
120	Comparison of ibrutinib and idelalisib plus rituximab in real-life relapsed/resistant chronic lymphocytic leukemia cases. <i>European Journal of Haematology</i> , 2021, 106, 493-499.	1.1	5
121	LINC00152 expression in normal and Chronic Lymphocytic Leukemia B cells. <i>Hematological Oncology</i> , 2022, 40, 41-48.	0.8	5
122	Transforming growth factor beta-1 (TGF- $\beta$ 1) released by an Epstein-Barr virus (EBV) positive spontaneous lymphoblastoid cell line from a patient with Kostmann's congenital neutropenia inhibits the growth of normal committed haemopoietic progenitors in vitro. <i>British Journal of Haematology</i> , 1993, 85, 684-691.	1.2	4
123	H and L Ferritin Gene Expression in U937 Cells Induced to Macrophage Differentiation. <i>Leukemia and Lymphoma</i> , 1993, 12, 109-115.	0.6	4
124	Serum thrombopoietin compared with ZAP-70 and immunoglobulin heavy-chain gene mutation status as a predictor of time to first treatment in early chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 62-67.	0.6	4
125	Prognostic factors in CLL. <i>Leukemia Supplements</i> , 2012, 1, S29-S30.	0.1	4
126	A non-invasive approach to monitor chronic lymphocytic leukemia engraftment in a xenograft mouse model using ultra-small superparamagnetic iron oxide-magnetic resonance imaging (USPIO-MRI). <i>Clinical Immunology</i> , 2016, 172, 52-60.	1.4	4



#	ARTICLE	IF	CITATIONS
127	Characterizing Features of Human Circulating B Cells Carrying CLL-Like Stereotyped Immunoglobulin Rearrangements. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	4
128	C-Myc Proto-oncogene Expression by Germinal Center B Cells Isolated from Human Tonsils. <i>Annals of the New York Academy of Sciences</i> , 1997, 815, 436-438.	1.8	3
129	Clinical categories identified by a new prognostic index reflect biological characteristics of patients in early chronic lymphocytic leukemia: The Gruppo Italiano Studio Linfomi (GISL) experience. <i>Leukemia Research</i> , 2010, 34, e217-e218.	0.4	3
130	An in-depth evaluation of acalabrutinib for the treatment of mantle-cell lymphoma. <i>Expert Opinion on Pharmacotherapy</i> , 2020, 21, 29-38.	0.9	3
131	Human pluripotent stem cells identify molecular targets of trisomy 12 in chronic lymphocytic leukemia patients. <i>Cell Reports</i> , 2021, 34, 108845.	2.9	3
132	Effectiveness of ibrutinib as first-line therapy for chronic lymphocytic leukemia patients and indirect comparison with rituximab+bendamustine: Results of study on 486 cases outside clinical trials. <i>American Journal of Hematology</i> , 2021, 96, E269-E272.	2.0	3
133	MD Anderson Cancer Center (MDACC) Score Adds Prognostic Information To The Distinction Between High COUNT Monoclonal B-CELL Lymphocytosis (HC-MBL) and RAI STAGE 0 Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2013, 122, 4172-4172.	0.6	3
134	MiR-146b-5p regulates IL-23 receptor complex expression in chronic lymphocytic leukemia cells. <i>Blood Advances</i> , 2022, 6, 5593-5612.	2.5	3
135	Identification of HSP-60 as the specific antigen of IgM produced by BRG-lymphoma cells. <i>Electrophoresis</i> , 1999, 20, 1092-1097.	1.3	2
136	More on the determination of Ki-67 as a novel potential prognostic marker in B-cell chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2010, 34, e326-e328.	0.4	2
137	Differentiation on Biological Basis of Monoclonal B-Cell Lymphocytosis (MBL) From Chronic Lymphocytic Leukemia (CLL): Results of a Prospective GISL (Gruppo Italiano Studio Linfomi) Trial. <i>Blood</i> , 2010, 116, 1360-1360.	0.6	2
138	Analysis of K-ras, p53, bcl-2 and Rb expression in non-small cell lung cancer cell lines. <i>International Journal of Oncology</i> , 1997, 11, 1203-8.	1.4	1
139	International Prognostic Score (IPS-A) for Patients with Early Stage Chronic Lymphocytic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, S278.	0.2	1
140	INTERNATIONAL PROGNOSTIC SCORE FOR EARLY STAGE CHRONIC LYMPHOCYTIC LEUKEMIA (IPS-A). <i>Hematological Oncology</i> , 2019, 37, 81-82.	0.8	1
141	A Prognostic Tool for the Identification of Patients with Early Stage Chronic Lymphocytic Leukemia at Risk of Progression. <i>Blood</i> , 2018, 132, 1834-1834.	0.6	1
142	Serum CD26 (Dipeptidyl Peptidase IV, DPP IV) compared with Immunoglobulin Heavy-Chain Mutation Status, ZAP-70 and CD38 as a Predictor of Time to First Treatment in Early B-CELL Chronic Lymphocytic Leukemia. <i>Blood</i> , 2008, 112, 4187-4187.	0.6	1
143	The Total Amount of Kappa Plus Lambda Serum Immunoglobulin Free Light Chains (sFLC $\kappa+\lambda$ ) Is a Powerful Independent Predictor of Time to First Treatment In Chronic Lymphocytic Leukemia (CLL) and Allows Definition of a Novel Prognostic Scoring System: A Study of 449 Therapy-naïve Patients. <i>Blood</i> , 2010, 116, 2437-2437.	0.6	1
144	Definition of a Prognostic Scoring System for Predicting Clinical Outcome in B-Cell Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2006, 108, 2328-2328.	0.6	1

#	ARTICLE	IF	CITATIONS
145	Stereotyped Subset #4 In Chronic Lymphocytic Leukemia Is Associated With Distinct Gene and MicroRNA Transcriptional Profile. <i>Blood</i> , 2013, 122, 1616-1616.	0.6	1
146	Expression of CD10 by Human T Cells That Undergo Apoptosis Both In Vitro and In Vivo. <i>Blood</i> , 1999, 94, 3067-3076.	0.6	1
147	Microenvironment Regulation of IL23R/IL-23 Axis Drives Chronic Lymphocytic Leukemia (CLL) Progression. <i>Blood</i> , 2015, 126, 616-616.	0.6	1
148	Cellular and Molecular Characterization of Two Cases of Castleman's Disease, Plasma Cell Variant. <i>Leukemia and Lymphoma</i> , 1991, 5, 391-396.	0.6	0
149	1.2 Relevance of Stereotyped B-Cell Receptors in the Context of the Molecular, Cytogenetic and Clinical Features of CLL. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, S141-S142.	0.2	0
150	The Response to Surface IgM and IgD Cross-Linking Defines Different Groups of B-CLL. <i>Blood</i> , 2005, 106, 177-177.	0.6	0
151	Serum Adiponectin Compared with ZAP-70, CD38 and Immunoglobulin Heavy-Chain Mutation Status as a Predictor of Time to First Treatment in Early B-Cell Chronic Lymphocytic Leukemia. <i>Blood</i> , 2006, 108, 2786-2786.	0.6	0
152	Serum BAFF (B-Cell Activating Factor of the TNF Family) Compared with Immunoglobulin Heavy-Chain Mutation Status, ZAP-70 and CD38 as a Predictor of Time to First Treatment in Early B-Cell Chronic Lymphocytic Leukemia. <i>Blood</i> , 2007, 110, 3093-3093.	0.6	0
153	The Cytofluorimetric/FISH Diagnostic Approach Define a B-Cell Variant-CLL with Peculiar Clinico-Biological Features. <i>Blood</i> , 2007, 110, 2077-2077.	0.6	0
154	CD26 Expression in Mature B-Cell Neoplasia: Its Possible Role as a New Prognostic Marker in B-CLL. <i>Blood</i> , 2007, 110, 4670-4670.	0.6	0
155	Genome-Wide DNA Copy Number Analysis by SNP Arrays of B-Cell Chronic Lymphocytic Leukemia: Correlation with Known Biological and Molecular Prognostic Markers. <i>Blood</i> , 2008, 112, 1061-1061.	0.6	0
156	Biological and Clinical Relevance of Surrogate Markers of IgVH Mutational Status in B-Cell Chronic Lymphocytic Leukemia. <i>Blood</i> , 2008, 112, 1062-1062.	0.6	0
157	Clinical-Biological Characterization of Variant B Chronic Lymphocytic Leukemia, Characterized by a Mantle Cell Lymphoma-Like Immunophenotype, t(11;14)(q13;q32) Negative. <i>Blood</i> , 2009, 114, 1259-1259.	0.6	0
158	Incidence of Cytogenetic Abnormalities in Newly Diagnosed Binet Stage A B-CLL and Relationship with Prognostic Biomarkers: Preliminary Results On 305 Patients Included in the Prospective O-CLL1 GISL Study. <i>Blood</i> , 2009, 114, 2341-2341.	0.6	0
159	Incidence of Cytogenetic Abnormalities In Newly Diagnosed Binet Stage A CLL and Relationship with Prognostic Biomarkers and with Stereotyped B Cell Receptors: Updated Results on 344 Patients Included In the Prospective O-CLL1 GISL Study. <i>Blood</i> , 2010, 116, 4613-4613.	0.6	0
160	Analysis of Stereotyped IGHV Distribution In a Series of 1133 Chronic Lymphocytic Leukemia Patients: The Experience of a Multicenter Italian Study Group. <i>Blood</i> , 2010, 116, 2423-2423.	0.6	0
161	Abstract 1229: Prognostic significance of telomere length in B-chronic lymphocytic leukemia patients in early stage disease. , 2011, , .		0
162	Inclusion of Total BODY Computed Tomography (TB-CT) SCANS In the INITIAL WORK-up of Binet STAGE A CHRONIC LYMPHOCYTIC LEUKEMIA (CLL) PATIENTS On CLINICAL Grounds: PRELIMINARY RESULTS of the Prospective, MULTICENTER O-CLL1- GISL STUDY. <i>Blood</i> , 2011, 118, 2837-2837.	0.6	0

#	ARTICLE	IF	CITATIONS
163	The Pro-Inflammatory IL23/IL23R/IL17 Axis Is Active in IL23R-Expressing Circulating CLL Cells in Patients with Poor Prognosis. <i>Blood</i> , 2012, 120, 3889-3889.	0.6	0
164	BOTH MD Anderson Cancer Center MODEL and German Score Work in Predicting Time to First Treatment in EARLY Chronic Lymphocytic Leukemia: Results of an External Validation Analysis. <i>Blood</i> , 2012, 120, 3934-3934.	0.6	0
165	High-Throughput Sequencing For The Identification Of NOTCH1 mutations In Early Stage Chronic Lymphocytic Leukemia: Biological and Clinical Implications. <i>Blood</i> , 2013, 122, 1622-1622.	0.6	0
166	Emergence of a B-cell lymphoblastic lymphoma in a patient with B-cell chronic lymphocytic leukemia: evidence for the single-cell origin of the two tumors. <i>Blood</i> , 1991, 78, 797-804.	0.6	0
167	Insulin Growth Factor 1 Receptor Expression Is Associated with NOTCH1 Mutation, Trisomy 12 and Aggressive Clinical Course in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2014, 124, 3314-3314.	0.6	0
168	Differentially Expressed Protein Patterns in Chronic Lymphocytic Leukemia (CLL) after Thymosin beta4 (Tb4) and Lenalidomide (Len) Treatment: Two-Dimensional Gel Electrophoresis (2DE) Analysis. <i>Blood</i> , 2015, 126, 1729-1729.	0.6	0
169	A Comprehensive Progression Risk Score to Predict Treatment Free Survival for Early Stage Chronic Lymphocytic Leukemia Patients. <i>Blood</i> , 2015, 126, 2930-2930.	0.6	0
170	PF365ÂPROGNOSTIC IMPLICATIONS OF IGHV GENE REARRANGEMENTS WITH â€œBORDERLINEâ€•PERCENTAGE OF MUTATIONS IN CHRONIC LYMPHOCYTIC LEUKEMIA PATIENTS. <i>HemaSphere</i> , 2019, 3, 134-135.	1.2	0