

Paolo Stratta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3993575/publications.pdf>

Version: 2024-02-01

95
papers

2,732
citations

117625

34
h-index

214800

47
g-index

100
all docs

100
docs citations

100
times ranked

3095
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood family stress and adult resilience in a sample of depressed patients. <i>Journal of Affective Disorders</i> , 2021, 282, 255-257.	4.1	1
2	Personal values in mental disorders: an exploratory analysis. <i>Humanities and Social Sciences Communications</i> , 2021, 8, .	2.9	2
3	Questionnaire on Attitude towards Research and Care (QuARC): a survey of patients with psychosis. <i>Journal of Mental Health</i> , 2020, 29, 590-596.	1.9	0
4	From Basic Human Values to Interpersonal Violence: A Mental Illness Sample. <i>Journal of Aggression, Maltreatment and Trauma</i> , 2020, 29, 259-271.	1.4	7
5	Cues for different diagnostic patterns of interpersonal violence in a psychiatric sample: an observational study. <i>BMC Psychiatry</i> , 2020, 20, 196.	2.6	5
6	Resilience as a Mediator Between Interpersonal Risk Factors and Hopelessness in Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 10.	2.6	28
7	ResilienCity: Resilience and Psychotic-Like Experiences 10 Years After L'Aquila Earthquake. <i>Frontiers in Psychiatry</i> , 2020, 11, 77.	2.6	9
8	Emotional reactivity and neuropsychological assessment in ten cases of ablated temporal lobe tumors. <i>Neurology Psychiatry and Brain Research</i> , 2019, 34, 22-27.	2.0	0
9	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136.	2.6	12
10	10 anni dopo il terremoto dell'Aquila: dal trauma individuale a quello collettivo. <i>Memorie e mnemotecnologie. Rivista Di Psichiatria</i> , 2019, 54, 225-228.	0.6	1
11	Emotional reactivity in mesial temporal lobe epilepsy: A pilot study. <i>Epilepsy and Behavior</i> , 2018, 82, 87-90.	1.7	5
12	The complex relationship between self-reported "personal recovery" and clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 108-112.	2.0	45
13	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017, 256, 359-364.	3.3	49
14	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 285-294.	3.2	33
15	New DSM-5 PTSD guilt and shame symptoms among Italian earthquake survivors: Impact on maladaptive behaviors. <i>Psychiatry Research</i> , 2017, 251, 142-147.	3.3	50
16	Different roles of resilience in depressive patients with history of suicide attempt and no history of suicide attempt. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 216-219.	1.7	22
17	Response to Cognitive impulsivity and the behavioral addiction model of obsessive-compulsive disorder: Abramovitch and McKay (2016). <i>Journal of Behavioral Addictions</i> , 2016, 5, 398-400.	3.7	3
18	Clinical correlates of plasma brain-derived neurotrophic factor in post-traumatic stress disorder spectrum after a natural disaster. <i>Psychiatry Research</i> , 2016, 244, 165-170.	3.3	19

#	ARTICLE	IF	CITATIONS
19	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016, 175, 154-160.	2.0	66
20	Different roles of resilience in a non clinical sample evaluated for family stress and psychiatric symptoms. <i>Personality and Individual Differences</i> , 2016, 100, 12-15.	2.9	4
21	Magnetic resonance imaging and magnetic resonance spectroscopy in a young male patient with anti-N-methyl-D-aspartate receptor encephalitis and uncommon cerebellar involvement: A case report with review of the literature. <i>Neuroradiology Journal</i> , 2016, 29, 30-35.	1.2	14
22	Think twice: Impulsivity and decision making in obsessive-compulsive disorder. <i>Journal of Behavioral Addictions</i> , 2015, 4, 263-272.	3.7	107
23	Resilience and coping in trauma spectrum symptoms prediction: A structural equation modeling approach. <i>Personality and Individual Differences</i> , 2015, 77, 55-61.	2.9	60
24	Community Mental Health Service Utilization After the L'Aquila Earthquake. <i>Community Mental Health Journal</i> , 2015, 51, 504-508.	2.0	1
25	Impact of DSM-5 PTSD and gender on impaired eating behaviors in 512 Italian earthquake survivors. <i>Psychiatry Research</i> , 2015, 225, 64-69.	3.3	45
26	Exploring the association between the Iowa Gambling Task and community functioning in people with schizophrenia. <i>Psychiatria Danubina</i> , 2015, 27, 371-7.	0.4	4
27	Emotional Reactivity in Bipolar Depressed Patients. <i>Journal of Clinical Psychology</i> , 2014, 70, 860-865.	1.9	11
28	New DSM-5 maladaptive symptoms in PTSD: gender differences and correlations with mood spectrum symptoms in a sample of high school students following survival of an earthquake. <i>Annals of General Psychiatry</i> , 2014, 13, 28.	2.7	39
29	Lifetime mania is related to post-traumatic stress symptoms in high school students exposed to the 2009 L'Aquila earthquake. <i>Comprehensive Psychiatry</i> , 2014, 55, 357-362.	3.1	43
30	Humiliation and interpersonal sensitivity in depression. <i>Journal of Affective Disorders</i> , 2014, 167, 224-227.	4.1	19
31	Measuring community functioning in schizophrenia with the Social Behaviour Schedule. <i>Schizophrenia Research</i> , 2014, 153, 220-224.	2.0	8
32	The adolescent emotional coping after an earthquake: A risk factor for suicidal ideation. <i>Journal of Adolescence</i> , 2014, 37, 605-611.	2.4	31
33	Spirituality and Religiosity in the Aftermath of a Natural Catastrophe in Italy. <i>Journal of Religion and Health</i> , 2013, 52, 1029-1037.	1.7	38
34	Plasma brain-derived neurotrophic factor in earthquake survivors with full and partial post-traumatic stress disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 363-364.	1.8	7
35	Short-term remission in schizophrenia as a combination of several outcome measures. <i>Psychiatry Research</i> , 2013, 209, 401-405.	3.3	5
36	Resilience in adolescence: Gender differences two years after the earthquake of L'Aquila. <i>Personality and Individual Differences</i> , 2013, 54, 327-331.	2.9	82

#	ARTICLE	IF	CITATIONS
37	Construct and concurrent validity of the Italian version of the Brief Multidimensional Measure of Religiousness/Spirituality.. <i>Psychology of Religion and Spirituality</i> , 2013, 5, 316-324.	1.3	10
38	Misreporting of suicide after the L'Aquila earthquake. <i>BMJ, The</i> , 2013, 346, f3179-f3179.	6.0	4
39	Gender Differences in the Relationship between Maladaptive Behaviors and Post-Traumatic Stress Disorder. A Study on 900 L'Aquila 2009 Earthquake Survivors. <i>Frontiers in Psychiatry</i> , 2013, 3, 111.	2.6	36
40	Suicide in the Aftermath of the L'Aquila (Italy) Earthquake. <i>Crisis</i> , 2013, 34, 142-144.	1.2	12
41	Decision Making, Impulsivity, and Personality Traits in Alcohol-Dependent Subjects. <i>American Journal on Addictions</i> , 2012, 21, 263-267.	1.4	45
42	Temperament and Character Inventory (TCI) and Big Five Questionnaire (BFQ): Convergence and Divergence. <i>Psychological Reports</i> , 2012, 110, 1002-1006.	1.7	22
43	A VALIDATION STUDY OF THE ITALIAN VERSION OF THE RESILIENCE SCALE FOR ADOLESCENTS (READ). <i>Journal of Community Psychology</i> , 2012, 40, 479-485.	1.8	21
44	How much stress is needed to increase vulnerability to psychosis? A community assessment of psychic experiences (CAPE) evaluation 10 months after an earthquake in L'Aquila (Italy). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 265-268.	3.2	6
45	Suicidal intention and negative spiritual coping one year after the earthquake of L'Aquila (Italy). <i>Journal of Affective Disorders</i> , 2012, 136, 1227-1231.	4.1	47
46	Mental health in L'Aquila after the earthquake. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2012, 48, 132-137.	0.4	15
47	Deconstructing theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2011, 190, 32-36.	3.3	9
48	Temperament and Character Inventory (TCI) Revised (TCI-R) 1year after the earthquake of L'Aquila (Italy). <i>Personality and Individual Differences</i> , 2011, 51, 545-548.	2.9	6
49	A quantitative analysis of antidepressant and antipsychotic prescriptions following an earthquake in Italy. <i>Journal of Traumatic Stress</i> , 2011, 24, 129-132.	1.8	30
50	Letter. <i>Psychiatric Services</i> , 2010, 61, 845-846.	2.0	7
51	Subjective Adjustment of Individuals With Psychiatric Disorders in the Aftermath of the L'Aquila Earthquake. <i>American Journal of Psychiatry</i> , 2010, 167, 352-353.	7.2	13
52	Attitudes toward medication and the clinical variables in schizophrenia: Structural equation models. <i>Patient Preference and Adherence</i> , 2009, 3, 305.	1.8	13
53	Affective temperaments and residual symptoms in patients with mood and anxiety disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 31-35.	2.4	10
54	Computer-aided neurocognitive remediation as an enhancing strategy for schizophrenia rehabilitation. <i>Psychiatry Research</i> , 2009, 169, 191-196.	3.3	83

#	ARTICLE	IF	CITATIONS
55	Metacognitive ability and social functioning are related in persons with schizophrenic disorder. <i>Schizophrenia Research</i> , 2009, 108, 301-302.	2.0	21
56	Premorbid intelligence of inpatients with different psychiatric diagnoses does not differ. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 1241.	2.2	5
57	Patterns of Structural MRI Abnormalities in Deficit and Nondeficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 393-401.	4.3	85
58	Exploration of irony appreciation in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 337-339.	3.2	34
59	The effect of verbalization strategy on wisconsin card sorting test performance in schizophrenic patients receiving classical or atypical antipsychotics. <i>BMC Psychiatry</i> , 2006, 6, 3.	2.6	16
60	Predictors of social cognition in patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2006, 2, 571-576.	2.2	1
61	Executive function assessment of patients with schizophrenic disorder residual type in olanzapine treatment: an open study. <i>Human Psychopharmacology</i> , 2005, 20, 401-408.	1.5	12
62	Catechol-O-Methyltransferase Val ¹⁵⁸ /Met Polymorphism in Schizophrenia: Associations with Cognitive and Motor Impairment. <i>Neuropsychobiology</i> , 2005, 52, 83-89.	1.9	51
63	The contribution of temperament and character to schizotypy multidimensionality. <i>Comprehensive Psychiatry</i> , 2005, 46, 50-55.	3.1	54
64	COMT Val158Met and BDNF C270T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005, 73, 27-30.	2.0	42
65	Relationship of good and poor Wisconsin Card Sorting Test performance to illness duration in schizophrenia: a cross-sectional analysis. <i>Psychiatry Research</i> , 2004, 121, 219-227.	3.3	20
66	Quetiapine as adjunctive treatment of a case of rapid-cycling bipolar disorder with comorbidity. <i>Human Psychopharmacology</i> , 2003, 18, 559-560.	1.5	9
67	Insight and Neuropsychological Function in Patients with Schizophrenia and Bipolar Disorder with Psychotic Features. <i>Canadian Journal of Psychiatry</i> , 2003, 48, 338-341.	1.9	61
68	Wisconsin Card-Sorting Test performance does not discriminate different patterns of premorbid behavioral abnormalities in schizophrenic patients. <i>Psychiatry and Clinical Neurosciences</i> , 2002, 56, 403-407.	1.8	6
69	Educational level and age influence spatial working memory and Wisconsin Card Sorting Test performance differently: a controlled study in schizophrenic patients. <i>Psychiatry Research</i> , 2001, 102, 39-48.	3.3	31
70	Cognitive function in euthymic bipolar patients, stabilized schizophrenic patients, and healthy controls. <i>Journal of Psychiatric Research</i> , 2000, 34, 333-339.	3.1	73
71	Cognitive symptoms of mania in pure and mixed episodes evaluated with the Positive and Negative Syndrome Scale. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000, 250, 254-256.	3.2	9
72	Qualitative MRI findings in patients with schizophrenia: a controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2000, 98, 117-126.	1.8	19

#	ARTICLE	IF	CITATIONS
73	Processing of context information in schizophrenia: relation to clinical symptoms and WCST performance. <i>Schizophrenia Research</i> , 2000, 44, 57-67.	2.0	71
74	Tower of Hanoi and WCST performance in schizophrenia: problem-solving capacity and clinical correlates. <i>Journal of Psychiatric Research</i> , 1999, 33, 285-290.	3.1	54
75	Is wisconsin card sorting test performance related to "working memory" capacity?. <i>Schizophrenia Research</i> , 1997, 27, 11-19.	2.0	42
76	Association between Striatal Reduction and Poor Wisconsin Card Sorting Test Performance in Patients with Schizophrenia. <i>Biological Psychiatry</i> , 1997, 42, 816-820.	1.3	45
77	Phasic asymmetries in phasic affective disorders. <i>Biological Psychiatry</i> , 1995, 38, 132-133.	1.3	1
78	Assessment of the Efficacy of Buspirone in Patients Affected by Generalized Anxiety Disorder, Shifting to Buspirone From Prior Treatment with Lorazepam. <i>Journal of Clinical Psychopharmacology</i> , 1995, 15, 12-19.	1.4	46
79	Cerebral Asymmetries in Schizophrenia: Further Evidence for a Lateralization Hypothesis. , 1995, , 71-77.		0
80	Magnetic resonance imaging findings of amygdala- anterior hippocampus shrinkage in male patients with schizophrenia. <i>Psychiatry Research</i> , 1994, 52, 43-53.	3.3	95
81	Planum temporale asymmetry and thought disorder in schizophrenia. <i>Schizophrenia Research</i> , 1994, 12, 1-7.	2.0	87
82	Cerebellar vermal size in schizophrenia: A male effect. <i>Biological Psychiatry</i> , 1993, 33, 354-357.	1.3	60
83	Planum temporale in schizophrenia: a magnetic resonance study. <i>Schizophrenia Research</i> , 1992, 7, 19-22.	2.0	82
84	Temporal lobe structure by magnetic resonance in bipolar affective disorders and schizophrenia. <i>Journal of Affective Disorders</i> , 1991, 21, 19-22.	4.1	38
85	Frontal and callosal neuropsychological performances in schizophrenia. <i>Schizophrenia Research</i> , 1991, 5, 115-121.	2.0	16
86	Lateral ventricular size, educational level and patient subtypes in schizophrenia. <i>British Journal of Psychiatry</i> , 1991, 159, 443-444.	2.8	4
87	Hemispheric asymmetries and schizophrenia: A preliminary magnetic resonance imaging study. <i>Biological Psychiatry</i> , 1989, 25, 275-284.	1.3	59
88	Quantitative computed tomographic study in schizophrenia: cerebral density and ventricle measures. <i>Psychological Medicine</i> , 1989, 19, 337-342.	4.5	15
89	Cortical and subcortical computed tomographic study in schizophrenia. <i>Journal of Psychiatric Research</i> , 1988, 22, 99-105.	3.1	43
90	Standardized magnetic resonance image intensity study in Schizophrenia. <i>Psychiatry Research</i> , 1988, 25, 223-231.	3.3	23

#	ARTICLE	IF	CITATIONS
91	Brain morphology in schizophrenia by Magnetic Resonance Imaging (MRI). Acta Psychiatrica Scandinavica, 1988, 77, 741-745.	4.5	45
92	Corpus cllosum in Schizophrenia. Biological Psychiatry, 1987, 22, 1043.	1.3	3
93	A computerised tomographic study in DSM-III affective disorders. Journal of Affective Disorders, 1987, 12, 259-262.	4.1	24
94	Thyrotropin-releasing hormone test in recently abstinent alcoholics. Psychiatry Research, 1985, 16, 249-251.	3.3	22
95	Multiple natural disaster exposure effects on stress adjustment and resilience in clinical samples. Current Psychology, 0, , 1.	2.8	1