

Lin Yan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3994177/publications.pdf>

Version: 2024-02-01

30
papers

410
citations

840585

11
h-index

794469

19
g-index

33
all docs

33
docs citations

33
times ranked

211
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term outcomes of radiofrequency ablation for unifocal low-risk papillary thyroid microcarcinoma: a large cohort study of 414 patients. <i>European Radiology</i> , 2021, 31, 685-694.	2.3	58
2	Ultrasound-Guided Radiofrequency Ablation Versus Thyroid Lobectomy for Low-Risk Papillary Thyroid Microcarcinoma: A Propensity-Matched Cohort Study of 884 Patients. <i>Thyroid</i> , 2021, 31, 1662-1672.	2.4	49
3	Quality of Life in Papillary Thyroid Microcarcinoma Patients Undergoing Radiofrequency Ablation or Surgery: A Comparative Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 249.	1.5	34
4	Ultrasonography-guided radiofrequency ablation vs. surgery for the treatment of solitary T1bNOMO papillary thyroid carcinoma: A comparative study. <i>Clinical Endocrinology</i> , 2021, 94, 684-691.	1.2	27
5	Efficacy and safety of ultrasonography-guided radiofrequency ablation for the treatment of T1bNOMO papillary thyroid carcinoma: a retrospective study. <i>International Journal of Hyperthermia</i> , 2020, 37, 392-398.	1.1	26
6	Clinical outcomes of radiofrequency ablation for multifocal papillary thyroid microcarcinoma versus unifocal papillary thyroid microcarcinoma: a propensity-matched cohort study. <i>European Radiology</i> , 2022, 32, 1216-1226.	2.3	26
7	Non-enhanced ultrasound is not a satisfactory modality for measuring necrotic ablated volume after radiofrequency ablation of benign thyroid nodules: a comparison with contrast-enhanced ultrasound. <i>European Radiology</i> , 2021, 31, 3226-3236.	2.3	22
8	Residual vital ratio: predicting regrowth after radiofrequency ablation for benign thyroid nodules. <i>International Journal of Hyperthermia</i> , 2020, 37, 1139-1148.	1.1	21
9	The Clinical Application of Core-Needle Biopsy after Radiofrequency Ablation for Low-risk Papillary Thyroid Microcarcinoma: A Large Cohort of 202 Patients Study. <i>Journal of Cancer</i> , 2020, 11, 5257-5263.	1.2	21
10	The Value of Sonography in Distinguishing Follicular Thyroid Carcinoma from Adenoma. <i>Cancer Management and Research</i> , 2021, Volume 13, 3991-4002.	0.9	16
11	Solid benign thyroid nodules (>10%ml): a retrospective study on the efficacy and safety of sonographically guided ethanol ablation combined with radiofrequency ablation. <i>International Journal of Hyperthermia</i> , 2020, 37, 157-167.	1.1	15
12	The Efficacy and Safety of Radiofrequency Ablation for Bilateral Papillary Thyroid Microcarcinoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 663636.	1.5	15
13	Radiofrequency ablation versus total thyroidectomy in patients with papillary thyroid microcarcinoma located in the isthmus: a retrospective cohort study. <i>International Journal of Hyperthermia</i> , 2021, 38, 708-714.	1.1	14
14	Ultrasonography-guided radiofrequency ablation for the treatment of T2NOMO papillary thyroid carcinoma: a preliminary study. <i>International Journal of Hyperthermia</i> , 2021, 38, 402-408.	1.1	11
15	Factors associated with health-related quality of life in papillary thyroid microcarcinoma patients undergoing radiofrequency ablation: a cross-sectional prevalence study. <i>International Journal of Hyperthermia</i> , 2020, 37, 1174-1181.	1.1	8
16	Efficacy and safety of ultrasound-guided radiofrequency ablation for low-risk papillary thyroid microcarcinoma in patients aged 55 years or older: a retrospective study. <i>International Journal of Hyperthermia</i> , 2021, 38, 604-610.	1.1	8
17	Roles of contrast-enhanced ultrasonography in identifying volume change of benign thyroid nodule and optical time of secondary radiofrequency ablation. <i>BMC Medical Imaging</i> , 2020, 20, 79.	1.4	7
18	Vital volume increase versus clinical evaluation as the indication of additional radiofrequency ablation for benign thyroid nodule: a single center retrospective study. <i>International Journal of Hyperthermia</i> , 2020, 37, 777-785.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Radiofrequency ablation versus reoperation for benign thyroid nodules that developed after previous thyroid surgery. <i>International Journal of Hyperthermia</i> , 2021, 38, 176-182.	1.1	6
20	Contrast-enhanced ultrasound is a reliable and reproducible assessment of necrotic ablated volume after radiofrequency ablation for benign thyroid nodules: a retrospective study. <i>International Journal of Hyperthermia</i> , 2022, 39, 40-47.	1.1	5
21	Efficacy and safety of radiofrequency ablation for benign thyroid nodules in patients with previous thyroid lobectomy. <i>BMC Medical Imaging</i> , 2021, 21, 47.	1.4	3
22	Inter-observer reliability in ultrasound measurement of benign thyroid nodules in the follow-up of radiofrequency ablation: a retrospective study. <i>International Journal of Hyperthermia</i> , 2020, 37, 1336-1344.	1.1	2
23	Interobserver reproducibility of contrast-enhanced ultrasound in diabetic nephropathy. <i>British Journal of Radiology</i> , 2022, 95, 20210189.	1.0	2
24	A Nomogram to Predict Regrowth After Ultrasound-Guided Radiofrequency Ablation for Benign Thyroid Nodules. <i>Frontiers in Endocrinology</i> , 2021, 12, 774228.	1.5	2
25	Prediction of nodule regrowth after radiofrequency ablation of benign thyroid nodules. <i>International Journal of Hyperthermia</i> , 2021, 38, 11-12.	1.1	1
26	Ultrasound-Guided Thermal Ablation of Bethesda IV Thyroid Nodules: A Pilot Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 674970.	1.5	1
27	Targeting Diagnosis of High-Risk Papillary Thyroid Carcinoma Using Ultrasound Contrast Agent With the <i>BRAF</i> ^{V600E} Mutation. <i>Journal of Ultrasound in Medicine</i> , 2022, , .	0.8	1
28	A New Perspective for Predicting the Therapeutic Success of RFA in Solid BTNs: Quantitative Initial RFA Ratio by Contrast-Enhanced Ultrasound. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	1
29	The Clinical Application of Radiofrequency Ablation in the Treatment of Primary Low-risk Papillary Thyroid Microcarcinoma. <i>Current Otorhinolaryngology Reports</i> , 2021, 9, 72-78.	0.2	0
30	Response to letter to the editor from Dr. Bernardi regarding suitability of residual vital ratio for prediction of local regrowth following radiofrequency ablation for benign thyroid nodules. <i>International Journal of Hyperthermia</i> , 2021, 38, 189-190.	1.1	0