

Ana I.R.N.A. Barros

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/399440/ana-irna-barros-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

2,014
citations

24
h-index

41
g-index

112
ext. papers

2,523
ext. citations

3.8
avg, IF

5.08
L-index

#	Paper	IF	Citations
94	Characterization of bioactive compounds and antioxidant capacity of Portuguese craft beers. <i>International Journal of Gastronomy and Food Science</i> , 2022 , 27, 100473	2.8	2
93	Uncovering the effects of kaolin on balancing berry phytohormones and quality attributes of <i>Vitis vinifera</i> grown in warm-temperate climate regions. <i>Journal of the Science of Food and Agriculture</i> , 2022 , 102, 782-793	4.3	5
92	Effect of Foliar Pre-Harvest Calcium Application on the Mineral and Phytochemical Composition of Olive Oils. <i>Proceedings (mdpi)</i> , 2021 , 70, 66	0.3	
91	Incorporation of untreated or white-rot fungi treated cowpea stover on performance, digestibility, health and meat quality of growing rabbits. <i>Animal Feed Science and Technology</i> , 2021 , 281, 115100	3	0
90	Phytochemical and antioxidant analysis of medicinal and food plants towards bioactive food and pharmaceutical resources. <i>Scientific Reports</i> , 2021 , 11, 10041	4.9	33
89	Characterization and Discrimination of Commercial Portuguese Beers Based on Phenolic Composition and Antioxidant Capacity. <i>Foods</i> , 2021 , 10,	4.9	4
88	Assessing the Relationship Between the Phenolic Content and Elemental Composition of Grape (<i>Vitis vinifera</i> L.) Stems. <i>Waste and Biomass Valorization</i> , 2021 , 12, 1313-1325	3.2	3
87	Drought stress effect on polyphenolic content and antioxidant capacity of cowpea pods and seeds. <i>Journal of Agronomy and Crop Science</i> , 2021 , 207, 197-207	3.9	4
86	Impact of Technology and School-Based Nutrition Education Programs on Nutrition Knowledge and Behavior During Adolescence—A Systematic Review. <i>Scandinavian Journal of Educational Research</i> , 2021 , 65, 169-180	1.2	5
85	Effect of total replacement of the soya bean meal by lupine seeds (<i>L. albus</i> and <i>L. luteus</i>) on performance and digestion characteristics of growing rabbits. <i>Animal Feed Science and Technology</i> , 2021 , 278, 114996	3	1
84	Kaolin impacts on hormonal balance, polyphenolic composition and oenological parameters in red grapevine berries during ripening. <i>Journal of Berry Research</i> , 2021 , 11, 465-479	2	1
83	Nutriproteomics survey of sweet chestnut (<i>Castanea sativa</i> Miller) genetic resources in Portugal. <i>Food Bioscience</i> , 2020 , 36, 100622	4.9	4
82	Impact of Acorn Flour on Gluten-Free Dough Rheology Properties. <i>Foods</i> , 2020 , 9,	4.9	9
81	Prediction of Phytochemical Composition, In Vitro Antioxidant Activity and Individual Phenolic Compounds of Common Beans Using MIR and NIR Spectroscopy. <i>Food and Bioprocess Technology</i> , 2020 , 13, 962-977	5.1	11
80	Potential application of grape (<i>Vitis vinifera</i> L.) stem extracts in the cosmetic and pharmaceutical industries: Valorization of a by-product. <i>Industrial Crops and Products</i> , 2020 , 154, 112675	5.9	35
79	ATR-MIR spectroscopy as a tool to assist 'Tempranillo' clonal selection process: Geographical origin and year of harvest discrimination and oenological parameters prediction. <i>Food Chemistry</i> , 2020 , 325, 126938	8.5	1
78	Recovery of bioactive compounds from white grape (<i>V. L.</i>) stems as potential antimicrobial agents for human health. <i>Saudi Journal of Biological Sciences</i> , 2020 , 27, 1009-1015	4	12

77	Nutrients, Antinutrients, Phenolic Composition, and Antioxidant Activity of Common Bean Cultivars and their Potential for Food Applications. <i>Antioxidants</i> , 2020 , 9,	7.1	16
76	Pilot evaluation of an interactive multimedia platform to provide nutrition education to Portuguese adolescents. <i>European Journal of Public Health</i> , 2020 , 30, 353-357	2.1	2
75	Enhanced phytochemical composition and biological activities of grape (<i>Vitis vinifera</i> L.) Stems growing in low altitude regions. <i>Scientia Horticulturae</i> , 2020 , 265, 109248	4.1	11
74	Effect of extraction method and solvent system on the phenolic content and antioxidant activity of selected macro- and microalgae extracts. <i>Journal of Applied Phycology</i> , 2020 , 32, 349-362	3.2	25
73	Physiological and biochemical performance of almond trees under deficit irrigation. <i>Scientia Horticulturae</i> , 2020 , 261, 108990	4.1	10
72	Assessment of quality parameters and phytochemical content of thirty Membranillo grape clones for varietal improvement in two distinct sub-regions of Douro. <i>Scientia Horticulturae</i> , 2020 , 262, 109096	4.1	4
71	Acorn Flour as a Source of Bioactive Compounds in Gluten-Free Bread. <i>Molecules</i> , 2020 , 25,	4.8	8
70	The effect of school intervention programs on the body mass index of adolescents: a systematic review with meta-analysis. <i>Health Education Research</i> , 2020 , 35, 396-406	1.8	1
69	Comparison of near-infrared (NIR) and mid-infrared (MIR) spectroscopy for the determination of nutritional and antinutritional parameters in common beans. <i>Food Chemistry</i> , 2020 , 306, 125509	8.5	20
68	The contribution of drinking culture at comprehensive school to heavy episodic drinking from adolescence to midlife. <i>European Journal of Public Health</i> , 2020 , 30, 357-363	2.1	1
67	Impact of Colletotrichum acutatum Pathogen on Olive Phenylpropanoid Metabolism. <i>Agriculture (Switzerland)</i> , 2019 , 9, 173	3	6
66	Impact of cooking method on phenolic composition and antioxidant potential of four varieties of Phaseolus vulgaris L. and Glycine max L.. <i>LWT - Food Science and Technology</i> , 2019 , 103, 238-246	5.4	20
65	Effects of calcium and growth regulators on sweet cherry (<i>Prunus avium</i> L.) quality and sensory attributes at harvest. <i>Scientia Horticulturae</i> , 2019 , 248, 231-240	4.1	23
64	A Box-Behnken Design for Optimal Extraction of Phenolics from Almond By-products. <i>Food Analytical Methods</i> , 2019 , 12, 2009-2024	3.4	10
63	Irrigation deficit turns almond by-products into a valuable source of antimicrobial (poly)phenols. <i>Industrial Crops and Products</i> , 2019 , 132, 186-196	5.9	13
62	Phenolic rich extracts from cowpea sprouts decrease cell proliferation and enhance 5-fluorouracil effect in human colorectal cancer cell lines. <i>Journal of Functional Foods</i> , 2019 , 60, 103452	5.1	12
61	Residual Agroforestry Biomass Thermochemical Properties. <i>Forests</i> , 2019 , 10, 1072	2.8	8
60	Evaluation of the Phytochemistry and Biological Activity of Grape (<i>Vitis vinifera</i> L.) Stems: Toward a Sustainable Winery Industry 2019 , 381-394		4

59	The quality of leguminous vegetables as influenced by preharvest factors. <i>Scientia Horticulturae</i> , 2018 , 232, 191-205	4.1	23
58	Kaolin and salicylic acid foliar application modulate yield, quality and phytochemical composition of olive pulp and oil from rainfed trees. <i>Scientia Horticulturae</i> , 2018 , 237, 176-183	4.1	16
57	Obesity: Nutrition and Genetics A Short Narrative Review. <i>Health</i> , 2018 , 10, 1779-1788	0.4	0
56	Monitoring the antioxidant and antimicrobial power of grape (<i>Vitis vinifera</i> L.) stems phenolics over long-term storage. <i>Industrial Crops and Products</i> , 2018 , 126, 83-91	5.9	33
55	FTIR chemometrical approach for clonal assessment: Selection of <i>Olea europaea</i> L. optimal phenotypes from cv. Cobrançosa. <i>Journal of Chemometrics</i> , 2017 , 31, e2860	1.6	2
54	New grape stems' isolated phenolic compounds modulate reactive oxygen species, glutathione, and lipid peroxidation in vitro: Combined formulations with vitamins C and E. <i>Phytotherapy Research</i> , 2017 , 120, 146-157	3.2	16
53	Spectrophotometric versus NIR-MIR assessments of cowpea pods for discriminating the impact of freezing. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 4285-4294	4.3	4
52	Kinetics of the Polyphenolic Content and Radical Scavenging Capacity in Olives through On-Tree Ripening. <i>Journal of Chemistry</i> , 2017 , 2017, 1-11	2.3	10
51	Unravelling the nutriproteomics of chickpea (<i>Cicer arietinum</i>) seeds. <i>Crop and Pasture Science</i> , 2017 , 68, 1041	2.2	5
50	Leaf morpho-physiological dynamics in <i>Salvia officinalis</i> L. var. <i>purpurascens</i> . <i>Turkish Journal of Botany</i> , 2017 , 41, 134-144	1.3	3
49	Evaluating the freezing impact on the proximate composition of immature cowpea (<i>Vigna unguiculata</i> L.) pods: classical versus spectroscopic approaches. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 4295-4305	4.3	11
48	Valorization Challenges to Almond Residues: Phytochemical Composition and Functional Application. <i>Molecules</i> , 2017 , 22,	4.8	40
47	Critical Review on the Significance of Olive Phytochemicals in Plant Physiology and Human Health. <i>Molecules</i> , 2017 , 22,	4.8	39
46	New grape stems-based liqueur: Physicochemical and phytochemical evaluation. <i>Food Chemistry</i> , 2016 , 190, 896-903	8.5	7
45	Chemometric analysis on free amino acids and proximate compositional data for selecting cowpea (<i>Vigna unguiculata</i> L.) diversity. <i>Journal of Food Composition and Analysis</i> , 2016 , 53, 69-76	4.1	7
44	Cowpea (<i>Vigna unguiculata</i> L. Walp), a renewed multipurpose crop for a more sustainable agri-food system: nutritional advantages and constraints. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 2941-51	4.3	109
43	Oxidative stress prevention and anti-apoptosis activity of grape (<i>Vitis vinifera</i> L.) stems in human keratinocytes. <i>Food Research International</i> , 2016 , 87, 92-102	7	24
42	Effect of Agro-Environmental Factors on the Mineral Content of Olive Oils: Categorization of the Three Major Portuguese Cultivars. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2016 , 93, 813-822	1.8	7

41	Sorting out the value of spectroscopic tools to assess the <i>Colletotrichum acutatum</i> impact in olive cultivars with different susceptibilities. <i>Journal of Chemometrics</i> , 2016 , 30, 548-558	1.6	4
40	Grape stems as a source of bioactive compounds: application towards added-value commodities and significance for human health. <i>Phytochemistry Reviews</i> , 2015 , 14, 921-931	7.7	22
39	Phytochemistry and activity against digestive pathogens of grape (<i>Vitis vinifera</i> L.) stem's (poly)phenolic extracts. <i>LWT - Food Science and Technology</i> , 2015 , 61, 25-32	5.4	30
38	Discrimination and characterisation of extra virgin olive oils from three cultivars in different maturation stages using Fourier transform infrared spectroscopy in tandem with chemometrics. <i>Food Chemistry</i> , 2015 , 174, 226-32	8.5	51
37	Short wavelength Raman spectroscopy applied to the discrimination and characterization of three cultivars of extra virgin olive oils in different maturation stages. <i>Talanta</i> , 2015 , 132, 829-35	6.2	20
36	Trace Element Content of Monovarietal and Commercial Portuguese Olive Oils. <i>Journal of Oleo Science</i> , 2015 , 64, 1083-93	1.6	8
35	Study of adulteration of extra virgin olive oil with peanut oil using FTIR spectroscopy and chemometrics. <i>Cogent Food and Agriculture</i> , 2015 , 1, 1018695	1.8	24
34	Quantification of Chemical Characteristics of Olive Fruit and Oil of cv Cobransa in Two Ripening Stages Using MIR Spectroscopy and Chemometrics. <i>Food Analytical Methods</i> , 2015 , 8, 1490-1498	3.4	17
33	Effect of drying temperatures on the phenolic composition and antioxidant activity of pears of Rocha variety (<i>Pyrus communis</i> L.). <i>Journal of Food Measurement and Characterization</i> , 2014 , 8, 105-112	2.8	32
32	Assessment of (poly)phenols in grape (<i>Vitis vinifera</i> L.) stems by using food/pharma industry compatible solvents and Response Surface Methodology. <i>Food Chemistry</i> , 2014 , 164, 339-46	8.5	40
31	Evaluation of grape (<i>Vitis vinifera</i> L.) stems from Portuguese varieties as a resource of (poly)phenolic compounds: A comparative study. <i>Food Research International</i> , 2014 , 65, 375-384	7	49
30	Phenolic Composition and Antioxidant Activity of Monovarietal and Commercial Portuguese Olive Oils. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2014 , 91, 1197-1203	1.8	24
29	Natural bioactive compounds from winery by-products as health promoters: a review. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 15638-78	6.3	313
28	Cobransa Olive Oil and Drupe: Chemical Composition at Two Ripening Stages. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2014 , 91, 599-611	1.8	16
27	<i>Boletus edulis</i> biologically active biopolymers induce cell cycle arrest in human colon adenocarcinoma cells. <i>Food and Function</i> , 2013 , 4, 575-85	6.1	24
26	Polyphenolic compounds, antioxidant activity and l-phenylalanine ammonia-lyase activity during ripening of olive cv. Cobransa under different irrigation regimes. <i>Food Research International</i> , 2013 , 51, 412-421	7	57
25	A novel, direct, reagent-free method for the detection of beeswax adulteration by single-reflection attenuated total reflectance mid-infrared spectroscopy. <i>Talanta</i> , 2013 , 107, 74-80	6.2	24
24	Evaluation of chemical and phenotypic changes in Blanqueta, Cobransa, and Galega during olive fruits ripening. <i>CYTA - Journal of Food</i> , 2013 , 11, 136-141	2.3	12

23	Development of a Solid Vinaigrette and Product Testing. <i>Journal of Culinary Science and Technology</i> , 2013 , 11, 259-274	0.8	7
22	Influence of Drying on the Properties of Pears of the Rocha Variety (<i>Pyrus communis</i>). <i>International Journal of Food Engineering</i> , 2013 , 9, 197-207	1.9	9
21	Flavone-Nitrogen Heterocycle Conjugate Formation by 1,3-Dipolar Cycloadditions. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 132-143	3.2	5
20	Variation in liana abundance and biomass along an elevational gradient in the tropical Atlantic Forest (Brazil). <i>Ecological Research</i> , 2012 , 27, 323-332	1.9	20
19	Oxidation of mannosyl oligosaccharides by hydroxyl radicals as assessed by electrospray mass spectrometry. <i>Carbohydrate Research</i> , 2011 , 346, 2603-11	2.9	19
18	Selenium contents of Portuguese commercial and wild edible mushrooms. <i>Food Chemistry</i> , 2011 , 126, 91-96	8.5	44
17	Effect of cooking on total vitamin C contents and antioxidant activity of sweet chestnuts (<i>Castanea sativa</i> Mill.). <i>Food Chemistry</i> , 2011 , 128, 165-72	8.5	79
16	Selenium content of Portuguese unifloral honeys. <i>Journal of Food Composition and Analysis</i> , 2011 , 24, 351-355	4.1	10
15	A fast, simple, and reliable hydrophilic interaction liquid chromatography method for the determination of ascorbic and isoascorbic acids. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1863-1868	4.4	20
14	Synthesis and structure elucidation of three series of nitro-2-styrylchromones using 1D and 2D NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2009 , 47, 885-96	2.1	4
13	Modification of wheat straw lignin by solid state fermentation with white-rot fungi. <i>Bioresource Technology</i> , 2009 , 100, 4829-35	11	132
12	Structural characterization of nitrated 2'-hydroxychalcones by electrospray ionization tandem mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2009 , 15, 605-16	1.1	2
11	Diagnosis and management of hyperprolactinemia: results of a Brazilian multicenter study with 1234 patients. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 436-44	5.2	72
10	Reductive Coupling Reactions of 2-Nitrochalcones and their β -Hydroxy-analogues: New Syntheses of 2-Arylquinoline and 2-Aryl-4-hydroxyquinoline Derivatives. <i>Monatshefte für Chemie</i> , 2007 , 138, 585-594	1.4	12
9	Synthesis and structure elucidation of five series of aminoflavones using 1D and 2D NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2006 , 44, 1122-7	2.1	6
8	SYNTHESIS OF N'-ALLYL-2-STYRYLCHROMONES BY A BAKER VENKATARAMAN TRANSFORMATION. <i>Heterocyclic Communications</i> , 2006 , 12,	1.7	7
7	Efficient Synthesis of Nitroflavones by Cyclodehydrogenation of 2'-Hydroxychalcones and by the Baker-Venkataraman Method. <i>Monatshefte für Chemie</i> , 2006 , 137, 1505-1528	1.4	18
6	Synthesis, experimental and theoretical NMR study of 2'-hydroxychalcones bearing a nitro substituent on their B ring. <i>Tetrahedron</i> , 2004 , 60, 6513-6521	2.4	24

5	One-pot synthesis of 2-(2-hydroxyaryl)quinolines: reductive coupling reactions of 2'-hydroxy-2-nitrochalcones. <i>Tetrahedron Letters</i> , 2003 , 44, 5893-5896	2	19
4	Interactions of a new 2-styrylchromone with mitochondrial oxidative phosphorylation. <i>Journal of Biochemical and Molecular Toxicology</i> , 2002 , 16, 220-6	3-4	17
3	NMR and Structural and Conformational Features of 2'-Hydroxychalcones and Flavones. <i>Spectroscopy Letters</i> , 1997 , 30, 1655-1667	1.1	27
2	Potential of Legumes: Nutritional Value, Bioactive Properties, Innovative Food Products, and Application of Eco-friendly Tools for Their Assessment. <i>Food Reviews International</i> , 1-29	5-5	5
1	Acorn flour and sourdough: an innovative combination to improve gluten free bread characteristics. <i>European Food Research and Technology</i> , 1	3-4	0