

Kwan-Dun Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3994583/publications.pdf>

Version: 2024-02-01

258
papers

11,262
citations

25014

57
h-index

42364

92
g-index

259
all docs

259
docs citations

259
times ranked

11218
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Pentoxifylline in Addition to Losartan on Proteinuria and GFR in CKD: A 12-Month Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 464-474.	2.1	325
2	Update of pathophysiology and management of diabetic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 662-675.	0.8	325
3	The Adrenal Vein Sampling International Study (AVIS) for Identifying the Major Subtypes of Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1606-1614.	1.8	310
4	Renoprotective effect of combining pentoxifylline with angiotensin-converting enzyme inhibitor or angiotensin II receptor blocker in advanced chronic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 219-226.	0.8	283
5	Platelet-derived growth factor receptor signaling activates pericyte-myofibroblast transition in obstructive and post-ischemic kidney fibrosis. <i>Kidney International</i> , 2011, 80, 1170-1181.	2.6	273
6	Pentoxifylline Attenuates Proteinuria in Anti-Thy1 Glomerulonephritis via Downregulation of Nuclear Factor- κ B and Smad2/3 Signaling. <i>Molecular Medicine</i> , 2015, 21, 276-284.	1.9	272
7	Long-Term Risk of Coronary Events after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 595-605.	3.0	262
8	Targeting Endothelium-Pericyte Cross Talk by Inhibiting VEGF Receptor Signaling Attenuates Kidney Microvascular Rarefaction and Fibrosis. <i>American Journal of Pathology</i> , 2011, 178, 911-923.	1.9	224
9	Transforming Growth Factor β 1 Stimulates Profibrotic Epithelial Signaling to Activate Pericyte-Myofibroblast Transition in Obstructive Kidney Fibrosis. <i>American Journal of Pathology</i> , 2013, 182, 118-131.	1.9	206
10	Comparative effectiveness of renin-angiotensin system blockers and other antihypertensive drugs in patients with diabetes: systematic review and bayesian network meta-analysis. <i>BMJ, The</i> , 2013, 347, f6008-f6008.	3.0	199
11	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230.	2.6	163
12	Multistate Outbreak of Listeriosis Linked to Turkey Deli Meat and Subsequent Changes in US Regulatory Policy. <i>Clinical Infectious Diseases</i> , 2006, 42, 66-72.	2.9	158
13	Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. <i>Critical Care</i> , 2009, 13, R171.	2.5	151
14	Pentoxifylline Attenuates Tubulointerstitial Fibrosis by Blocking Smad3/4-Activated Transcription and Profibrogenic Effects of Connective Tissue Growth Factor. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2702-2713.	3.0	142
15	Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 156-163.	3.0	142
16	Risk factors of early redialysis after weaning from postoperative acute renal replacement therapy. <i>Intensive Care Medicine</i> , 2008, 34, 101-108.	3.9	124
17	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914.	0.4	122
18	The Impact of Acute Kidney Injury on the Long-term Risk of Stroke. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	118

#	ARTICLE	IF	CITATIONS
19	Lineage Tracing Reveals Distinctive Fates for Mesothelial Cells and Submesothelial Fibroblasts during Peritoneal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2847-2858.	3.0	117
20	Kidney impairment in primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1319-1325.	0.5	112
21	High frequency of linezolid-associated thrombocytopenia among patients with renal insufficiency. <i>International Journal of Antimicrobial Agents</i> , 2006, 28, 345-351.	1.1	111
22	Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1268-1276.	1.8	111
23	Diagnosis and management of primary aldosteronism: An updated review. <i>Annals of Medicine</i> , 2013, 45, 375-383.	1.5	111
24	Cognitive-behavioral therapy for sleep disturbance decreases inflammatory cytokines and oxidative stress in hemodialysis patients. <i>Kidney International</i> , 2011, 80, 415-422.	2.6	108
25	Risk Factors for Development and Progression of Chronic Kidney Disease. <i>Medicine (United States)</i> , 2016, 95, e3013.	0.4	108
26	Long term outcome of Aldosteronism after target treatments. <i>Scientific Reports</i> , 2016, 6, 32103.	1.6	106
27	Comparison of residual renal function in patients undergoing twiceâ€‘weekly versus threeâ€‘timesâ€‘weekly haemodialysis. <i>Nephrology</i> , 2009, 14, 59-64.	0.7	105
28	¹³¹ I-6 ¹² -Iodomethyl-19-Norcholesterol SPECT/CT for Primary Aldosteronism Patients with Inconclusive Adrenal Venous Sampling and CT Results. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1631-1637.	2.8	103
29	Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. <i>American Journal of Kidney Diseases</i> , 2004, 43, 1047-1055.	2.1	95
30	Association of Kidney Function With Residual Hypertension After Treatment of Aldosterone-Producing Adenoma. <i>American Journal of Kidney Diseases</i> , 2009, 54, 665-673.	2.1	93
31	Risk of new-onset diabetes mellitus in primary aldosteronism. <i>Journal of Hypertension</i> , 2017, 35, 1698-1708.	0.3	91
32	Cognitive-Behavioral Therapy for Sleep Disturbance in Patients Undergoing Peritoneal Dialysis: A Pilot Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 314-323.	2.1	89
33	Adrenalectomy improves increased carotid intima-media thickness and arterial stiffness in patients with aldosterone producing adenoma. <i>Atherosclerosis</i> , 2012, 221, 154-159.	0.4	88
34	Multidisciplinary Care Program for Advanced Chronic Kidney Disease: Reduces Renal Replacement and Medical Costs. <i>American Journal of Medicine</i> , 2015, 128, 68-76.	0.6	88
35	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134.	2.5	87
36	Case detection and diagnosis of primary aldosteronism â€‘ The consensus of Taiwan Society of Aldosteronism. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 993-1005.	0.8	85

#	ARTICLE	IF	CITATIONS
37	Higher systemic inflammation is associated with poorer sleep quality in stable haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 247-251.	0.4	82
38	Primary aldosteronism. <i>Journal of Hypertension</i> , 2011, 29, 1778-1786.	0.3	81
39	The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 676-684.	3.1	79
40	The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. <i>American Journal of Surgery</i> , 2009, 198, 325-332.	0.9	78
41	In acute kidney injury, indoxyl sulfate impairs human endothelial progenitor cells: modulation by statin. <i>Angiogenesis</i> , 2013, 16, 609-624.	3.7	78
42	Prevalence and clinical correlates of somatic mutation in aldosterone producing adenoma-Taiwanese population. <i>Scientific Reports</i> , 2015, 5, 11396.	1.6	78
43	Early Renal Replacement Therapy in Patients with Postoperative Acute Liver Failure Associated with Acute Renal Failure: Effect on Postoperative Outcomes. <i>Journal of the American College of Surgeons</i> , 2007, 205, 266-276.	0.2	75
44	Endothelial Progenitor Cells in Primary Aldosteronism: A Biomarker of Severity for Aldosterone Vasculopathy and Prognosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3175-3183.	1.8	75
45	Pentoxifylline attenuates experimental mesangial proliferative glomerulonephritis. <i>Kidney International</i> , 1999, 56, 932-943.	2.6	74
46	Sexual dysfunction in female hemodialysis patients: A multicenter study. <i>Kidney International</i> , 2005, 68, 760-765.	2.6	74
47	Primary Aldosteronism: Diagnostic Accuracy of the Losartan and Captopril Tests. <i>American Journal of Hypertension</i> , 2009, 22, 821-827.	1.0	74
48	IL-6 trans-signalling contributes to aldosterone-induced cardiac fibrosis. <i>Cardiovascular Research</i> , 2018, 114, 690-702.	1.8	70
49	Adrenalectomy reverses myocardial fibrosis in patients with primary aldosteronism. <i>Journal of Hypertension</i> , 2012, 30, 1606-1613.	0.3	69
50	Risk of Fracture in Primary Aldosteronism: A Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 743-752.	3.1	64
51	Long-term remote organ consequences following acute kidney injury. <i>Critical Care</i> , 2015, 19, 438.	2.5	63
52	Dual Regulation of Tumor Necrosis Factor- α -Induced CCL2/Monocyte Chemoattractant Protein-1 Expression in Vascular Smooth Muscle Cells by Nuclear Factor- κ B and Activator Protein-1: Modulation by Type III Phosphodiesterase Inhibition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 978-986.	1.3	62
53	Clinical Utility of Malnutrition-Inflammation Score in Maintenance Hemodialysis Patients: Focus on Identifying the Best Cut-Off Point. <i>American Journal of Nephrology</i> , 2008, 28, 840-846.	1.4	62
54	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 191-195.	1.1	62

#	ARTICLE	IF	CITATIONS
55	Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , 2012, 16, R123.	2.5	62
56	The prevalence of CTNNB1 mutations in primary aldosteronism and consequences for clinical outcomes. <i>Scientific Reports</i> , 2017, 7, 39121.	1.6	62
57	Clinical Outcomes and Predictors for ESRD and Mortality in Primary GN. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1401-1408.	2.2	61
58	The association of higher depressive symptoms and sexual dysfunction in male haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 857-861.	0.4	59
59	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927.	2.6	59
60	Outcomes of Stage 3–5 Chronic Kidney Disease before End-Stage Renal Disease at a Single Center in Taiwan. <i>Nephron Clinical Practice</i> , 2008, 109, c109-c118.	2.3	58
61	Health-Related Quality of Life of Hemodialysis Patients in Taiwan: A Multicenter Study. <i>Blood Purification</i> , 2004, 22, 490-498.	0.9	55
62	Bilateral aldosterone-producing adenomas: differentiation from bilateral adrenal hyperplasia. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007, 101, 13-22.	0.2	54
63	Administrative data on diagnosis and mineralocorticoid receptor antagonist prescription identified patients with primary aldosteronism in Taiwan. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1139-1149.	2.4	54
64	Pentoxifylline Inhibits PDGF-induced Proliferation of and TGF- β 2-stimulated Collagen Synthesis by Vascular Smooth Muscle Cells. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 773-783.	0.9	52
65	Honokiol, a small molecular weight natural product, alleviates experimental mesangial proliferative glomerulonephritis. <i>Kidney International</i> , 2006, 70, 682-689.	2.6	52
66	Diagnostic Performance of Random Urine Samples Using Albumin Concentration vs Ratio of Albumin to Creatinine for Microalbuminuria Screening in Patients With Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2014, 174, 1108.	2.6	52
67	Clinical characteristics of patients with segmental renal infarction. <i>Nephrology</i> , 2006, 11, 336-340.	0.7	51
68	Sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for postsurgical acute renal failure. <i>American Journal of Surgery</i> , 2010, 199, 466-476.	0.9	51
69	Verification and evaluation of aldosteronism demographics in the Taiwan Primary Aldosteronism Investigation Group (TAIPAI Group). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 348-357.	1.0	51
70	Aldosterone Induced Galectin-3 Secretion In Vitro and In Vivo: From Cells to Humans. <i>PLoS ONE</i> , 2014, 9, e95254.	1.1	51
71	Restless legs syndrome in end-stage renal disease: a multicenter study in Taiwan. <i>European Journal of Neurology</i> , 2013, 20, 1025-1031.	1.7	50
72	Nasal Carriage of Methicillin-resistant Staphylococcus aureus Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 167-174.	2.2	49

#	ARTICLE	IF	CITATIONS
73	Levamisole-Induced Multifocal Inflammatory Leukoencephalopathy. <i>Medicine (United States)</i> , 2006, 85, 203-213.	0.4	47
74	C.E.R.A. once every 4 weeks corrects anaemia and maintains haemoglobin in patients with chronic kidney disease not on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3980-3986.	0.4	47
75	Modification of Diet in Renal Disease (MDRD) Study and CKD Epidemiology Collaboration (CKD-EPI) Equations for Taiwanese Adults. <i>PLoS ONE</i> , 2014, 9, e99645.	1.1	47
76	Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2506-2517.	1.1	47
77	Renin-Angiotensin System Inhibitor is Associated with Lower Risk of Ensuing Chronic Kidney Disease after Functional Recovery from Acute Kidney Injury. <i>Scientific Reports</i> , 2017, 7, 46518.	1.6	46
78	Inhibition by pentoxifylline of TNF- α -stimulated fractalkine production in vascular smooth muscle cells: evidence for mediation by NF- κ B down-regulation. <i>British Journal of Pharmacology</i> , 2003, 138, 950-958.	2.7	45
79	Reversal of myocardial fibrosis in patients with unilateral hyperaldosteronism receiving adrenalectomy. <i>Surgery</i> , 2011, 150, 526-533.	1.0	45
80	Clustering and Heritability of Insulin Resistance in Chinese and Japanese Hypertensive Families: A Stanford-Asian Pacific Program in Hypertension and Insulin Resistance Sibling Study.. <i>Hypertension Research</i> , 2002, 25, 529-536.	1.5	45
81	Chronic Fatigue in Long-Term Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2001, 21, 479-485.	1.4	44
82	QT interval dispersion in dialysis patients. Review Article. <i>Nephrology</i> , 2005, 10, 109-112.	0.7	44
83	Early activation of bradykinin B2 receptor aggravates reactive oxygen species generation and renal damage in ischemia/reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2006, 41, 1304-1314.	1.3	43
84	Association of serum fetuin A with truncal obesity and dyslipidemia in non-diabetic hemodialysis patients. <i>European Journal of Endocrinology</i> , 2009, 160, 777-783.	1.9	42
85	Angiopietin-2-induced Arterial Stiffness in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1198-1209.	3.0	42
86	Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. <i>PLoS ONE</i> , 2012, 7, e30337.	1.1	42
87	Angiopietin-2 Is Associated with Albuminuria and Microinflammation in Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e54668.	1.1	42
88	Down-Regulation of D2 Dopamine Receptor and Increased Protein Kinase C $\frac{1}{4}$ Phosphorylation in Aldosterone-Producing Adenoma Play Roles in Aldosterone Overproduction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1863-1870.	1.8	41
89	Xanthogranulomatous pyelonephritis: critical analysis of 30 patients. <i>International Urology and Nephrology</i> , 2011, 43, 15-22.	0.6	41
90	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952.	1.1	40

#	ARTICLE	IF	CITATIONS
91	Urinary biomarkers predict advanced acute kidney injury after cardiovascular surgery. <i>Critical Care</i> , 2018, 22, 108.	2.5	40
92	Restless legs syndrome is associated with cardio/cerebrovascular events and mortality in end-stage renal disease. <i>European Journal of Neurology</i> , 2015, 22, 142-149.	1.7	37
93	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4460-4467.	1.8	36
94	Diagnosis of primary aldosteronism: Comparison of post-captopril active renin concentration and plasma renin activity. <i>Clinica Chimica Acta</i> , 2010, 411, 657-663.	0.5	36
95	Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. <i>Peritoneal Dialysis International</i> , 2001, 21, 143-148.	1.1	35
96	Rosiglitazone in Diabetes Control in Hemodialysis Patients With and Without Viral Hepatitis Infection: Effectiveness and side effects. <i>Diabetes Care</i> , 2007, 30, 3-7.	4.3	35
97	Relative kidney hyperfiltration in primary aldosteronism: a meta-analysis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 113-122.	1.0	35
98	Endothelial Progenitor Cells Derived from Wharton's Jelly of the Umbilical Cord Reduces Ischemia-Induced Hind Limb Injury in Diabetic Mice by Inducing HIF-1 α /IL-8 Expression. <i>Stem Cells and Development</i> , 2013, 22, 1408-1418.	1.1	35
99	Aldosterone Induces Tissue Inhibitor of Metalloproteinases-1 Expression and Further Contributes to Collagen Accumulation. <i>Hypertension</i> , 2016, 67, 1309-1320.	1.3	35
100	Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome. <i>American Journal of Kidney Diseases</i> , 2005, 45, 88-95.	2.1	34
101	Lifetime Costs for Peritoneal Dialysis and Hemodialysis in Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2013, 33, 671-678.	1.1	34
102	Long-Term Outcomes after Dialysis-Requiring Acute Kidney Injury. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	34
103	Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F581-F592.	1.3	34
104	Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 73-81.	1.1	33
105	The association of serum potassium level with left ventricular mass in patients with primary aldosteronism. <i>European Journal of Clinical Investigation</i> , 2011, 41, 743-750.	1.7	33
106	Associations of metabolic syndrome and its components with cardiovascular outcomes among non-diabetic patients undergoing maintenance peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4047-4054.	0.4	33
107	Higher plasma interleukin-18 levels associated with poor quality of sleep in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3606-3609.	0.4	32
108	Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2008, 28, 765-771.	1.4	31

#	ARTICLE	IF	CITATIONS
109	Clinical Outcomes in Patients Undergoing Laparoscopic Adrenalectomy for Unilateral Aldosterone Producing Adenoma: Partial Versus Total Adrenalectomy. <i>Journal of Endourology</i> , 2014, 28, 1103-1106.	1.1	31
110	Effects of Far Infrared Acupoint Stimulation on Autonomic Activity and Quality of Life in Hemodialysis Patients. <i>The American Journal of Chinese Medicine</i> , 2009, 37, 215-226.	1.5	30
111	Factors influencing left ventricular mass regression in patients with primary aldosteronism post adrenalectomy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 48-53.	1.0	30
112	Serum Myostatin Is Reduced in Individuals with Metabolic Syndrome. <i>PLoS ONE</i> , 2014, 9, e108230.	1.1	29
113	Impact of Near-Death Experiences on Dialysis Patients: A Multicenter Collaborative Study. <i>American Journal of Kidney Diseases</i> , 2007, 50, 124-132.e2.	2.1	28
114	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 29, 308-316.	0.9	28
115	The Milk-Alkali Syndrome Caused by Betelnuts in Oyster Shell Paste. <i>Journal of Toxicology: Clinical Toxicology</i> , 1996, 34, 741-745.	1.5	27
116	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 30, 16-24.	0.9	27
117	Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. <i>PLoS ONE</i> , 2012, 7, e27687.	1.1	27
118	Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e69556.	1.1	27
119	Acute renal failure in SARS patients: more than rhabdomyolysis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3180-3182.	0.4	26
120	The effect of iron stores on corrected QT dispersion in patients undergoing peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2004, 44, 720-728.	2.1	26
121	Sexual Dysfunction in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2007, 27, 615-621.	1.4	26
122	miRNA-203 Modulates Aldosterone Levels and Cell Proliferation by Targeting Wnt5a in Aldosterone-Producing Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3737-3747.	1.8	26
123	Metabolic Syndrome Predicts Hospitalization in Hemodialysis Patients: A Prospective Asian Cohort Study. <i>Blood Purification</i> , 2007, 25, 252-259.	0.9	25
124	Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically Ill Patients Receiving Acute Dialysis. <i>PLoS ONE</i> , 2012, 7, e30836.	1.1	25
125	Aldosterone Impairs Vascular Smooth Muscle Function: From Clinical to Bench Research. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4339-4347.	1.8	25
126	Time course and factors predicting arterial stiffness reversal in patients with aldosterone-producing adenoma after adrenalectomy: prospective study of 102 patients. <i>Scientific Reports</i> , 2016, 6, 20862.	1.6	25

#	ARTICLE	IF	CITATIONS
127	Targeted treatment of primary aldosteronism – The consensus of Taiwan Society of Aldosteronism. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 72-82.	0.8	25
128	Physical Inactivity is an Important Lifestyle Determinant of Insulin Resistance in Hypertensive Patients. <i>Blood Pressure</i> , 2004, 13, 355-361.	0.7	24
129	Circulating tissue inhibitor of matrix metalloproteinase-1 is associated with aldosterone-induced diastolic dysfunction. <i>Journal of Hypertension</i> , 2015, 33, 1922-1930.	0.3	24
130	A nationwide survey of clinical characteristics, management, and outcomes of acute kidney injury (AKI) – patients with and without preexisting chronic kidney disease have different prognoses. <i>Medicine (United States)</i> , 2016, 95, e4987.	0.4	24
131	Left Ventricular Dysfunction in Patients With Primary Aldosteronism: A Propensity Score–Matching Follow-up Study With Tissue Doppler Imaging. <i>Journal of the American Heart Association</i> , 2019, 8, e013263.	1.6	24
132	A Modified Sequential Organ Failure Assessment Score to Predict Hospital Mortality of Postoperative Acute Renal Failure Patients Requiring Renal Replacement Therapy. <i>Blood Purification</i> , 2008, 26, 547-554.	0.9	23
133	The hemodynamic effects during sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for uremic patients with brain hemorrhage: a crossover study. <i>Journal of Neurosurgery</i> , 2013, 119, 1288-1295.	0.9	23
134	Association of candidate genetic variants with restless legs syndrome in end stage renal disease: a multicenter case-control study in Taiwan. <i>European Journal of Neurology</i> , 2014, 21, 492-498.	1.7	23
135	Patterns of Dialysis Initiation Affect Outcomes of Incident Hemodialysis Patients. <i>Nephron</i> , 2016, 132, 33-42.	0.9	23
136	SAPS 3 at dialysis commencement is predictive of hospital mortality in patients supported by extracorporeal membrane oxygenation and acute dialysis†. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1158-1164.	0.6	22
137	Comparison of 24-h Urinary Aldosterone Level and Random Urinary Aldosterone-to-Creatinine Ratio in the Diagnosis of Primary Aldosteronism. <i>PLoS ONE</i> , 2013, 8, e67417.	1.1	22
138	Prognostic value of semiquantification NP-59 SPECT/CT in primary aldosteronism patients after adrenalectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1375-1384.	3.3	22
139	Correlation of Metabolic Syndrome with Residual Renal Function, Solute Transport Rate and Peritoneal Solute Clearance in Chronic Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2008, 26, 138-144.	0.9	21
140	Effects of Low- and High-Flux Dialyzers on Oxidative Stress and Insulin Resistance. <i>Blood Purification</i> , 2008, 26, 213-220.	0.9	21
141	Microalbuminuria Screening for Detecting Chronic Kidney Disease in the General Population: A Systematic Review. <i>Renal Failure</i> , 2013, 35, 607-614.	0.8	21
142	Comparison of outcomes between emergent-start and planned-start peritoneal dialysis in incident ESRD patients: a prospective observational study. <i>BMC Nephrology</i> , 2017, 18, 359.	0.8	21
143	Skin Denervation and Its Clinical Significance in Late-Stage Chronic Kidney Disease. <i>Archives of Neurology</i> , 2011, 68, 200-6.	4.9	21
144	Life expectancy, expected years of life lost and survival of hemodialysis and peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2010, 23, 677-82.	0.9	21

#	ARTICLE	IF	CITATIONS
145	Reversible heart rhythm complexity impairment in patients with primary aldosteronism. <i>Scientific Reports</i> , 2015, 5, 11249.	1.6	20
146	Hyperuricemia Associated With Rapid Renal Function Decline in Elderly Taiwanese Subjects. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 921-928.	0.8	19
147	Association of Low Serum Fetuin A Levels With Poor Arteriovenous Access Patency in Patients Undergoing Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2010, 56, 720-727.	2.1	19
148	Patients Supported by Extracorporeal Membrane Oxygenation and Acute Dialysis: Acute Physiology and Chronic Health Evaluation Score in Predicting Hospital Mortality. <i>Artificial Organs</i> , 2010, 34, 828-835.	1.0	19
149	Risk Factors for High Dialysate Glucose use in PD Patientsâ€”A Retrospective 5-Year Cohort Study. <i>Peritoneal Dialysis International</i> , 2010, 30, 448-455.	1.1	19
150	Pleiotropic Effects of Sevelamer Beyond Phosphate Binding in End-Stage Renal Disease Patients. <i>Clinical Drug Investigation</i> , 2011, 31, 257-267.	1.1	19
151	Hemojuvelin Modulates Iron Stress During Acute Kidney Injury: Improved by Furin Inhibitor. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1181-1194.	2.5	19
152	Role of D2 dopamine receptor in adrenal cortical cell proliferation and aldosterone-producing adenoma tumorigenesis. <i>Journal of Molecular Endocrinology</i> , 2014, 52, 87-96.	1.1	19
153	Quantitative Comparison of Skin Colors in Patients With ESRD Undergoing Different Dialysis Modalities. <i>American Journal of Kidney Diseases</i> , 2006, 48, 292-300.	2.1	18
154	Seven-Year Follow-Up of Peritoneal Dialysis Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-457.	1.1	18
155	Comparison of self-reported health-related quality of life between Taiwan hemodialysis and peritoneal dialysis patients: a multi-center collaborative study. <i>Quality of Life Research</i> , 2011, 20, 399-405.	1.5	18
156	A low-salt diet increases the expression of renal sirtuin 1 through activation of the ghrelin receptor in rats. <i>Scientific Reports</i> , 2016, 6, 32787.	1.6	18
157	Factors associated with metabolic acidosis in patients receiving parenteral nutrition. <i>Nephrology</i> , 2007, 12, 3-7.	0.7	17
158	Are Both Psychological and Physical Dimensions in Health-Related Quality of Life Associated with Mortality in Hemodialysis Patients: A 7-Year Taiwan Cohort Study. <i>Blood Purification</i> , 2010, 30, 98-105.	0.9	17
159	Contrast-enhanced MRI index of diffuse myocardial fibrosis is increased in primary aldosteronism. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1349-1355.	1.9	17
160	Myocardial Ultrasound Tissue Characterization of Patients With Primary Aldosteronism. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 54-61.	0.7	17
161	Dialysis-requiring acute kidney injury increases risk of long-term malignancy: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 613-621.	1.2	17
162	Ketoanalogues supplementation decreases dialysis and mortality risk in patients with anemic advanced chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0176847.	1.1	17

#	ARTICLE	IF	CITATIONS
163	Differential expression of type 1 angiotensin II receptor mRNA and aldosterone responsiveness to angiotensin in aldosterone-producing adenoma. <i>Molecular and Cellular Endocrinology</i> , 1999, 152, 47-55.	1.6	16
164	Association between serum aspartate transaminase and homocysteine levels in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2002, 40, 1195-1201.	2.1	16
165	Laparoscopic partial adrenalectomy for aldosterone-producing adenomas with needlescopic instruments. <i>Urology</i> , 2006, 68, 663-667.	0.5	16
166	Twenty-Four-Hour Urinary Aldosterone Predicts Inappropriate Left Ventricular Mass Index in Patients with Primary Aldosteronism. <i>Scientific World Journal, The</i> , 2013, 2013, 1-8.	0.8	16
167	Effect of Treatment on Body Fluid in Patients with Unilateral Aldosterone Producing Adenoma: Adrenalectomy versus Spironolactone. <i>Scientific Reports</i> , 2015, 5, 15297.	1.6	16
168	New-Onset Diabetes After Acute Kidney Injury Requiring Dialysis. <i>Diabetes Care</i> , 2018, 41, 2105-2110.	4.3	16
169	D4 dopamine receptor enhances angiotensin II-stimulated aldosterone secretion through PKC- μ and calcium signaling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E622-E629.	1.8	15
170	Risk factors for nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> among patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 14-18.	0.8	15
171	The relation among aldosterone, galectin-3, and myocardial fibrosis: a prospective clinical pilot follow-up study. <i>Journal of Investigative Medicine</i> , 2016, 64, 1109-1113.	0.7	15
172	Factors associated with increased plasma homocysteine in patients using an amino acid peritoneal dialysis fluid. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 161-166.	0.4	14
173	Downregulation of angiotensin type 1 receptor and nuclear factor- κ B by sirtuin 1 contributes to renoprotection in unilateral ureteral obstruction. <i>Scientific Reports</i> , 2016, 6, 33705.	1.6	14
174	Arterial stiffness and blood pressure improvement in aldosterone-producing adenoma harboring <i>KCNJ5</i> mutations after adrenalectomy. <i>Oncotarget</i> , 2017, 8, 29984-29995.	0.8	14
175	Women on hemodialysis have lower self-reported health-related quality of life scores but better survival than men. <i>Journal of Nephrology</i> , 2013, 26, 366-374.	0.9	14
176	Thoracic kidney and contralateral ureteral duplication—a case report and review of the literature. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 799-801.	0.4	13
177	Methicillin-Resistant <i>Staphylococcus aureus</i> Bacteremia in Patients With End-Stage Renal Disease in Taiwan: Distinguishing Between Community-Associated and Healthcare-Associated Strains. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 89-92.	1.0	13
178	Association between urine aldosterone and diastolic function in patients with primary aldosteronism and essential hypertension. <i>Clinical Biochemistry</i> , 2014, 47, 1329-1332.	0.8	13
179	Hypokalemia correlated with arterial stiffness but not microvascular endothelial function in patients with primary aldosteronism. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 353-359.	1.0	13
180	CRP-level-associated polymorphism rs1205 within the CRP gene is associated with 2-hour glucose level: The SAPPHiRe study. <i>Scientific Reports</i> , 2017, 7, 7987.	1.6	13

#	ARTICLE	IF	CITATIONS
181	Norepinephrine Administration Is Associated with Higher Mortality in Dialysis Requiring Acute Kidney Injury Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , 2018, 7, 274.	1.0	13
182	Impact of religious activity on depression and quality of life of chronic peritoneal dialysis patients in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2003, 102, 127-30.	0.8	13
183	CAPD-Related Peritonitis due to <i>Salmonella enteritidis</i> in a Patient With SLE. <i>American Journal of Kidney Diseases</i> , 2005, 46, e21-e23.	2.1	12
184	Randomized Study of Darbepoetin Alfa and Recombinant Human Erythropoietin for Treatment of Renal Anemia in Chronic Renal Failure Patients Receiving Peritoneal Dialysis. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 843-850.	0.8	12
185	Impact of Spiritual and Religious Activity on Quality of Sleep in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 221-225.	0.9	12
186	Risk of sepsis in patients with primary aldosteronism. <i>Critical Care</i> , 2018, 22, 313.	2.5	12
187	Plasma Aldosterone After Seated Saline Infusion Test Outperforms Captopril Test at Predicting Clinical Outcomes After Adrenalectomy for Primary Aldosteronism. <i>American Journal of Hypertension</i> , 2019, 32, 1066-1074.	1.0	12
188	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4460-4467.	1.8	12
189	Endothelin-1 Chronically Inhibits Na/H Exchanger-3 in ETB-Overexpressing OKP Cells. <i>Biochemical and Biophysical Research Communications</i> , 2000, 271, 807-811.	1.0	11
190	Potential Ototoxicity of Aluminum in Hemodialysis Patients. <i>Laryngoscope</i> , 2007, 117, 137-141.	1.1	11
191	Bradykinin enhances reactive oxygen species generation, mitochondrial injury, and cell death induced by ATP depletion—A role of the phospholipase C α 2+ pathway. <i>Free Radical Biology and Medicine</i> , 2007, 43, 702-710.	1.3	11
192	The influence of estimated creatinine clearance on plasma homocysteine in hypertensive patients with normal serum creatinine. <i>Clinical Biochemistry</i> , 2007, 40, 230-234.	0.8	11
193	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672.	0.8	11
194	The effects of the renin-angiotensin-aldosterone system gene polymorphisms on insulin resistance in hypertensive families. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 446-454.	1.0	11
195	Does Chinese Herb Nephropathy Account for the High Incidence of End-Stage Renal Disease in Taiwan?. <i>Nephron</i> , 2012, 120, c215-c222.	0.9	11
196	Nationwide epidemiology and prognosis of dialysis-requiring acute kidney injury (NEPAKI) study: Design and methods. <i>Nephrology</i> , 2016, 21, 758-764.	0.7	11
197	Pseudohyperchloraemia due to bromvalerylurea abuse. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1767-1768.	0.4	10
198	Nasal Carriage of Methicillin-Resistant <i>Staphylococcus aureus</i> Among Patients With End-Stage Renal Disease. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 93-94.	1.0	10

#	ARTICLE	IF	CITATIONS
199	Effect of preoperative statin therapy on postoperative acute kidney injury in patients undergoing major surgery: Systemic review and meta-analysis. <i>Nephrology</i> , 2014, 19, 750-763.	0.7	10
200	Effects of Statin Use in Advanced Chronic Kidney Disease Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 285.	1.0	10
201	The value of losartan suppression test in the confirmatory diagnosis of primary aldosteronism in patients over 50 years old. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 587-598.	1.0	9
202	Risk of ischemic stroke in primary aldosteronism patients. <i>Clinica Chimica Acta</i> , 2015, 438, 86-89.	0.5	9
203	<i>CTNNB1</i> Mutation in Aldosterone Producing Adenoma. <i>Endocrinology and Metabolism</i> , 2017, 32, 332.	1.3	9
204	Seven-year follow-up of peritoneal dialysis patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-7.	1.1	9
205	Dopaminergic modulation of aldosterone secretions on changes of sodium intake in aldosterone-producing adenoma. <i>American Journal of Hypertension</i> , 2002, 15, 609-614.	1.0	8
206	Deferoxamine-related fatal nasal "orbital" cerebral mucormycosis. <i>Kidney International</i> , 2006, 70, 1888.	2.6	8
207	Association of the variations in the <i>HSD3Î²</i> gene with primary aldosteronism. <i>Journal of Hypertension</i> , 2013, 31, 1396-1405.	0.3	8
208	High Risk of Herpes Zoster among Patients with Advance Acute Kidney Injury " A Population-Based Study. <i>Scientific Reports</i> , 2015, 5, 13747.	1.6	8
209	Genome-wide copy number variation analysis identified deletions in <i>SFMBT1</i> associated with fasting plasma glucose in a Han Chinese population. <i>BMC Genomics</i> , 2017, 18, 591.	1.2	8
210	Adrenalectomy Completely Cured Hypertension in Patients With Familial Hyperaldosteronism Type I Who Had Somatic <i>KCNJ5</i> Mutation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5462-5466.	1.8	8
211	Long-term risk of dementia following acute kidney injury: A population-based study. <i>Tzu Chi Medical Journal</i> , 2017, 29, 201.	0.4	8
212	Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 458-464.	1.1	7
213	The Relation between the Degree of Left Ventricular Mass Regression and Serum Potassium Level Change in Patients with Primary Aldosteronism after Adrenalectomy. <i>Journal of Investigative Medicine</i> , 2015, 63, 816-820.	0.7	7
214	Perioperative body weight change is associated with in-hospital mortality in cardiac surgical patients with postoperative acute kidney injury. <i>PLoS ONE</i> , 2017, 12, e0187280.	1.1	7
215	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1760-1774.	1.4	7
216	Higher Screening Aldosterone to Renin Ratio in Primary Aldosteronism Patients with Diabetes Mellitus. <i>Journal of Clinical Medicine</i> , 2018, 7, 360.	1.0	7

#	ARTICLE	IF	CITATIONS
217	Association between regional economic status and renal recovery of dialysis-requiring acute kidney injury among critically ill patients. <i>Scientific Reports</i> , 2020, 10, 14573.	1.6	7
218	Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Critical Care</i> , 2009, 18, 446-455.	0.8	6
219	Delayed diagnosis of primary aldosteronism in patients with autosomal dominant polycystic kidney diseases. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2013, 14, 167-173.	1.0	6
220	The Association between Glomerular Hyperfiltration and Left Ventricular Structure and Function in Patients with Primary Aldosteronism. <i>International Journal of Medical Sciences</i> , 2015, 12, 369-377.	1.1	6
221	Potential target-organ protection of mineralocorticoid receptor antagonist in acute kidney disease. <i>Journal of Hypertension</i> , 2019, 37, 125-134.	0.3	6
222	The relationship among cardiac structure, dietary salt and aldosterone in patients with primary aldosteronism. <i>Oncotarget</i> , 2017, 8, 73187-73197.	0.8	6
223	Factors associated with renal function change after unilateral adrenalectomy in patients with primary aldosteronism. <i>International Journal of Urology</i> , 2022, 29, 831-837.	0.5	6
224	Outcomes following Dialysis for Acute Kidney Injury among Different Stages of Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2011, 34, 95-103.	1.4	5
225	Short- and long-term outcomes after postsurgical acute kidney injury requiring dialysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1583-1598.	1.5	5
226	Taiwan mini-frontier of primary aldosteronism: Updating treatment and comorbidities detection. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1811-1820.	0.8	5
227	Endothelin-1 Activates MAPKs and Modulates Cell Cycle Proteins in OKP Cells. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 273-280.	0.8	4
228	Urinary kallikrein excretion is related to renal function change and inflammatory status in chronic kidney disease patients receiving angiotensin II receptor blocker treatment. <i>Nephrology</i> , 2008, 13, 198-203.	0.7	4
229	Maintenance haemodialysis and delayed administration of appropriate antibiotics increase 30-day mortality among patients with non-hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 511-512.	1.1	4
230	Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1637-1642.	0.5	4
231	NP-59 Adrenal Scintigraphy as an Imaging Biomarker to Predict KCNJ5 Mutation in Primary Aldosteronism Patients. <i>Frontiers in Endocrinology</i> , 2021, 12, 644927.	1.5	4
232	The Acute Effect of Nifedipine on the Renin-Angiotensin-Aldosterone System in Salt-Sensitive Essential Hypertension. <i>Clinical and Experimental Hypertension</i> , 1993, 15, 185-196.	0.5	3
233	Prolonged Asymptomatic Dense Deposit Disease in Chinese. <i>American Journal of Nephrology</i> , 1998, 18, 464-468.	1.4	3
234	Hypokalemic paralysis: the interplay between primary aldosteronism and hyperthyroidism. <i>European Journal of Clinical Investigation</i> , 2009, 39, 738-739.	1.7	3

#	ARTICLE	IF	CITATIONS
235	In rat renal fibroblasts, mycophenolic acid inhibits proliferation and production of the chemokine CCL2, stimulated by tumour necrosis factor α . British Journal of Pharmacology, 2010, 160, 1611-1620.	2.7	3
236	Recurrence of primary aldosteronism after percutaneous ethanol injection. Journal of the Formosan Medical Association, 2012, 111, 176-178.	0.8	3
237	Plasma Aldosterone Concentration as a Determinant for Statin Use among Middle-Aged Hypertensive Patients for Atherosclerotic Cardiovascular Disease. Journal of Clinical Medicine, 2018, 7, 382.	1.0	3
238	Is prophylactic nasogastric tube decompression necessary in patients undergoing laparoscopic adrenalectomy for unilateral benign adrenal tumor. Journal of the Formosan Medical Association, 2019, 118, 401-405.	0.8	3
239	Risk of new-onset autoimmune diseases in primary aldosteronism: a nation-wide population-based study. Journal of Hypertension, 2020, 38, 745-754.	0.3	3
240	Exaggerated Natriuresis in Salt-Sensitive Essential Hypertension. Clinical and Experimental Hypertension, 1990, 12, 1395-1403.	0.3	2
241	Quantitative analysis of messenger ribonucleic acid encoding natriuretic peptide receptors in aldosterone-producing adenoma. Molecular and Cellular Endocrinology, 1995, 111, 139-146.	1.6	2
242	Acute hydrocephalus upregulates monoamine oxidase mRNA in neonatal rat brain. NeuroReport, 2004, 15, 1975-1978.	0.6	2
243	Thyrotoxic Periodic Paralysis Induced by Pegylated Interferon Alpha Plus Ribavirin for Chronic Hepatitis C. Journal of Clinical Gastroenterology, 2008, 42, 112-113.	1.1	2
244	Risk factors for methicillin-resistant Staphylococcus aureus colonization among elderly patients with end-stage renal disease in Taiwan. American Journal of Infection Control, 2010, 38, 499-500.	1.1	2
245	Eligibility for Statin Therapy According to New Cholesterol Guidelines on Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2015, ,jc.2015-1537.	1.8	2
246	Severe aortic arch calcification predicts mortality in patients undergoing peritoneal dialysis: Response to methodological issues. Journal of the Formosan Medical Association, 2018, 117, 87-88.	0.8	2
247	Risk of severe erectile dysfunction in primary hyperaldosteronism: A population-based propensity score matching cohort study. Surgery, 2019, 165, 622-628.	1.0	2
248	Impact of Weaning from Acute Dialytic Therapy on Outcomes of Chronic Kidney Disease following Urgent-Start Dialysis. PLoS ONE, 2015, 10, e0123386.	1.1	2
249	Retroperitoneal fibrosis. Kidney International, 2006, 70, 2048.	2.6	1
250	Low Protein Diet Supplemented With Ketoanalogues Makes Hemodialysis Withdrawal Possible. American Journal of Kidney Diseases, 2008, 51, 160-161.	2.1	1
251	A rare cause of secondary hypertension. CKJ: Clinical Kidney Journal, 2009, 2, 177-178.	1.4	1
252	Hospital Mortality of Septic Acute Kidney Injury Requiring Renal Replacement Therapy in the Postoperative Elderly. International Journal of Gerontology, 2012, 6, 75-79.	0.7	1

#	ARTICLE	IF	CITATIONS
253	Transtubular potassium gradient predicts kidney function impairment after adrenalectomy in primary aldosteronism. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232094479.	1.1	1
254	Using an anomalous brachial artery as an alternative choice of arteriovenous shunt feeding artery. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2579-2580.	0.4	0
255	Primary biliary cirrhosis associated with minimal change disease. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 966-967.	0.4	0
256	The Relationship of P1 and Lewis Antigens with Peritoneal Dialysis-Related Escherichia Coli Peritonitis. <i>Peritoneal Dialysis International</i> , 2008, 28, 172-178.	1.1	0
257	Reply to Tsai et al. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 718-719.	1.0	0
258	The therapeutic effect of bromocriptine in combination with spironolactone in patients with primary aldosteronism: a hypothesis generating pilot study. <i>Oncotarget</i> , 2017, 8, 77609-77621.	0.8	0