

Kwan-Dun Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3994583/publications.pdf>

Version: 2024-02-01

258
papers

11,262
citations

25034

57
h-index

42399

92
g-index

259
all docs

259
docs citations

259
times ranked

11218
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with renal function change after unilateral adrenalectomy in patients with primary aldosteronism. <i>International Journal of Urology</i> , 2022, 29, 831-837.	1.0	6
2	NP-59 Adrenal Scintigraphy as an Imaging Biomarker to Predict KCNJ5 Mutation in Primary Aldosteronism Patients. <i>Frontiers in Endocrinology</i> , 2021, 12, 644927.	3.5	4
3	Taiwan mini-frontier of primary aldosteronism: Updating treatment and comorbidities detection. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1811-1820.	1.7	5
4	Risk of new-onset autoimmune diseases in primary aldosteronism: a nation-wide population-based study. <i>Journal of Hypertension</i> , 2020, 38, 745-754.	0.5	3
5	Transtubular potassium gradient predicts kidney function impairment after adrenalectomy in primary aldosteronism. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232094479.	2.5	1
6	Association between regional economic status and renal recovery of dialysis-requiring acute kidney injury among critically ill patients. <i>Scientific Reports</i> , 2020, 10, 14573.	3.3	7
7	Is prophylactic nasogastric tube decompression necessary in patients undergoing laparoscopic adrenalectomy for unilateral benign adrenal tumor. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 401-405.	1.7	3
8	Adrenalectomy Completely Cured Hypertension in Patients With Familial Hyperaldosteronism Type I Who Had Somatic KCNJ5 Mutation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5462-5466.	3.6	8
9	Left Ventricular Dysfunction in Patients With Primary Aldosteronism: A Propensity Scoreâ€‘Matching Followâ€‘Up Study With Tissue Doppler Imaging. <i>Journal of the American Heart Association</i> , 2019, 8, e013263.	3.7	24
10	Potential target-organ protection of mineralocorticoid receptor antagonist in acute kidney disease. <i>Journal of Hypertension</i> , 2019, 37, 125-134.	0.5	6
11	Plasma Aldosterone After Seated Saline Infusion Test Outperforms Captopril Test at Predicting Clinical Outcomes After Adrenalectomy for Primary Aldosteronism. <i>American Journal of Hypertension</i> , 2019, 32, 1066-1074.	2.0	12
12	Risk of severe erectile dysfunction in primary hyperaldosteronism: A population-based propensity score matching cohort study. <i>Surgery</i> , 2019, 165, 622-628.	1.9	2
13	Targeted treatment of primary aldosteronism â€‘ The consensus of Taiwan Society of Aldosteronism. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 72-82.	1.7	25
14	Update of pathophysiology and management of diabetic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 662-675.	1.7	325
15	Severe aortic arch calcification predicts mortality in patients undergoing peritoneal dialysis: Response to methodological issues. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 87-88.	1.7	2
16	Urinary biomarkers predict advanced acute kidney injury after cardiovascular surgery. <i>Critical Care</i> , 2018, 22, 108.	5.8	40
17	IL-6 trans-signalling contributes to aldosterone-induced cardiac fibrosis. <i>Cardiovascular Research</i> , 2018, 114, 690-702.	3.8	70
18	Risk of sepsis in patients with primary aldosteronism. <i>Critical Care</i> , 2018, 22, 313.	5.8	12

#	ARTICLE	IF	CITATIONS
19	Short- and long-term outcomes after postsurgical acute kidney injury requiring dialysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1583-1598.	3.0	5
20	miRNA-203 Modulates Aldosterone Levels and Cell Proliferation by Targeting Wnt5a in Aldosterone-Producing Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3737-3747.	3.6	26
21	Effects of Statin Use in Advanced Chronic Kidney Disease Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 285.	2.4	10
22	Plasma Aldosterone Concentration as a Determinant for Statin Use among Middle-Aged Hypertensive Patients for Atherosclerotic Cardiovascular Disease. <i>Journal of Clinical Medicine</i> , 2018, 7, 382.	2.4	3
23	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1760-1774.	3.0	7
24	Higher Screening Aldosterone to Renin Ratio in Primary Aldosteronism Patients with Diabetes Mellitus. <i>Journal of Clinical Medicine</i> , 2018, 7, 360.	2.4	7
25	Norepinephrine Administration Is Associated with Higher Mortality in Dialysis Requiring Acute Kidney Injury Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , 2018, 7, 274.	2.4	13
26	New-Onset Diabetes After Acute Kidney Injury Requiring Dialysis. <i>Diabetes Care</i> , 2018, 41, 2105-2110.	8.6	16
27	The prevalence of CTNNB1 mutations in primary aldosteronism and consequences for clinical outcomes. <i>Scientific Reports</i> , 2017, 7, 39121.	3.3	62
28	Renin-Angiotensin System Inhibitor is Associated with Lower Risk of Ensuing Chronic Kidney Disease after Functional Recovery from Acute Kidney Injury. <i>Scientific Reports</i> , 2017, 7, 46518.	3.3	46
29	Risk of new-onset diabetes mellitus in primary aldosteronism. <i>Journal of Hypertension</i> , 2017, 35, 1698-1708.	0.5	91
30	CRP-level-associated polymorphism rs1205 within the CRP gene is associated with 2-hour glucose level: The SAPPHiRe study. <i>Scientific Reports</i> , 2017, 7, 7987.	3.3	13
31	Case detection and diagnosis of primary aldosteronism – The consensus of Taiwan Society of Aldosteronism. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 993-1005.	1.7	85
32	Risk of Fracture in Primary Aldosteronism: A Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 743-752.	2.8	64
33	CTNNB1 Mutation in Aldosterone Producing Adenoma. <i>Endocrinology and Metabolism</i> , 2017, 32, 332.	3.0	9
34	Genome-wide copy number variation analysis identified deletions in SFMBT1 associated with fasting plasma glucose in a Han Chinese population. <i>BMC Genomics</i> , 2017, 18, 591.	2.8	8
35	Perioperative body weight change is associated with in-hospital mortality in cardiac surgical patients with postoperative acute kidney injury. <i>PLoS ONE</i> , 2017, 12, e0187280.	2.5	7
36	Comparison of outcomes between emergent-start and planned-start peritoneal dialysis in incident ESRD patients: a prospective observational study. <i>BMC Nephrology</i> , 2017, 18, 359.	1.8	21

#	ARTICLE	IF	CITATIONS
37	Ketoanalogues supplementation decreases dialysis and mortality risk in patients with anemic advanced chronic kidney disease. PLoS ONE, 2017, 12, e0176847.	2.5	17
38	Arterial stiffness and blood pressure improvement in aldosterone-producing adenoma harboring <i>KCNJ5</i> mutations after adrenalectomy. Oncotarget, 2017, 8, 29984-29995.	1.8	14
39	The relationship among cardiac structure, dietary salt and aldosterone in patients with primary aldosteronism. Oncotarget, 2017, 8, 73187-73197.	1.8	6
40	Long-term risk of dementia following acute kidney injury: A population-based study. Tzu Chi Medical Journal, 2017, 29, 201.	1.1	8
41	The therapeutic effect of bromocriptine in combination with spironolactone in patients with primary aldosteronism: a hypothesis generating pilot study. Oncotarget, 2017, 8, 77609-77621.	1.8	0
42	Nationwide epidemiology and prognosis of dialysis-requiring acute kidney injury (NEP-CAKI-ED) study: Design and methods. Nephrology, 2016, 21, 758-764.	1.6	11
43	Time course and factors predicting arterial stiffness reversal in patients with aldosterone-producing adenoma after adrenalectomy: prospective study of 102 patients. Scientific Reports, 2016, 6, 20862.	3.3	25
44	A low-salt diet increases the expression of renal sirtuin 1 through activation of the ghrelin receptor in rats. Scientific Reports, 2016, 6, 32787.	3.3	18
45	Risk Factors for Development and Progression of Chronic Kidney Disease. Medicine (United States), 2016, 95, e3013.	1.0	108
46	Aldosterone Induces Tissue Inhibitor of Metalloproteinases-1 Expression and Further Contributes to Collagen Accumulation. Hypertension, 2016, 67, 1309-1320.	2.7	35
47	The relation among aldosterone, galectin-3, and myocardial fibrosis: a prospective clinical pilot follow-up study. Journal of Investigative Medicine, 2016, 64, 1109-1113.	1.6	15
48	Downregulation of angiotensin type 1 receptor and nuclear factor- κ B by sirtuin 1 contributes to renoprotection in unilateral ureteral obstruction. Scientific Reports, 2016, 6, 33705.	3.3	14
49	Long term outcome of Aldosteronism after target treatments. Scientific Reports, 2016, 6, 32103.	3.3	106
50	A nationwide survey of clinical characteristics, management, and outcomes of acute kidney injury (AKI) – patients with and without preexisting chronic kidney disease have different prognoses. Medicine (United States), 2016, 95, e4987.	1.0	24
51	Patterns of Dialysis Initiation Affect Outcomes of Incident Hemodialysis Patients. Nephron, 2016, 132, 33-42.	1.8	23
52	High Risk of Herpes Zoster among Patients with Advance Acute Kidney Injury – A Population-Based Study. Scientific Reports, 2015, 5, 13747.	3.3	8
53	Prevalence and clinical correlates of somatic mutation in aldosterone producing adenoma-Taiwanese population. Scientific Reports, 2015, 5, 11396.	3.3	78
54	Reversible heart rhythm complexity impairment in patients with primary aldosteronism. Scientific Reports, 2015, 5, 11249.	3.3	20

#	ARTICLE	IF	CITATIONS
55	Effect of Treatment on Body Fluid in Patients with Unilateral Aldosterone Producing Adenoma: Adrenalectomy versus Spironolactone. Scientific Reports, 2015, 5, 15297.	3.3	16
56	Eligibility for Statin Therapy According to New Cholesterol Guidelines on Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2015, ,jc.2015-1537.	3.6	2
57	Long-term remote organ consequences following acute kidney injury. Critical Care, 2015, 19, 438.	5.8	63
58	Restless legs syndrome is associated with cardio/cerebrovascular events and mortality in end-stage renal disease. European Journal of Neurology, 2015, 22, 142-149.	3.3	37
59	Circulating tissue inhibitor of matrix metalloproteinase-1 is associated with aldosterone-induced diastolic dysfunction. Journal of Hypertension, 2015, 33, 1922-1930.	0.5	24
60	The Association between Glomerular Hyperfiltration and Left Ventricular Structure and Function in Patients with Primary Aldosteronism. International Journal of Medical Sciences, 2015, 12, 369-377.	2.5	6
61	Pentoxifylline Attenuates Proteinuria in Anti-Thy1 Glomerulonephritis via Downregulation of Nuclear Factor- κ B and Smad2/3 Signaling. Molecular Medicine, 2015, 21, 276-284.	4.4	272
62	The Relation between the Degree of Left Ventricular Mass Regression and Serum Potassium Level Change in Patients with Primary Aldosteronism after Adrenalectomy. Journal of Investigative Medicine, 2015, 63, 816-820.	1.6	7
63	Hypokalemia correlated with arterial stiffness but not microvascular endothelial function in patients with primary aldosteronism. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2015, 16, 353-359.	1.7	13
64	Multidisciplinary Care Program for Advanced Chronic Kidney Disease: Reduces Renal Replacement and Medical Costs. American Journal of Medicine, 2015, 128, 68-76.	1.5	88
65	Aldosterone Impairs Vascular Smooth Muscle Function: From Clinical to Bench Research. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4339-4347.	3.6	25
66	Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 2506-2517.	2.4	47
67	The value of losartan suppression test in the confirmatory diagnosis of primary aldosteronism in patients over 50 years old. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2015, 16, 587-598.	1.7	9
68	Risk of ischemic stroke in primary aldosteronism patients. Clinica Chimica Acta, 2015, 438, 86-89.	1.1	9
69	Impact of Weaning from Acute Dialytic Therapy on Outcomes of Chronic Kidney Disease following Urgent-Start Dialysis. PLoS ONE, 2015, 10, e0123386.	2.5	2
70	Modification of Diet in Renal Disease (MDRD) Study and CKD Epidemiology Collaboration (CKD-EPI) Equations for Taiwanese Adults. PLoS ONE, 2014, 9, e99645.	2.5	47
71	Diagnostic Performance of Random Urine Samples Using Albumin Concentration vs Ratio of Albumin to Creatinine for Microalbuminuria Screening in Patients With Diabetes Mellitus. JAMA Internal Medicine, 2014, 174, 1108.	5.1	52
72	Clinical Outcomes in Patients Undergoing Laparoscopic Adrenalectomy for Unilateral Aldosterone Producing Adenoma: Partial Versus Total Adrenalectomy. Journal of Endourology, 2014, 28, 1103-1106.	2.1	31

#	ARTICLE	IF	CITATIONS
73	Lineage Tracing Reveals Distinctive Fates for Mesothelial Cells and Submesothelial Fibroblasts during Peritoneal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2847-2858.	6.1	117
74	Long-Term Outcomes after Dialysis-Requiring Acute Kidney Injury. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	34
75	Long-Term Risk of Coronary Events after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 595-605.	6.1	262
76	Hemojuvelin Modulates Iron Stress During Acute Kidney Injury: Improved by Furin Inhibitor. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1181-1194.	5.4	19
77	The Impact of Acute Kidney Injury on the Long-term Risk of Stroke. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	118
78	Dialysis-requiring acute kidney injury increases risk of long-term malignancy: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 613-621.	2.5	17
79	Prognostic value of semiquantification NP-59 SPECT/CT in primary aldosteronism patients after adrenalectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1375-1384.	6.4	22
80	Association of candidate genetic variants with restless legs syndrome in end stage renal disease: a multicenter case-control study in Taiwan. <i>European Journal of Neurology</i> , 2014, 21, 492-498.	3.3	23
81	The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 676-684.	2.8	79
82	Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F581-F592.	2.7	34
83	Administrative data on diagnosis and mineralocorticoid receptor antagonist prescription identified patients with primary aldosteronism in Taiwan. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1139-1149.	5.0	54
84	Angiotensin-2-Induced Arterial Stiffness in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1198-1209.	6.1	42
85	Renoprotective effect of combining pentoxifylline with angiotensin-converting enzyme inhibitor or angiotensin II receptor blocker in advanced chronic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 219-226.	1.7	283
86	Role of D2 dopamine receptor in adrenal cortical cell proliferation and aldosterone-producing adenoma tumorigenesis. <i>Journal of Molecular Endocrinology</i> , 2014, 52, 87-96.	2.5	19
87	Association between urine aldosterone and diastolic function in patients with primary aldosteronism and essential hypertension. <i>Clinical Biochemistry</i> , 2014, 47, 1329-1332.	1.9	13
88	Effect of preoperative statin therapy on postoperative acute kidney injury in patients undergoing major surgery: Systemic review and meta-analysis. <i>Nephrology</i> , 2014, 19, 750-763.	1.6	10
89	Aldosterone Induced Galectin-3 Secretion In Vitro and In Vivo: From Cells to Humans. <i>PLoS ONE</i> , 2014, 9, e95254.	2.5	51
90	Serum Myostatin Is Reduced in Individuals with Metabolic Syndrome. <i>PLoS ONE</i> , 2014, 9, e108230.	2.5	29

#	ARTICLE	IF	CITATIONS
91	In acute kidney injury, indoxyl sulfate impairs human endothelial progenitor cells: modulation by statin. <i>Angiogenesis</i> , 2013, 16, 609-624.	7.2	78
92	Restless legs syndrome in end-stage renal disease: a multicenter study in Taiwan. <i>European Journal of Neurology</i> , 2013, 20, 1025-1031.	3.3	50
93	Myocardial Ultrasound Tissue Characterization of Patients With Primary Aldosteronism. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 54-61.	1.5	17
94	Transforming Growth Factor β 1 Stimulates Profibrotic Epithelial Signaling to Activate Pericyte-Myofibroblast Transition in Obstructive Kidney Fibrosis. <i>American Journal of Pathology</i> , 2013, 182, 118-131.	3.8	206
95	Endothelial Progenitor Cells Derived from Wharton's Jelly of the Umbilical Cord Reduces Ischemia-Induced Hind Limb Injury in Diabetic Mice by Inducing HIF-1 α /IL-8 Expression. <i>Stem Cells and Development</i> , 2013, 22, 1408-1418.	2.1	35
96	Diagnosis and management of primary aldosteronism: An updated review. <i>Annals of Medicine</i> , 2013, 45, 375-383.	3.8	111
97	Microalbuminuria Screening for Detecting Chronic Kidney Disease in the General Population: A Systematic Review. <i>Renal Failure</i> , 2013, 35, 607-614.	2.1	21
98	Delayed diagnosis of primary aldosteronism in patients with autosomal dominant polycystic kidney diseases. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2013, 14, 167-173.	1.7	6
99	The hemodynamic effects during sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for uremic patients with brain hemorrhage: a crossover study. <i>Journal of Neurosurgery</i> , 2013, 119, 1288-1295.	1.6	23
100	Lifetime Costs for Peritoneal Dialysis and Hemodialysis in Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2013, 33, 671-678.	2.3	34
101	Comparative effectiveness of renin-angiotensin system blockers and other antihypertensive drugs in patients with diabetes: systematic review and bayesian network meta-analysis. <i>BMJ</i> , The, 2013, 347, f6008-f6008.	6.0	199
102	Association of the variations in the HSD3 β gene with primary aldosteronism. <i>Journal of Hypertension</i> , 2013, 31, 1396-1405.	0.5	8
103	Comparison of 24-h Urinary Aldosterone Level and Random Urinary Aldosterone-to-Creatinine Ratio in the Diagnosis of Primary Aldosteronism. <i>PLoS ONE</i> , 2013, 8, e67417.	2.5	22
104	Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e69556.	2.5	27
105	Twenty-Four-Hour Urinary Aldosterone Predicts Inappropriate Left Ventricular Mass Index in Patients with Primary Aldosteronism. <i>Scientific World Journal</i> , The, 2013, 2013, 1-8.	2.1	16
106	Angiopoietin-2 Is Associated with Albuminuria and Microinflammation in Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e54668.	2.5	42
107	Women on hemodialysis have lower self-reported health-related quality of life scores but better survival than men. <i>Journal of Nephrology</i> , 2013, 26, 366-374.	2.0	14
108	Clinical Outcomes and Predictors for ESRD and Mortality in Primary GN. <i>Clinical Journal of the American Society of Nephrology</i> : CJASN, 2012, 7, 1401-1408.	4.5	61

#	ARTICLE	IF	CITATIONS
109	Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1268-1276.	3.6	111
110	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927.	5.2	59
111	The effects of the renin-angiotensin-aldosterone system gene polymorphisms on insulin resistance in hypertensive families. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 446-454.	1.7	11
112	Does Chinese Herb Nephropathy Account for the High Incidence of End-Stage Renal Disease in Taiwan?. <i>Nephron</i> , 2012, 120, c215-c222.	1.8	11
113	Adrenalectomy reverses myocardial fibrosis in patients with primary aldosteronism. <i>Journal of Hypertension</i> , 2012, 30, 1606-1613.	0.5	69
114	Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , 2012, 16, R123.	5.8	62
115	Adrenalectomy improves increased carotid intima-media thickness and arterial stiffness in patients with aldosterone producing adenoma. <i>Atherosclerosis</i> , 2012, 221, 154-159.	0.8	88
116	Risk factors for nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> among patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 14-18.	1.7	15
117	Recurrence of primary aldosteronism after percutaneous ethanol injection. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 176-178.	1.7	3
118	Hospital Mortality of Septic Acute Kidney Injury Requiring Renal Replacement Therapy in the Postoperative Elderly. <i>International Journal of Gerontology</i> , 2012, 6, 75-79.	0.6	1
119	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952.	2.5	40
120	Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. <i>PLoS ONE</i> , 2012, 7, e27687.	2.5	27
121	Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically Ill Patients Receiving Acute Dialysis. <i>PLoS ONE</i> , 2012, 7, e30836.	2.5	25
122	The Adrenal Vein Sampling International Study (AVIS) for Identifying the Major Subtypes of Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1606-1614.	3.6	310
123	Contrast-enhanced MRI index of diffuse myocardial fibrosis is increased in primary aldosteronism. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1349-1355.	3.4	17
124	Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. <i>PLoS ONE</i> , 2012, 7, e30337.	2.5	42
125	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134.	5.8	87
126	Pleiotropic Effects of Sevelamer Beyond Phosphate Binding in End-Stage Renal Disease Patients. <i>Clinical Drug Investigation</i> , 2011, 31, 257-267.	2.2	19

#	ARTICLE	IF	CITATIONS
127	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230.	5.2	163
128	Targeting Endothelium-Pericyte Cross Talk by Inhibiting VEGF Receptor Signaling Attenuates Kidney Microvascular Rarefaction and Fibrosis. <i>American Journal of Pathology</i> , 2011, 178, 911-923.	3.8	224
129	Kidney impairment in primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1319-1325.	1.1	112
130	Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1637-1642.	1.1	4
131	Primary aldosteronism. <i>Journal of Hypertension</i> , 2011, 29, 1778-1786.	0.5	81
132	The association of serum potassium level with left ventricular mass in patients with primary aldosteronism. <i>European Journal of Clinical Investigation</i> , 2011, 41, 743-750.	3.4	33
133	Reversal of myocardial fibrosis in patients with unilateral hyperaldosteronism receiving adrenalectomy. <i>Surgery</i> , 2011, 150, 526-533.	1.9	45
134	Comparison of self-reported health-related quality of life between Taiwan hemodialysis and peritoneal dialysis patients: a multi-center collaborative study. <i>Quality of Life Research</i> , 2011, 20, 399-405.	3.1	18
135	Xanthogranulomatous pyelonephritis: critical analysis of 30 patients. <i>International Urology and Nephrology</i> , 2011, 43, 15-22.	1.4	41
136	Endothelial Progenitor Cells in Primary Aldosteronism: A Biomarker of Severity for Aldosterone Vasculopathy and Prognosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3175-3183.	3.6	75
137	Verification and evaluation of aldosteronism demographics in the Taiwan Primary Aldosteronism Investigation Group (TAIPAI Group). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 348-357.	1.7	51
138	C.E.R.A. once every 4 weeks corrects anaemia and maintains haemoglobin in patients with chronic kidney disease not on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3980-3986.	0.7	47
139	Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 156-163.	6.1	142
140	Factors influencing left ventricular mass regression in patients with primary aldosteronism post adrenalectomy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 48-53.	1.7	30
141	Nasal Carriage of Methicillin-resistant <i>Staphylococcus aureus</i> Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 167-174.	4.5	49
142	Outcomes following Dialysis for Acute Kidney Injury among Different Stages of Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2011, 34, 95-103.	3.1	5
143	Associations of metabolic syndrome and its components with cardiovascular outcomes among non-diabetic patients undergoing maintenance peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4047-4054.	0.7	33
144	Relative kidney hyperfiltration in primary aldosteronism: a meta-analysis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 113-122.	1.7	35

#	ARTICLE	IF	CITATIONS
145	Platelet-derived growth factor receptor signaling activates pericyteâ€“myofibroblast transition in obstructive and post-ischemic kidney fibrosis. <i>Kidney International</i> , 2011, 80, 1170-1181.	5.2	273
146	Cognitive-behavioral therapy for sleep disturbance decreases inflammatory cytokines and oxidative stress in hemodialysis patients. <i>Kidney International</i> , 2011, 80, 415-422.	5.2	108
147	Skin Denervation and Its Clinical Significance in Late-Stage Chronic Kidney Disease. <i>Archives of Neurology</i> , 2011, 68, 200-6.	4.5	21
148	Association of Low Serum Fetuin A Levels With Poor Arteriovenous Access Patency in Patients Undergoing Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2010, 56, 720-727.	1.9	19
149	Patients Supported by Extracorporeal Membrane Oxygenation and Acute Dialysis: Acute Physiology and Chronic Health Evaluation Score in Predicting Hospital Mortality. <i>Artificial Organs</i> , 2010, 34, 828-835.	1.9	19
150	In rat renal fibroblasts, mycophenolic acid inhibits proliferation and production of the chemokine CCL2, stimulated by tumour necrosis factorâ€“ α . <i>British Journal of Pharmacology</i> , 2010, 160, 1611-1620.	5.4	3
151	Risk Factors for High Dialysate Glucose use in PD Patientsâ€“A Retrospective 5-Year Cohort Study. <i>Peritoneal Dialysis International</i> , 2010, 30, 448-455.	2.3	19
152	Are Both Psychological and Physical Dimensions in Health-Related Quality of Life Associated with Mortality in Hemodialysis Patients: A 7-Year Taiwan Cohort Study. <i>Blood Purification</i> , 2010, 30, 98-105.	1.8	17
153	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 30, 16-24.	1.8	27
154	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 29, 308-316.	1.8	28
155	Maintenance haemodialysis and delayed administration of appropriate antibiotics increase 30-day mortality among patients with non-hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 511-512.	2.5	4
156	Diagnosis of primary aldosteronism: Comparison of post-captopril active renin concentration and plasma renin activity. <i>Clinica Chimica Acta</i> , 2010, 411, 657-663.	1.1	36
157	Risk factors for methicillin-resistant <i>Staphylococcus aureus</i> colonization among elderly patients with end-stage renal disease in Taiwan. <i>American Journal of Infection Control</i> , 2010, 38, 499-500.	2.3	2
158	Sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for postsurgical acute renal failure. <i>American Journal of Surgery</i> , 2010, 199, 466-476.	1.8	51
159	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672.	1.7	11
160	Life expectancy, expected years of life lost and survival of hemodialysis and peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2010, 23, 677-82.	2.0	21
161	Seven-Year Follow-Up of Peritoneal Dialysis Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-457.	2.3	18
162	Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 458-464.	2.3	7

#	ARTICLE	IF	CITATIONS
163	Effects of Far Infrared Acupoint Stimulation on Autonomic Activity and Quality of Life in Hemodialysis Patients. <i>The American Journal of Chinese Medicine</i> , 2009, 37, 215-226.	3.8	30
164	Association of serum fetuin A with truncal obesity and dyslipidemia in non-diabetic hemodialysis patients. <i>European Journal of Endocrinology</i> , 2009, 160, 777-783.	3.7	42
165	Primary Aldosteronism: Diagnostic Accuracy of the Losartan and Captopril Tests. <i>American Journal of Hypertension</i> , 2009, 22, 821-827.	2.0	74
166	Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Critical Care</i> , 2009, 18, 446-455.	1.6	6
167	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914.	0.7	122
168	¹³¹ I-6 ¹² -Iodomethyl-19-Norcholesterol SPECT/CT for Primary Aldosteronism Patients with Inconclusive Adrenal Venous Sampling and CT Results. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1631-1637.	5.0	103
169	A rare cause of secondary hypertension. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 177-178.	2.9	1
170	Association of Kidney Function With Residual Hypertension After Treatment of Aldosterone-Producing Adenoma. <i>American Journal of Kidney Diseases</i> , 2009, 54, 665-673.	1.9	93
171	Hypokalemic paralysis: the interplay between primary aldosteronism and hyperthyroidism. <i>European Journal of Clinical Investigation</i> , 2009, 39, 738-739.	3.4	3
172	Comparison of residual renal function in patients undergoing twice-a-weekly versus three-times-a-weekly haemodialysis. <i>Nephrology</i> , 2009, 14, 59-64.	1.6	105
173	Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. <i>Critical Care</i> , 2009, 13, R171.	5.8	151
174	The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. <i>American Journal of Surgery</i> , 2009, 198, 325-332.	1.8	78
175	Hyperuricemia Associated With Rapid Renal Function Decline in Elderly Taiwanese Subjects. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 921-928.	1.7	19
176	Nasal Carriage of Methicillin-Resistant <i>Staphylococcus aureus</i> Among Patients With End-Stage Renal Disease. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 93-94.	1.8	10
177	Methicillin-Resistant <i>Staphylococcus aureus</i> Bacteremia in Patients With End-Stage Renal Disease in Taiwan: Distinguishing Between Community-Associated and Healthcare-Associated Strains. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 89-92.	1.8	13
178	Reply to Tsai et al. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 718-719.	1.8	0
179	Seven-year follow-up of peritoneal dialysis patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-7.	2.3	9
180	Risk factors of early redialysis after weaning from postoperative acute renal replacement therapy. <i>Intensive Care Medicine</i> , 2008, 34, 101-108.	8.2	124

#	ARTICLE	IF	CITATIONS
181	Urinary kallikrein excretion is related to renal function change and inflammatory status in chronic kidney disease patients receiving angiotensin II receptor blocker treatment. <i>Nephrology</i> , 2008, 13, 198-203.	1.6	4
182	Low Protein Diet Supplemented With Ketoanalogues Makes Hemodialysis Withdrawal Possible. <i>American Journal of Kidney Diseases</i> , 2008, 51, 160-161.	1.9	1
183	Cognitive-Behavioral Therapy for Sleep Disturbance in Patients Undergoing Peritoneal Dialysis: A Pilot Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 314-323.	1.9	89
184	Effect of Pentoxifylline in Addition to Losartan on Proteinuria and GFR in CKD: A 12-Month Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 464-474.	1.9	325
185	Randomized Study of Darbepoetin Alfa and Recombinant Human Erythropoietin for Treatment of Renal Anemia in Chronic Renal Failure Patients Receiving Peritoneal Dialysis. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 843-850.	1.7	12
186	Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2008, 28, 765-771.	3.1	31
187	Outcomes of Stage 3–5 Chronic Kidney Disease before End-Stage Renal Disease at a Single Center in Taiwan. <i>Nephron Clinical Practice</i> , 2008, 109, c109-c118.	2.3	58
188	Correlation of Metabolic Syndrome with Residual Renal Function, Solute Transport Rate and Peritoneal Solute Clearance in Chronic Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2008, 26, 138-144.	1.8	21
189	Impact of Spiritual and Religious Activity on Quality of Sleep in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 221-225.	1.8	12
190	A Modified Sequential Organ Failure Assessment Score to Predict Hospital Mortality of Postoperative Acute Renal Failure Patients Requiring Renal Replacement Therapy. <i>Blood Purification</i> , 2008, 26, 547-554.	1.8	23
191	D4 dopamine receptor enhances angiotensin II-stimulated aldosterone secretion through PKC- β and calcium signaling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E622-E629.	3.5	15
192	Effects of Low- and High-Flux Dialyzers on Oxidative Stress and Insulin Resistance. <i>Blood Purification</i> , 2008, 26, 213-220.	1.8	21
193	Higher systemic inflammation is associated with poorer sleep quality in stable haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 247-251.	0.7	82
194	SAPS 3 at dialysis commencement is predictive of hospital mortality in patients supported by extracorporeal membrane oxygenation and acute dialysis [†] . <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1158-1164.	1.4	22
195	Clinical Utility of Malnutrition-Inflammation Score in Maintenance Hemodialysis Patients: Focus on Identifying the Best Cut-Off Point. <i>American Journal of Nephrology</i> , 2008, 28, 840-846.	3.1	62
196	Thyrototoxic Periodic Paralysis Induced by Pegylated Interferon Alpha Plus Ribavirin for Chronic Hepatitis C. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 112-113.	2.2	2
197	Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 73-81.	2.3	33
198	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 191-195.	2.3	62

#	ARTICLE	IF	CITATIONS
199	The Relationship of P1 and Lewis Antigens with Peritoneal Dialysis-Related Escherichia Coli Peritonitis. Peritoneal Dialysis International, 2008, 28, 172-178.	2.3	0
200	Bilateral aldosterone-producing adenomas: differentiation from bilateral adrenal hyperplasia. QJM - Monthly Journal of the Association of Physicians, 2007, 101, 13-22.	0.5	54
201	Primary biliary cirrhosis associated with minimal change disease. Nephrology Dialysis Transplantation, 2007, 22, 966-967.	0.7	0
202	The association of higher depressive symptoms and sexual dysfunction in male haemodialysis patients. Nephrology Dialysis Transplantation, 2007, 22, 857-861.	0.7	59
203	Higher plasma interleukin-18 levels associated with poor quality of sleep in peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2007, 22, 3606-3609.	0.7	32
204	Down-Regulation of D2 Dopamine Receptor and Increased Protein Kinase C $\frac{1}{4}$ Phosphorylation in Aldosterone-Producing Adenoma Play Roles in Aldosterone Overproduction. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1863-1870.	3.6	41
205	Metabolic Syndrome Predicts Hospitalization in Hemodialysis Patients: A Prospective Asian Cohort Study. Blood Purification, 2007, 25, 252-259.	1.8	25
206	Sexual Dysfunction in Peritoneal Dialysis Patients. American Journal of Nephrology, 2007, 27, 615-621.	3.1	26
207	Rosiglitazone in Diabetes Control in Hemodialysis Patients With and Without Viral Hepatitis Infection: Effectiveness and side effects. Diabetes Care, 2007, 30, 3-7.	8.6	35
208	Endothelin-1 Activates MAPKs and Modulates Cell Cycle Proteins in OKP Cells. Journal of the Formosan Medical Association, 2007, 106, 273-280.	1.7	4
209	Potential Ototoxicity of Aluminum in Hemodialysis Patients. Laryngoscope, 2007, 117, 137-141.	2.0	11
210	Factors associated with metabolic acidosis in patients receiving parenteral nutrition. Nephrology, 2007, 12, 3-7.	1.6	17
211	Bradykinin enhances reactive oxygen species generation, mitochondrial injury, and cell death induced by ATP depletion-A role of the phospholipase C Ca^{2+} pathway. Free Radical Biology and Medicine, 2007, 43, 702-710.	2.9	11
212	Early Renal Replacement Therapy in Patients with Postoperative Acute Liver Failure Associated with Acute Renal Failure: Effect on Postoperative Outcomes. Journal of the American College of Surgeons, 2007, 205, 266-276.	0.5	75
213	Impact of Near-Death Experiences on Dialysis Patients: A Multicenter Collaborative Study. American Journal of Kidney Diseases, 2007, 50, 124-132.e2.	1.9	28
214	The influence of estimated creatinine clearance on plasma homocysteine in hypertensive patients with normal serum creatinine. Clinical Biochemistry, 2007, 40, 230-234.	1.9	11
215	High frequency of linezolid-associated thrombocytopenia among patients with renal insufficiency. International Journal of Antimicrobial Agents, 2006, 28, 345-351.	2.5	111
216	Laparoscopic partial adrenalectomy for aldosterone-producing adenomas with needlescopic instruments. Urology, 2006, 68, 663-667.	1.0	16

#	ARTICLE	IF	CITATIONS
217	Levamisole-Induced Multifocal Inflammatory Leukoencephalopathy. <i>Medicine (United States)</i> , 2006, 85, 203-213.	1.0	47
218	Clinical characteristics of patients with segmental renal infarction. <i>Nephrology</i> , 2006, 11, 336-340.	1.6	51
219	Honokiol, a small molecular weight natural product, alleviates experimental mesangial proliferative glomerulonephritis. <i>Kidney International</i> , 2006, 70, 682-689.	5.2	52
220	Deferoxamine-related fatal nasal "orbital" cerebral mucormycosis. <i>Kidney International</i> , 2006, 70, 1888.	5.2	8
221	Retroperitoneal fibrosis. <i>Kidney International</i> , 2006, 70, 2048.	5.2	1
222	Early activation of bradykinin B2 receptor aggravates reactive oxygen species generation and renal damage in ischemia/reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2006, 41, 1304-1314.	2.9	43
223	Quantitative Comparison of Skin Colors in Patients With ESRD Undergoing Different Dialysis Modalities. <i>American Journal of Kidney Diseases</i> , 2006, 48, 292-300.	1.9	18
224	Thoracic kidney and contralateral ureteral duplication—a case report and review of the literature. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 799-801.	0.7	13
225	Multistate Outbreak of Listeriosis Linked to Turkey Deli Meat and Subsequent Changes in US Regulatory Policy. <i>Clinical Infectious Diseases</i> , 2006, 42, 66-72.	5.8	158
226	Sexual dysfunction in female hemodialysis patients: A multicenter study. <i>Kidney International</i> , 2005, 68, 760-765.	5.2	74
227	QT interval dispersion in dialysis patients. <i>Nephrology</i> , 2005, 10, 109-112.	1.6	44
228	Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome. <i>American Journal of Kidney Diseases</i> , 2005, 45, 88-95.	1.9	34
229	CAPD-Related Peritonitis due to <i>Salmonella enteritidis</i> in a Patient With SLE. <i>American Journal of Kidney Diseases</i> , 2005, 46, e21-e23.	1.9	12
230	Pentoxifylline Attenuates Tubulointerstitial Fibrosis by Blocking Smad3/4-Activated Transcription and Profibrogenic Effects of Connective Tissue Growth Factor. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2702-2713.	6.1	142
231	Factors associated with increased plasma homocysteine in patients using an amino acid peritoneal dialysis fluid. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 161-166.	0.7	14
232	Pseudohyperchloraemia due to bromvalerylurea abuse. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1767-1768.	0.7	10
233	Using an anomalous brachial artery as an alternative choice of arteriovenous shunt feeding artery. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2579-2580.	0.7	0
234	Dual Regulation of Tumor Necrosis Factor- α -Induced CCL2/Monocyte Chemoattractant Protein-1 Expression in Vascular Smooth Muscle Cells by Nuclear Factor- κ B and Activator Protein-1: Modulation by Type III Phosphodiesterase Inhibition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 978-986.	2.5	62

#	ARTICLE	IF	CITATIONS
235	Health-Related Quality of Life of Hemodialysis Patients in Taiwan: A Multicenter Study. Blood Purification, 2004, 22, 490-498.	1.8	55
236	Physical Inactivity is an Important Lifestyle Determinant of Insulin Resistance in Hypertensive Patients. Blood Pressure, 2004, 13, 355-361.	1.5	24
237	Acute renal failure in SARS patients: more than rhabdomyolysis. Nephrology Dialysis Transplantation, 2004, 19, 3180-3182.	0.7	26
238	Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. American Journal of Kidney Diseases, 2004, 43, 1047-1055.	1.9	95
239	Acute hydrocephalus upregulates monoamine oxidase mRNA in neonatal rat brain. NeuroReport, 2004, 15, 1975-1978.	1.2	2
240	The effect of iron stores on corrected QT dispersion in patients undergoing peritoneal dialysis. American Journal of Kidney Diseases, 2004, 44, 720-728.	1.9	26
241	Inhibition by pentoxifylline of TNF α -stimulated fractalkine production in vascular smooth muscle cells: evidence for mediation by NF κ B down-regulation. British Journal of Pharmacology, 2003, 138, 950-958.	5.4	45
242	Impact of religious activity on depression and quality of life of chronic peritoneal dialysis patients in Taiwan. Journal of the Formosan Medical Association, 2003, 102, 127-30.	1.7	13
243	Dopaminergic modulation of aldosterone secretions on changes of sodium intake in aldosterone-producing adenoma. American Journal of Hypertension, 2002, 15, 609-614.	2.0	8
244	Association between serum aspartate transaminase and homocysteine levels in hemodialysis patients. American Journal of Kidney Diseases, 2002, 40, 1195-1201.	1.9	16
245	Clustering and Heritability of Insulin Resistance in Chinese and Japanese Hypertensive Families: A Stanford-Asian Pacific Program in Hypertension and Insulin Resistance Sibling Study.. Hypertension Research, 2002, 25, 529-536.	2.7	45
246	Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. Peritoneal Dialysis International, 2001, 21, 143-148.	2.3	35
247	Chronic Fatigue in Long-Term Peritoneal Dialysis Patients. American Journal of Nephrology, 2001, 21, 479-485.	3.1	44
248	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 4460-4467.	3.6	36
249	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 4460-4467.	3.6	12
250	Endothelin-1 Chronically Inhibits Na/H Exchanger-3 in ETB-Overexpressing OKP Cells. Biochemical and Biophysical Research Communications, 2000, 271, 807-811.	2.1	11
251	Pentoxifylline attenuates experimental mesangial proliferative glomerulonephritis. Kidney International, 1999, 56, 932-943.	5.2	74
252	Differential expression of type 1 angiotensin II receptor mRNA and aldosterone responsiveness to angiotensin in aldosterone-producing adenoma. Molecular and Cellular Endocrinology, 1999, 152, 47-55.	3.2	16

#	ARTICLE	IF	CITATIONS
253	Pentoxifylline Inhibits PDGF-induced Proliferation of and TGF- β 2-stimulated Collagen Synthesis by Vascular Smooth Muscle Cells. Journal of Molecular and Cellular Cardiology, 1999, 31, 773-783.	1.9	52
254	Prolonged Asymptomatic Dense Deposit Disease in Chinese. American Journal of Nephrology, 1998, 18, 464-468.	3.1	3
255	The Milk-Alkali Syndrome Caused by Betelnuts in Oyster Shell Paste. Journal of Toxicology: Clinical Toxicology, 1996, 34, 741-745.	1.5	27
256	Quantitative analysis of messenger ribonucleic acid encoding natriuretic peptide receptors in aldosterone-producing adenoma. Molecular and Cellular Endocrinology, 1995, 111, 139-146.	3.2	2
257	The Acute Effect of Nicardipine on the Renin-Angiotensin-Aldosterone System in Salt-Sensitive Essential Hypertension. Clinical and Experimental Hypertension, 1993, 15, 185-196.	1.3	3
258	Exaggerated Natriuresis in Salt-Sensitive Essential Hypertension. Clinical and Experimental Hypertension, 1990, 12, 1395-1403.	0.3	2