## Sabrina Mutinelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3995428/publications.pdf

Version: 2024-02-01

1039880 1125617 16 293 9 13 citations h-index g-index papers 16 16 16 291 docs citations times ranked citing authors all docs

#	Article	lF	CITATIONS
1	Influence of incisor position control on the mandibular response in growing patients with skeletal Class II malocclusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, 594-603.	0.8	5
2	Herbst appliance anchored to miniscrews with 2Âtypes of ligation: Effectiveness in skeletal Class II treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 149, 871-880.	0.8	30
3	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 557-558.	0.8	0
4	Anchorage onto deciduous teeth: effectiveness of early rapid maxillary expansion in increasing dental arch dimension and improving anterior crowding. Progress in Orthodontics, 2015, 16, 22.	1.3	24
5	An In Vivo Evaluation of the Fit of Zirconiumâ€Oxide Based, Ceramic Single Crowns with Vertical and Horizontal Finish Line Preparations. Journal of Prosthodontics, 2015, 24, 603-609.	1.7	12
6	Maxillary molar distalization therapy in adult patients: a multicentre study. Orthodontics and Craniofacial Research, 2015, 18, 221-231.	1.2	8
7	Rapid maxillary expansion in early-mixed dentition: effectiveness of increasing arch dimension with anchorage on deciduous teeth. European Journal of Paediatric Dentistry, 2015, 16, 115-22.	0.4	7
8	Comparison of Maxillary Molar Distalization with an Implant-Supported Distal Jet and a Traditional Tooth-Supported Distal Jet Appliance. International Journal of Dentistry, 2014, 2014, 1-7.	0.5	24
9	Comparison between an Acrylic Splint Herbst and an Acrylic Splint Miniscrew-Herbst for Mandibular Incisors Proclination Control. International Journal of Dentistry, 2014, 2014, 1-7.	0.5	17
10	From 2D to 3D: Construction of a 3D Parametric Model for Detection of Dental Roots Shape and Position from a Panoramic Radiograph—A Preliminary Report. International Journal of Dentistry, 2013, 2013, 1-8.	0.5	7
11	Evaluation of Zirconiumâ€Oxideâ€Based Ceramic Singleâ€Unit Posterior Fixed Dental Prostheses (FDPs) Generated with Two CAD/CAM Systems Compared to Porcelainâ€Fusedâ€toâ€Metal Singleâ€Unit Posterior FDPs: A 5â€Year Clinical Prospective Study. Journal of Prosthodontics, 2012, 21, 265-269.	1.7	77
12	Dental arch changes following rapid maxillary expansion. European Journal of Orthodontics, 2008, 30, 469-476.	1.1	33
13	Arch width Changes with a Rapid Maxillary Expansion Appliance Anchored to the Primary Teeth. Angle Orthodontist, 2007, 77, 296-302.	1.1	37
14	Porcelain Inlays Cemented with Composite Resin Cement: An In Vivo Investigation of Pulpal Reaction One Year Following Cementation. Journal of Prosthodontics, 2007, 16, 123-128.	1.7	0
15	Dental arch analysis system. Progress in Orthodontics, 2004, 5, 200-11.	1.3	9
16	Rapid maxillary expansion in contemporary orthodontic literature. APOS Trends in Orthodontics, 0, 6, 129-136.	0.1	3