

# Jianzhong Cui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3995530/publications.pdf>

Version: 2024-02-01

11  
papers

291  
citations

1163117

8  
h-index

1372567

10  
g-index

11  
all docs

11  
docs citations

11  
times ranked

572  
citing authors

#	ARTICLE	IF	CITATIONS
1	Experience of Using a New Brain Surgery Head Frame and Location Sticker for Treating Spontaneous Intracranial Hematoma. <i>Frontiers in Neurology</i> , 2022, 13, 818523.	2.4	1
2	Elevated miR-29a Contributes to Axonal Outgrowth and Neurological Recovery After Intracerebral Hemorrhage via Targeting PTEN/PI3K/Akt Pathway. <i>Cellular and Molecular Neurobiology</i> , 2021, 41, 1759-1772.	3.3	9
3	&lt;p&gt;MicroRNA-623 Inhibits Epithelialâ€“Mesenchymal Transition to Attenuate Glioma Proliferation by Targeting TRIM44&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 9291-9303.	2.0	9
4	Polydatin ameliorates chemotherapy-induced cognitive impairment (chemobrain) by inhibiting oxidative stress, inflammatory response, and apoptosis in rats. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 1201-1210.	1.3	26
5	Antcin C ameliorates neuronal inflammation due to cerebral haemorrhage by inhibiting the TLR-4 pathway. <i>Folia Neuropathologica</i> , 2020, 58, 317-323.	1.2	1
6	Lipoxin A4 Methyl Ester Reduces Early Brain Injury by Inhibition of the Nuclear Factor Kappa B (NF-Î²B)-Dependent Matrix Metalloproteinase 9 (MMP-9) Pathway in a Rat Model of Intracerebral Hemorrhage. <i>Medical Science Monitor</i> , 2019, 25, 1838-1847.	1.1	25
7	Recombinant Osteopontin Improves Neurological Functional Recovery and Protects Against Apoptosis via PI3K/Akt/GSK-3Î² Pathway Following Intracerebral Hemorrhage. <i>Medical Science Monitor</i> , 2018, 24, 1588-1596.	1.1	29
8	Neuroprotective Effects of Resatorvid Against Traumatic Brain Injury in Rat: Involvement of Neuronal Autophagy and TLR4 Signaling Pathway. <i>Cellular and Molecular Neurobiology</i> , 2017, 37, 155-168.	3.3	66
9	Intraparenchymal treatment with bone marrow mesenchymal stem cell-conditioned medium exerts neuroprotection following intracerebral hemorrhage. <i>Molecular Medicine Reports</i> , 2017, 15, 2374-2382.	2.4	18
10	Vitamin D Receptor Activation Influences NADPH Oxidase (NOX<sub>2</sub>) Activity and Protects against Neurological Deficits and Apoptosis in a Rat Model of Traumatic Brain Injury. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-13.	4.0	37
11	Neuroprotective effect of ceftriaxone in a rat model of traumatic brain injury. <i>Neurological Sciences</i> , 2014, 35, 695-700.	1.9	70