

Anniina Keskitalo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3996131/publications.pdf>

Version: 2024-02-01

20
papers

862
citations

686830

13
h-index

752256

20
g-index

20
all docs

20
docs citations

20
times ranked

1720
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Faecalibacterium prausnitzii</i> treatment improves hepatic health and reduces adipose tissue inflammation in high-fat fed mice. <i>ISME Journal</i> , 2017, 11, 1667-1679.	4.4	179
2	Six-Week Endurance Exercise Alters Gut Metagenome That Is not Reflected in Systemic Metabolism in Over-weight Women. <i>Frontiers in Microbiology</i> , 2018, 9, 2323.	1.5	145
3	Gut Microbiota Analysis Results Are Highly Dependent on the 16S rRNA Gene Target Region, Whereas the Impact of DNA Extraction Is Minor. <i>Journal of Biomolecular Techniques</i> , 2017, 28, 19-30.	0.8	130
4	Gut microbiota composition is associated with temperament traits in infants. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 849-858.	2.0	91
5	Early fecal microbiota composition in children who later develop celiac disease and associated autoimmunity. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 403-409.	0.6	49
6	Maternal prenatal psychological distress and hair cortisol levels associate with infant fecal microbiota composition at 2.5 months of age. <i>Psychoneuroendocrinology</i> , 2020, 119, 104754.	1.3	40
7	Fermentable fibres condition colon microbiota and promote diabetogenesis in NOD mice. <i>Diabetologia</i> , 2014, 57, 2183-2192.	2.9	35
8	Neuropeptide Y Overexpressing Female and Male Mice Show Divergent Metabolic but Not Gut Microbial Responses to Prenatal Metformin Exposure. <i>PLoS ONE</i> , 2016, 11, e0163805.	1.1	35
9	Chronic nonbacterial prostate inflammation in a rat model is associated with changes of gut microbiota that can be modified with a galactoglucomannan-rich hemicellulose extract in the diet. <i>BJU International</i> , 2019, 123, 899-908.	1.3	29
10	<i>Chlamydia trachomatis</i> samples testing falsely negative in the Aptima Combo 2 test in Finland, 2019. <i>Eurosurveillance</i> , 2019, 24, .	3.9	25
11	Gut Microbiota Composition in Mid-Pregnancy Is Associated with Gestational Weight Gain but Not Prepregnancy Body Mass Index. <i>Journal of Women's Health</i> , 2018, 27, 1293-1301.	1.5	22
12	<i>Enterobacter cloacae</i> administration induces hepatic damage and subcutaneous fat accumulation in high-fat diet fed mice. <i>PLoS ONE</i> , 2018, 13, e0198262.	1.1	22
13	Gut microbiota diversity but not composition is related to saliva cortisol stress response at the age of 2.5 months. <i>Stress</i> , 2021, 24, 551-560.	0.8	18
14	Infant fecal microbiota composition and attention to emotional faces. <i>Emotion</i> , 2022, 22, 1159-1170.	1.5	14
15	Blocking Activin Receptor Ligands Is Not Sufficient to Rescue Cancer-Associated Gut Microbiota: A Role for Gut Microbial Flagellin in Colorectal Cancer and Cachexia?. <i>Cancers</i> , 2019, 11, 1799.	1.7	11
16	Evaluation of a multiplex real-time PCR kit Amplidiag® Bacterial GE in the detection of bacterial pathogens from stool samples. <i>Journal of Microbiological Methods</i> , 2016, 128, 61-65.	0.7	9
17	Vascular Adhesion Protein 1 Mediates Gut Microbial Flagellin-Induced Inflammation, Leukocyte Infiltration, and Hepatic Steatosis. <i>Sci</i> , 2021, 3, 13.	1.8	3
18	The Microbiome Studies in Metabolic Diseases have Advanced but are Poorly Standardized and Lack a Mechanistic Perspective. <i>Journal of Diabetes & Metabolism</i> , 2015, 06, .	0.2	2

#	ARTICLE	IF	CITATIONS
19	An Infancy-Onset 20-Year Dietary Counselling Intervention and Gut Microbiota Composition in Adulthood. <i>Nutrients</i> , 2022, 14, 2667.	1.7	2
20	Reply to the Letter to the Editor: Gut microbiota composition is associated with temperament traits in infants. <i>Brain, Behavior, and Immunity</i> , 2019, 81, 671-672.	2.0	1