Qing Su

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3996314/publications.pdf

Version: 2024-02-01

		623734	610901
26	775	14	24
papers	citations	h-index	g-index
26	26	26	1028
20	20	20	1020
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	A Hydrazoneâ€Based Covalent Organic Framework asâ€anâ€Efficient and Reusable Photocatalyst for the Crossâ€Dehydrogenative Coupling Reaction of <i>N</i> àâ€Aryltetrahydroisoquinolines. ChemSusChem, 2017, 10, 664-669.	6.8	131
2	Salen–porphyrin-based conjugated microporous polymer supported Pd nanoparticles: highly efficient heterogeneous catalysts for aqueous C–C coupling reactions. Journal of Materials Chemistry A, 2019, 7, 2660-2666.	10.3	97
3	Two-/three-dimensional open lanthanide–organic frameworks containing rigid/flexible dicarboxylate ligands: synthesis, crystal structure and photoluminescent properties. CrystEngComm, 2013, 15, 1931.	2.6	79
4	A hydrophilic covalent organic framework for photocatalytic oxidation of benzylamine in water. Chemical Communications, 2020, 56, 766-769.	4.1	75
5	Syntheses, Structures, and Luminescent Properties of [Bis(iminoalkyl)pyridine]cadmium(II) Complexes. European Journal of Inorganic Chemistry, 2004, 2004, 4891-4897.	2.0	67
6	Facile Synthesis of Acridine Derivatives by ZnCl ₂ -Promoted Intramolecular Cyclization of <i>o</i> -Arylaminophenyl Schiff Bases. Organic Letters, 2014, 16, 18-21.	4.6	45
7	Enhancing the Electroluminescent Efficiency of Acridine-Based Donor–Acceptor Materials: Quasi-Equivalent Hybridized Local and Charge-Transfer State. Journal of Physical Chemistry C, 2018, 122, 18376-18382.	3.1	45
8	A Salen-based covalent organic polymer as highly selective and sensitive fluorescent sensor for detection of Al3+, Fe3+ and Cu2+ ions. Journal of Materials Science, 2019, 54, 851-861.	3.7	34
9	Palladium nanoparticles supported on a carbazole functionalized mesoporous organic polymer: synthesis and their application as efficient catalysts for the Suzuki–Miyaura cross coupling reaction. Polymer Chemistry, 2017, 8, 1488-1494.	3.9	27
10	Synthesis, Structures, and Luminescent Properties of Aluminum Complexes with Chelating Anilido-Imine Ligands. European Journal of Inorganic Chemistry, 2006, 2006, 1216-1222.	2.0	26
11	Syntheses, Characterization, and Luminescent Properties of Monoethylzinc Complexes with Anilido–Imine Ligands. European Journal of Inorganic Chemistry, 2007, 2007, 4168-4175.	2.0	20
12	A triphenylamine-functionalized fluorescent organic polymer as a turn-on fluorescent sensor for Fe3+ ion with high sensitivity and selectivity. Journal of Materials Science, 2018, 53, 15746-15756.	3.7	19
13	Multifunctional covalent organic frameworks for photocatalytic oxidative hydroxylation of arylboronic acids and fluorescence sensing for Cu2+. Microporous and Mesoporous Materials, 2022, 333, 111737.	4.4	18
14	Highly hydrophilic covalent organic frameworks as efficient and reusable photocatalysts for oxidative coupling of amines in aqueous solution. Catalysis Science and Technology, 2022, 12, 2837-2845.	4.1	16
15	Difluoroborate-based conjugated organic polymer: a high-performance heterogeneous photocatalyst for oxidative coupling reactions. Journal of Materials Science, 2019, 54, 1205-1212.	3.7	15
16	New catalytically active conjugated microporous polymer bearing ordered salen-Cu and porphyrin moieties for Henry reaction in aqueous solution. Dalton Transactions, 2020, 49, 13582-13587.	3.3	11
17	Synthesis and characterization of chiral trinuclear cobalt and nickel complexes supported by binaphthol-derived bis(salicylaldimine) ligands. Journal of Coordination Chemistry, 2013, 66, 3182-3192.	2.2	10
18	The supramolecular assemblies of 7-amino-2,4-dimethylquinolinium salts and the effect of a variety of anions on their luminescent properties. CrystEngComm, 2012, 14, 7275.	2.6	9

#	Article	IF	CITATIONS
19	A Triformylphloroglucinol-based Covalent Organic Polymer: Synthesis, Characterization and Its Application in Visible-light-driven Oxidative Coupling Reactions of Primary Amines. Chemical Research in Chinese Universities, 2020, 36, 1017-1023.	2.6	9
20	Polyfunctional Conjugated Microporous Polymers for Applications in Direct C-H Arylation of Unactivated Arenes and Aqueous Adsorption of Aromatic Amines. Chemical Research in Chinese Universities, 2020, 36, 1302-1309.	2.6	8
21	Molecular conformation modulating luminescence switching between delayed fluorescence and room-temperature phosphorescence. Journal of Materials Chemistry C, 2021, 9, 17511-17517.	5.5	7
22	Binuclear aluminum complexes with amine–imine type ligands derived from 1,3-benzenedialdehyde: synthesis, structures and their catalytic properties in ring-opening polymerization. Journal of Coordination Chemistry, 2016, 69, 1066-1075.	2.2	3
23	Microwave-assisted efficient synthesis of 3-substituted bis-isoxazole ether bearing 2-chloro-3-pyridyl via 1,3-dipolar cycloaddition. Molecular Diversity, 2020, 24, 423-435.	3.9	3
24	A new anilido-imine compound containing o-OMe-anilinyl derived from an unexpected adduct: Synthesis, crystal structure and its coordination capability. Comptes Rendus Chimie, 2014, 17, 377-385.	0.5	1
25	New binuclear half-titanocene derivatives with aryl-substituted cyclopentadienyl ligands: synthesis, structures, and catalytic properties. Journal of Coordination Chemistry, 2010, 63, 3880-3887.	2.2	O
26	Synthesis, structure and catalytic properties of new half-titanocene complexes bearing substituted cyclopentadienyl and aryloxide ligands. Journal of Coordination Chemistry, 2013, 66, 3272-3279.	2.2	0