Qing Su

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3996314/publications.pdf

Version: 2024-02-01

		623734	610901
26	775	14	24
papers	citations	h-index	g-index
26	26	26	1028
20	20	20	1020
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Multifunctional covalent organic frameworks for photocatalytic oxidative hydroxylation of arylboronic acids and fluorescence sensing for Cu2+. Microporous and Mesoporous Materials, 2022, 333, 111737.	4.4	18
2	Highly hydrophilic covalent organic frameworks as efficient and reusable photocatalysts for oxidative coupling of amines in aqueous solution. Catalysis Science and Technology, 2022, 12, 2837-2845.	4.1	16
3	Molecular conformation modulating luminescence switching between delayed fluorescence and room-temperature phosphorescence. Journal of Materials Chemistry C, 2021, 9, 17511-17517.	5 . 5	7
4	Microwave-assisted efficient synthesis of 3-substituted bis-isoxazole ether bearing 2-chloro-3-pyridyl via 1,3-dipolar cycloaddition. Molecular Diversity, 2020, 24, 423-435.	3.9	3
5	A hydrophilic covalent organic framework for photocatalytic oxidation of benzylamine in water. Chemical Communications, 2020, 56, 766-769.	4.1	75
6	New catalytically active conjugated microporous polymer bearing ordered salen-Cu and porphyrin moieties for Henry reaction in aqueous solution. Dalton Transactions, 2020, 49, 13582-13587.	3.3	11
7	A Triformylphloroglucinol-based Covalent Organic Polymer: Synthesis, Characterization and Its Application in Visible-light-driven Oxidative Coupling Reactions of Primary Amines. Chemical Research in Chinese Universities, 2020, 36, 1017-1023.	2.6	9
8	Polyfunctional Conjugated Microporous Polymers for Applications in Direct C-H Arylation of Unactivated Arenes and Aqueous Adsorption of Aromatic Amines. Chemical Research in Chinese Universities, 2020, 36, 1302-1309.	2.6	8
9	Salen–porphyrin-based conjugated microporous polymer supported Pd nanoparticles: highly efficient heterogeneous catalysts for aqueous C–C coupling reactions. Journal of Materials Chemistry A, 2019, 7, 2660-2666.	10.3	97
10	A Salen-based covalent organic polymer as highly selective and sensitive fluorescent sensor for detection of Al3+, Fe3+ and Cu2+ ions. Journal of Materials Science, 2019, 54, 851-861.	3.7	34
11	Difluoroborate-based conjugated organic polymer: a high-performance heterogeneous photocatalyst for oxidative coupling reactions. Journal of Materials Science, 2019, 54, 1205-1212.	3.7	15
12	Enhancing the Electroluminescent Efficiency of Acridine-Based Donor–Acceptor Materials: Quasi-Equivalent Hybridized Local and Charge-Transfer State. Journal of Physical Chemistry C, 2018, 122, 18376-18382.	3.1	45
13	A triphenylamine-functionalized fluorescent organic polymer as a turn-on fluorescent sensor for Fe3+ ion with high sensitivity and selectivity. Journal of Materials Science, 2018, 53, 15746-15756.	3.7	19
14	Palladium nanoparticles supported on a carbazole functionalized mesoporous organic polymer: synthesis and their application as efficient catalysts for the Suzuki–Miyaura cross coupling reaction. Polymer Chemistry, 2017, 8, 1488-1494.	3.9	27
15	A Hydrazoneâ€Based Covalent Organic Framework as an Efficient and Reusable Photocatalyst for the Crossâ€Dehydrogenative Coupling Reaction of <i>N</i> àâ€Aryltetrahydroisoquinolines. ChemSusChem, 2017, 10, 664-669.	6.8	131
16	Binuclear aluminum complexes with amine–imine type ligands derived from 1,3-benzenedialdehyde: synthesis, structures and their catalytic properties in ring-opening polymerization. Journal of Coordination Chemistry, 2016, 69, 1066-1075.	2.2	3
17	A new anilido-imine compound containing o-OMe-anilinyl derived from an unexpected adduct: Synthesis, crystal structure and its coordination capability. Comptes Rendus Chimie, 2014, 17, 377-385.	0.5	1
18	Facile Synthesis of Acridine Derivatives by ZnCl ₂ -Promoted Intramolecular Cyclization of <i>o</i> -Arylaminophenyl Schiff Bases. Organic Letters, 2014, 16, 18-21.	4.6	45

#	Article	IF	CITATIONS
19	Two-/three-dimensional open lanthanide–organic frameworks containing rigid/flexible dicarboxylate ligands: synthesis, crystal structure and photoluminescent properties. CrystEngComm, 2013, 15, 1931.	2.6	79
20	Synthesis and characterization of chiral trinuclear cobalt and nickel complexes supported by binaphthol-derived bis(salicylaldimine) ligands. Journal of Coordination Chemistry, 2013, 66, 3182-3192.	2.2	10
21	Synthesis, structure and catalytic properties of new half-titanocene complexes bearing substituted cyclopentadienyl and aryloxide ligands. Journal of Coordination Chemistry, 2013, 66, 3272-3279.	2.2	O
22	The supramolecular assemblies of 7-amino-2,4-dimethylquinolinium salts and the effect of a variety of anions on their luminescent properties. CrystEngComm, 2012, 14, 7275.	2.6	9
23	New binuclear half-titanocene derivatives with aryl-substituted cyclopentadienyl ligands: synthesis, structures, and catalytic properties. Journal of Coordination Chemistry, 2010, 63, 3880-3887.	2.2	O
24	Syntheses, Characterization, and Luminescent Properties of Monoethylzinc Complexes with Anilido–Imine Ligands. European Journal of Inorganic Chemistry, 2007, 2007, 4168-4175.	2.0	20
25	Synthesis, Structures, and Luminescent Properties of Aluminum Complexes with Chelating Anilido-Imine Ligands. European Journal of Inorganic Chemistry, 2006, 2006, 1216-1222.	2.0	26
26	Syntheses, Structures, and Luminescent Properties of [Bis(iminoalkyl)pyridine]cadmium(II) Complexes. European Journal of Inorganic Chemistry, 2004, 2004, 4891-4897.	2.0	67