## Ralf G Heine

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3996433/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of an Extensively Hydrolyzed Formula Supplemented with Two Human Milk Oligosaccharides on Growth, Tolerability, Safety and Infection Risk in Infants with Cow's Milk Protein Allergy: A Randomized, Multi-Center Trial. Nutrients, 2022, 14, 530.	1.7	21
2	Assessment of the Cow's Milk-related Symptom Score (CoMiSS) as a diagnostic tool for cow's milk protein allergy: a prospective, multicentre study in China (MOSAIC study). BMJ Open, 2022, 12, e056641.	0.8	10
3	International Cross-Sectional Survey among Healthcare Professionals on the Management of Cow's Milk Protein Allergy and Lactose Intolerance in Infants and Children. Pediatric Gastroenterology, Hepatology and Nutrition, 2022, 25, 263.	0.4	3
4	Effects of an Amino Acid-Based Formula Supplemented with Two Human Milk Oligosaccharides on Growth, Tolerability, Safety, and Gut Microbiome in Infants with Cow's Milk Protein Allergy. Nutrients, 2022, 14, 2297.	1.7	12
5	Growth in Infants with Cow's Milk Protein Allergy Fed an Amino Acid-Based Formula. Pediatric Gastroenterology, Hepatology and Nutrition, 2021, 24, 392.	0.4	7
6	Peptide size profile and residual immunogenic milk protein or peptide content in extensively hydrolyzed infant formulas. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1446-1449.	2.7	17
7	Characterization of Upper Gastrointestinal Motility in Infants With Persistent Distress and Nonâ€lgEâ€mediated Cow's Milk Protein Allergy. Journal of Pediatric Gastroenterology and Nutrition, 2020, 70, 489-496.	0.9	18
8	Design, quality, safety and efficacy of extensively hydrolyzed formula for management of cow's milk protein allergy: What are the challenges?. Advances in Food and Nutrition Research, 2020, 93, 147-204.	1.5	16
9	Confirmed Hypoallergenicity of a Novel Whey-Based Extensively Hydrolyzed Infant Formula Containing Two Human Milk Oligosaccharides. Nutrients, 2019, 11, 1447.	1.7	35
10	Hypoallergenicity of a wheyâ€based, extensively hydrolyzed infant formula prepared with nonporcine enzymes. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1582-1584.	2.7	6
11	Pediatric Collagenous Gastritis and Colitis. Journal of Pediatric Gastroenterology and Nutrition, 2018, 67, 328-334.	0.9	30
12	Protocol for the validation of sensitivity and specificity of the Cow's Milk-related Symptom Score (CoMiSS) against open food challenge in a single-blinded, prospective, multicentre trial in infants. BMJ Open, 2018, 8, e019968.	0.8	18
13	Better recognition, diagnosis and management of non-IgE-mediated cow's milk allergy in infancy: iMAP—an international interpretation of the MAP (Milk Allergy in Primary Care) guideline. Clinical and Translational Allergy, 2017, 7, 26.	1.4	107
14	Lactose intolerance and gastrointestinal cow's milk allergy in infants and children – common misconceptions revisited. World Allergy Organization Journal, 2017, 10, 41.	1.6	101
15	Fecal microbial transplantation in a pediatric case of recurrent <i>Clostridium difficile</i> infection and specific antibody deficiency. Pediatric Allergy and Immunology, 2016, 27, 872-874.	1.1	6
16	Clinical audit results in earlier nutritional intervention in malnourished children with cystic fibrosis with improved outcome. Journal of Paediatrics and Child Health, 2015, 51, 988-993.	0.4	11
17	Gastrointestinal Food Allergies. Chemical Immunology and Allergy, 2015, 101, 171-180.	1.7	15
18	Eosinophilic Oesophagitis. Chemical Immunology and Allergy, 2015, 101, 199-208.	1.7	2

RALF G HEINE

#	Article	IF	CITATIONS
19	Insights into the emerging epidemic of eosinophilic oesophagitis. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2015, 29, 731-737.	1.0	9
20	Medical intervention in parentâ€reported infant gastroâ€oesophageal reflux: A populationâ€based study. Journal of Paediatrics and Child Health, 2015, 51, 515-523.	0.4	5
21	Eosinophilic oesophagitis: A paediatric update. Journal of Paediatrics and Child Health, 2015, 51, 512-514.	0.4	2
22	Preventing Atopy and Allergic Disease. Nestle Nutrition Institute Workshop Series, 2014, 78, 141-153.	1.5	11
23	Can Celiac Serology Alone be Used as a Marker of Duodenal Mucosal Recovery in Children with Celiac Disease on a Gluten-Free Diet?. American Journal of Gastroenterology, 2014, 109, 1478-1483.	0.2	42
24	World Allergy Organization (WAO) Diagnosis and Rationale for Action against Cow's Milk Allergy (DRACMA) Guidelines. World Allergy Organization Journal, 2010, 3, 57-161.	1.6	296
25	Eosinophilic Esophagitis: Example of an Emerging Allergic Manifestation?. Nestle Nutrition Workshop Series Paediatric Programme, 2009, 64, 105-120.	1.5	3
26	Dietary approaches to the prevention of food allergy. Current Opinion in Clinical Nutrition and Metabolic Care, 2008, 11, 320-328.	1.3	20
27	Gastroesophageal reflux disease, colic and constipation in infants with food allergy. Current Opinion in Allergy and Clinical Immunology, 2006, 6, 220-225.	1.1	67
28	Clinical predictors of pathological gastro-oesophageal reflux in infants with persistent distress. Journal of Paediatrics and Child Health, 2006, 42, 134-139.	0.4	51
29	The diagnosis and management of egg allergy. Current Allergy and Asthma Reports, 2006, 6, 145-152.	2.4	66
30	Pathophysiology, diagnosis and treatment of food protein-induced gastrointestinal diseases. Current Opinion in Allergy and Clinical Immunology, 2004, 4, 221-229.	1.1	48
31	Cow's milk allergy in infancy. Current Opinion in Allergy and Clinical Immunology, 2002, 2, 217-225.	1.1	72
32	Esophagitis in distressed infants: Poor diagnostic agreement between esophageal pH monitoring and histopathologic findings. Journal of Pediatrics, 2002, 140, 14-19.	0.9	69
33	Clinical spectrum of food allergy in children in Australia and South-East Asia: identification and targets for treatment. Annals of Medicine, 1999, 31, 272-281.	1.5	102

Infantile Colic and Food Allergy. , 0, , 171-181.