

# Haijin Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3996831/publications.pdf>

Version: 2024-02-01

42  
papers

2,872  
citations

394421

19  
h-index

289244

40  
g-index

42  
all docs

42  
docs citations

42  
times ranked

4183  
citing authors

#	ARTICLE	IF	CITATIONS
1	Controllable synthesis of Co-Al layered double hydroxides with different anionic intercalation layers for the efficient removal of methyl orange. <i>Environmental Technology (United Kingdom)</i> , 2023, 44, 3004-3017.	2.2	2
2	Efficient degradation of sulfamethoxazole under visible light irradiation by polyaniline/copper sulfide composite photocatalyst. <i>Environmental Science and Pollution Research</i> , 2022, 29, 36502-36511.	5.3	5
3	Understanding the effect of interface on the charge separation in Bi <sub>2</sub> S <sub>3</sub> @Sn: Fe <sub>2</sub> O <sub>3</sub> heterojunction for photoelectrochemical water oxidation. <i>Renewable Energy</i> , 2022, 191, 195-203.	8.9	4
4	Accelerated oxygen evolution kinetics on hematite by Zn <sup>2+</sup> for boosting the photoelectrochemical water oxidation. <i>Journal of Alloys and Compounds</i> , 2022, 919, 165853.	5.5	2
5	Fabrication of Ultrathin Two-Dimensional/Two-Dimensional MoS <sub>2</sub> /ZnIn <sub>2</sub> S <sub>4</sub> Hybrid Nanosheets for Highly Efficient Visible-Light-Driven Photocatalytic Hydrogen Evolution. <i>ACS Applied Energy Materials</i> , 2022, 5, 8232-8240.	5.1	14
6	Enhanced photoelectrochemical water oxidation in Hematite: Accelerated charge separation with Co doping. <i>Applied Surface Science</i> , 2021, 568, 150606.	6.1	13
7	Solar energy protects steels against corrosion: Advancing Sn doped hematite as photoanode. <i>Surface and Coatings Technology</i> , 2021, 427, 127838.	4.8	8
8	State-of-the-art advancements of crystal facet-exposed photocatalysts beyond TiO <sub>2</sub> : Design and dependent performance for solar energy conversion and environment applications. <i>Materials Today</i> , 2020, 33, 75-86.	14.2	97
9	Engineered Sn- and Mg-doped hematite photoanodes for efficient photoelectrochemical water oxidation. <i>Dalton Transactions</i> , 2020, 49, 11282-11289.	3.3	27
10	High-yield synthesis of Ce modified Fe-Mn composite oxides benefitting from catalytic destruction of chlorobenzene. <i>RSC Advances</i> , 2020, 10, 10030-10037.	3.6	8
11	Urchin-like hierarchical CoZnAl-LDH/RGO/g-C <sub>3</sub> N <sub>4</sub> hybrid as a Z-scheme photocatalyst for efficient and selective CO <sub>2</sub> reduction. <i>Applied Catalysis B: Environmental</i> , 2019, 255, 117771.	20.2	212
12	Construction of an all-solid-state artificial Z-scheme system consisting of Bi <sub>2</sub> WO <sub>6</sub> /Au/CdS nanostructure for photocatalytic CO <sub>2</sub> reduction into renewable hydrocarbon fuel. <i>Nanotechnology</i> , 2017, 28, 274002.	2.6	56
13	Construction of unique two-dimensional MoS <sub>2</sub> -TiO <sub>2</sub> hybrid nanojunctions: MoS <sub>2</sub> as a promising cost-effective cocatalyst toward improved photocatalytic reduction of CO <sub>2</sub> to methanol. <i>Nanoscale</i> , 2017, 9, 9065-9070.	5.6	134
14	Construction and Nanoscale Detection of Interfacial Charge Transfer of Elegant Z-Scheme WO <sub>3</sub> /Au/In <sub>2</sub> S <sub>3</sub> Nanowire Arrays. <i>Nano Letters</i> , 2016, 16, 5547-5552.	9.1	217
15	Z-scheme Photocatalytic Systems for Promoting Photocatalytic Performance: Recent Progress and Future Challenges. <i>Advanced Science</i> , 2016, 3, 1500389.	11.2	600
16	Synthesis of single-crystalline, porous TaON microspheres toward visible-light photocatalytic conversion of CO <sub>2</sub> into liquid hydrocarbon fuels. <i>RSC Advances</i> , 2016, 6, 90792-90796.	3.6	34
17	Construction and Nanoscale Detection of Interfacial Charge Transfer of Elegant Z-Scheme WO <sub>3</sub> /Au/InS Nanowire Arrays. <i>Nano Letters</i> , 2016, , .	9.1	0
18	State-of-the-Art Progress in Diverse Heterostructured Photocatalysts toward Promoting Photocatalytic Performance. <i>Advanced Functional Materials</i> , 2015, 25, 998-1013.	14.9	706

#	ARTICLE	IF	CITATIONS
19	Au@TiO <sub>2</sub> yolk-shell hollow spheres for plasmon-induced photocatalytic reduction of CO <sub>2</sub> to solar fuel via a local electromagnetic field. <i>Nanoscale</i> , 2015, 7, 14232-14236.	5.6	153
20	Electrical transport properties of YCo <sub>1-x</sub> Mn <sub>x</sub> O <sub>3</sub> (0 ≤ x ≤ 0.2) prepared by sol-gel process. <i>Chinese Physics B</i> , 2015, 24, 047202.	1.4	0
21	Rational construction of a CdS/reduced graphene oxide/TiO <sub>2</sub> core-shell nanostructure as an all-solid-state Z-scheme system for CO <sub>2</sub> photoreduction into solar fuels. <i>RSC Advances</i> , 2015, 5, 88409-88413.	3.6	71
22	All-solid-state Z-scheme system arrays of Fe <sub>2</sub> V <sub>4</sub> O <sub>13</sub> /RGO/CdS for visible light-driving photocatalytic CO <sub>2</sub> reduction into renewable hydrocarbon fuel. <i>Chemical Communications</i> , 2015, 51, 800-803.	4.1	139
23	Photocatalytic application of Z-type system. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 094209.	0.5	4
24	The effect of Fe substitution on the electrical and thermal conductivity and thermopower of Ca <sub>3</sub> (Fe <sub>x</sub> Co <sub>1-x</sub> ) <sub>4</sub> O <sub>9</sub> synthesised by a sol-gel process. <i>Journal of Physics and Chemistry of Solids</i> , 2014, 75, 606-610.	4.0	4
25	Formation of 3D interconnectively macro/mesoporous TiO <sub>2</sub> sponges through gelation of lotus root starch toward CO <sub>2</sub> photoreduction into hydrocarbon fuels. <i>RSC Advances</i> , 2014, 4, 43172-43177.	3.6	15
26	Na <sub>2</sub> V <sub>6</sub> O <sub>16</sub> ·xH <sub>2</sub> O nanoribbons: large-scale synthesis and visible-light photocatalytic activity of CO <sub>2</sub> into solar fuels. <i>Nanoscale</i> , 2014, 6, 1896-1900.	5.6	50
27	Thermoelectric properties of Al substituted misfit cobaltite Ca <sub>3</sub> (Co <sub>1-x</sub> Al <sub>x</sub> ) <sub>4</sub> O <sub>9</sub> at low temperature. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2014, 21, 720-725.	4.9	2
28	Rational and scalable fabrication of high-quality WO <sub>3</sub> /CdS core/shell nanowire arrays for photoanodes toward enhanced charge separation and transport under visible light. <i>Nanoscale</i> , 2013, 5, 11933.	5.6	66
29	Synthesis of Bi <sub>6</sub> Mo <sub>2</sub> O <sub>15</sub> sub-microwires via a molten salt method and enhancing the photocatalytic reduction of CO <sub>2</sub> into solar fuel through tuning the surface oxide vacancies by simple post-heating treatment. <i>CrystEngComm</i> , 2013, 15, 9855.	2.6	30
30	Effect of Sr substitution on electrical transport and thermoelectric properties of Y <sub>1-x</sub> Sr <sub>x</sub> CoO <sub>3</sub> (0 ≤ x ≤ 0.2) prepared by sol-gel process. <i>Ceramics International</i> , 2013, 39, 8189-8194.	4.8	8
31	Temperature dependence of electrical resistivity for Sr-doped perovskite-type oxide Y <sub>1-x</sub> Sr <sub>x</sub> CoO <sub>3</sub> prepared by sol-gel process. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013, 62, 047202.	0.5	4
32	Deep-Ultraviolet Blue-Light Surface Plasmon Resonance of Al and Al <sub>2</sub> O <sub>3</sub> core/shell in Spherical and Cylindrical Nanostructures. <i>Journal of Physical Chemistry C</i> , 2012, 116, 15584-15590.	3.1	58
33	Resistivity, thermopower, and thermal conductivity of nickel doped compounds Cr <sub>1-x</sub> Ni <sub>x</sub> Sb <sub>2</sub> at low temperatures. <i>Journal of Alloys and Compounds</i> , 2011, 509, 3677-3681.	5.5	5
34	The effect of Ti substitution for Cr on transport and thermoelectric properties of CrSb <sub>2</sub> at low temperatures. <i>Journal of Alloys and Compounds</i> , 2010, 506, 917-922.	5.5	4
35	Transport and thermoelectric properties of Cr <sub>1-x</sub> Mn <sub>x</sub> Sb <sub>2</sub> at low temperatures. <i>Journal of Alloys and Compounds</i> , 2009, 467, 299-304.	5.5	9
36	The effect of Sn substitution for Sb on transport and thermoelectric properties of CrSb <sub>2</sub> at low temperatures. <i>Journal of Alloys and Compounds</i> , 2009, 472, 400-405.	5.5	7

#	ARTICLE	IF	CITATIONS
37	Transport and thermoelectric properties of nanocrystal substitutional semiconductor alloys (Mg <sub>1-x</sub> Cd <sub>x</sub> ) <sub>3</sub> Sb <sub>2</sub> doped with Ag. Journal of Alloys and Compounds, 2009, 484, 498-504.	5.5	29
38	Transport and thermoelectric properties of CrSb <sub>2-x</sub> Te <sub>x</sub> at low temperatures. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2008, 149, 53-57.	3.5	7
39	The effects of high-pressure compression on transport and thermoelectric properties of TiS <sub>2</sub> at low temperatures from 5 to 310 K. Journal of Applied Physics, 2008, 103, 123704.	2.5	6
40	Electrical transport and thermoelectric properties of Y <sub>1-x</sub> Ca <sub>x</sub> CoO <sub>3</sub> (0 ≤ x ≤ 0.1) at high temperatures. Journal of Applied Physics, 2007, 101, 083709.	2.5	11
41	Enhanced thermoelectric properties of neodymium intercalated compounds Nd <sub>x</sub> TiS <sub>2</sub> . Physics Letters, Section A: General, Atomic and Solid State Physics, 2006, 348, 379-385.	2.1	29
42	Enhanced thermoelectric properties of bismuth intercalated compounds Bi <sub>x</sub> TiS <sub>2</sub> . Solid State Communications, 2005, 135, 237-240.	1.9	22