

# Piedad Martin-Olmedo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3996876/publications.pdf>

Version: 2024-02-01

29  
papers

622  
citations

687220

13  
h-index

580701

25  
g-index

31  
all docs

31  
docs citations

31  
times ranked

942  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adipose tissue concentrations of persistent organic pollutants and prevalence of type 2 diabetes in adults from Southern Spain. <i>Environmental Research</i> , 2013, 122, 31-37.	3.7	84
2	Associations of accumulated exposure to persistent organic pollutants with serum lipids and obesity in an adult cohort from Southern Spain. <i>Environmental Pollution</i> , 2014, 195, 9-15.	3.7	67
3	Multivariate models to predict human adipose tissue PCB concentrations in Southern Spain. <i>Environment International</i> , 2010, 36, 705-713.	4.8	62
4	Human adipose tissue levels of persistent organic pollutants and metabolic syndrome components: Combining a cross-sectional with a 10-year longitudinal study using a multi-pollutant approach. <i>Environment International</i> , 2017, 104, 48-57.	4.8	56
5	Historical exposure to persistent organic pollutants and risk of incident hypertension. <i>Environmental Research</i> , 2015, 138, 217-223.	3.7	51
6	Human exposure to p,p'-dichlorodiphenyldichloroethylene (p,p'-DDE) in urban and semi-rural areas in southeast Spain: A gender perspective. <i>Science of the Total Environment</i> , 2013, 458-460, 209-216.	3.9	43
7	Contribution of Persistent Organic Pollutant Exposure to the Adipose Tissue Oxidative Microenvironment in an Adult Cohort: A Multipollutant Approach. <i>Environmental Science &amp; Technology</i> , 2016, 50, 13529-13538.	4.6	37
8	Effectiveness of the cold chain control procedure in the retail sector in Southern Spain. <i>Food Control</i> , 2016, 59, 614-618.	2.8	37
9	Adipose tissue concentrations of persistent organic pollutants and total cancer risk in an adult cohort from Southern Spain: Preliminary data from year 9 of the follow-up. <i>Science of the Total Environment</i> , 2014, 500-501, 243-249.	3.9	32
10	Levels and determinants of adipose tissue cadmium concentrations in an adult cohort from Southern Spain. <i>Science of the Total Environment</i> , 2019, 670, 1028-1036.	3.9	25
11	Adipose tissue concentrations of arsenic, nickel, lead, tin, and titanium in adults from GraMo cohort in Southern Spain: An exploratory study. <i>Science of the Total Environment</i> , 2020, 719, 137458.	3.9	21
12	Socio-demographic, lifestyle, and dietary determinants of essential and possibly-essential trace element levels in adipose tissue from an adult cohort. <i>Environmental Pollution</i> , 2018, 236, 878-888.	3.7	15
13	Historical exposure to persistent organic pollutants and cardiovascular disease: A 15-year longitudinal analysis focused on pharmaceutical consumption in primary care. <i>Environment International</i> , 2021, 156, 106734.	4.8	12
14	Lessons from an International Initiative to Set and Share Good Practice on Human Health in Environmental Impact Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1392.	1.2	9
15	Associations of accumulated selected persistent organic pollutants in adipose tissue with insulin sensitivity and risk of incident type-2 diabetes. <i>Environment International</i> , 2021, 155, 106607.	4.8	8
16	Associations of persistent organic pollutants in human adipose tissue with retinoid levels and their relevance to the redox microenvironment. <i>Environmental Research</i> , 2021, 195, 110764.	3.7	7
17	Associations of residential and occupational history with the distribution of persistent pollutant mixtures in adipose tissue samples. <i>Environmental Research</i> , 2021, 194, 110687.	3.7	5
18	Human biomonitoring as a tool for exposure assessment in industrially contaminated sites (ICSs). Lessons learned within the ICS and Health European Network. <i>Epidemiologia E Prevenzione</i> , 2019, 43, 249-259.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Contribution of sociodemographic, occupational, lifestyle and dietary characteristics to the oxidative stress microenvironment in adipose tissue. <i>Environmental Research</i> , 2019, 175, 52-62.	3.7	4
20	Perception survey on the relevance of main categories of health determinants for conducting health impact assessment. <i>Environmental Impact Assessment Review</i> , 2020, 85, 106445.	4.4	4
21	Methods and data needs to assess health impacts of chemicals in industrial contaminated sites. <i>Epidemiologia E Prevenzione</i> , 2019, 43, 223-237.	1.1	3
22	Environmental and health data needed to develop national surveillance systems in industrially contaminated sites. <i>Epidemiologia E Prevenzione</i> , 2018, 42, 11-20.	1.1	3
23	Differential Bioaccumulation Patterns of $\hat{1}\pm$ , $\hat{1}^2$ -Hexachlorobenzene and Dicofol in Adipose Tissue from the GraMo Cohort (Southern Spain). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3344.	1.2	2
24	Industrial contaminated sites and health: results of a European survey. <i>Epidemiologia E Prevenzione</i> , 2019, 43, 238-248.	1.1	2
25	Exploring available options in characterising the health impact of industrially contaminated sites. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2016, 52, 476-482.	0.2	2
26	Quantification of Health Risks. , 2014, , 199-232.		1
27	Bottom-Up Policy Risk Assessment. , 2014, , 131-198.		1
28	Risk Assessment, Impact Assessment, and Evaluation. , 2014, , 13-35.		0
29	Impact of the Great Recession in the Social Welfare Indicators Related to the Labour Market in Andalusia. <i>Estudios De Economia Aplicada (discontinued)</i> , 2017, 35, 245-262.	0.2	0