

# Yiming Mu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3997047/publications.pdf>

Version: 2024-02-01

175  
papers

6,917  
citations

172207

29  
h-index

71532

76  
g-index

198  
all docs

198  
docs citations

198  
times ranked

8994  
citing authors

#	ARTICLE	IF	CITATIONS
1	Individual and Combined Cardiometabolic Morbidities and the Subsequent Risk of Cardiovascular Events in Chinese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e84-e94.	1.8	6
2	A study on the status of normoalbuminuric renal insufficiency among type 2 diabetes mellitus patients: A multicenter study based on a Chinese population. <i>Journal of Diabetes</i> , 2022, 14, 15-25.	0.8	7
3	Metabolomics study reveals systematic metabolic dysregulation and early detection markers associated with incident pancreatic cancer. <i>International Journal of Cancer</i> , 2022, 150, 1091-1100.	2.3	12
4	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100350.	1.3	15
5	Interaction between smoking and diabetes in relation to subsequent risk of cardiovascular events. <i>Cardiovascular Diabetology</i> , 2022, 21, 14.	2.7	22
6	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study. <i>European Journal of Nutrition</i> , 2022, 61, 1609-1620.	1.8	3
7	Association of education levels with the risk of hypertension and hypertension control: a nationwide cohort study in Chinese adults. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 451-457.	2.0	11
8	Characteristics of Interferon-Associated Diabetes Mellitus in Past 30 Years: A Review. <i>Hormone and Metabolic Research</i> , 2022, 54, 145-152.	0.7	1
9	Update cognition of nonalcoholic fatty liver disease/metabolism-associated fatty liver disease. <i>Chronic Diseases and Translational Medicine</i> , 2022, 8, 5-6.	0.9	0
10	Association between changes in lipid indexes and early progression of kidney dysfunction in participants with normal estimated glomerular filtration rate: a prospective cohort study. <i>Endocrine</i> , 2022, , 1.	1.1	3
11	Metabolic Score for Insulin Resistance, a novel score to evaluate insulin sensitivity, is associated with the urinary albumin-to-creatinine ratio in Chinese adults: A cross-sectional REACTION study. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1222-1234.	1.1	3
12	Human umbilical cord-derived mesenchymal stem cells alleviate insulin resistance in diet-induced obese mice via an interaction with splenocytes. <i>Stem Cell Research and Therapy</i> , 2022, 13, 109.	2.4	2
13	Fatty liver index for hyperuricemia diagnosis: a community-based cohort study. <i>BMC Endocrine Disorders</i> , 2022, 22, 114.	0.9	4
14	Efficacy and safety of umbilical cord-derived mesenchymal stem cells in Chinese adults with type 2 diabetes: a single-center, double-blinded, randomized, placebo-controlled phase II trial. <i>Stem Cell Research and Therapy</i> , 2022, 13, 180.	2.4	25
15	Depression Status, Lifestyle, and Metabolic Factors With Subsequent Risk for Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	0
16	Association Between Insulin Resistance and Cardiovascular Disease Risk Varies According to Glucose Tolerance Status: A Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1863-1872.	4.3	30
17	A Novel Missense Mutation of Arginine Vasopressin Receptor 2 in a Chinese Family with Congenital Nephrogenic Diabetes Insipidus: X-Chromosome Inactivation in Female CNDI Patients with Heterozygote 814A>G Mutation. <i>BioMed Research International</i> , 2022, 2022, 1-7.	0.9	2
18	Visceral adiposity index is closely associated with urinary albumin-to-creatinine ratio in the Chinese population with prediabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3424.	1.7	10

#	ARTICLE	IF	CITATIONS
19	Effect of linagliptin, a dipeptidyl peptidase-4 inhibitor, compared with the sulfonylurea glimepiride on cardiovascular outcomes in Asians with type 2 diabetes: subgroup analysis of the randomized CAROLINA <sup>®</sup> trial. <i>Diabetology International</i> , 2021, 12, 87-100.	0.7	12
20	Age at menarche, ideal cardiovascular health metrics, and risk of diabetes in adulthood: Findings from the <sc>REACTION</sc> study. <i>Journal of Diabetes</i> , 2021, 13, 458-468.	0.8	10
21	Association between nonalcoholic fatty liver and increased low-level albuminuria in postmenopausal women in China: A cross-sectional study. <i>Journal of Diabetes</i> , 2021, 13, 494-505.	0.8	1
22	Glucose-lowering pharmacotherapies in Chinese adults with type 2 diabetes and cardiovascular disease or chronic kidney disease. An expert consensus reported by the Chinese Diabetes Society and the Chinese Society of Endocrinology. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3416.	1.7	7
23	Association between obesity and urinary albumin-creatinine ratio in the middle-aged and elderly population of Southern and Northern China: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e040214.	0.8	10
24	Anti-obesity effect and mechanism of mesenchymal stem cells influence on obese mice. <i>Open Life Sciences</i> , 2021, 16, 653-666.	0.6	8
25	The Relationship Between Earlier Onset of Natural Menopause and Elevated Urinary Albumin-Creatinine Ratio in Postmenopausal Chinese Women. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 847-856.	1.1	1
26	Triglycerides to high-density lipoprotein cholesterol ratio is superior to triglycerides and other lipid ratios as an indicator of increased urinary albumin-to-creatinine ratio in the general population of China: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2021, 20, 13.	1.2	6
27	Low-grade albuminuria is associated with high cardiovascular risk in <sc>CVD</sc>-free and normoalbuminuric Chinese adults: Results from the <sc>REACTION</sc> study. <i>Journal of Diabetes</i> , 2021, 13, 648-660.	0.8	3
28	Fasting Blood Glucose and 2-h Postprandial Blood Glucose Predict Hypertension: A Report from the REACTION Study. <i>Diabetes Therapy</i> , 2021, 12, 1117-1128.	1.2	6
29	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 927-937.	3.0	9
30	Associations between parity, pregnancy loss, and breastfeeding duration and risk of maternal type 2 diabetes: An observational cohort study. <i>Journal of Diabetes</i> , 2021, 13, 857-867.	0.8	7
31	Association of the Ratio of Triglycerides to High-Density Lipoprotein Cholesterol Levels with the Risk of Type 2 Diabetes: A Retrospective Cohort Study in Beijing. <i>Journal of Diabetes Research</i> , 2021, 2021, 1-8.	1.0	7
32	Combined Treatment with Bone Marrow-Derived Mesenchymal Stem Cells and Exendin-4 Promotes Islet Regeneration in Streptozotocin-Induced Diabetic Rats. <i>Stem Cells and Development</i> , 2021, 30, 502-514.	1.1	1
33	Lipid Accumulation Product is Associated with Urinary Albumin-creatinine Ratio in Chinese Prediabetic Population: A Report from the REACTION Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 2415-2425.	1.1	3
34	Association of early adulthood weight and subsequent weight change with cardiovascular diseases: Findings from REACTION study. <i>International Journal of Cardiology</i> , 2021, 332, 209-215.	0.8	7
35	Reversion of early- and late-stage $\beta$ -cell dedifferentiation by human umbilical cord-derived mesenchymal stem cells in type 2 diabetic mice. <i>Cytotherapy</i> , 2021, 23, 510-520.	0.3	4
36	Effect of empagliflozin on cardiorenal outcomes and mortality according to body mass index: A subgroup analysis of the <sc>EMPA-REG OUTCOME</sc> trial with a focus on Asia. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1886-1891.	2.2	18

#	ARTICLE	IF	CITATIONS
37	The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , 2021, 13, 987-997.	0.8	2
38	Case Report: Three Rare Cases of Ectopic ACTH Syndrome Caused by Adrenal Medullary Hyperplasia. <i>Frontiers in Endocrinology</i> , 2021, 12, 687809.	1.5	2
39	<scp>DUAL II</scp> China: Superior <scp>HbA1c</scp> reductions and weight loss with insulin degludec/liraglutide (<scp>IDegLira</scp>) versus insulin degludec in a randomized trial of Chinese people with type 2 diabetes inadequately controlled on basal insulin. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2687-2696.	2.2	7
40	Metabolic syndrome and its components are associated with thyroid volume in adolescents. <i>BMC Endocrine Disorders</i> , 2021, 21, 176.	0.9	4
41	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C Study). <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2551-2560.	2.2	10
42	Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 17, 100277.	1.3	31
43	Gestational hyperglycemia and the risk of cardiovascular diseases among elderly Chinese women: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 949-959.	0.8	2
44	Effects of the hemoglobin glycation index on hyperglycemia diagnosis: Results from the REACTION study. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109039.	1.1	6
45	Age-related disparities in diabetes risk attributable to modifiable risk factor profiles in Chinese adults: a nationwide, population-based, cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e618-e628.	2.0	24
46	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154874.	1.5	20
47	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021, 44, 499-510.	4.3	40
48	Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 717069.	1.5	14
49	Primary Adrenal Lymphoma: Two Case Series From China. <i>Frontiers in Endocrinology</i> , 2021, 12, 778984.	1.5	6
50	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020, 12, 10-20.	0.8	12
51	Continuous subcutaneous insulin infusion reduces the risk of postoperative infection. <i>Journal of Diabetes</i> , 2020, 12, 396-405.	0.8	3
52	Association of insulin resistance and $\beta$ -cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 115-124.	5.5	127
53	Vildagliptin Versus $\alpha$ -Glucosidase Inhibitor as Add-On to Metformin for Type 2 Diabetes: Subgroup Analysis of the China Prospective Diabetes Study. <i>Diabetes Therapy</i> , 2020, 11, 247-257.	1.2	1
54	Insulin resistance is associated with urinary albumin-creatinine ratio in normal weight individuals with hypertension and diabetes: The REACTION study. <i>Journal of Diabetes</i> , 2020, 12, 406-416.	0.8	19

#	ARTICLE	IF	CITATIONS
55	Elevated triglyceride-glucose (TyG) index predicts incidence of Prediabetes: a prospective cohort study in China. <i>Lipids in Health and Disease</i> , 2020, 19, 226.	1.2	31
56	Clinical Analysis of Preoperative Anti-thyroglobulin Antibody in Papillary Thyroid Cancer Between 2011 and 2015 in Beijing, China: A Retrospective Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 452.	1.5	10
57	A high triglyceride glucose index is more closely associated with hypertension than lipid or glycemic parameters in elderly individuals: a cross-sectional survey from the Reaction Study. <i>Cardiovascular Diabetology</i> , 2020, 19, 112.	2.7	58
58	Clinical Characteristics and Management of Functional Pancreatic Neuroendocrine Neoplasms: A Single Institution 20-Year Experience with 286 Patients. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	9
59	NBPF9 Gene May Be Involved in Congenital Hypopituitarism: A Whole-Genome Study of a Boy with Pituitary Stalk Interruption Syndrome and His Family. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-9.	0.6	4
60	<p>Association Between Hypertriglyceridemic Waist Phenotype and Increased Urinary Albuminâ€Creatinine Ratio in Chinese Adults: The REACTION Study</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 2965-2974.	1.1	7
61	Association between Neck Circumference and the Risk of Decreased Estimated Glomerular Filtration Rate in the General Population of China: A Cross-Sectional Study. <i>BioMed Research International</i> , 2020, 2020, 1-11.	0.9	10
62	Association Between Perioperative Glycemic Control Strategy and Mortality in Patients With Diabetes Undergoing Cardiac Surgery: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2020, 11, 513073.	1.5	13
63	Neck circumference is an independent risk factor for hyperuricemia within 3Âyears in women: a longitudinal study. <i>Clinical Rheumatology</i> , 2020, 39, 3757-3767.	1.0	5
64	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020, 43, 1929-1936.	4.3	36
65	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020, 43, 1902-1909.	4.3	36
66	A study on the correlation between remnant cholesterol and urinary albumin to creatinine ratio in Chinese community adults: A report from the <scp>REACTION</scp> study. <i>Journal of Diabetes</i> , 2020, 12, 870-880.	0.8	8
67	Effects of Preoperative HbA1c Levels on the Postoperative Outcomes of Coronary Artery Disease Surgical Treatment in Patients with Diabetes Mellitus and Nondiabetic Patients: A Systematic Review and Meta-Analysis. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-14.	1.0	30
68	U-Shaped Associations Between Urinary Iodine Concentration and the Prevalence of Metabolic Disorders: A Cross-Sectional Study. <i>Thyroid</i> , 2020, 30, 1053-1065.	2.4	23
69	Efficacy and Safety of Basal Insulin-Based Treatment Versus Twice-Daily Premixed Insulin After Short-Term Intensive Insulin Therapy in Patients with Type 2 Diabetes Mellitus in China: Study Protocol for a Randomized Controlled Trial (BEYOND V). <i>Advances in Therapy</i> , 2020, 37, 1675-1687.	1.3	3
70	Association of sleep duration with stroke, myocardial infarction, and tumors in a Chinese population with metabolic syndrome: a retrospective study. <i>Lipids in Health and Disease</i> , 2020, 19, 155.	1.2	15
71	M1 macrophages accelerate renal glomerular endothelial cell senescence through reactive oxygen species accumulation in streptozotocin-induced diabetic mice. <i>International Immunopharmacology</i> , 2020, 81, 106294.	1.7	15
72	Efficacy and Safety of Long-Term Universal Salt Iodization on Thyroid Disorders: Epidemiological Evidence from 31 Provinces of Mainland China. <i>Thyroid</i> , 2020, 30, 568-579.	2.4	185

#	ARTICLE	IF	CITATIONS
73	Impact of baseline characteristics on glycemic effects of add-on saxagliptin or acarbose to metformin therapy: Subgroup analysis of the SMART study in Chinese patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 896-905.	1.1	1
74	Prevalence of diabetes recorded in mainland China using 2018 diagnostic criteria from the American Diabetes Association: national cross sectional study. <i>BMJ, The</i> , 2020, 369, m997.	3.0	809
75	Risk of chronic kidney disease defined by decreased estimated glomerular filtration rate in individuals with different prediabetic phenotypes: results from a prospective cohort study in China. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000955.	1.2	4
76	Low-Dose Decitabine Assists Human Umbilical Cord-Derived Mesenchymal Stem Cells in Protecting $\beta$ Cells via the Modulation of the Macrophage Phenotype in Type 2 Diabetic Mice. <i>Stem Cells International</i> , 2020, 2020, 1-17.	1.2	8
77	Early-Life Famine Exposure and Risk of Cardiovascular Diseases in Later Life: Findings From the REACTION Study. <i>Journal of the American Heart Association</i> , 2020, 9, e014175.	1.6	40
78	The association and joint effect of serum cholesterol, glycemic status with the risk of incident cancer among middle-aged and elderly population in china cardiometabolic disease and cancer cohort (4C)-study. <i>American Journal of Cancer Research</i> , 2020, 10, 975-986.	1.4	4
79	Examining the therapeutic potential of various stem cell sources for differentiation into insulin-producing cells to treat diabetes. <i>Annales D'Endocrinologie</i> , 2019, 80, 47-53.	0.6	22
80	Decitabine assists umbilical cord-derived mesenchymal stem cells in improving glucose homeostasis by modulating macrophage polarization in type 2 diabetic mice. <i>Stem Cell Research and Therapy</i> , 2019, 10, 259.	2.4	25
81	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , 2019, 4, 874.	3.0	70
82	<p></p>Prognostic factors for cesarean section outcome of pregnant women with gestational diabetes mellitus: a systematic review and meta-analysis<p></p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 913-929.	1.1	3
83	Comparison of Two Autoimmune Dysglycemia Syndromes: Insulin Autoimmune Syndrome (IAS) and Type B Insulin Resistance Syndrome (B-IRS). <i>Hormone and Metabolic Research</i> , 2019, 51, 723-728.	0.7	7
84	Self-reported sleep duration and daytime napping are associated with renal hyperfiltration and microalbuminuria in an apparently healthy Chinese population. <i>PLoS ONE</i> , 2019, 14, e0214776.	1.1	16
85	The Association between Resting Heart Rate and Urinary Albumin/Creatinine Ratio in Middle-Aged and Elderly Chinese Population: A Cross-Sectional Study. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-7.	1.0	5
86	Neutrophil-Lymphocyte ratio as a predictor of kidney function decline among individuals with diabetes and prediabetes: A 3-year follow-up study. <i>Journal of Diabetes</i> , 2019, 11, 427-430.	0.8	3
87	Comparison of the Effectiveness and Safety of Vildagliptin Add-On to Metformin Versus Other Oral Dual Antidiabetes Agents in Patients with Type 2 Diabetes: The China Prospective Diabetes Study. <i>Diabetes Therapy</i> , 2019, 10, 1391-1405.	1.2	1
88	Association Between Age at Natural Menopause and Risk of Type 2 Diabetes in Postmenopausal Women With and Without Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 3039-3048.	1.8	17
89	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A1c on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 1539-1548.	4.3	102
90	Diagnostic Role of Prostate-Specific Membrane Antigen in Adrenocortical Carcinoma. <i>Frontiers in Endocrinology</i> , 2019, 10, 226.	1.5	2



#	ARTICLE	IF	CITATIONS
91	Association between Duration of Exercise (MET Hours per Week) and the Risk of Decreased eGFR: A Cross-Sectional Study Based on a Large Chinese Population. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-12.	1.0	2
92	Association between the Number of Childbirths and the Progress of Atherosclerosis among Women with Diabetes: A Cohort Study Based on Chinese Population. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-10.	0.6	0
93	Features and trends of thyroid cancer in patients with thyroidectomies in Beijing, China between 1994 and 2015: a retrospective study. <i>BMJ Open</i> , 2019, 9, e023334.	0.8	22
94	Angiotensin Type 2 Receptor Agonist C21 Ameliorates the High-Fat Diet-Induced Pancreatic Î²-Cell Dysfunction Partially by Activation of Antiapoptosis and Autophagy. <i>Pancreas</i> , 2019, 48, 250-256.	0.5	2
95	Quality appraisal of clinical practice guidelines for diabetes mellitus published in China between 2007 and 2017 using the AGREE II instrument. <i>BMJ Open</i> , 2019, 9, e022392.	0.8	12
96	The Effects of Exenatide Once Weekly (EXQW) and Exenatide Twice a Day (EXBID) on Beta-Cell Function in Type 2 Diabetes: A Systematic Review and Network Meta-Analysis. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-9.	1.0	2
97	Human Umbilical Cord-Derived Mesenchymal Stem Cell Therapy Ameliorates Nonalcoholic Fatty Liver Disease in Obese Type 2 Diabetic Mice. <i>Stem Cells International</i> , 2019, 2019, 1-12.	1.2	32
98	Treatment with adipose tissue-derived mesenchymal stem cells exerts anti-diabetic effects, improves long-term complications, and attenuates inflammation in type 2 diabetic rats. <i>Stem Cell Research and Therapy</i> , 2019, 10, 333.	2.4	78
99	Quality Assessment of Systematic Review of the Bariatric Surgery for Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	1.0	4
100	Postoperative adverse events in patients with diabetes undergoing orthopedic and general surgery. <i>Medicine (United States)</i> , 2019, 98, e15089.	0.4	34
101	Critical appraisal and systematic review of guidelines for perioperative diabetes management: 2011-2017. <i>Endocrine</i> , 2019, 63, 204-212.	1.1	10
102	Thyroid nodule size calculated using ultrasound and gross pathology as predictors of cancer: A 23-year retrospective study. <i>Diagnostic Cytopathology</i> , 2019, 47, 187-193.	0.5	15
103	Retrospective clinical analysis of glucose metabolism in acromegaly patients. <i>Minerva Endocrinologica</i> , 2019, 44, 233-235.	1.7	0
104	Cinacalcet versus Placebo for secondary hyperparathyroidism in chronic kidney disease patients: a meta-analysis of randomized controlled trials and trial sequential analysis. <i>Scientific Reports</i> , 2018, 8, 3111.	1.6	11
105	Efficacy and safety of pregabalin for painful diabetic peripheral neuropathy in a population of Chinese patients: A randomized placebo-controlled trial. <i>Journal of Diabetes</i> , 2018, 10, 256-265.	0.8	19
106	The Role of Cortisol/ACTH Ratio for Screening of Subclinical Hypercortisolism in Patients with Adrenal Incidentalomas. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 71-76.	0.6	0
107	Direct head-to-head comparison of glycaemic durability of dipeptidyl peptidase-4 inhibitors and sulphonylureas in patients with type 2 diabetes mellitus: A meta-analysis of long-term randomized controlled trials. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1029-1033.	2.2	31
108	Association between smoking and glycemic control in diabetic patients: results from the risk evaluation of centers in Chinese diabetic individuals: ACTION longitudinal (REACTION) study. <i>Journal of Diabetes</i> , 2018, 10, 408-418.	0.8	24

#	ARTICLE	IF	CITATIONS
109	FoxO1 inhibition promotes differentiation of human embryonic stem cells into insulin producing cells. <i>Experimental Cell Research</i> , 2018, 362, 227-234.	1.2	28
110	MACROD1/LRP16 Enhances LPS-Stimulated Inflammatory Responses by Up-Regulating a Rac1-Dependent Pathway in Adipocytes. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 2591-2603.	1.1	11
111	Red blood cell distribution width and the risk of being in poor glycemic control among patients with established type 2 diabetes. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 265-273.	0.9	17
112	The homing of human umbilical cord-derived mesenchymal stem cells and the subsequent modulation of macrophage polarization in type 2 diabetic mice. <i>International Immunopharmacology</i> , 2018, 60, 235-245.	1.7	37
113	Association between the Hypertriglyceridemic Waist Phenotype and Prediabetes in Chinese Adults Aged 40 Years and Older. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-9.	1.0	13
114	A Craniopharyngioma Associated With Elevated Cerebrospinal Fluid HCG Concentrations Misdiagnosed as a Germinoma. <i>Frontiers in Neurology</i> , 2018, 9, 449.	1.1	2
115	Human umbilical cord-derived mesenchymal stem cells direct macrophage polarization to alleviate pancreatic islets dysfunction in type 2 diabetic mice. <i>Cell Death and Disease</i> , 2018, 9, 760.	2.7	60
116	Osteopenia is associated with glycemic levels and blood pressure in Chinese postmenopausal women: a cross-sectional study. <i>Clinical and Experimental Medicine</i> , 2017, 17, 85-91.	1.9	6
117	M2 macrophages infusion ameliorates obesity and insulin resistance by remodeling inflammatory/macrophages' homeostasis in obese mice. <i>Molecular and Cellular Endocrinology</i> , 2017, 443, 63-71.	1.6	14
118	Efficacy and safety of metformin and sitagliptin based triple antihyperglycemic therapy (STRATEGY): a multicenter, randomized, controlled, non-inferiority clinical trial. <i>Science China Life Sciences</i> , 2017, 60, 225-238.	2.3	20
119	Mesenchymal stem cell therapy in type 2 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 36.	1.2	82
120	Efficacy and safety of saxagliptin compared with acarbose in Chinese patients with type 2 diabetes mellitus uncontrolled on metformin monotherapy: results of a phase IV open-label randomized controlled study (the SMART study). <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1513-1520.	2.2	24
121	Efficacy and Safety of Insulin Therapy in Patients with Type 2 Diabetes Treated at Different Grades of Hospitals in China: Subgroup Analysis of the Real-World SEAS Study. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 34-40.	2.4	1
122	Efficacy and safety of linagliptin/metformin single-pill combination as initial therapy in drug-naïve Asian patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 124, 48-56.	1.1	13
123	Characteristics of glucose metabolism indexes and continuous glucose monitoring system (CGMS) in patients with insulinoma. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 17.	1.2	11
124	Glycemic status and chronic kidney disease in Chinese adults: findings from the REACTION study. <i>Journal of Diabetes</i> , 2017, 9, 837-845.	0.8	6
125	Screening for potential serum-based proteomic biomarkers for human type 2 diabetes mellitus using MALDI-TOF MS. <i>Proteomics - Clinical Applications</i> , 2017, 11, 1600079.	0.8	28
126	Mild hyperglycemia triggered islet function recovery in streptozotocin-induced insulin-deficient diabetic rats. <i>Journal of Diabetes Investigation</i> , 2017, 8, 44-55.	1.1	4



#	ARTICLE	IF	CITATIONS
127	Neck Circumference, a Novel Indicator for Hyperuricemia. <i>Frontiers in Physiology</i> , 2017, 8, 965.	1.3	18
128	Baseline Demographic and Clinical Characteristics of Patients with Adrenal Incidentaloma from a Single Center in China: A Survey. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-7.	0.6	14
129	Human umbilical cord-derived mesenchymal stem cells ameliorate insulin resistance by suppressing NLRP3 inflammasome-mediated inflammation in type 2 diabetes rats. <i>Stem Cell Research and Therapy</i> , 2017, 8, 241.	2.4	80
130	Exendin-4 Upregulates Adiponectin Level in Adipocytes via Sirt1/Foxo-1 Signaling Pathway. <i>PLoS ONE</i> , 2017, 12, e0169469.	1.1	35
131	The Prevalence of Thyroid Nodules and an Analysis of Related Lifestyle Factors in Beijing Communities. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 442.	1.2	95
132	Increased 3 $\beta$ -hydroxysteroid dehydrogenase 2 and 17 $\beta$ -hydroxylase activities in a virilized adolescent female with adrenal adenoma: A case report. <i>Experimental and Therapeutic Medicine</i> , 2016, 11, 530-534.	0.8	6
133	Association between the change in body mass index from early adulthood to midlife and subsequent type 2 diabetes mellitus. <i>Obesity</i> , 2016, 24, 703-709.	1.5	13
134	Infarcted cardiac microenvironment may hinder cardiac lineage differentiation of human embryonic stem cells. <i>Cell Biology International</i> , 2016, 40, 1235-1246.	1.4	3
135	Reduced Kidney Function Is Associated With Cardiometabolic Risk Factors, Prevalent and Predicted Risk of Cardiovascular Disease in Chinese Adults: Results From the REACTION Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	26
136	Uric acid, renal function and risk of hypoglycaemia in Chinese type 2 diabetes patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 875-882.	1.7	6
137	Cathepsin K: The association between Cathepsin K expression and sphenoid sinus invasion of pituitary adenomas. <i>Medical Hypotheses</i> , 2016, 97, 88-89.	0.8	5
138	Interactive effect of serum uric acid and total bilirubin for cardiovascular disease in Chinese patients with type 2 diabetes. <i>Scientific Reports</i> , 2016, 6, 36437.	1.6	15
139	Human umbilical cord-derived mesenchymal stem cells elicit macrophages into an anti-inflammatory phenotype to alleviate insulin resistance in type 2 diabetic rats. <i>Stem Cells</i> , 2016, 34, 627-639.	1.4	120
140	Non-linear associations of risk factors with mild hypoglycemia among Chinese patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 462-468.	1.2	8
141	Cost-Effectiveness of Dapagliflozin versus Acarbose as a Monotherapy in Type 2 Diabetes in China. <i>PLoS ONE</i> , 2016, 11, e0165629.	1.1	23
142	Association of insulin resistance with breast, ovarian, endometrial and cervical cancers in non-diabetic women. <i>American Journal of Cancer Research</i> , 2016, 6, 2334-2344.	1.4	15
143	Beta-cell regeneration from vimentin+/MafB+ cells after STZ-induced extreme beta-cell ablation. <i>Scientific Reports</i> , 2015, 5, 11703.	1.6	25
144	An Epidemiological Study of Risk Factors of Thyroid Nodule and Goiter in Chinese Women. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 11608-11620.	1.2	14

#	ARTICLE	IF	CITATIONS
145	Hypoglycaemia, Abnormal Lipids, and Cardiovascular Disease among Chinese with Type 2 Diabetes. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	5
146	Cost-effectiveness of saxagliptin vs glimepiride as a second-line therapy added to metformin in Type 2 diabetes in China. <i>Journal of Medical Economics</i> , 2015, 18, 808-820.	1.0	11
147	The association between serum uric acid levels, metabolic syndrome and cardiovascular disease in middle aged and elderly Chinese: results from the DYSlipidemia International Study. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 66.	0.7	21
148	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. <i>Nature Communications</i> , 2015, 6, 10206.	5.8	86
149	Impact of night sleep duration on glycemic and triglyceride levels in Chinese with different glycemic status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 95, 1511-1518.	0.8	15
150	Concurrent insulinoma with mosaic Turner syndrome: A case report. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 801-804.	0.8	3
151	Anti-atherosclerotic effects of the glucagon-like peptide-1 (GLP-1) based therapies in patients with type 2 Diabetes Mellitus: A meta-analysis. <i>Scientific Reports</i> , 2015, 5, 10202.	1.6	50
152	Sequential Versus Continual Purified Urinary FSH/hCG in Men With Idiopathic Hypogonadotropic Hypogonadism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2449-2455.	1.8	12
153	An epidemiological study of risk factors of thyroid nodule and goiter in Chinese women. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 11379-87.	1.3	12
154	Alanine Aminotransferase within Reference Range Is Associated with Metabolic Syndrome in Middle-Aged and Elderly Chinese Men and Women. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12767-12776.	1.2	7
155	Cohort profile: Risk evaluation of cancers in Chinese diabetic individuals: a longitudinal (<sc>REACTION</sc>) study. <i>BMJ Open</i> , 2014, 8, e005908.	0.8	147
156	Fatal acute encephalopathy in a young man with Graves' disease. <i>Endocrine</i> , 2014, 45, 158-159.	1.1	1
157	Lipid-lowering therapy and lipid goal attainment in patients with metabolic syndrome in China: Subgroup analysis of the Dyslipidemia International Study-China (DYSIS-China). <i>Atherosclerosis</i> , 2014, 237, 99-105.	0.4	25
158	The relationship between insulin-sensitive obesity and cardiovascular diseases in a Chinese population. <i>International Journal of Cardiology</i> , 2014, 172, 388-394.	0.8	82
159	Prevalence of dyslipidaemia in patients treated with lipid-lowering agents in China: Results of the DYSlipidemia International Study (DYSIS). <i>Atherosclerosis</i> , 2014, 235, 463-469.	0.4	76
160	Waist-to-Hip Ratio, Dyslipidemia, Glycemic Levels, Blood Pressure and Depressive Symptoms among Diabetic and Non-Diabetic Chinese Women: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e109765.	1.1	13
161	Prevalence of stroke and metabolic disorders in the middle-aged and elderly Chinese with type 2 diabetes. <i>Chinese Medical Journal</i> , 2014, 127, 3537-42.	0.9	7
162	Prevalence and Control of Diabetes in Chinese Adults. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 948.	3.8	2,335

#	ARTICLE	IF	CITATIONS
163	Primacy of the 3B Approach to Control Risk Factors for Cardiovascular Disease in Type 2 Diabetes Patients. <i>American Journal of Medicine</i> , 2013, 126, 925.e11-925.e22.	0.6	174
164	Multiple intravenous infusions of bone marrow mesenchymal stem cells reverse hyperglycemia in experimental type 2 diabetes rats. <i>Biochemical and Biophysical Research Communications</i> , 2013, 436, 418-423.	1.0	95
165	Pituitary Stalk Interruption Syndrome in Chinese People: Clinical Characteristic Analysis of 55 Cases. <i>PLoS ONE</i> , 2013, 8, e53579.	1.1	36
166	Adult idiopathic isolated ACTH deficiency: a short series and literature review. <i>Neuroendocrinology Letters</i> , 2013, 34, 693-700.	0.2	4
167	Insulin pump therapy guidelines for China (July 2010). <i>Journal of Diabetes</i> , 2012, 4, 127-139.	0.8	9
168	Infusion of Mesenchymal Stem Cells Ameliorates Hyperglycemia in Type 2 Diabetic Rats. <i>Diabetes</i> , 2012, 61, 1616-1625.	0.3	223
169	Reduced expression of the LRP16 gene in mouse insulinoma (MIN6) cells exerts multiple effects on insulin content, proliferation and apoptosis. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 190-198.	1.0	1
170	Ginsenoside Rb1 relieves glucose fluctuation-induced oxidative stress and apoptosis in Schwann cells. <i>Neural Regeneration Research</i> , 2012, 7, 2340-6.	1.6	5
171	Concomitant Thyroid Disease in Patients with Primary Hyperparathyroidism. <i>Medical Science Review</i> , 0, 4, 7-12.	0.0	0
172	Clinical analysis of the etiological spectrum of bilateral adrenal lesions: A large retrospective, single-center study. <i>Endocrine</i> , 0, , .	1.1	3
173	Efficacy and safety of a basal insulin + 2 oral antihyperglycaemic drugs regimen versus a twice daily premixed insulin + metformin regimen after short-term intensive insulin therapy in individuals with type 2 diabetes: the multicentre, open-label, randomised controlled BEYOND trial. <i>Diabetes, Obesity and Metabolism</i> , 0, , .	2.2	2
174	Association Between Some Different Obesity Anthropometric Indices and Type 2 Diabetes Mellitus in Middle-Aged and Elderly Chinese Men and Women in Beijing, China: A Cross-Sectional Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 0, Volume 15, 1799-1807.	1.1	2
175	The Relative Body Weight Gain From Early to Middle Life Adulthood Associated With Later Life Risk of Diabetes: A Nationwide Cohort Study. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	1