

Maria Salvina Signorelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/399816/publications.pdf>

Version: 2024-02-01

78
papers

2,409
citations

186265

28
h-index

233421

45
g-index

81
all docs

81
docs citations

81
times ranked

3376
citing authors

#	ARTICLE	IF	CITATIONS
1	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 396.	11.0	214
2	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 641-647.	0.2	114
3	Novel Psychoactive Substances in Young Adults with and without Psychiatric Comorbidities. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	99
4	Curcumin for depression: a meta-analysis. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 2643-2653.	10.3	97
5	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021, 78, 550.	11.0	89
6	Adult Autism Subthreshold Spectrum (AdAS Spectrum): Validation of a questionnaire investigating subthreshold autism spectrum. <i>Comprehensive Psychiatry</i> , 2017, 73, 61-83.	3.1	79
7	Antidepressants in elderly: Metaregression of double-blind, randomized clinical trials. <i>Journal of Affective Disorders</i> , 2013, 147, 1-8.	4.1	75
8	BDNF serum levels in subjects developing or not post-traumatic stress disorder after trauma exposure. <i>Brain and Cognition</i> , 2014, 84, 118-122.	1.8	74
9	Mood symptoms and suicidality across the autism spectrum. <i>Comprehensive Psychiatry</i> , 2019, 91, 34-38.	3.1	67
10	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016, 46, 2717-2729.	4.5	65
11	The Specific Level of Functioning Scale: Construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014, 159, 144-150.	2.0	64
12	Depression and Quality of Life in Living Related Renal Transplantation. <i>Transplantation Proceedings</i> , 2007, 39, 1791-1793.	0.6	60
13	Novel psychoactive substance consumption is more represented in bipolar disorder than in psychotic disorders: A multicenter observational study. <i>Human Psychopharmacology</i> , 2017, 32, e2578.	1.5	59
14	The Potential of Pregabalin in Neurology, Psychiatry and Addiction: A Qualitative Overview. <i>Current Pharmaceutical Design</i> , 2013, 19, 6367-6374.	1.9	57
15	Diagnostic and interventional implications of telemedicine in Alzheimer's disease and mild cognitive impairment: A literature review. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 12-28.	2.7	53
16	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018, 201, 105-112.	2.0	52
17	Alexithymia, suicidal ideation, and serum lipid levels among drug-naïve outpatients with obsessive-compulsive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 125-130.	1.7	50
18	Lifetime prevalence of suicidal ideation and suicidal behaviors in gender non-conforming youths: a meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1147-1161.	4.7	50

#	ARTICLE	IF	CITATIONS
19	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. PLoS ONE, 2016, 11, e0148212.	2.5	50
20	The CC genotype of transforming growth factor- β 21 increases the risk of late-onset Alzheimer's disease and is associated with AD-related depression. European Neuropsychopharmacology, 2012, 22, 281-289.	0.7	47
21	Video Game Addiction in Gambling Disorder: Clinical, Psychopathological, and Personality Correlates. BioMed Research International, 2014, 2014, 1-11.	1.9	47
22	Family interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. Lancet Psychiatry, 2022, 9, 211-221.	7.4	47
23	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. Epidemiology and Psychiatric Sciences, 2016, 25, 532-540.	3.9	46
24	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. Acta Psychiatrica Scandinavica, 2018, 138, 253-266.	4.5	44
25	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. PLoS ONE, 2018, 13, e0201371.	2.5	44
26	Immersive Virtual Reality Applications in Schizophrenia Spectrum Therapy: A Systematic Review. International Journal of Environmental Research and Public Health, 2020, 17, 6111.	2.6	40
27	Cannabinoids for People with ASD: A Systematic Review of Published and Ongoing Studies. Brain Sciences, 2020, 10, 572.	2.3	35
28	Role of the Transforming-Growth-Factor- β 21 Gene in Late-Onset Alzheimer's Disease: Implications for the Treatment. Current Genomics, 2013, 14, 147-156.	1.6	33
29	BDNF concentration and impulsiveness level in post-traumatic stress disorder. Psychiatry Research, 2015, 229, 814-818.	3.3	32
30	Pathways to mental health care in Italy: Results from a multicenter study. International Journal of Social Psychiatry, 2014, 60, 508-513.	3.1	28
31	The Impact of General Medical Conditions in Obsessive-Compulsive Disorder. Psychiatry Investigation, 2018, 15, 246-253.	1.6	28
32	Detecting Domestic Violence: Italian Validation of Revised Conflict Tactics Scale (CTS-2). Journal of Family Violence, 2014, 29, 361-369.	3.3	26
33	First-generation antipsychotics and QTc: any role for mediating variables?. Human Psychopharmacology, 2016, 31, 313-318.	1.5	24
34	Self-Reported Autistic Traits Using the AQ: A Comparison between Individuals with ASD, Psychosis, and Non-Clinical Controls. Brain Sciences, 2020, 10, 291.	2.3	21
35	S-Adenosyl-L-Methionine Augmentation in Patients with Stage II Treatment-Resistant Major Depressive Disorder: An Open Label, Fixed Dose, Single-Blind Study. Scientific World Journal, 2013, 2013, 1-5.	2.1	20
36	Autistic Traits and Attention-Deficit Hyperactivity Disorder Symptoms Predict the Severity of Internet Gaming Disorder in an Italian Adult Population. Brain Sciences, 2021, 11, 774.	2.3	20

#	ARTICLE	IF	CITATIONS
37	Unblending Borderline Personality and Bipolar Disorders. <i>Journal of Psychiatric Research</i> , 2017, 91, 90-97.	3.1	19
38	The effect of adjunctive nutraceuticals in bipolar disorder: A systematic review of randomized placebo-controlled trials. <i>Journal of Affective Disorders</i> , 2019, 252, 334-349.	4.1	19
39	What kind of diagnosis in a case of mobbing: post-traumatic stress disorder or adjustment disorder?. <i>BMJ Case Reports</i> , 2013, 2013, bcr2013010080-bcr2013010080.	0.5	18
40	Perceived insecurity, mental health and urbanization: Results from a multicentric study. <i>International Journal of Social Psychiatry</i> , 2016, 62, 252-261.	3.1	18
41	The possible involvement of mitochondrial dysfunctions in Lewy body dementia: a systematic review. <i>Functional Neurology</i> , 2015, 30, 151-8.	1.3	18
42	Second-to-Fourth Digit Ratio (2D:4D) in Psychiatric Disorders: A Systematic Review of Case-control Studies. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 26-45.	2.0	17
43	Smoking Cessation and Reduction in Schizophrenia (SCARIS) with e-cigarette: study protocol for a randomized control trial. <i>Trials</i> , 2014, 15, 88.	1.6	16
44	Asenapine in the management of impulsivity and aggressiveness in bipolar disorder and comorbid borderline personality disorder. <i>International Clinical Psychopharmacology</i> , 2018, 33, 121-130.	1.7	15
45	Flank pain caused by slipping rib syndrome. <i>Lancet, The</i> , 2014, 383, 844.	13.7	14
46	Selective Serotonin Reuptake Inhibitors and Serotonin and Noradrenaline Reuptake Inhibitors Improve Cognitive Function in Partial Responders Depressed Patients: Results from a Prospective Observational Cohort Study. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016, 15, 1290-1298.	1.4	14
47	Sleep Quality, Perceived Stress, and Caffeinated Drinks Intake in Psychiatry Residents: A Cross-Sectional Study. <i>Journal of Caffeine Research</i> , 2017, 7, 18-22.	0.9	13
48	Off-Label Use of Second-generation Antipsychotics in Bipolar Disorder: A Survey of Italian Psychiatrists. <i>Journal of Psychiatric Practice</i> , 2019, 25, 318-327.	0.7	12
49	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136.	2.6	12
50	Off-Label Use of Second-Generation Antipsychotics in Borderline Personality Disorder: A Survey of Italian Psychiatrists. <i>Journal of Personality Disorders</i> , 2021, 35, 321-335.	1.4	12
51	The effect of cocoa-rich products on depression, anxiety, and mood: A systematic review and meta-analysis. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 7905-7916.	10.3	11
52	Mood disorders and outcomes in lung cancer patients undergoing surgery: a brief summery. <i>Future Oncology</i> , 2020, 16, 41-44.	2.4	10
53	Depression, PTSD and alexithymia in victims of intimate partner violence: a case-control study. <i>Revista De Psiquiatria Clinica</i> , 2020, 47, 45-50.	0.6	9
54	Episodic Abdominal and Chest Pain in a Young Adult. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 1746.	7.4	8

#	ARTICLE	IF	CITATIONS
55	Venlafaxine augmentation with agomelatine in a patient with obsessive-compulsive disorder and suicidal behaviors. <i>SAGE Open Medical Case Reports</i> , 2014, 2, 2050313X1456177.	0.3	7
56	Prevalence of Post-Traumatic Stress Disorder Among Asylum Seekers in Italy: A Population-Based Survey in Sicily. <i>Journal of Immigrant and Minority Health</i> , 2020, 22, 634-638.	1.6	7
57	Pramipexole induced psychosis in a patient with restless legs syndrome. <i>BMJ Case Reports</i> , 2013, 2013, bcr2013009716-bcr2013009716.	0.5	7
58	Psychological well-being and family distress of Italian caregivers during the COVID-19 outbreak. <i>Journal of Community Psychology</i> , 2022, 50, 2243-2259.	1.8	7
59	Italian Study on Depressive Disorders (STudio Italiano MAattia Depressiva, or STIMA-D): A Nationwide Snapshot of the Status of Treatment for Major Depression. <i>Pharmacopsychiatry</i> , 2014, 47, 105-110.	3.3	6
60	Modulation of a number of genes on personality traits in a sample of healthy subjects. <i>Neuroscience Letters</i> , 2014, 566, 320-325.	2.1	6
61	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 82-89.	2.4	6
62	The Italian Version of the Borderline Personality Disorder Severity Index IV: Psychometric Properties, Clinical Usefulness, and Possible Diagnostic Implications. <i>Journal of Personality Disorders</i> , 2018, 32, 207-219.	1.4	5
63	Can Topiramate Induce Pruritus? A Case Report and Review of Literature. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015, 14, 309-312.	1.4	5
64	Never too late to be anxious: validation of the Geriatric Anxiety Inventory, Italian version. <i>Clinica Terapeutica</i> , 2017, 168, e120-e127.	0.3	5
65	What about temperature? Haloperidol-induced hypothermia. <i>BMJ Case Reports</i> , 2013, 2013, bcr2013200321-bcr2013200321.	0.5	4
66	Gene expression profiling and qRT-PCR expression of RRP1B, PCNT, KIF21A and ADRB2 in leucocytes of Downâ€™s syndrome subjects. <i>Journal of Genetics</i> , 2014, 93, 18-23.	0.7	4
67	The Psychological Impact of the COVID-19 Lockdown: A Comparison between Caregivers of Autistic and Non-Autistic Individuals in Italy. <i>Brain Sciences</i> , 2022, 12, 116.	2.3	4
68	Risk Perception among Psychiatric Patients during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2620.	2.6	4
69	Prevalence and Factors Associated With PTSD-Like Symptoms Linked to the COVID-19 Pandemic Among Patients With Major Depressive Disorders Seeking Emergency Care. <i>Journal of Nervous and Mental Disease</i> , 2022, 210, 246-248.	1.0	3
70	Adherence to, and Persistence of, Antidepressant Therapy in Patients with Major Depressive Disorder: Results from a Population-based Study in Italy. <i>Current Neuropharmacology</i> , 2023, 21, 727-739.	2.9	3
71	Efficacy and safety of fluoxetine monotherapy in bipolar depression: a systematic review. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1065-1075.	1.8	2
72	Psychometric properties of the Autism Spectrum Disorder in Adults Screening Questionnaire (ASDASQ) in a sample of Italian psychiatric outpatients. <i>Research in Autism Spectrum Disorders</i> , 2020, 78, 101668.	1.5	2

#	ARTICLE	IF	CITATIONS
73	Long-acting second-generation and oral antipsychotics for substance use disorders and psychotic symptoms: Prescribing attitudes among Italian psychiatrists. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 1700-1706.	1.9	2
74	Psychopathological outcomes and defence mechanisms in clinically healed adults with a paediatric cancer history: an exploratory study. <i>Annals of General Psychiatry</i> , 2021, 34, e100307.	3.1	2
75	Existing and emerging smoking cessation options for people with schizophrenia spectrum disorders. <i>Journal of Addictive Diseases</i> , 2018, 37, 279-290.	1.3	1
76	I disturbi sessuali nel DSM 5. Aspetti relazionali tra vecchie e nuove diagnosi. <i>Quaderni Di Gestalt</i> , 2014, , 58-64.	0.1	1
77	Antidepressant Prescription for Major Depressive Disorder: Results from a Population-Based Study in Italy. <i>Current Neuropharmacology</i> , 2022, 20, 2381-2392.	2.9	1
78	Validation of the Glasgow Antipsychotic Side-Effect Scale (GASS) in an Italian Sample of Patients with Stable Schizophrenia and Bipolar Spectrum Disorders. <i>Brain Sciences</i> , 2022, 12, 891.	2.3	1