# Noboru Hasegawa

List of Publications by Year
in descending order



| 19 | 313 | 933447 10 | 888059 17 |
|---|---|---|---|
| papers | citations | h-index | g-index |

| 19 | 19 | 19 | 397 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Powdered green tea has antilipogenic effect on Zucker rats fed a high-fat diet. Phytotherapy Research, 2003, 17, 477-480. | 5.8 | 69 |
| 2 | Garcinia extract inhibits lipid droplet accumulation without affecting adipose conversion in 3T3-L1 cells. Phytotherapy Research, 2001, 15, 172-173. | 5.8 | 36 |
| 3 | (â€)â€epigallocatechinâ€3â€gallate reduces experimental colon injury in rats by regulating macrophage and mast cell. Phytotherapy Research, 2010, 24, S120-2. | 5.8 | 32 |
| 4 | Effect of Powdered Green Tea and Its Caffeine Content on Lipogenesis and Lipolysis in 3T3-L1 Cell. Journal of Health Science, 2000, 46, 153-155. | 0.9 | 21 |
| 5 | Vitamin C is one of the lipolytic substances in green tea. Phytotherapy Research, 2002, 16, 91-92. | 5.8 | 21 |
| 6 | Effects of green tea catechin-induced lipolysis on cytosol glycerol content in differentiated 3T3-L1 cells. Phytotherapy Research, 2004, 18, 945-946. | 5.8 | 21 |
| 7 | Superoxide dismutase activity enhanced by green tea inhibits lipid accumulation in 3T3-L1 cells. Phytotherapy Research, 2003, 17, 566-567. | 5.8 | 18 |
| 8 | Inhibition of Lipogenesis by pycnogenol. Phytotherapy Research, 2000, 14, 472-473. | 5.8 | 14 |
| 9 | Protective Effect of (-)-Epigallocatechin Gallate on Acute Experimental Colitis. Journal of Health Science, 2005, 51, 362-364. | 0.9 | 14 |
| 10 | Improved effect of Pycnogenol<sup>Â®</sup> on impaired spatial memory function in partial androgen deficiency rat model. Phytotherapy Research, 2009, 23, 840-843. | 5.8 | 13 |
| 11 | Acceleration of lipid degradation by sericoside ofTerminalia sericea roots in Fully differentiated 3T3-L1 cells. Phytotherapy Research, 2006, 20, 1020-1021. | 5.8 | 10 |
| 12 | Pycnogenol Ameliorates Depression-Like Behavior in Repeated Corticosterone-Induced Depression Mice Model. BioMed Research International, 2014, 2014, 1-4. | 1.9 | 10 |
| 13 | Pycnogenol stimulates lipolysis in 3t3-L1 cells via stimulation of?-receptor mediated activity. Phytotherapy Research, 2004, 18, 1029-1030. | 5.8 | 9 |
| 14 | Anti-inflammatory Effect of Extract of Terminalia Sericea Roots in an Experimental Model of Colitis. Journal of Health Science, 2007, 53, 329-331. | 0.9 | 8 |
| 15 | Protective Effect of PycnogenolÂ® on Ovariectomyâ€induced Bone Loss in Rats. Phytotherapy Research, 2012, 26, 153-155. | 5.8 | 8 |
| 16 | Stimulation of lipolysis by pycnogenol. , 1999, 13, 619-620. | | 5 |
| 17 | Pycnogenol increases the probability of the contraction state in chick embryonic cardiomyocytes, indicating inotropic effects. Phytotherapy Research, 2007, 21, 181-182. | 5.8 | 3 |
| 18 | Metabolic Effect of Exercise in Ovariectomized Mature Multiparous Rats. Journal of Health Science, 2005, 51, 731-733. | 0.9 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Treadmill Exercise Improves Impaired Spatial Memory Function in Partial androgen Deficiency Rat Model. Journal of Sports Science and Medicine, 2011, 10, 596-7. | 1.6 | 0 |