

Noboru Hasegawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3998331/publications.pdf>

Version: 2024-02-01

19
papers

313
citations

933447

10
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

397
citing authors

#	ARTICLE	IF	CITATIONS
1	Pycnogenol Ameliorates Depression-Like Behavior in Repeated Corticosterone-Induced Depression Mice Model. <i>BioMed Research International</i> , 2014, 2014, 1-4.	1.9	10
2	Protective Effect of Pycnogenol® on Ovariectomy-Induced Bone Loss in Rats. <i>Phytotherapy Research</i> , 2012, 26, 153-155.	5.8	8
3	Treadmill Exercise Improves Impaired Spatial Memory Function in Partial androgen Deficiency Rat Model. <i>Journal of Sports Science and Medicine</i> , 2011, 10, 596-7.	1.6	0
4	(-)-Epigallocatechin gallate reduces experimental colon injury in rats by regulating macrophage and mast cell. <i>Phytotherapy Research</i> , 2010, 24, S120-2.	5.8	32
5	Improved effect of Pycnogenol® on impaired spatial memory function in partial androgen deficiency rat model. <i>Phytotherapy Research</i> , 2009, 23, 840-843.	5.8	13
6	Anti-inflammatory Effect of Extract of Terminalia Sericea Roots in an Experimental Model of Colitis. <i>Journal of Health Science</i> , 2007, 53, 329-331.	0.9	8
7	Pycnogenol increases the probability of the contraction state in chick embryonic cardiomyocytes, indicating inotropic effects. <i>Phytotherapy Research</i> , 2007, 21, 181-182.	5.8	3
8	Acceleration of lipid degradation by sericoside of Terminalia sericea roots in Fully differentiated 3T3-L1 cells. <i>Phytotherapy Research</i> , 2006, 20, 1020-1021.	5.8	10
9	Protective Effect of (-)-Epigallocatechin Gallate on Acute Experimental Colitis. <i>Journal of Health Science</i> , 2005, 51, 362-364.	0.9	14
10	Metabolic Effect of Exercise in Ovariectomized Mature Multiparous Rats. <i>Journal of Health Science</i> , 2005, 51, 731-733.	0.9	1
11	Effects of green tea catechin-induced lipolysis on cytosol glycerol content in differentiated 3T3-L1 cells. <i>Phytotherapy Research</i> , 2004, 18, 945-946.	5.8	21
12	Pycnogenol stimulates lipolysis in 3t3-L1 cells via stimulation of β -receptor mediated activity. <i>Phytotherapy Research</i> , 2004, 18, 1029-1030.	5.8	9
13	Powdered green tea has antilipogenic effect on Zucker rats fed a high-fat diet. <i>Phytotherapy Research</i> , 2003, 17, 477-480.	5.8	69
14	Superoxide dismutase activity enhanced by green tea inhibits lipid accumulation in 3T3-L1 cells. <i>Phytotherapy Research</i> , 2003, 17, 566-567.	5.8	18
15	Vitamin C is one of the lipolytic substances in green tea. <i>Phytotherapy Research</i> , 2002, 16, 91-92.	5.8	21
16	Garcinia extract inhibits lipid droplet accumulation without affecting adipose conversion in 3T3-L1 cells. <i>Phytotherapy Research</i> , 2001, 15, 172-173.	5.8	36
17	Effect of Powdered Green Tea and Its Caffeine Content on Lipogenesis and Lipolysis in 3T3-L1 Cell. <i>Journal of Health Science</i> , 2000, 46, 153-155.	0.9	21
18	Inhibition of Lipogenesis by pycnogenol. <i>Phytotherapy Research</i> , 2000, 14, 472-473.	5.8	14

#	ARTICLE	IF	CITATIONS
19	Stimulation of lipolysis by pycnogenol. , 1999, 13, 619-620.		5