

Jerome Etienne

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3998956/jerome-etienne-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202
papers

21,587
citations

65
h-index

145
g-index

209
ext. papers

23,849
ext. citations

8
avg, IF

5.94
L-index

#	Paper	IF	Citations
202	Prognostic factors of severe community-acquired staphylococcal pneumonia in France. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	2
201	New host shift from human to cows within <i>Staphylococcus aureus</i> involved in bovine mastitis and nasal carriage of animal's caretakers. <i>Veterinary Microbiology</i> , 2018 , 223, 173-180	3.3	17
200	High levels of <i>Staphylococcus aureus</i> and MRSA carriage in healthy population of Algiers revealed by additional enrichment and multisite screening. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 1521-1529	5.3	7
199	Ribosomal Mutations Conferring Macrolide Resistance in <i>Legionella pneumophila</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	16
198	<i>Staphylococcus aureus</i> infective endocarditis versus bacteremia strains: Subtle genetic differences at stake. <i>Infection, Genetics and Evolution</i> , 2015 , 36, 524-530	4.5	34
197	Hidden Selection of Bacterial Resistance to Fluoroquinolones In Vivo: The Case of <i>Legionella pneumophila</i> and Humans. <i>EBioMedicine</i> , 2015 , 2, 1179-85	8.8	25
196	Antibiotic susceptibility and molecular epidemiology of Panton-Valentine leukocidin-positive methicillin-resistant <i>Staphylococcus aureus</i> : An international survey. <i>Journal of Global Antimicrobial Resistance</i> , 2014 , 2, 43-47	3.4	3
195	β-Hemolysin, not Panton-Valentine leukocidin, impacts rabbit mortality from severe sepsis with methicillin-resistant <i>Staphylococcus aureus</i> osteomyelitis. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1773-80	7.80	23
194	Evaluation of the BD GeneOhm methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) assay as a method for detection of MRSA isolates, using a large collection of European and North African isolates. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 4372-4	9.7	
193	Comparative analyses of <i>Legionella</i> species identifies genetic features of strains causing Legionnaires' disease. <i>Genome Biology</i> , 2014 , 15, 505	18.3	65
192	Comparative analyses of <i>Legionella</i> species identifies genetic features of strains causing Legionnaires' disease 2014 , 15, 505		49
191	Outbreak of Skin Infections Due to Panton-Valentine Leukocidin-Positive Methicillin-Susceptible <i>Staphylococcus aureus</i> in a French Prison in 2010-2011. <i>PLOS Currents</i> , 2014 , 6,		8
190	Prediction of the origin of French <i>Legionella pneumophila</i> strains using a mixed-genome microarray. <i>BMC Genomics</i> , 2013 , 14, 435	4.5	4
189	Effects of subinhibitory concentrations of antibiotics on virulence factor expression by community-acquired methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 1524-32	5.1	58
188	Major West Indies MRSA clones in human beings: do they travel with their hosts?. <i>Journal of Travel Medicine</i> , 2013 , 20, 283-8	12.9	10
187	Severe leukopenia in <i>Staphylococcus aureus</i> -necrotizing, community-acquired pneumonia: risk factors and impact on survival. <i>BMC Infectious Diseases</i> , 2013 , 13, 359	4	16
186	Panton-Valentine leucocidin and pneumonia. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 566	25.5	14

185	Inflammasome activation restricts Legionella pneumophila replication in primary microglial cells through flagellin detection. <i>Glia</i> , 2013 , 61, 539-49	9	33
184	Skin findings of Staphylococcus aureus toxin-mediated infection in relation to toxin encoding genes. <i>Pediatric Infectious Disease Journal</i> , 2013 , 32, 727-30	3.4	10
183	The high diversity of MRSA clones detected in a university hospital in Istanbul. <i>International Journal of Medical Sciences</i> , 2013 , 10, 1740-5	3.7	14
182	PSMs of hypervirulent Staphylococcus aureus act as intracellular toxins that kill infected osteoblasts. <i>PLoS ONE</i> , 2013 , 8, e63176	3.7	77
181	Clonal complex 398 methicillin susceptible Staphylococcus aureus: a frequent unspecialized human pathogen with specific phenotypic and genotypic characteristics. <i>PLoS ONE</i> , 2013 , 8, e68462	3.7	29
180	Basic rules of hygiene protect health care and lab workers from nasal colonization by Staphylococcus aureus: an international cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e82851	3.7	12
179	Staphylococcus epidermidis in orthopedic device infections: the role of bacterial internalization in human osteoblasts and biofilm formation. <i>PLoS ONE</i> , 2013 , 8, e67240	3.7	51
178	Identification of Legionella in clinical samples. <i>Methods in Molecular Biology</i> , 2013 , 954, 27-56	1.4	35
177	Assessment of cellular immune parameters in paediatric toxic shock syndrome: a report of five cases. <i>FEMS Immunology and Medical Microbiology</i> , 2012 , 66, 116-9		4
176	Evaluation of propidium monoazide (PMA) treatment directly on membrane filter for the enumeration of viable but non cultivable Legionella by qPCR. <i>Journal of Microbiological Methods</i> , 2012 , 88, 319-21	2.8	45
175	Clonal complexes and virulence factors of Staphylococcus aureus from several cities in India. <i>BMC Microbiology</i> , 2012 , 12, 64	4.5	63
174	Methicillin-resistant Staphylococcus capitis with reduced vancomycin susceptibility causes late-onset sepsis in intensive care neonates. <i>PLoS ONE</i> , 2012 , 7, e31548	3.7	75
173	Rise of CC398 lineage of Staphylococcus aureus among infective endocarditis isolates revealed by two consecutive population-based studies in France. <i>PLoS ONE</i> , 2012 , 7, e51172	3.7	26
172	Macrolide-resistant Bordetella pertussis infection in newborn girl, France. <i>Emerging Infectious Diseases</i> , 2012 , 18, 966-8	10.2	60
171	Legionella pneumophila sequence type 1/Paris pulsotype subtyping by spoligotyping. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 696-701	9.7	47
170	Long-term use of tetracycline and Staphylococcus aureus tetracycline resistance: not only a problem of acne. <i>Archives of Dermatology</i> , 2012 , 148, 402		4
169	Ceftobiprole efficacy in vitro against Panton-Valentine leukocidin production and in vivo against community-associated methicillin-resistant Staphylococcus aureus osteomyelitis in rabbits. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 6291-7	5.9	11
168	Detection of Staphylococcus aureus delta-toxin production by whole-cell MALDI-TOF mass spectrometry. <i>PLoS ONE</i> , 2012 , 7, e40660	3.7	52

167	Rifampicin-macrolide synergy against <i>Legionella pneumophila</i> serogroup 1 in human macrophages using a quantitative real-time PCR assay. <i>International Journal of Antimicrobial Agents</i> , 2011 , 38, 188-9	14.3	5
166	A novel flow cytometry-based assay for the quantification of <i>Staphylococcus aureus</i> adhesion to and invasion of eukaryotic cells. <i>Journal of Microbiological Methods</i> , 2011 , 86, 145-9	2.8	26
165	A history of Panton-Valentine leukocidin (PVL)-associated infection protects against death in PVL-associated pneumonia. <i>Vaccine</i> , 2011 , 29, 4185-6	4.1	23
164	Progress in the surveillance and control of <i>Legionella</i> infection in France, 1998-2008. <i>International Journal of Infectious Diseases</i> , 2011 , 15, e30-7	10.5	45
163	T-cell response to superantigen restimulation during menstrual toxic shock syndrome. <i>FEMS Immunology and Medical Microbiology</i> , 2011 , 62, 368-71		6
162	Extensive recombination events and horizontal gene transfer shaped the <i>Legionella pneumophila</i> genomes. <i>BMC Genomics</i> , 2011 , 12, 536	4.5	104
161	Impact of sub-inhibitory antibiotics on fibronectin-mediated host cell adhesion and invasion by <i>Staphylococcus aureus</i> . <i>BMC Microbiology</i> , 2011 , 11, 263	4.5	32
160	Extended-Spectrum β -Lactamase-producing <i>Escherichia coli</i> in Neonatal Care Unit. <i>Emerging Infectious Diseases</i> , 2011 , 17, 1153-1153	10.2	4
159	Beta-lactams interfering with PBP1 induce Panton-Valentine leukocidin expression by triggering <i>sarA</i> and rot global regulators of <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 3261-71	5.9	50
158	Panton-valentine leukocidin-positive and toxic shock syndrome toxin 1-positive methicillin-resistant <i>Staphylococcus aureus</i> : a French multicenter prospective study in 2008. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1734-9	5.9	41
157	Molecular epidemiology of Panton-Valentine leukocidin-positive <i>Staphylococcus aureus</i> in Spain: emergence of the USA300 clone in an autochthonous population. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 433-6	9.7	44
156	Panton-Valentine leukocidin-positive <i>Staphylococcus aureus</i> strains are associated with follicular skin infections. <i>Dermatology</i> , 2011 , 222, 167-70	4.4	24
155	Adhesin and superantigen genes and the capacity of <i>Staphylococcus aureus</i> to colonize the infantile gut. <i>Journal of Infectious Diseases</i> , 2011 , 204, 714-21	7	29
154	Panton-Valentine leukocidin does play a role in the early stage of <i>Staphylococcus aureus</i> skin infections: a rabbit model. <i>PLoS ONE</i> , 2011 , 6, e22864	3.7	69
153	Bacterial contamination rate of the anterior chamber during cataract surgery using conventional culture and eubacterial PCR. <i>European Journal of Ophthalmology</i> , 2010 , 20, 365-9	1.9	9
152	The Panton-Valentine leukocidin is a virulence factor in a murine model of necrotizing pneumonia. <i>Journal of Infectious Diseases</i> , 2010 , 201, 967-9; author reply 969-70	7	13
151	Rapid detection of <i>Staphylococcus aureus</i> Panton-Valentine leukocidin in clinical specimens by enzyme-linked immunosorbent assay and immunochromatographic tests. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 1384-90	9.7	45
150	Prompt and successful toxin-targeting treatment of three patients with necrotizing pneumonia due to <i>Staphylococcus aureus</i> strains carrying the Panton-Valentine leukocidin genes. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 1952-5	9.7	48

149	Global distribution and evolution of Panton-Valentine leukocidin-positive methicillin-susceptible <i>Staphylococcus aureus</i> , 1981-2007. <i>Journal of Infectious Diseases</i> , 2010 , 201, 1589-97	7	110
148	Toxin profiling of <i>Staphylococcus aureus</i> strains involved in varicella superinfection. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 1696-700	9.7	18
147	Rapid identification of <i>Legionella</i> species by mass spectrometry. <i>Journal of Medical Microbiology</i> , 2010 , 59, 273-284	3.2	51
146	Polymorphonuclear leukocytes mediate <i>Staphylococcus aureus</i> Panton-Valentine leukocidin-induced lung inflammation and injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5587-92	11.5	265
145	Immunogenicity of toxins during <i>Staphylococcus aureus</i> infection. <i>Clinical Infectious Diseases</i> , 2010 , 50, 61-8	11.6	56
144	A histidine-to-arginine substitution in Panton-Valentine leukocidin from USA300 community-acquired methicillin-resistant <i>Staphylococcus aureus</i> does not impair its leukotoxicity. <i>Infection and Immunity</i> , 2010 , 78, 260-4	3.7	11
143	Analysis of the <i>Legionella longbeachae</i> genome and transcriptome uncovers unique strategies to cause Legionnaires' disease. <i>PLoS Genetics</i> , 2010 , 6, e1000851	6	126
142	Lethal necrotizing pneumonia caused by an ST398 <i>Staphylococcus aureus</i> strain. <i>Emerging Infectious Diseases</i> , 2010 , 16, 1330	10.2	58
141	Panton-valentine leukocidin enhances the severity of community-associated methicillin-resistant <i>Staphylococcus aureus</i> rabbit osteomyelitis. <i>PLoS ONE</i> , 2009 , 4, e7204	3.7	89
140	Primary skin abscesses are mainly caused by Panton-Valentine leukocidin-positive <i>Staphylococcus aureus</i> strains. <i>Dermatology</i> , 2009 , 219, 299-302	4.4	44
139	Host-related risk factors and clinical features of community-acquired legionnaires disease due to the Paris and Lorraine endemic strains, 1998-2007, France. <i>Clinical Infectious Diseases</i> , 2009 , 49, 184-91	11.6	33
138	<i>Staphylococcus aureus</i> superantigens elicit redundant and extensive human Vbeta patterns. <i>Infection and Immunity</i> , 2009 , 77, 2043-50	3.7	59
137	Evaluation of a nested-PCR-derived sequence-based typing method applied directly to respiratory samples from patients with Legionnaires' disease. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 981-7	9.7	41
136	Early kinetics of the transcriptional response of human leukocytes to staphylococcal superantigenic enterotoxins A and G. <i>Microbial Pathogenesis</i> , 2009 , 47, 171-6	3.8	8
135	Sudden death caused by <i>Staphylococcus aureus</i> carrying Panton-Valentine leukocidin gene in a young girl. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	3
134	The signal peptide of <i>Staphylococcus aureus</i> panton valentine leukocidin LukS component mediates increased adhesion to heparan sulfates. <i>PLoS ONE</i> , 2009 , 4, e5042	3.7	20
133	Fatal nosocomial <i>Legionella pneumophila</i> infection due to exposure to contaminated water from a washbasin in a hematology unit. <i>Infection Control and Hospital Epidemiology</i> , 2008 , 29, 1091-3	2	14
132	Emergence of a new clone carrying Panton-Valentine leukocidin genes and staphylococcal cassette chromosome mec type V among methicillin-resistant <i>Staphylococcus aureus</i> in Greece. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 368-72		20

131	Virulence potential of <i>Staphylococcus aureus</i> strains isolated from diabetic foot ulcers: a new paradigm. <i>Diabetes Care</i> , 2008 , 31, 2318-24	14.6	66
130	Panton-Valentine leukocidin, exfoliative toxins, and skin infections. <i>Archives of Dermatology</i> , 2008 , 144, 1069-70; author reply 1070		
129	A PCR-based method for monitoring <i>Legionella pneumophila</i> in water samples detects viable but noncultivable legionellae that can recover their cultivability. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 4817-24	4.8	86
128	Polymorphism of the <i>Staphylococcus aureus</i> Panton-Valentine leukocidin genes and its possible link with the fitness of community-associated methicillin-resistant <i>S. aureus</i> . <i>Journal of Infectious Diseases</i> , 2008 , 198, 792-4	7	21
127	Comparison of adhesion and virulence of two predominant hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> clones and clonal methicillin-susceptible <i>S. aureus</i> isolates. <i>Infection and Immunity</i> , 2008 , 76, 5133-8	3.7	21
126	Association of necrotizing pneumonia with Panton-Valentine leukocidin-producing <i>Staphylococcus aureus</i> , regardless of methicillin resistance. <i>Clinical Infectious Diseases</i> , 2008 , 47, 985-6	11.6	27
125	Multigenome analysis identifies a worldwide distributed epidemic <i>Legionella pneumophila</i> clone that emerged within a highly diverse species. <i>Genome Research</i> , 2008 , 18, 431-41	9.7	131
124	Epidemiology of invasive methicillin-resistant <i>Staphylococcus aureus</i> clones collected in France in 2006 and 2007. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 3454-8	9.7	93
123	Differences in potential for selection of clindamycin-resistant mutants between inducible <i>erm(A)</i> and <i>erm(C)</i> <i>Staphylococcus aureus</i> genes. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 546-50	9.7	30
122	First case of intrafamily transmission of a new MRSA clone with toxic shock syndrome toxin-1. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 675-6		1
121	Early diagnosis of staphylococcal toxic shock syndrome by detection of the TSST-1 Vbeta signature in peripheral blood of a 12-year-old boy. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 274-7	3.4	14
120	Lorraine strain of <i>Legionella pneumophila</i> serogroup 1, France. <i>Emerging Infectious Diseases</i> , 2008 , 14, 673-5	10.2	25
119	In vivo effect of adhesion inhibitor heparin on <i>Legionella pneumophila</i> pathogenesis in a murine pneumonia model. <i>Intensive Care Medicine</i> , 2008 , 34, 1511-9	14.5	11
118	Les infections communautaires <i>Staphylococcus aureus</i> en p�diatrie : �mergence des staphylocoques dor� r�sistants � la m�ticilline d'origine communautaire. <i>Revue Francophone Des Laboratoires</i> , 2008 , 2008, 71-80	0	
117	Methicillin-susceptible, doxycycline-resistant <i>Staphylococcus aureus</i> , C�te d'Ivoire. <i>Emerging Infectious Diseases</i> , 2007 , 13, 488-90	10.2	20
116	Childhood pustular psoriasis associated with Panton-Valentine leukocidin-producing <i>Staphylococcus aureus</i> . <i>Pediatric Dermatology</i> , 2007 , 24, 401-4	1.9	20
115	Virulence determinants in community and hospital methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Hospital Infection</i> , 2007 , 65 Suppl 2, 105-9	6.9	85
114	Effect of antibiotics on <i>Staphylococcus aureus</i> producing Panton-Valentine leukocidin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 1515-9	5.9	147

113	Factors predicting mortality in necrotizing community-acquired pneumonia caused by <i>Staphylococcus aureus</i> containing Panton-Valentine leukocidin. <i>Clinical Infectious Diseases</i> , 2007 , 45, 315-21	11.6	233
112	Identification of the capsular polysaccharides in <i>Staphylococcus aureus</i> clinical isolates by PCR and agglutination tests. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 725-9	9.7	63
111	Integrated real-time PCR for detection and monitoring of <i>Legionella pneumophila</i> in water systems. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 1452-6	4.8	64
110	Combination of multiplex PCRs for staphylococcal cassette chromosome mec type assignment: rapid identification system for mec, ccr, and major differences in junkyard regions. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 264-74	5.9	732
109	Staphylococcal Enterotoxin-Like Toxins U2 and V, Two New Staphylococcal Superantigens Arising from Recombination within the Enterotoxin Gene Cluster. <i>Infection and Immunity</i> , 2007 , 75, 2088-2088	3.7	78
108	Molecular characterization of methicillin-resistant <i>Staphylococcus aureus</i> isolates collected in Asunción, Paraguay. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 2298-300	9.7	16
107	Global distribution of Panton-Valentine leukocidin--positive methicillin-resistant <i>Staphylococcus aureus</i> , 2006. <i>Emerging Infectious Diseases</i> , 2007 , 13, 594-600	10.2	315
106	Pediatric bone and joint infections caused by Panton-Valentine leukocidin-positive <i>Staphylococcus aureus</i> . <i>Pediatric Infectious Disease Journal</i> , 2007 , 26, 1042-8	3.4	156
105	Polymerase chain reaction identification in aqueous humor of patients with postoperative endophthalmitis. <i>Journal of Cataract and Refractive Surgery</i> , 2007 , 33, 635-41	2.3	38
104	Zinc-dependent cytoadherence of <i>Legionella pneumophila</i> to human alveolar epithelial cells in vitro. <i>Microbial Pathogenesis</i> , 2007 , 43, 234-42	3.8	9
103	<i>Staphylococcus aureus</i> Panton-Valentine leukocidin causes necrotizing pneumonia. <i>Science</i> , 2007 , 315, 1130-3	33.3	583
102	Panton-Valentine leukocidin-producing <i>Staphylococcus aureus</i> infections: report of 4 French cases. <i>Scandinavian Journal of Infectious Diseases</i> , 2006 , 38, 192-5		19
101	Toxin gene content of the Lyon methicillin-resistant <i>Staphylococcus aureus</i> clone compared with that of other pandemic clones. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 2642-4	9.7	27
100	Detection of methicillin-resistant <i>Staphylococcus aureus</i> strains resistant to multiple antibiotics and carrying the Panton-Valentine leukocidin genes in an Algiers hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 1083-5	5.9	81
99	Staphylococcal enterotoxin-like toxins U2 and V, two new staphylococcal superantigens arising from recombination within the enterotoxin gene cluster. <i>Infection and Immunity</i> , 2006 , 74, 4724-34	3.7	139
98	Clonal distribution and differential occurrence of the enterotoxin gene cluster, egc, in carriage-versus bacteremia-associated isolates of <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2006 , 44, 1555-7	9.7	59
97	Detection of new methicillin-resistant <i>Staphylococcus aureus</i> clones containing the toxic shock syndrome toxin 1 gene responsible for hospital- and community-acquired infections in France. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 847-53	9.7	97
96	Toxic shock syndrome toxin-1 challenges the neuroprotective functions of the choroidal epithelium and induces neurotoxicity. <i>Journal of Infectious Diseases</i> , 2006 , 194, 341-9	7	9

95	Comparative inflammatory properties of staphylococcal superantigenic enterotoxins SEA and SEG: implications for septic shock. <i>Journal of Leukocyte Biology</i> , 2006 , 80, 753-8	6.5	40
94	Growth-phase-dependent mobility of the <i>lvh</i> -encoding region in <i>Legionella pneumophila</i> strain Paris. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 3561-3568	2.9	35
93	Rapid <i>Staphylococcus aureus</i> agr type determination by a novel multiplex real-time quantitative PCR assay. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 1892-5	9.7	32
92	Quantitative real-time <i>Legionella</i> PCR for environmental water samples: data interpretation. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 2801-8	4.8	102
91	A community-wide outbreak of legionnaires disease linked to industrial cooling towers--how far can contaminated aerosols spread?. <i>Journal of Infectious Diseases</i> , 2006 , 193, 102-11	7	208
90	Staphylococcal superantigens of the enterotoxin gene cluster (<i>egc</i>) for treatment of stage IIIb non-small cell lung cancer with pleural effusion. <i>Clinics in Chest Medicine</i> , 2006 , 27, 321-34	5.3	11
89	community-acquired infection with healthcare-associated methicillin-resistant <i>Staphylococcus aureus</i> : the role of home nursing care. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 1213-8	2	38
88	Pneumonia and new methicillin-resistant <i>Staphylococcus aureus</i> clone. <i>Emerging Infectious Diseases</i> , 2006 , 12, 498-500	10.2	46
87	Characterization of the <i>Legionella anisa</i> population structure by pulsed-field gel electrophoresis. <i>FEMS Microbiology Letters</i> , 2006 , 258, 204-7	2.9	6
86	Analysis of the genetic diversity of <i>Legionella</i> by sequencing the 23S-5S ribosomal intergenic spacer region: from phylogeny to direct identification of isolates at the species level from clinical specimens. <i>Microbes and Infection</i> , 2006 , 8, 73-83	9.3	21
85	Clinical manifestations of staphylococcal scalded-skin syndrome depend on serotypes of exfoliative toxins. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 1890-3	9.7	92
84	Thermonuclease gene as a target for specific identification of <i>Staphylococcus intermedius</i> isolates: use of a PCR-DNA enzyme immunoassay. <i>Diagnostic Microbiology and Infectious Disease</i> , 2005 , 51, 237-44	2.9	23
83	<i>Staphylococcus aureus</i> RNAIII and the endoribonuclease III coordinately regulate <i>spa</i> gene expression. <i>EMBO Journal</i> , 2005 , 24, 824-35	13	272
82	Virulence determinants in <i>Staphylococcus aureus</i> and their involvement in clinical syndromes. <i>Current Infectious Disease Reports</i> , 2005 , 7, 420-8	3.9	63
81	Sarm: Données Épidémiologiques Récentes Et Évolution De La Résistance. <i>Revue Francophone Des Laboratoires</i> , 2005 , 2005, 75-79	0	2
80	Methicillin-resistant <i>Staphylococcus aureus</i> in neonatal intensive care unit. <i>Emerging Infectious Diseases</i> , 2005 , 11, 453-6	10.2	98
79	Community associated methicillin-resistant <i>Staphylococcus aureus</i> , Singapore. <i>Emerging Infectious Diseases</i> , 2005 , 11, 341-2	10.2	31
78	Comparative prevalence of superantigen genes in <i>Staphylococcus aureus</i> isolates causing sepsis with and without septic shock. <i>Clinical Infectious Diseases</i> , 2005 , 41, 771-7	11.6	110

77	Panton-Valentine leukocidin: a marker of severity for <i>Staphylococcus aureus</i> infection?. <i>Clinical Infectious Diseases</i> , 2005 , 41, 591-3	11.6	47
76	Clinical and environmental isolates of <i>Legionella pneumophila</i> serogroup 1 cannot be distinguished by sequence analysis of two surface protein genes and three housekeeping genes. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 282-9	4.8	25
75	Consensus sequence-based scheme for epidemiological typing of clinical and environmental isolates of <i>Legionella pneumophila</i> . <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2047-52	9.7	255
74	Frequent carriage of Panton-Valentine leukocidin genes by <i>Staphylococcus aureus</i> isolates from surgically drained abscesses. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 3203-7	9.7	44
73	<i>Staphylococcus aureus</i> Panton-Valentine leukocidin directly targets mitochondria and induces Bax-independent apoptosis of human neutrophils. <i>Journal of Clinical Investigation</i> , 2005 , 115, 3117-27	15.9	273
72	Community-acquired methicillin-resistant <i>Staphylococcus aureus</i> isolated in Switzerland contains the Panton-Valentine leukocidin or exfoliative toxin genes. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 825-8	9.7	102
71	Clinical and environmental distributions of <i>Legionella</i> strains in France are different. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 458-60	9.7	155
70	<i>Staphylococcus aureus</i> isolates associated with necrotizing pneumonia bind to basement membrane type I and IV collagens and laminin. <i>Journal of Infectious Diseases</i> , 2004 , 190, 1506-15	7	79
69	Neutralization of <i>Staphylococcus aureus</i> Panton Valentine leukocidin by intravenous immunoglobulin in vitro. <i>Journal of Infectious Diseases</i> , 2004 , 189, 346-53	7	152
68	Two cases of fatal shock after transfusion of platelets contaminated by <i>Staphylococcus aureus</i> : role of superantigenic toxins. <i>Clinical Infectious Diseases</i> , 2004 , 39, e106-9	11.6	8
67	<i>Staphylococcus aureus</i> isolates with reduced susceptibility to glycopeptides belong to accessory gene regulator group I or II. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 1024-7	5.9	32
66	Specific identification of <i>Staphylococcus aureus</i> by Staphychrom II, a rapid chromogenic staphylocoagulase test. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 1962-4	9.7	4
65	Evidence in the <i>Legionella pneumophila</i> genome for exploitation of host cell functions and high genome plasticity. <i>Nature Genetics</i> , 2004 , 36, 1165-73	36.3	508
64	Rapid detection of Panton-Valentine leukocidin from clinical isolates of <i>Staphylococcus aureus</i> strains by real-time PCR. <i>FEMS Microbiology Letters</i> , 2004 , 240, 225-8	2.9	34
63	Use of multiplex PCR to identify <i>Staphylococcus aureus</i> adhesins involved in human hematogenous infections. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 4465-7	9.7	186
62	<i>Legionella pneumophila</i> serogroup 1 strain Paris: endemic distribution throughout France. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 3320-2	9.7	36
61	Community-acquired methicillin-resistant <i>Staphylococcus aureus</i> carrying Panton-Valentine leukocidin genes: worldwide emergence. <i>Emerging Infectious Diseases</i> , 2003 , 9, 978-84	10.2	1371
60	Life-threatening hemoptysis in adults with community-acquired pneumonia due to Panton-Valentine leukocidin-secreting <i>Staphylococcus aureus</i> . <i>Intensive Care Medicine</i> , 2003 , 29, 1840-3	14.5	79

59	A nosocomial outbreak of <i>Legionella pneumophila</i> caused by contaminated transesophageal echocardiography probes. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 619-22	2	37
58	Bacterial competition for human nasal cavity colonization: role of Staphylococcal agr alleles. <i>Applied and Environmental Microbiology</i> , 2003 , 69, 18-23	4.8	284
57	Inactivation of mprF affects vancomycin susceptibility in <i>Staphylococcus aureus</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2003 , 1621, 117-21	4	51
56	Comparison of community- and health care-associated methicillin-resistant <i>Staphylococcus aureus</i> infection. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 2976-84	27.4	1230
55	Staphylococcal exanthematous disease in a newborn due to a virulent methicillin-resistant <i>Staphylococcus aureus</i> strain containing the TSST-1 gene in Europe: an alert for neonatologists. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 4883-4	9.7	34
54	Molecular diagnosis of infective endocarditis by PCR amplification and direct sequencing of DNA from valve tissue. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 763-6	9.7	149
53	High genetic variability of the agr locus in <i>Staphylococcus</i> species. <i>Journal of Bacteriology</i> , 2002 , 184, 1180-6	3.5	163
52	Community-acquired methicillin-resistant <i>Staphylococcus aureus</i> infections in France: emergence of a single clone that produces Panton-Valentine leukocidin. <i>Clinical Infectious Diseases</i> , 2002 , 35, 819-24 ^{11.6}	11.6	419
51	Population diversity of <i>Staphylococcus intermedius</i> isolates from various host species: typing by 16S-23S intergenic ribosomal DNA spacer polymorphism analysis. <i>Journal of Clinical Microbiology</i> , 2002 , 40, 2275-7	9.7	26
50	<i>Staphylococcus aureus</i> contains two low-molecular-mass phosphotyrosine protein phosphatases. <i>Journal of Bacteriology</i> , 2002 , 184, 5194-9	3.5	37
49	Changing profile of infective endocarditis: results of a 1-year survey in France. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 75-81	27.4	626
48	Relationships between <i>Staphylococcus aureus</i> genetic background, virulence factors, agr groups (alleles), and human disease. <i>Infection and Immunity</i> , 2002 , 70, 631-41	3.7	846
47	Association between <i>Staphylococcus aureus</i> strains carrying gene for Panton-Valentine leukocidin and highly lethal necrotising pneumonia in young immunocompetent patients. <i>Lancet, The</i> , 2002 , 359, 753-9	40	1671
46	Identification of <i>Legionella</i> species by ribotyping and other molecular methods. <i>Research in Microbiology</i> , 2002 , 153, 679-86	4	10
45	International multicenter evaluation of latex agglutination tests for identification of <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2001 , 39, 86-9	9.7	48
44	Enterotoxigenic potential of <i>Staphylococcus intermedius</i> . <i>Applied and Environmental Microbiology</i> , 2001 , 67, 5551-7	4.8	68
43	Clinical isolate of vancomycin-heterointermediate <i>Staphylococcus aureus</i> susceptible to methicillin and in vitro selection of a vancomycin-resistant derivative. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 349-52	5.9	53
42	egc, a highly prevalent operon of enterotoxin gene, forms a putative nursery of superantigens in <i>Staphylococcus aureus</i> . <i>Journal of Immunology</i> , 2001 , 166, 669-77	5.3	404

41	Fitness and competitive growth advantage of new gentamicin-susceptible MRSA clones spreading in French hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2001 , 47, 277-83	5.1	74
40	Rapid identification of clinically relevant <i>Legionella</i> spp. by analysis of transfer DNA intergenic spacer length polymorphism. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 162-9	9.7	14
39	Phage conversion of Panton-Valentine leukocidin in <i>Staphylococcus aureus</i> : molecular analysis of a PVL-converting phage, phiSLT. <i>Gene</i> , 2001 , 268, 195-206	3.8	161
38	Probing the structure of RNAIII, the <i>Staphylococcus aureus</i> agr regulatory RNA, and identification of the RNA domain involved in repression of protein A expression. <i>Rna</i> , 2000 , 6, 668-79	5.8	129
37	European resorts at risk of <i>Legionella</i> . <i>Lancet, The</i> , 2000 , 356, 2100-1	4.0	2
36	Multicenter evaluation of epidemiological typing of methicillin-resistant <i>Staphylococcus aureus</i> strains by repetitive-element PCR analysis. The European Study Group on Epidemiological Markers of the ESCMID. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 3527-33	9.7	69
35	Isolation of <i>Legionella oakridgensis</i> from two patients with pleural effusion living in the same geographical area. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 3128-30	9.7	16
34	Distribution of genes encoding resistance to macrolides, lincosamides, and streptogramins among staphylococci. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 1062-6	5.9	383
33	<i>Legionella taurinensis</i> sp. nov., a new species antigenically similar to <i>Legionella spiritensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999 , 49 Pt 2, 397-403	2.2	31
32	A multicenter evaluation of genotypic methods for the epidemiologic typing of <i>Legionella pneumophila</i> serogroup 1: results of a pan-European study. <i>Clinical Microbiology and Infection</i> , 1999 , 5, 462-477	9.5	64
31	Involvement of Panton-Valentine leukocidin-producing <i>Staphylococcus aureus</i> in primary skin infections and pneumonia. <i>Clinical Infectious Diseases</i> , 1999 , 29, 1128-32	11.6	1930
30	Distribution of <i>Staphylococcus sciuri</i> subspecies among human clinical specimens, and profile of antibiotic resistance. <i>Research in Microbiology</i> , 1999 , 150, 531-41	4	41
29	Emergence and spread in French hospitals of methicillin-resistant <i>Staphylococcus aureus</i> with increasing susceptibility to gentamicin and other antibiotics. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 3452-7	9.7	84
28	Involvement of enterotoxins G and I in staphylococcal toxic shock syndrome and staphylococcal scarlet fever. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 2446-9	9.7	151
27	Single clonal origin of a high proportion of <i>Legionella pneumophila</i> serogroup 1 isolates from patients and the environment in the area of Paris, France, over a 10-year period. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 2652-5	9.7	59
26	Transmembrane topology and histidine protein kinase activity of AgrC, the agr signal receptor in <i>Staphylococcus aureus</i> . <i>Molecular Microbiology</i> , 1998 , 28, 655-62	4.1	222
25	Role of the preaxillary flora in pacemaker infections: a prospective study. <i>Circulation</i> , 1998 , 97, 1791-5	16.7	151
24	trans-complementation of a <i>Staphylococcus aureus</i> agr mutant by <i>Staphylococcus lugdunensis</i> agr RNAIII. <i>Journal of Bacteriology</i> , 1998 , 180, 5780-3	3.5	21

23	Comparative analysis of infrequent-restriction-site PCR and pulsed-field gel electrophoresis for epidemiological typing of Legionella pneumophila serogroup 1 strains. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 161-7	9.7	39
22	Identification of Legionella species by random amplified polymorphic DNA profiles. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 3193-7	9.7	28
21	Detection of staphylococcal superantigenic toxins by a CD69-specific cytofluorimetric assay measuring T-cell activation. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 1042-5	9.7	21
20	Assessment of resolution and intercenter reproducibility of results of genotyping Staphylococcus aureus by pulsed-field gel electrophoresis of SmaI macrorestriction fragments: a multicenter study. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 1653-9	9.7	149
19	Outbreak of Staphylococcus schleiferi wound infections: strain characterization by randomly amplified polymorphic DNA analysis, PCR ribotyping, conventional ribotyping, and pulsed-field gel electrophoresis. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 2214-9	9.7	42
18	Haemophilus endocarditis: report of 42 cases in adults and review. Haemophilus Endocarditis Study Group. <i>Clinical Infectious Diseases</i> , 1997 , 24, 1087-94	11.6	75
17	Toxin involvement in staphylococcal scalded skin syndrome. <i>Clinical Infectious Diseases</i> , 1997 , 25, 1369-73	11.6	87
16	Distribution of the synergistic haemolysin genes hld and slush with respect to agr in human staphylococci. <i>FEMS Microbiology Letters</i> , 1997 , 151, 139-44	2.9	32
15	Fulminant myocardial failure in a previously healthy young man. <i>Circulation</i> , 1997 , 95, 1654-7	16.7	14
14	Nucleic acid sequence and affiliation of pLUG10, a novel cadmium resistance plasmid from Staphylococcus lugdunensis. <i>Plasmid</i> , 1996 , 36, 1-8	3.3	18
13	Comparison of infective endocarditis in patients with and without previously recognized heart disease. <i>American Journal of Cardiology</i> , 1996 , 77, 1134-7	3	14
12	Bartonella (Rochalimaea) quintana endocarditis in three homeless men. <i>New England Journal of Medicine</i> , 1995 , 332, 419-23	59.2	292
11	Infections caused by newly-described species of coagulase-negative staphylococci. <i>Reviews in Medical Microbiology</i> , 1995 , 6, 94-100	1.1	14
10	Role of bacteriophages in genomic variability of related coagulase-negative staphylococci. <i>FEMS Microbiology Letters</i> , 1993 , 109, 273-277	2.9	19
9	Agr-related sequences in Staphylococcus lugdunensis. <i>FEMS Microbiology Letters</i> , 1993 , 111, 115-22	2.9	79
8	Infective endocarditis due to Staphylococcus capitis. <i>Clinical Infectious Diseases</i> , 1992 , 15, 173-4	11.6	23
7	Cadmium-resistance plasmid in Staphylococcus lugdunensis. <i>FEMS Microbiology Letters</i> , 1992 , 99, 59-63	2.9	6
6	Characterization of staphylococcal plasmids hybridizing with the fosfomycin resistance gene fosB. <i>FEMS Microbiology Letters</i> , 1991 , 68, 119-22	2.9	18

5	Plasmid profiles and genomic DNA restriction endonuclease patterns of 30 independent <i>Staphylococcus lugdunensis</i> strains. <i>FEMS Microbiology Letters</i> , 1990 , 67, 93-98	2.9	19
4	<i>Corynebacterium</i> group JK endocarditis after dental extraction under antibiotic cover. <i>Journal of Infection</i> , 1988 , 17, 188-9	18.9	7
3	Toxin-Mediated Syndromes 484-496		1
2	Biology and Pathogenicity of Staphylococci Other than <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> 572-586		
1	Distribution of the synergistic haemolysin genes <i>hld</i> and <i>sluH</i> with respect to <i>agr</i> in human staphylococci		1