Horng-Yih Ou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4000071/publications.pdf

Version: 2024-02-01

623734 610901 40 661 14 24 citations g-index h-index papers 41 41 41 1174 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Glycaemic control mediates the relationships of employment status and selfâ€stigma with selfâ€care behaviours in young adults with type 2 diabetes. Journal of Clinical Nursing, 2022, 31, 582-591.	3.0	3
2	Associations between GDF15 Levels and Pre-Diabetes in Non-Obese Subjects. Journal of Investigative Medicine, 2022, 70, 79-84.	1.6	2
3	Beyond Sarcopenia: older adults with type II diabetes mellitus tend to experience an elevated risk of poor dynamic balanceâ€"a caseâ€"control study. BMC Geriatrics, 2022, 22, 138.	2.7	6
4	Letter to the Editor From Chang Villacreses et al: "Effects of Vitamin D Supplementation on Insulin Sensitivity and Secretion in Prediabetes― Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3086-e3087.	3.6	2
5	Coral Hydrate, a Novel Antioxidant, Improves Alcohol Intoxication in Mice. Antioxidants, 2022, 11, 1290.	5.1	1
6	The Serum Concentrations of Hedgehog-Interacting Protein, a Novel Biomarker, Were Decreased in Overweight or Obese Subjects. Journal of Clinical Medicine, 2021, 10, 742.	2.4	4
7	Low Preoperative Mean Platelet Volume/Platelet Count Ratio Indicates Worse Prognosis in Non-Metastatic Renal Cell Carcinoma. Journal of Clinical Medicine, 2021, 10, 3676.	2.4	3
8	Conundrum of vitamin D on glucose and fuel homeostasis. World Journal of Diabetes, 2021, 12, 1363-1385.	3.5	3
9	The Role of Hemoglobin A1C in Diabetes Screening and Diabetic Retinopathy. Journal of Clinical Medicine, 2021, 10, 4947.	2.4	0
10	Discovery of a role of the novel hepatokine, hepassocin, in obesity. BioFactors, 2020, 46, 100-105.	5 . 4	12
11	Role of placental fibrinogen-like protein 1 in gestational diabetes. Translational Research, 2020, 218, 73-80.	5.0	24
12	Prothymosin α activates type I collagen to develop a fibrotic placenta in gestational diabetes. Clinical Science, 2020, 134, 2435-2445.	4.3	1
13	Serum vascular adhesion protein-1 is up-regulated in hyperglycemia and is associated with incident diabetes negatively. International Journal of Obesity, 2019, 43, 512-522.	3.4	12
14	Elevated Hedgehog-Interacting Protein Levels in Subjects with Prediabetes and Type 2 Diabetes. Journal of Clinical Medicine, 2019, 8, 1635.	2.4	10
15	Diabetes-related kidney, eye, and foot disease in Taiwan: An analysis of nationwide data from 2005 to 2014. Journal of the Formosan Medical Association, 2019, 118, S103-S110.	1.7	22
16	Serum Secretogranin III Concentrations Were Increased in Subjects with Metabolic Syndrome and Independently Associated with Fasting Plasma Glucose Levels. Journal of Clinical Medicine, 2019, 8, 1436.	2.4	4
17	<i>Helicobacter pylori</i> eradication improves glycemic control in typeÂ2 diabetes patients with asymptomatic active <i>Helicobacter pylori</i> infection. Journal of Diabetes Investigation, 2019, 10, 1092-1101.	2.4	21
18	Unsaturated Fatty Acids Increase the Expression of Hepassocin through a Signal Transducer and Activator of Transcription 3â€Dependent Pathway in HepG2 Cells. Lipids, 2018, 53, 863-869.	1.7	10

#	Article	IF	CITATIONS
19	Ten days of levofloxacin-containing concomitant therapy can achieve effective <i>Helicobacter pylori</i> eradication in patients with type 2 diabetes. Annals of Medicine, 2017, 49, 479-486.	3.8	7
20	The Hepatic Protection Effects of Hepassocin in Hyperglycemic Crisis. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2407-2415.	3.6	24
21	Male non-insulin users with type 2 diabetes mellitus are predisposed to gastric corpus-predominant inflammation after H. pylori infection. Journal of Biomedical Science, 2017, 24, 82.	7.0	7
22	Fenretinide inhibits macrophage inflammatory mediators and controls hypertension in spontaneously hypertensive rats via the peroxisome proliferator-activated receptor gamma pathway. Drug Design, Development and Therapy, 2016, Volume 10, 3591-3597.	4.3	28
23	Comparison of the Current Diagnostic Criterion of HbA1c with Fasting and 2-Hour Plasma Glucose Concentration. Journal of Diabetes Research, 2016, 2016, 1-11.	2.3	32
24	A novel hepatokine, HFREP1, plays a crucial role in the development of insulin resistance and type 2 diabetes. Diabetologia, 2016, 59, 1732-1742.	6.3	70
25	Viral Hepatitis and Diabetes: Clinical Implications of Diabetes Prevention Through Hepatitis Vaccination. Current Diabetes Reports, 2016, 16, 101.	4.2	8
26	Diabetes prevention through prevention of hepatitis B. Hepatology, 2016, 64, 987-988.	7.3	2
27	Proposed Guidelines for Future Vitamin D Studies. JAMA Internal Medicine, 2016, 176, 280.	5.1	2
28	Cardiotrophin-1 is inversely associated with obesity in non-diabetic individuals. Scientific Reports, 2015, 5, 17438.	3.3	15
29	The Impact of Hepatitis B Vaccination Status on the Risk of Diabetes, Implicating Diabetes Risk Reduction by Successful Vaccination. PLoS ONE, 2015, 10, e0139730.	2.5	12
30	Prothymosin-α Overexpression Contributes to the Development of Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4114-4123.	3.6	13
31	Comment on Erondu et al. Diabetic Ketoacidosis and Related Events in the Canagliflozin Type 2 Diabetes Clinical Program. Diabetes Care 2015;38:1680–1686. Diabetes Care, 2015, 38, e198-e198.	8.6	1
32	Association of insulin resistance with serum ferritin and aminotransferases-iron hypothesis. World Journal of Experimental Medicine, 2015, 5, 232.	1.7	7
33	Achieving glycemic control in elderly patients with type 2 diabetes: a critical comparison of current options. Clinical Interventions in Aging, 2014, 9, 1963.	2.9	54
34	In Vivo and In Vitro Anti-Tumor Effects of Fungal Extracts. Molecules, 2014, 19, 2546-2556.	3.8	41
35	Activation of free fatty acid receptor 1 improves hepatic steatosis through a p38-dependent pathway. Journal of Molecular Endocrinology, 2014, 53, $165-174$.	2.5	13
36	Endoplasmic Reticulum Stress Induces the Expression of Fetuin-A to Develop Insulin Resistance. Endocrinology, 2012, 153, 2974-2984.	2.8	58

#	Article	IF	CITATION
37	Plasma 25-Hydroxyvitamin D Levels Are Favorably Associated With \hat{I}^2 -Cell Function. Pancreas, 2012, 41, 863-868.	1.1	37
38	Serum fetuinâ€A concentrations are elevated in subjects with impaired glucose tolerance and newly diagnosed type 2 diabetes. Clinical Endocrinology, 2011, 75, 450-455.	2.4	54
39	Interaction of BMI with vitamin D and insulin sensitivity. European Journal of Clinical Investigation, 2011, 41, 1195-1201.	3.4	28
40	Variability of clinical presentations in three cases of parathyroid carcinoma. Journal of the Formosan Medical Association, 2003, 102, 266-9.	1.7	8