

Oscar Rubem Klegues Montedo

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/4000080/oscar-rubem-klegues-montedo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

906
citations

18
h-index

26
g-index

110
ext. papers

1,222
ext. citations

3.1
avg, IF

4.61
L-index

#	Paper	IF	Citations
102	A review of two-step sintering for ceramics. <i>Ceramics International</i> , 2016 , 42, 12556-12572	5.1	97
101	Mechanical properties of recycled PET fibers in concrete. <i>Materials Research</i> , 2012 , 15, 679-686	1.5	78
100	Wastes from pulp and paper mills - a review of generation and recycling alternatives. <i>Ceramica</i> , 2018 , 64, 443-453	1	50
99	The use of ceramic sludge and recycled glass to obtain engobes for manufacturing ceramic tiles. <i>Journal of Cleaner Production</i> , 2015 , 86, 461-470	10.3	42
98	Effect of temperature and holding time on the densification of alumina obtained by two-step sintering. <i>Ceramics International</i> , 2017 , 43, 8269-8275	5.1	39
97	Waste-containing clinkers: Valorization of alternative mineral sources from pulp and paper mills. <i>Chemical Engineering Research and Design</i> , 2017 , 109, 106-116	5.5	29
96	Multilayered ceramic composites - a review. <i>Advances in Applied Ceramics</i> , 2015 , 114, 127-138	2.3	29
95	Wear performance of alumina-based ceramics - a review of the influence of microstructure on erosive wear. <i>Ceramica</i> , 2015 , 61, 88-103	1	29
94	Antibacterial and photocatalytic activity of ZnO nanoparticles from Zn(OH) ₂ dehydrated by azeotropic distillation, freeze drying, and ethanol washing. <i>Advanced Powder Technology</i> , 2017 , 28, 463-472	4.6	26
93	Alumina-Based Ceramics for Armor Application: Mechanical Characterization and Ballistic Testing. <i>Journal of Ceramics</i> , 2014 , 2014, 1-6		26
92	Sintering kinetics of a 18.8Li ₂ O 8.3ZrO ₂ 64.2SiO ₂ 8.7Al ₂ O ₃ glass ceramic. <i>Ceramics International</i> , 2011 , 37, 1865-1871	5.1	23
91	Permeability of porous ceramic based on calcium carbonate as pore generating agent. <i>Ceramics International</i> , 2015 , 41, 4782-4788	5.1	21
90	Sintering behavior of LZSA glass-ceramics. <i>Materials Research</i> , 2009 , 12, 197-200	1.5	21
89	Ballistic performance of Al ₂ O ₃ mosaic armors with gap-filling materials. <i>Ceramics International</i> , 2017 , 43, 2697-2704	5.1	20
88	Aluminum anodizing waste and its uses: An overview of potential applications and market opportunities. <i>Waste Management</i> , 2019 , 84, 286-301	8.6	20
87	Mechanical and toxicological evaluation of concrete artifacts containing waste foundry sand. <i>Waste Management</i> , 2014 , 34, 1495-500	8.6	19
86	Crystallisation Kinetics of a Spodumene-Based Glass Ceramic. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-8	1.5	18

85	Photocatalytic pathway on the degradation of methylene blue from aqueous solutions using magnetite nanoparticles. <i>Journal of Cleaner Production</i> , 2021 , 318, 128556	10.3	18
84	Development of new geopolymers based on stone cutting waste. <i>Construction and Building Materials</i> , 2020 , 257, 119525	6.7	15
83	Ballistic ceramics and analysis of their mechanical properties for armour applications: A review. <i>Ceramics International</i> , 2021 , 47, 8743-8761	5.1	15
82	Azeotropic distillation, ethanol washing, and freeze drying on coprecipitated gels for production of high surface area 3Y-ZP and 8YSZ powders: A comparative study. <i>Ceramics International</i> , 2015 , 41, 14148-14156	5.1	13
81	Influence of Fe ₂ O ₃ content on the dielectric behavior of aluminous porcelain insulators. <i>Ceramics International</i> , 2013 , 39, 7323-7330	5.1	13
80	Extruded ZrSiO ₄ particulate-reinforced LZSA glass-ceramics matrix composite. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 1134-1142	5.3	13
79	Crystallization kinetic and thermal and electrical properties of β-spodumeness/cordierite glass-ceramics. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 355-362	4.1	12
78	Evaluation of electrical properties of glass-ceramics obtained from mill scale. <i>Materials Research Bulletin</i> , 2015 , 72, 90-97	5.1	12
77	Effect of MgO-Al ₂ O ₃ -SiO ₂ glass-ceramic as sintering aid on properties of alumina armors. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 781, 139237	5.3	11
76	Effect of a LZSA glass-ceramic addition on the sintering behavior of alumina. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016 , 124, 241-249	4.1	11
75	Roll Pressed LZSA Glass-Ceramics. <i>Advances in Science and Technology</i> , 2006 , 45, 442-446	0.1	10
74	New ion-exchanged zeolite derivatives: antifungal and antimycotoxin properties against <i>Aspergillus flavus</i> and aflatoxin B1. <i>Materials Research Express</i> , 2017 , 4, 085401	1.7	9
73	Influence of the Length and the Content of Cellulose Fibers Obtained from Sugarcane Bagasse on the Mechanical Properties of Fiber-Reinforced Mortar Composites. <i>Journal of Natural Fibers</i> , 2021 , 18, 111-121	1.8	9
72	Densified alumina obtained by two-step sintering: Impact of the microstructure on mechanical properties. <i>Ceramics International</i> , 2020 , 46, 12740-12743	5.1	7
71	Comparison of Methods for Determining the Water Absorption of Glazed Porcelain Stoneware Ceramic Tiles. <i>Materials Research</i> , 2017 , 20, 637-643	1.5	7
70	Sintering and crystallization of plates prepared from coarse glass ceramic frits. <i>Ceramics International</i> , 2013 , 39, 9137-9144	5.1	7
69	CHARACTERIZATION OF PULP AND PAPER MILL WASTE FOR THE PRODUCTION OF WASTE-BASED CEMENT. <i>Revista Internacional De Contaminacion Ambiental</i> , 2019 , 35, 237-246	1.2	7
68	Use of mechanically-activated kaolin to replace ball clay in engobe for a ceramic tile. <i>Ceramica</i> , 2017 , 63, 295-302	1	6

67	Structural and fluid dynamic characterization of calcium carbonate-based porous ceramics. <i>Materials Research</i> , 2013 , 16, 1439-1448	1.5	6
66	Lightweight high-strength concrete with the use of waste cenosphere as fine aggregate. <i>Revista Materia</i> , 2019 , 24,	0.8	6
65	Microstructural development and electrical behavior during crystallization of iron-rich glass-ceramics obtained from mill scale. <i>Ceramics International</i> , 2017 , 43, 11864-11873	5.1	5
64	Antifungal activities against toxigenic <i>Fusarium</i> specie and deoxynivalenol adsorption capacity of ion-exchanged zeolites. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2018 , 53, 184-190	2.2	5
63	Improving physical properties of cubic InO _{1.5} -stabilized zirconia by alloying with MoO ₃ . <i>Journal of Alloys and Compounds</i> , 2016 , 685, 593-603	5.7	5
62	The effect of microstructural features on the mechanical properties of LZSA glass-ceramic matrix composites. <i>Ceramica</i> , 2013 , 59, 351-359	1	5
61	New waste-based supplementary cementitious materials: Mortars and concrete formulations. <i>Construction and Building Materials</i> , 2020 , 240, 117877	6.7	5
60	Zeolites-containing geopolymers obtained from biomass fly ash: Influence of temperature, composition, and porosity. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 803-815	3.8	5
59	Assessment of the recycling potential of stone processing plant wastes based on physicochemical features and market opportunities. <i>Journal of Cleaner Production</i> , 2021 , 319, 128678	10.3	5
58	Coefficients of static and dynamic friction of ceramic floor tiles: proposal of new method of surface roughness determination. <i>International Journal of Metrology and Quality Engineering</i> , 2019 , 10, 4	0.6	4
57	The Influence of Dopants in the Grain Size of Alumina - A Review. <i>Materials Science Forum</i> , 2015 , 820, 280-284	0.4	4
56	Effect of LZSA Glass-Ceramic Addition on Pressureless Sintered Alumina. Part I: Grain Growth. <i>Materials Research</i> , 2017 , 20, 1024-1028	1.5	4
55	Kinetics of the oxidation reactions and decomposition of pyrite. <i>Ceramica</i> , 2017 , 63, 39-43	1	4
54	Crystallization Kinetics of Iron Rich Glass-Ceramic Obtained from Waste of Steel Industry. <i>Materials Science Forum</i> , 2014 , 775-776, 244-249	0.4	4
53	Synthesis and characterization of Li ₂ TiSiO ₅ obtained by melting and solid-state reaction. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 463-467	4.1	3
52	Strengthened surface crystallized 19.6Li ₂ O·1.0ZrO ₂ ·69.4SiO ₂ and 20.0Li ₂ O·6.7ZrO ₂ ·68.9SiO ₂ ·4.4Al ₂ O ₃ glass-ceramics. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 751, 62-69	5.3	3
51	Sinterabilidade de pó de precursor vitrocerâmico do sistema LZSA tratados por troca iônica. <i>Química Nova</i> , 2012 , 35, 689-693	1.6	3
50	Vitrocerâmicas porosas do sistema LZSA utilizando resíduos orgânicos como agentes formadores de poros DOI: 10.5585/exacta.v4i2.757. <i>Exacta</i> , 2006 , 4, 289-296	1	3

49	Thermal Behavior of Pyrite in the CO ₂ and N ₂ Atmosphere for Obtaining Pyrrhotite: A Magnetic Material. <i>Materials Research</i> , 2018 , 21,	1.5	3
48	Multilayered Ceramic Composites – A Review. <i>Materials Science Forum</i> , 2015 , 820, 393-398	0.4	2
47	Mechanical tests and simulation on load sharing in alumina fiber bundles. <i>Ceramics International</i> , 2015 , 41, 13257-13263	5.1	2
46	Estudo de composições cerâmicas base de alumina e vitrocerâmico do sistema LZSA para obtenção de estruturas multicamadas por tape casting. <i>Ceramica</i> , 2017 , 63, 178-186	1	2
45	Efeito da adição de resíduo de vidro em massa de cerâmica de alvenaria. <i>Revista Materia</i> , 2019 , 24,	0.8	2
44	Controlling efflorescence in geopolymers: A new approach. <i>Case Studies in Construction Materials</i> , 2021 , 15, e00740	2.7	2
43	Crystallization Kinetics of β-spodumene/Cordierite-Based Glass-Ceramics. <i>Materials Science Forum</i> , 2016 , 881, 83-88	0.4	2
42	Aluminum borophosphate glaze-coated aluminum alloy substrate: Coating properties and coating/substrate coupling. <i>Ceramics International</i> , 2021 , 47, 2050-2057	5.1	2
41	Effect of the Addition of the Waste Generated from the Feldspar Mining on the Obtainment of Ceramic Brick. <i>Materials Science Forum</i> , 2018 , 930, 164-169	0.4	2
40	Obtenção de cerâmicas quimicamente ligadas a partir de resíduos industriais. <i>Ceramica</i> , 2018 , 64, 498-506	1	2
39	Quartz quantification in porcelain stoneware tile formulations by differential scanning calorimetry. <i>Thermochimica Acta</i> , 2021 , 705, 179050	2.9	2
38	Barium carbonate as an agent to improve the electrical properties of neodymium-barium-copper system at high temperature. <i>Journal of Alloys and Compounds</i> , 2015 , 649, 809-814	5.7	1
37	Evaluation of the thermal performance of different cold materials for urban paving. <i>Ceramica</i> , 2017 , 63, 203-209	1	1
36	Structural Refinement by the Rietveld Method on Clinkers Obtained from Waste from Pulp and Paper Mills. <i>Materials Science Forum</i> , 2018 , 912, 175-179	0.4	1
35	Assessment of PCM-Impregnated Zeolite as a Matrix for Latent Heat Storage. <i>Materials Science Forum</i> , 2018 , 912, 87-92	0.4	1
34	Resistance of InO _{1.5} -stabilized tetragonal zirconia polycrystals to low-temperature degradation. <i>Materials Letters</i> , 2016 , 163, 226-230	3.3	1
33	Porous Ceramic Structures Obtained from Calcium Carbonate as Pore Generating Agent. <i>Materials Science Forum</i> , 2014 , 775-776, 755-760	0.4	1
32	Desempenho balístico de estruturas multicamadas base de alumina/epóxi. <i>Ceramica</i> , 2019 , 65, 207-215	1	1

31	Efeito da temperatura de sinterizaçã e da adiã de fibras polimãicas em cerãica porosa obtida a partir de resãduos do processo Kraft. <i>Ceramica</i> , 2019 , 65, 416-425	1	1
30	Anãlise de desempenho de placas cerãicas porosas obtidas com resãduo de vidro e lama de cal para aplicaã em fachadas ventiladas. <i>Ceramica</i> , 2021 , 67, 388-398	1	1
29	Waste valorization of iron ore tailings in Brazil: Assessment metrics from a circular economy perspective. <i>Resources Policy</i> , 2022 , 75, 102477	7.2	1
28	Relationship between Surface Abrasion Wear and Brightness in Glazed Porcelainized Stoneware Tiles 2011 , 2011, 1-8		1
27	Effect of LZSA glass-ceramic addition on the erosive wear of pressureless sintered alumina. <i>REM: International Engineering Journal</i> , 2020 , 73, 179-188	0.4	1
26	Development of translucent ceramic tiles from modified porcelain stoneware tile paste. <i>Journal of Building Engineering</i> , 2021 , 103543	5.2	1
25	Effect of the crystalline layer on the electrical behaviour of 17.7Li ₂ O[5.2ZrO ₂ [68.1SiO ₂ [9.0Al ₂ O ₃ glass ceramic monoliths. <i>Ceramics International</i> , 2021 ,	5.1	1
24	Evolution of tricalcium silicate crystalline phase by differential scanning calorimetry for the development of endodontic calcium silicate-based cements. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4.1	1
23	Combating pathogens with CsHPWO nanoparticles: a new proton-regulated antimicrobial agent. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 143-152	7.3	1
22	Thermal characterization of hydrated eco-friendly clinkers produced from pulp and paper mill waste. <i>Ceramica</i> , 2018 , 64, 311-317	1	1
21	Solid-state reaction in nanoparticulate alumina/LZSA glass-ceramic composites. <i>Ceramica</i> , 2018 , 64, 397-402		1
20	Effect of LZSA Glass-Ceramic Addition on Pressureless Sintered Alumina. Part II: Mechanical Behavior. <i>Materials Research</i> , 2018 , 21,	1.5	1
19	Effects of roughness parameters on slip resistance for different methods used to determine the coefficient of friction for ceramic floor tiles. <i>Ceramics International</i> , 2021 , 47, 24281-24286	5.1	1
18	Nanostructured biological hydroxyapatite from Tilapia bone: A pathway to control crystallite size and crystallinity. <i>Ceramics International</i> , 2021 , 47, 27685-27693	5.1	1
17	Laser-assisted glass-based sealing of polished porcelain stoneware tile surface to increase stain resistance. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3478-3488	6	0
16	Use of Nickel Slag as Raw Material for Roof Tiles Production. <i>Materials Science Forum</i> , 2018 , 912, 212-217.4		0
15	Coarse Aggregates Obtained from Red Mud via Pelletizing Process. <i>Materials Science Forum</i> , 2014 , 798-799, 492-497	0.4	0
14	Single-burn clinkering of endodontic calcium silicate-based cements: Effects of ZnO in the C3S phase formation and hydration rate. <i>Materials Letters</i> , 2022 , 311, 131556	3.3	0

13	Synthesis of chemically bonded porous ceramics from MgO refractory bricks waste. <i>Ceramics International</i> , 2021 , 48, 3426-3426	5.1	0
12	Coal mining pyritic waste in Fenton-like processes: Raw and purified catalysts in Reactive Blue 21 dye discoloration. <i>Science of the Total Environment</i> , 2021 , 807, 150823	10.2	0
11	Facile synthesis of WO _x /ZrO ₂ catalysts using WO ₃ ·H ₂ O precipitate as synthetic precursor of active tungsten species. <i>Materials Today Chemistry</i> , 2020 , 18, 100367	6.2	0
10	Thermal evaluation of the use of porous ceramic plates on ventilated faades - Part II: Thermal behavior. <i>International Journal of Applied Ceramic Technology</i> , 2021 , 18, 1734-1742	2	0
9	Dissolution, bioactivity behavior, and cytotoxicity of 19.58Li ₂ O·1.10ZrO ₂ ·69.32SiO ₂ glass-ceramic. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022 , 110, 67-78	3.5	0
8	Evaluation of the Accelerated Degradation of Mortar in a Ceramic Coating Facade System. <i>Materials Science Forum</i> , 2018 , 912, 65-70	0.4	
7	Obtainment of Porous Ceramic Structures: A Comparison among Different Compositions and Methods of Conformation. <i>Materials Science Forum</i> , 2018 , 912, 224-229	0.4	
6	Iron-Rich Glass-Ceramics Obtained from Mill Scale. <i>Materials Science Forum</i> , 2015 , 820, 411-416	0.4	
5	Technology for Coke Production in Tunnel Kiln from Compacted Coal Powder. <i>Materials Science Forum</i> , 2014 , 775-776, 238-243	0.4	
4	Obtenç e caracterizaç de um vitrocerâmico a base de cordierita. <i>Revista Materia</i> , 2011 , 16, 583-596	0.8	
3	LZS bioactive glass-ceramic scaffolds: Colloidal processing, foam replication technique and mechanical properties to bone tissue engineering. <i>Open Ceramics</i> , 2022 , 9, 100219	3.3	
2	Thermal evaluation of the use of porous ceramic plates on ventilated faades - Part I: Effect of composition and firing temperature on porosity and bending strength. <i>International Journal of Applied Ceramic Technology</i> , 2021 , 18, 2169	2	
1	Permeability of Porous Ceramic Membranes Obtained from Waste of the Coal Extraction Process. <i>Materials Science Forum</i> , 2016 , 881, 357-361	0.4	