Oscar Rubem Klegues Montedo

List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/4000080/oscar-rubem-klegues-montedo-publications-by-year.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102 papers 906 citations

18 h-index 26 g-index

110 ext. papers

1,222 ext. citations

3.1 avg, IF

4.61 L-index

#	Paper	IF	Citations
102	LZS bioactive glass-ceramic scaffolds: Colloidal processing, foam replication technique and mechanical properties to bone tissue engineering. <i>Open Ceramics</i> , 2022 , 9, 100219	3.3	
101	Waste valorization of iron ore tailings in Brazil: Assessment metrics from a circular economy perspective. <i>Resources Policy</i> , 2022 , 75, 102477	7.2	1
100	Single-burn clinkering of endodontic calcium silicate-based cements: Effects of ZnO in the C3S phase formation and hydration rate. <i>Materials Letters</i> , 2022 , 311, 131556	3.3	O
99	Dissolution, bioactivity behavior, and cytotoxicity of 19.58Li O🗈 1.10ZrO 🖰 9.32SiO glass-ceramic. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2022, 110, 67-78	3.5	О
98	Anlise de desempenho de placas cerfhicas porosas obtidas com restiuo de vidro e lama de cal para aplicati em fachadas ventiladas. <i>Ceramica</i> , 2021 , 67, 388-398	1	1
97	Synthesis of chemically bonded porous ceramics from MgOâll refractory bricks waste. <i>Ceramics International</i> , 2021 , 48, 3426-3426	5.1	О
96	Controlling efflorescence in geopolymers: A new approach. <i>Case Studies in Construction Materials</i> , 2021 , 15, e00740	2.7	2
95	Development of translucent ceramic tiles from modified porcelain stoneware tile paste. <i>Journal of Building Engineering</i> , 2021 , 103543	5.2	1
94	Coal mining pyritic waste in Fenton-like processes: Raw and purified catalysts in Reactive Blue 21 dye discoloration. <i>Science of the Total Environment</i> , 2021 , 807, 150823	10.2	O
93	Effect of the crystalline layer on the electrical behaviour of 17.7Li2O[5.2ZrO2[68.1SiO2[9.0Al2O3 glass ceramic monoliths. <i>Ceramics International</i> , 2021 ,	5.1	1
92	Thermal evaluation of the use of porous ceramic plates on ventilated fa\(desa\) desa\(part II: Thermal behavior. International Journal of Applied Ceramic Technology, 2021, 18, 1734-1742	2	O
91	Thermal evaluation of the use of porous ceramic plates on ventilated falldes âlPart I: Effect of composition and firing temperature on porosity and bending strength. <i>International Journal of Applied Ceramic Technology</i> , 2021 , 18, 2169	2	
90	Influence of the Length and the Content of Cellulose Fibers Obtained from Sugarcane Bagasse on the Mechanical Properties of Fiber-Reinforced Mortar Composites. <i>Journal of Natural Fibers</i> , 2021 , 18, 111-121	1.8	9
89	Aluminum borophosphate glaze-coated aluminum alloy substrate: Coating properties and coating/substrate coupling. <i>Ceramics International</i> , 2021 , 47, 2050-2057	5.1	2
88	Zeolites-containing geopolymers obtained from biomass fly ash: Influence of temperature, composition, and porosity. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 803-815	3.8	5
87	Ballistic ceramics and analysis of their mechanical properties for armour applications: A review. <i>Ceramics International</i> , 2021 , 47, 8743-8761	5.1	15
86	Effects of roughness parameters on slip resistance for different methods used to determine the coefficient of friction for ceramic floor tiles. <i>Ceramics International</i> , 2021 , 47, 24281-24286	5.1	1

85	Photocatalytic pathway on the degradation of methylene blue from aqueous solutions using magnetite nanoparticles. <i>Journal of Cleaner Production</i> , 2021 , 318, 128556	10.3	18
84	Assessment of the recycling potential of stone processing plant wastes based on physicochemical features and market opportunities. <i>Journal of Cleaner Production</i> , 2021 , 319, 128678	10.3	5
83	Nanostructured biological hydroxyapatite from Tilapia bone: A pathway to control crystallite size and crystallinity. <i>Ceramics International</i> , 2021 , 47, 27685-27693	5.1	1
82	Quartz quantification in porcelain stoneware tile formulations by differential scanning calorimetry. <i>Thermochimica Acta</i> , 2021 , 705, 179050	2.9	2
81	Development of new geopolymers based on stone cutting waste. <i>Construction and Building Materials</i> , 2020 , 257, 119525	6.7	15
80	Laser-assisted glass-based sealing of polished porcelain stoneware tile surface to increase stain resistance. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3478-3488	6	O
79	Densified alumina obtained by two-step sintering: Impact of the microstructure on mechanical properties. <i>Ceramics International</i> , 2020 , 46, 12740-12743	5.1	7
78	Effect of MgOľAl2O3ľSiO2 glass-ceramic as sintering aid on properties of alumina armors. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 781, 139237	5.3	11
77	Effect of LZSA glass-ceramic addition on the erosive wear of pressureless sintered alumina. <i>REM:</i> International Engineering Journal, 2020 , 73, 179-188	0.4	1
76	New waste-based supplementary cementitious materials: Mortars and concrete formulations. <i>Construction and Building Materials</i> , 2020 , 240, 117877	6.7	5
75	Facile synthesis of WOx/ZrO2 catalysts using WO3lH2O precipitate as synthetic precursor of active tungsten species. <i>Materials Today Chemistry</i> , 2020 , 18, 100367	6.2	0
74	Coefficients of static and dynamic friction of ceramic floor tiles: proposal of new method of surface roughness determination. <i>International Journal of Metrology and Quality Engineering</i> , 2019 , 10, 4	0.6	4
73	Strengthened surface crystallized 19.6Li2OII 1.0ZrO2I69.4SiO2 and 20.0Li2OI6.7ZrO2I68.9SiO2I4.4Al2O3 glass-ceramics. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 751, 62-69	5.3	3
72	Desempenho bal\(\mathbb{E}\)tico de estruturas multicamadas \(\mathbb{D}\)ase de alumina/ep\(\mathbb{E}\)i. \(\mathcal{C}\)eramica, \(\mathcal{2019}\), 65, 207-215	1	1
71	Efeito da temperatura de sinteriza ® e da adi ® de fibras polim ® icas em cer ® ica porosa obtida a partir de res ® uos do processo Kraft. <i>Ceramica</i> , 2019 , 65, 416-425	1	1
70	Efeito da adi l i de res l iuo de vidro em massa de cerlhica de alvenaria. <i>Revista Materia</i> , 2019 , 24,	0.8	2
69	Lightweight high-strength concrete with the use of waste cenosphere as fine aggregate. <i>Revista Materia</i> , 2019 , 24,	0.8	6
68	CHARACTERIZATION OF PULP AND PAPER MILL WASTE FOR THE PRODUCTION OF WASTE-BASED CEMENT. <i>Revista Internacional De Contaminacion Ambiental</i> , 2019 , 35, 237-246	1.2	7

67	Aluminum anodizing waste and its uses: An overview of potential applications and market opportunities. <i>Waste Management</i> , 2019 , 84, 286-301	8.6	20
66	Structural Refinement by the Rietveld Method on Clinkers Obtained from Waste from Pulp and Paper Mills. <i>Materials Science Forum</i> , 2018 , 912, 175-179	0.4	1
65	Evaluation of the Accelerated Degradation of Mortar in a Ceramic Coating Facade System. <i>Materials Science Forum</i> , 2018 , 912, 65-70	0.4	
64	Assessment of PCM-Impregnated Zeolite as a Matrix for Latent Heat Storage. <i>Materials Science Forum</i> , 2018 , 912, 87-92	0.4	1
63	Obtainment of Porous Ceramic Structures: A Comparison among Different Compositions and Methods of Conformation. <i>Materials Science Forum</i> , 2018 , 912, 224-229	0.4	
62	Use of Nickel Slag as Raw Material for Roof Tiles Production. <i>Materials Science Forum</i> , 2018 , 912, 212-21	ъ.4	O
61	Antifungal activities against toxigenic Fusarium specie and deoxynivalenol adsorption capacity of ion-exchanged zeolites. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes,</i> 2018 , 53, 184-190	2.2	5
60	Wastes from pulp and paper mills - a review of generation and recycling alternatives. <i>Ceramica</i> , 2018 , 64, 443-453	1	50
59	Combating pathogens with CsHPWO nanoparticles: a new proton-regulated antimicrobial agent. Journal of Materials Chemistry B, 2018 , 6, 143-152	7.3	1
58	Effect of the Addition of the Waste Generated from the Feldspar Mining on the Obtainment of Ceramic Brick. <i>Materials Science Forum</i> , 2018 , 930, 164-169	0.4	2
57	Thermal characterization of hydrated eco-friendly clinkers produced from pulp and paper mill waste. <i>Ceramica</i> , 2018 , 64, 311-317	1	1
56	Solid-state reaction in nanoparticulate alumina/LZSA glass-ceramic composites. <i>Ceramica</i> , 2018 , 64, 397	- 4 02	1
55	Thermal Behavior of Pyrite in the CO2 and N2 Atmosphere for Obtaining Pyrrhotite: A Magnetic Material. <i>Materials Research</i> , 2018 , 21,	1.5	3
54	Effect of LZSA Glass-Ceramic Addition on Pressureless Sintered Alumina. Part II: Mechanical Behavior. <i>Materials Research</i> , 2018 , 21,	1.5	1
53	Obten ® de cer 	1	2
52	Crystallization kinetic and thermal and electrical properties of Espodumeness/cordierite glassâderamics. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 355-362	4.1	12
51	Synthesis and characterization of Li2TiSiO5 obtained by melting and solid-state reaction. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 463-467	4.1	3
50	Waste-containing clinkers: Valorization of alternative mineral sources from pulp and paper mills. <i>Chemical Engineering Research and Design</i> , 2017 , 109, 106-116	5.5	29

(2015-2017)

49	Microstructural development and electrical behavior during crystalization of iron-rich glass-ceramics obtained from mill scale. <i>Ceramics International</i> , 2017 , 43, 11864-11873	5.1	5
48	Effect of temperature and holding time on the densification of alumina obtained by two-step sintering. <i>Ceramics International</i> , 2017 , 43, 8269-8275	5.1	39
47	Use of mechanically-activated kaolin to replace ball clay in engobe for a ceramic tile. <i>Ceramica</i> , 2017 , 63, 295-302	1	6
46	Comparison of Methods for Determining the Water Absorption of Glazed Porcelain Stoneware Ceramic Tiles. <i>Materials Research</i> , 2017 , 20, 637-643	1.5	7
45	Effect of LZSA Glass-Ceramic Addition on Pressureless Sintered Alumina. Part I: Grain Growth. <i>Materials Research</i> , 2017 , 20, 1024-1028	1.5	4
44	Evaluation of the thermal performance of different cold materials for urban paving. <i>Ceramica</i> , 2017 , 63, 203-209	1	1
43	Kinetics of the oxidation reactions and decomposition of pyrite. Ceramica, 2017, 63, 39-43	1	4
42	New ion-exchanged zeolite derivatives: antifungal and antimycotoxin properties against Aspergillus flavus and aflatoxin B1. <i>Materials Research Express</i> , 2017 , 4, 085401	1.7	9
41	Antibacterial and photocatalytic activity of ZnO nanoparticles from Zn(OH)2 dehydrated by azeotropic distillation, freeze drying, and ethanol washing. <i>Advanced Powder Technology</i> , 2017 , 28, 463	-472	26
40	Ballistic performance of Al2O3 mosaic armors with gap-filling materials. <i>Ceramics International</i> , 2017 , 43, 2697-2704	5.1	20
39	Estudo de composi l s cerlhicas lbase de alumina e vitrocerlhico do sistema LZSA para obten b de estruturas multicamadas por tape casting. <i>Ceramica</i> , 2017 , 63, 178-186	1	2
38	Improving physical properties of cubic InO1.5-stabilized zirconia by alloying with MoO3. <i>Journal of Alloys and Compounds</i> , 2016 , 685, 593-603	5.7	5
37	Effect of a LZSA glass-ceramic addition on the sintering behavior of alumina. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016 , 124, 241-249	4.1	11
36	Resistance of InO1.5-stabilized tetragonal zirconia polycrystals to low-temperature degradation. <i>Materials Letters</i> , 2016 , 163, 226-230	3.3	1
35	Crystallization Kinetics of Espodumene/Cordierite-Based Glass-Ceramics. <i>Materials Science Forum</i> , 2016 , 881, 83-88	0.4	2
34	Permeability of Porous Ceramic Membranes Obtained from Waste of the Coal Extraction Process. <i>Materials Science Forum</i> , 2016 , 881, 357-361	0.4	
33	A review of two-step sintering for ceramics. <i>Ceramics International</i> , 2016 , 42, 12556-12572	5.1	97
32	Multilayered ceramic composites âla review. <i>Advances in Applied Ceramics</i> , 2015 , 114, 127-138	2.3	29

31	Barium carbonate as an agent to improve the electrical properties of neodymium-barium-copper system at high temperature. <i>Journal of Alloys and Compounds</i> , 2015 , 649, 809-814	5.7	1
30	Azeotropic distillation, ethanol washing, and freeze drying on coprecipitated gels for production of high surface area 3YâTZP and 8YSZ powders: A comparative study. <i>Ceramics International</i> , 2015 , 41, 14	148-14	15ể
29	Evaluation of electrical properties of glass-ceramics obtained from mill scale. <i>Materials Research Bulletin</i> , 2015 , 72, 90-97	5.1	12
28	The Influence of Dopants in the Grain Size of Alumina - A Review. <i>Materials Science Forum</i> , 2015 , 820, 280-284	0.4	4
27	Multilayered Ceramic Composites âl'A Review. <i>Materials Science Forum</i> , 2015 , 820, 393-398	0.4	2
26	Mechanical tests and simulation on load sharing in alumina fiber bundles. <i>Ceramics International</i> , 2015 , 41, 13257-13263	5.1	2
25	The use of ceramic sludge and recycled glass to obtain engobes for manufacturing ceramic tiles. <i>Journal of Cleaner Production</i> , 2015 , 86, 461-470	10.3	42
24	Iron-Rich Glass-Ceramics Obtained from Mill Scale. <i>Materials Science Forum</i> , 2015 , 820, 411-416	0.4	
23	Wear performance of alumina-based ceramics - a review of the influence of microstructure on erosive wear. <i>Ceramica</i> , 2015 , 61, 88-103	1	29
22	Permeability of porous ceramic based on calcium carbonate as pore generating agent. <i>Ceramics International</i> , 2015 , 41, 4782-4788	5.1	21
21	Mechanical and toxicological evaluation of concrete artifacts containing waste foundry sand. <i>Waste Management</i> , 2014 , 34, 1495-500	8.6	19
20	Alumina-Based Ceramics for Armor Application: Mechanical Characterization and Ballistic Testing. <i>Journal of Ceramics</i> , 2014 , 2014, 1-6		26
19	Technology for Coke Production in Tunnel Kiln from Compacted Coal Powder. <i>Materials Science Forum</i> , 2014 , 775-776, 238-243	0.4	
18	Porous Ceramic Structures Obtained from Calcium Carbonate as Pore Generating Agent. <i>Materials Science Forum</i> , 2014 , 775-776, 755-760	0.4	1
17	Crystallization Kinetics of Iron Rich Glass-Ceramic Obtained from Waste of Steel Industry. <i>Materials Science Forum</i> , 2014 , 775-776, 244-249	0.4	4
16	Coarse Aggregates Obtained from Red Mud via Pelletizing Process. <i>Materials Science Forum</i> , 2014 , 798-799, 492-497	0.4	O
15	Sintering and crystallization of plates prepared from coarse glass ceramic frits. <i>Ceramics International</i> , 2013 , 39, 9137-9144	5.1	7
14	Influence of Fe2O3 content on the dielectric behavior of aluminous porcelain insulators. <i>Ceramics International</i> , 2013 , 39, 7323-7330	5.1	13

LIST OF PUBLICATIONS

13	Structural and fluid dynamic characterization of calcium carbonate-based porous ceramics. <i>Materials Research</i> , 2013 , 16, 1439-1448	1.5	6
12	The effect of microstructural features on the mechanical properties of LZSA glass-ceramic matrix composites. <i>Ceramica</i> , 2013 , 59, 351-359	1	5
11	Mechanical properties of recycled PET fibers in concrete. <i>Materials Research</i> , 2012 , 15, 679-686	1.5	78
10	Crystallisation Kinetics of aEspodumene-Based Glass Ceramic. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-8	1.5	18
9	Sinterabilidade de p® de precursor vitrocer®hico do sistema LZSA tratados por troca iĥica. <i>Quimica Nova</i> , 2012 , 35, 689-693	1.6	3
8	Obten B e caracteriza B de um vitrocerfhico a base de cordierita. <i>Revista Materia</i> , 2011 , 16, 583-596	0.8	
7	Sintering kinetics of a 18.8Li2O 8.3ZrO2 64.2SiO2 8.7Al2O3 glass ceramic. <i>Ceramics International</i> , 2011 , 37, 1865-1871	5.1	23
6	Relationship between Surface Abrasion Wear and Brightness in Glazed Porcelainized Stoneware Tiles 2011 , 2011, 1-8		1
5	Sintering behavior of LZSA glass-ceramics. <i>Materials Research</i> , 2009 , 12, 197-200	1.5	21
4	Extruded ZrSiO4 particulate-reinforced LZSA glassâderamics matrix composite. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 1134-1142	5.3	13
3	Roll Pressed LZSA Glass-Ceramics. Advances in Science and Technology, 2006, 45, 442-446	0.1	10
2	Vitrocerfinicas porosas do sistema LZSA utilizando resfluos orgflicos como agentes formadores de poros DOI: 10.5585/exacta.v4i2.757. <i>Exacta</i> , 2006 , 4, 289-296	1	3
1	Evolution of tricalcium silicate crystalline phase by differential scanning calorimetry for the development of endodontic calcium silicate-based cements. <i>Journal of Thermal Analysis and Calorimetry</i> 1	4.1	1