Markos Tesfaye

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4000587/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Detecting perinatal common mental disorders in Ethiopia: Validation of the self-reporting questionnaire and Edinburgh Postnatal Depression Scale. Journal of Affective Disorders, 2008, 108, 251-262.	4.1	222
2	Detecting postnatal common mental disorders in Addis Ababa, Ethiopia: Validation of the Edinburgh Postnatal Depression Scale and Kessler Scales. Journal of Affective Disorders, 2010, 122, 102-108.	4.1	165
3	Knowledge, Health Seeking Behavior and Perceived Stigma towards Tuberculosis among Tuberculosis Suspects in a Rural Community in Southwest Ethiopia. PLoS ONE, 2010, 5, e13339.	2.5	136
4	Tuberculosis and HIV co-infection: its impact on quality of life. Health and Quality of Life Outcomes, 2009, 7, 105.	2.4	87
5	Common mental disorders in TB/HIV co-infected patients in Ethiopia. BMC Infectious Diseases, 2010, 10, 201.	2.9	82
6	Patterns of treatment seeking behavior for mental illnesses in Southwest Ethiopia: a hospital based study. BMC Psychiatry, 2011, 11, 138.	2.6	77
7	Validation of the Patient Health Questionnaire (PHQ-9) as a screening tool for depression in pregnant women: Afaan Oromo version. PLoS ONE, 2018, 13, e0191782.	2.5	77
8	Public Stigma against People with Mental Illness in the Gilgel Gibe Field Research Center (GGFRC) in Southwest Ethiopia. PLoS ONE, 2013, 8, e82116.	2.5	62
9	Khat Chewing and Mental Distress: A Community Based Study, in Jimma City, Southwestern Ethiopia. Ethiopian Journal of Health Sciences, 2011, 21, 37-45.	0.4	60
10	Effects of nutritional supplementation for HIV patients starting antiretroviral treatment: randomised controlled trial in Ethiopia. BMJ, The, 2014, 348, g3187-g3187.	6.0	57
11	Prejudice and misconceptions about tuberculosis and HIV in rural and urban communities in Ethiopia: a challenge for the TB/HIV control program. BMC Public Health, 2010, 10, 400.	2.9	54
12	Ethical and professional challenges in mental health care in low- and middle-income countries. International Review of Psychiatry, 2010, 22, 245-251.	2.8	54
13	Alcohol use disorders and associated factors among people living with HIV who are attending services in south west Ethiopia. BMC Research Notes, 2014, 7, 828.	1.4	54
14	Perceived challenges and opportunities arising from integration of mental health into primary care: a cross-sectional survey of primary health care workers in south-west Ethiopia. BMC Health Services Research, 2014, 14, 113.	2.2	52
15	Comparative cross-sectional study of empathy among first year and final year medical students in Jimma University, Ethiopia: Steady state of the heart and opening of the eyes. BMC Medical Education, 2012, 12, 34.	2.4	48
16	Change in quality of life: a follow up study among patients with HIV infection with and without TB in Ethiopia. BMC Public Health, 2013, 13, 408.	2.9	48
17	Adapting and pre-testing the World Health Organization's Caregiver Skills Training programme for autism and other developmental disorders in a very low-resource setting: Findings from Ethiopia. Autism, 2020, 24, 51-63.	4.1	48
18	The synergy between TB and HIV co-infection on perceived stigma in Ethiopia. BMC Research Notes, 2010, 3, 249.	1.4	44

#	Article	IF	CITATIONS
19	Household food insecurity and mental distress among pregnant women in Southwestern Ethiopia: a cross sectional study design. BMC Pregnancy and Childbirth, 2015, 15, 250.	2.4	43
20	Facility based cross-sectional study of self stigma among people with mental illness: towards patient empowerment approach. International Journal of Mental Health Systems, 2013, 7, 21.	2.7	42
21	Public stigma against family members of people with mental illness: findings from the Gilgel Gibe Field Research Center (GGFRC), Southwest Ethiopia. BMC International Health and Human Rights, 2014, 14, 2.	2.5	38
22	Self-stigma among caregivers of people with mental illness: toward caregivers' empowerment. Journal of Multidisciplinary Healthcare, 2014, 7, 37.	2.7	37
23	Food insecurity, mental health and quality of life among people living with HIV commencing antiretroviral treatment in Ethiopia: a cross-sectional study. Health and Quality of Life Outcomes, 2016, 14, 37.	2.4	36
24	Quality of postoperative pain management in Ethiopia: A prospective longitudinal study. PLoS ONE, 2019, 14, e0215563.	2.5	36
25	Taste the Pain: The Role of TRP Channels in Pain and Taste Perception. International Journal of Molecular Sciences, 2020, 21, 5929.	4.1	35
26	Prevalence of pulmonary TB and spoligotype pattern of Mycobacterium tuberculosis among TB suspects in a rural community in Southwest Ethiopia. BMC Infectious Diseases, 2012, 12, 54.	2.9	34
27	Prevalence and Correlates of Mental Distress Among Working Adults in Ethiopia. Clinical Practice and Epidemiology in Mental Health, 2012, 8, 126-133.	1.2	34
28	Drug resistance in HIV patients with virological failure or slow virological response to antiretroviral therapy in Ethiopia. BMC Infectious Diseases, 2014, 14, 181.	2.9	34
29	Sleep-dependent memory consolidation of a new task is inhibited in psychiatric patients. Journal of Psychiatric Research, 2011, 45, 555-560.	3.1	32
30	Mental distress and associated factors among undergraduate students at the University of Hargeisa, Somaliland: a cross-sectional study. International Journal of Mental Health Systems, 2017, 11, 39.	2.7	32
31	Parents' perception of child and adolescent mental health problems and their choice of treatment option in southwest Ethiopia. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 40.	2.5	31
32	Public Stigma against People with Mental Illness in Jimma Town, Southwest Ethiopia. PLoS ONE, 2016, 11, e0163103.	2.5	30
33	Length of stay of psychiatric admissions in a general hospital in Ethiopia: a retrospective study. International Journal of Mental Health Systems, 2015, 9, 13.	2.7	28
34	Help-seeking behavior of Jimma university students with common mental disorders: A cross-sectional study. PLoS ONE, 2019, 14, e0212657.	2.5	27
35	Measuring common mental disorders in women in Ethiopia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 653-9.	3.1	26
36	Physical activity and capacity at initiation of antiretroviral treatment in HIV patients in Ethiopia. Epidemiology and Infection, 2015, 143, 1048-1058.	2.1	25

#	Article	IF	CITATIONS
37	Tuberculosis lymphadenitis in Southwest Ethiopia: a community based cross-sectional study. BMC Public Health, 2012, 12, 504.	2.9	24
38	Adaptation and validation of the short version WHOQOL-HIV in Ethiopia. International Journal of Mental Health Systems, 2016, 10, 29.	2.7	24
39	The views of patients, healthcare professionals and hospital officials on barriers to and facilitators of quality pain management in Ethiopian hospitals: A qualitative study. PLoS ONE, 2019, 14, e0213644.	2.5	24
40	Outcome of patients with acute bacterial meningitis in a teaching hospital in Ethiopia: A prospective study. PLoS ONE, 2018, 13, e0200067.	2.5	23
41	Correlates of khat use during pregnancy: A cross-sectional study. Addictive Behaviors, 2017, 73, 178-184.	3.0	22
42	Khat use in people living with HIV: a facility-based cross-sectional survey from South West Ethiopia. BMC Psychiatry, 2015, 15, 69.	2.6	20
43	Conceptual equivalence of WHOQOL-HIV among people living with HIV in Ethiopia. Quality of Life Research, 2013, 22, 361-367.	3.1	19
44	Medication Non-Adherence among Adult Psychiatric Out-patients in Jimma University Specialized Hospital, Southwest Ethiopia. Ethiopian Journal of Health Sciences, 2013, 23, 227-36.	0.4	19
45	The development of a model of training in child psychiatry for non-physician clinicians in Ethiopia. Child and Adolescent Psychiatry and Mental Health, 2014, 8, 6.	2.5	19
46	Migraine and Psychiatric Comorbidities Among Sub‧aharan African Adults. Headache, 2013, 53, 310-321.	3.9	18
47	Use, perceptions, and acceptability of a ready-to-use supplementary food among adult HIV patients initiating antiretroviral treatment: a qualitative study in Ethiopia. Patient Preference and Adherence, 2013, 7, 481.	1.8	15
48	The Prevalence and Pattern of Depression in Patients with Tuberculosis on Follow up at Jimma University Specialized Hospital and Jimma Health Center. Medicine Science, 2014, 3, 955.	0.1	15
49	Attitude of medical students towards psychiatry: the case of Jimma University, Southwest Ethiopia. Ethiopian Journal of Health Sciences, 2017, 27, 207.	0.4	14
50	Vision Loss and Psychological Distress among Ethiopians Adults: A Comparative Cross-Sectional Study. PLoS ONE, 2013, 8, e78335.	2.5	14
51	Placental multi-omics integration identifies candidate functional genes for birthweight. Nature Communications, 2022, 13, 2384.	12.8	13
52	Khat use and occurrence of psychotic symptoms in the general male population in Southwestern Ethiopia: evidence for sensitization by traumatic experiences. World Psychiatry, 2017, 16, 323-323.	10.4	12
53	Do common mental disorders decline over time in TB/HIV co-infected and HIV patients without TB who are on antiretroviral treatment?. BMC Psychiatry, 2013, 13, 174.	2.6	11
54	Challenges of bacterial meningitis case management in low income settings: an experience from Ethiopia. Tropical Medicine and International Health, 2016, 21, 870-878.	2.3	11

#	Article	IF	CITATIONS
55	Body composition during early infancy and developmental progression from 1 to 5 years of age: the Infant Anthropometry and Body Composition (iABC) cohort study among Ethiopian children. British Journal of Nutrition, 2018, 119, 1263-1273.	2.3	10
56	Impact of depression and stress on placental DNA methylation in ethnically diverse pregnant women. Epigenomics, 2021, 13, 1485-1496.	2.1	10
57	Empathy without borders? Cross-cultural heart and mind-reading in first-year medical students. Ethiopian Journal of Health Sciences, 2013, 23, 113-22.	0.4	10
58	Serum creatinine and estimated glomerular filtration rates in HIV positive and negative adults in Ethiopia. PLoS ONE, 2019, 14, e0211630.	2.5	9
59	Magnitude and predictors of khat use among patients with tuberculosis in Southwest Ethiopia: A longitudinal study. PLoS ONE, 2020, 15, e0236154.	2.5	9
60	Common Mental Disorder Symptoms among Patients with Malaria Attending Primary Care in Ethiopia: A Cross-Sectional Survey. PLoS ONE, 2014, 9, e108923.	2.5	9
61	A developing world perspective on homicide and personality disorder. Medicine, Science and the Law, 2014, 54, 132-138.	1.0	8
62	The effect of nutritional supplementation on quality of life in people living with <scp>HIV</scp> : a randomised controlled trial. Tropical Medicine and International Health, 2016, 21, 735-742.	2.3	8
63	Dental anxiety: prevalence and associated factors, among children who visited Jimma University Specialized Hospital Dental Clinic. Ethiopian Medical Journal, 2013, 51, 115-21.	0.6	8
64	Adjunctive dexamethasone therapy in unconfirmed bacterial meningitis in resource limited settings: is it a risk worth taking?. BMC Neurology, 2016, 16, 153.	1.8	7
65	Psychological morbidity and substance use among patients with hypertension: a hospital-based cross-sectional survey from South West Ethiopia. International Journal of Mental Health Systems, 2017, 11, 5.	2.7	7
66	Body Composition during Early Infancy and Mental Health Outcomes at 5 Years of Age: A Prospective Cohort Study of Ethiopian Children. Journal of Pediatrics, 2018, 200, 225-231.	1.8	7
67	Hyperglycemia and insulin function in antiretroviral treatment-naive HIV patients in Ethiopia. Aids, 2019, 33, 1595-1602.	2.2	7
68	Lipidâ€based nutrient supplements do not affect efavirenz but lower plasma nevirapine concentrations in Ethiopian adult HIV patients. HIV Medicine, 2015, 16, 403-411.	2.2	6
69	Effect of Khat Use During Pregnancy on the Birth Weight of Newborn in Jimma, Ethiopia. International Journal of Mental Health and Addiction, 2019, 17, 1432-1441.	7.4	6
70	Assessment of Prevalence and Risk Factors of Depression among Adults in Gilgel Gibe Field Research Center, South West Ethiopia. Journal of Depression & Anxiety, 2017, 06, .	0.1	6
71	Making strides in women's mental health care delivery in rural Ethiopia: demographics of a female outpatient psychiatric cohort at Jimma University Specialized Hospital (2006–2008). International Journal of Women's Health, 2013, 5, 413.	2.6	4
72	Quality of Life in Ethiopia's Street Youth at a Rehabilitation Center and the Association With Trauma. Journal of Traumatic Stress, 2014, 27, 593-601.	1.8	4

#	Article	IF	CITATIONS
73	Renal function in Ethiopian HIV-positive adults on antiretroviral treatment with and without tenofovir. BMC Infectious Diseases, 2020, 20, 582.	2.9	4
74	Sex-specific placental gene expression signatures of small for gestational age at birth. Placenta, 2022, 121, 82-90.	1.5	4
75	Microfinance and women's health: an evaluation of women's health behaviors in Jimma, Ethiopia. International Journal of Culture and Mental Health, 2014, 7, 152-161.	0.6	2
76	Family planning awareness, utilization and associated factors among women of reproductive age attending psychiatric outpatient care, a cross- sectional study, Addis Ababa, Ethiopia. PLoS ONE, 2020, 15, e0238766.	2.5	2
77	Substance use disorders and adherence to antituberculosis medications in Southwest Ethiopia: a prospective cohort study. BMJ Open, 2021, 11, e043050.	1.9	2
78	Effect of food insecurity on mental health of patients with tuberculosis in Southwest Ethiopia: a prospective cohort study. BMJ Open, 2021, 11, e045434.	1.9	2
79	Intimate partner violence among reproductive-age women with chronic mental illness attending a psychiatry outpatient department: cross-sectional facility-based study, Addis Ababa, Ethiopia. BMJ Open, 2021, 11, e045251.	1.9	2
80	Change in serum 25-hydroxyvitamin D with antiretroviral treatment initiation and nutritional intervention in HIV-positive adults. British Journal of Nutrition, 2016, 116, 1720-1727.	2.3	1
81	Genotype-phenotype feasibility studies on khat abuse, traumatic experiences and psychosis in Ethiopia. Psychiatric Genetics, 2020, 30, 34-38.	1.1	1
82	Evaluation of a Master of Science in Integrated Clinical and Community Mental Health (MSc ICCMH) program in Ethiopia. GMS German Medical Science, 2018, 16, Doc04.	2.7	1
83	Level of Perceived Stigma Among Caregivers of Persons with Severe Mental Illness in Jimma City, Ethiopia: A Cross-sectional Study. American Journal of Clinical and Experimental Medicine, 2021, 9, 77.	0.2	1
84	Diagnostic Challenges of Helicobacter pylori Infection in Ethiopia: A Community-Based Cross-Sectional Study. Canadian Journal of Gastroenterology and Hepatology, 2022, 2022, 1-8.	1.9	1
85	Use, perceptions and acceptability of a lipidâ€based nutritional supplement for adults living with HIV – a qualitative substudy to a randomized intervention trial in Jimma, Ethiopia (ARTfood). FASEB Journal, 2011, 25, lb249.	0.5	0
86	Chapter 3 Household Food Insecurity and Mental Distress Among Pregnant Women in Southwestern Ethiopia: A Cross Sectional Study Design. , 2017, , 27-44.		0
87	Lipid-based nutrient supplement at initiation of antiretroviral therapy does not substitute energy from habitual diet among HIV patients – a secondary analysis of data from a randomised controlled trial in Ethiopia. Food and Nutrition Research, 2022, 66, .	2.6	Ο
88	Title is missing!. , 2020, 15, e0236154.		0
89	Title is missing!. , 2020, 15, e0236154.		Ο
90	Title is missing!. , 2020, 15, e0236154.		0

#	Article	IF	CITATIONS
91	Title is missing!. , 2020, 15, e0236154.		Ο
92	Title is missing!. , 2020, 15, e0236154.		0
93	Title is missing!. , 2020, 15, e0236154.		0