

# Mian-Yoon Chong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/400126/publications.pdf>

Version: 2024-02-01

35  
papers

1,293  
citations

758635

12  
h-index

414034

32  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2105  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological impact of severe acute respiratory syndrome on health workers in a tertiary hospital. <i>British Journal of Psychiatry</i> , 2004, 185, 127-133.	1.7	569
2	Community study of depression in old age in Taiwan. <i>British Journal of Psychiatry</i> , 2001, 178, 29-35.	1.7	169
3	Antipsychotic drug prescription for schizophrenia in East Asia: rationale for change. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 61-67.	1.0	136
4	Depression in Chinese elderly populations. <i>Asia-Pacific Psychiatry</i> , 2011, 3, 46-53.	1.2	59
5	Polypharmacy and psychotropic drug loading in patients with schizophrenia in Asian countries: Fourth survey of Research on Asian Prescription Patterns on antipsychotics. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 572-579.	1.0	46
6	Prescription of antipsychotic and concomitant medications for adult Asian schizophrenia patients: Findings of the 2016 Research on Asian Psychotropic Prescription Patterns (REAP) survey. <i>Asian Journal of Psychiatry</i> , 2019, 45, 74-80.	0.9	38
7	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 489-496.	1.0	30
8	Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). <i>Psychiatry Research</i> , 2020, 287, 112271.	1.7	29
9	International study on antidepressant prescription pattern at 40 major psychiatric institutions and hospitals in Asia: A 10-year comparison study. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 366-374.	1.2	23
10	Dementia in Chinese populations: Current data and future research. <i>Asia-Pacific Psychiatry</i> , 2011, 3, 109-114.	1.2	20
11	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. <i>Acta Neuropsychiatrica</i> , 2016, 28, 337-345.	1.0	16
12	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAP-AD). <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 344-353.	1.0	16
13	Mental health of caregivers of individuals with disabilities: Relation to Suicidal Ideation. <i>Comprehensive Psychiatry</i> , 2018, 81, 22-27.	1.5	13
14	Morbidity and associated factors of depressive disorder in patients with lung cancer. <i>Cancer Management and Research</i> , 2019, Volume 11, 7587-7596.	0.9	13
15	Country variations in depressive symptoms profile in Asian countries: Findings of the Research on Asia Psychotropic Prescription (REAP) studies. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 276-285.	1.2	12
16	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. <i>Saudi Pharmaceutical Journal</i> , 2019, 27, 246-253.	1.2	12
17	Trends of Polypharmacy and Prescription Patterns of Antidepressants in Asia. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 598-603.	0.7	11
18	Antipsychotic Polypharmacy in Older Adult Asian Patients With Schizophrenia: Research on Asian Psychotropic Prescription Pattern. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 304-311.	1.2	11

#	ARTICLE	IF	CITATIONS
19	A family-oriented therapy program for youths with substance abuse: long-term outcomes related to relapse and academic or social status. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 699.	1.0	10
20	Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 323-330.	0.7	10
21	To use the brief psychiatric rating scale to detect disorganized speech in schizophrenia: Findings from the REAP-AP study. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 113-119.	0.8	8
22	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. <i>International Psychogeriatrics</i> , 2019, 31, 685-691.	0.6	8
23	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. <i>Psychogeriatrics</i> , 2019, 19, 333-339.	0.6	7
24	Prescription Patterns for Bipolar Disorder in Asian Countries: Findings from Research on Asian Prescription Pattern-Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022, 20, 61-69.	0.9	7
25	Network Analysis-Based Disentanglement of the Symptom Heterogeneity in Asian Patients with Schizophrenia: Findings from the Research on Asian Psychotropic Prescription Patterns for Antipsychotics. <i>Journal of Personalized Medicine</i> , 2022, 12, 33.	1.1	4
26	Screening for Psychologic Distress in Taiwanese Cancer Inpatients Using the National Comprehensive Cancer Network Distress Thermometer: The Effects of Patients' Sex and Chemotherapy Experience. <i>Psychosomatics</i> , 2017, 58, 496-505.	2.5	3
27	Physical comorbidities in older adults receiving antidepressants in Asia. <i>Psychogeriatrics</i> , 2018, 18, 351-356.	0.6	3
28	Dyskinesia is most centrally situated in an estimated network of extrapyramidal syndrome in Asian patients with schizophrenia: findings from research on Asian psychotropic prescription patterns for antipsychotics. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 9-17.	0.7	3
29	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in Asia. <i>Psychogeriatrics</i> , 2017, 17, 348-355.	0.6	2
30	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. <i>Psychiatry Investigation</i> , 2021, 18, 1058-1067.	0.7	2
31	Dosing of Mood Stabilizers for Bipolar Disorder Patients in the Research on Asian Psychotropic Prescription Patterns Consortium Study. <i>Journal of Clinical Psychopharmacology</i> , 2022, 42, 293-297.	0.7	2
32	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 151-156.	0.5	1
33	Kaohsiung (Taiwan). <i>Psychiatric Bulletin</i> , 1992, 16, 363-364.	0.3	0
34	Establishing the cut-off score for aggression on the Brief Psychiatric Rating Scale-Excited Component (BPRS-EC) in schizophrenia patients. <i>Journal of Theoretical Social Psychology</i> , 2019, 29, 407-410.	1.2	0
35	Recognition of Old Age Depression in Chinese. , 0, , 265-267.		0