
Mian-Yoon Chong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/400126/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Network Analysis-Based Disentanglement of the Symptom Heterogeneity in Asian Patients with Schizophrenia: Findings from the Research on Asian Psychotropic Prescription Patterns for Antipsychotics. Journal of Personalized Medicine, 2022, 12, 33.	1.1	4
2	Prescription Patterns for Bipolar Disorder in Asian Countries: Findings from Research on Asian Prescription Pattern-Bipolar Disorder. Clinical Psychopharmacology and Neuroscience, 2022, 20, 61-69.	0.9	7
3	Dosing of Mood Stabilizers for Bipolar Disorder Patients in the Research on Asian Psychotropic Prescription Patterns Consortium Study. Journal of Clinical Psychopharmacology, 2022, 42, 293-297.	0.7	2
4	Dyskinesia is most centrally situated in an estimated network of extrapyramidal syndrome in Asian patients with schizophrenia: findings from research on Asian psychotropic prescription patterns for antipsychotics. Nordic Journal of Psychiatry, 2021, 75, 9-17.	0.7	3
5	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. Psychiatry Investigation, 2021, 18, 1058-1067.	0.7	2
6	Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). Psychiatry Research, 2020, 287, 112271.	1.7	29
7	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAPã€AD). Psychiatry and Clinical Neurosciences, 2020, 74, 344-353.	1.0	16
8	Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia. Nordic Journal of Psychiatry, 2019, 73, 323-330.	0.7	10
9	Establishing the cut-off score for aggression on the Brief Psychiatric Rating Scale-Excited Component (BPRS-EC) in schizophrenia patients. Journal of Theoretical Social Psychology, 2019, 29, 407-410.	1.2	0
10	Antipsychotic Polypharmacy in Older Adult Asian Patients With Schizophrenia: Research on Asian Psychotropic Prescription Pattern. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 304-311.	1.2	11
11	<p>Morbidity and associated factors of depressive disorder in patients with lung cancer</p> . Cancer Management and Research, 2019, Volume 11, 7587-7596.	0.9	13
12	Prescription of antipsychotic and concomitant medications for adult Asian schizophrenia patients: Findings of the 2016 Research on Asian Psychotropic Prescription Patterns (REAP) survey. Asian Journal of Psychiatry, 2019, 45, 74-80.	0.9	38
13	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. Saudi Pharmaceutical Journal, 2019, 27, 246-253.	1.2	12
14	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. Psychogeriatrics, 2019, 19, 333-339.	0.6	7
15	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. International Psychogeriatrics, 2019, 31, 685-691.	0.6	8
16	Mental health of caregivers of individuals with disabilities: Relation to Suicidal Ideation. Comprehensive Psychiatry, 2018, 81, 22-27.	1.5	13
17	To use the brief psychiatric rating scale to detect disorganized speech in schizophrenia: Findings from the REAPâ€AP study. Kaohsiung Journal of Medical Sciences, 2018, 34, 113-119.	0.8	8
18	Trends of Polypharmacy and Prescription Patterns of Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2018, 38, 598-603.	0.7	11

MIAN-YOON CHONG

#	Article	IF	CITATIONS
19	Polypharmacy and psychotropic drug loading in patients with schizophrenia in Asian countries: Fourth survey of Research on Asian Prescription Patterns on antipsychotics. Psychiatry and Clinical Neurosciences, 2018, 72, 572-579.	1.0	46
20	Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356.	0.6	3
21	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355.	0.6	2
22	Screening for Psychologic Distress in Taiwanese Cancer Inpatients Using the National Comprehensive Cancer Network Distress Thermometer: The Effects of Patients' Sex and Chemotherapy Experience. Psychosomatics, 2017, 58, 496-505.	2.5	3
23	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. Tohoku Journal of Experimental Medicine, 2017, 242, 151-156.	0.5	1
24	A family-oriented therapy program for youths with substance abuse: long-term outcomes related to relapse and academic or social status. Neuropsychiatric Disease and Treatment, 2016, 12, 699.	1.0	10
25	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. Acta Neuropsychiatrica, 2016, 28, 337-345.	1.0	16
26	International study on antidepressant prescription pattern at 40 major psychiatric institutions and hospitals in <scp>A</scp> sia: A 10â€year comparison study. Asia-Pacific Psychiatry, 2015, 7, 366-374.	1.2	23
27	Country variations in depressive symptoms profile in Asian countries: Findings of the Research on Asia Psychotropic Prescription (REAP) studies. Asia-Pacific Psychiatry, 2015, 7, 276-285.	1.2	12
28	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.0	30
29	Depression in Chinese elderly populations. Asia-Pacific Psychiatry, 2011, 3, 46-53.	1.2	59
30	Dementia in <scp>C</scp> hinese populations: Current data and future research. Asia-Pacific Psychiatry, 2011, 3, 109-114.	1.2	20
31	Psychological impact of severe acute respiratory syndrome on health workers in a tertiary hospital. British Journal of Psychiatry, 2004, 185, 127-133.	1.7	569
32	Antipsychotic drug prescription for schizophrenia in East Asia: rationale for change. Psychiatry and Clinical Neurosciences, 2004, 58, 61-67.	1.0	136
33	Community study of depression in old age in Taiwan. British Journal of Psychiatry, 2001, 178, 29-35.	1.7	169
34	Kaohsiung (Taiwan). Psychiatric Bulletin, 1992, 16, 363-364.	0.3	0
35	Recognition of Old Age Depression in Chinese. , 0, , 265-267.		0