

# Xiao-Ming Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4001595/publications.pdf>

Version: 2024-02-01

655  
papers

53,015  
citations

902

116  
h-index

2116

203  
g-index

682  
all docs

682  
docs citations

682  
times ranked

23743  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal Azolate Frameworks: From Crystal Engineering to Functional Materials. <i>Chemical Reviews</i> , 2012, 112, 1001-1033.	23.0	1,512
2	Ligand-Directed Strategy for Zeolite-Type Metal-Organic Frameworks: Zinc(II) Imidazolates with Unusual Zeolitic Topologies. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 1557-1559.	7.2	1,503
3	Terminology of metal-organic frameworks and coordination polymers (IUPAC Recommendations) <i>TJ ETQq1 1 0.784314 rgBT /Over</i> 0.9 984	0.9	984
4	Metal-organic molecular architectures with 2,2'-bipyridyl-like and carboxylate ligands. <i>Coordination Chemistry Reviews</i> , 2005, 249, 545-565.	9.5	935
5	A Stable Pentagonal Bipyramidal Dy(III) Single-Ion Magnet with a Record Magnetization Reversal Barrier over 1000 K. <i>Journal of the American Chemical Society</i> , 2016, 138, 5441-5450.	6.6	904
6	Solvothermal in Situ Metal/Ligand Reactions: A New Bridge between Coordination Chemistry and Organic Synthetic Chemistry. <i>Accounts of Chemical Research</i> , 2007, 40, 162-170.	7.6	744
7	Symmetry-Supported Magnetic Blocking at 20 K in Pentagonal Bipyramidal Dy(III) Single-Ion Magnets. <i>Journal of the American Chemical Society</i> , 2016, 138, 2829-2837.	6.6	728
8	Syntheses, Structures, Photoluminescence, and Theoretical Studies of d10 Metal Complexes of 2,2'-Dihydroxy-[1,1'-binaphthalenyl-3,3'-dicarboxylate. <i>Inorganic Chemistry</i> , 2004, 43, 830-838.	1.9	680
9	Controlling guest conformation for efficient purification of butadiene. <i>Science</i> , 2017, 356, 1193-1196.	6.0	559
10	Supramolecular isomerism in coordination polymers. <i>Chemical Society Reviews</i> , 2009, 38, 2385.	18.7	555
11	Copper(I) 1,2,4-Triazolates and Related Complexes: A Studies of the Solvothermal Ligand Reactions, Network Topologies, and Photoluminescence Properties. <i>Journal of the American Chemical Society</i> , 2005, 127, 5495-5506.	6.6	520
12	Double-Stranded Helices and Molecular Zippers Assembled from Single-Stranded Coordination Polymers Directed by Supramolecular Interactions. <i>Chemistry - A European Journal</i> , 2002, 8, 4811-4817.	1.7	511
13	Efficient purification of ethene by an ethane-trapping metal-organic framework. <i>Nature Communications</i> , 2015, 6, 8697.	5.8	474
14	Hydroxylation of N-Heterocycle Ligands Observed in Two Unusual Mixed-Valence CuI/CuII Complexes. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 1029-1031.	7.2	468
15	Coordination polymers, metal-organic frameworks and the need for terminology guidelines. <i>CrystEngComm</i> , 2012, 14, 3001.	1.3	464
16	An Alkaline-Stable, Metal Hydroxide Mimicking Metal-Organic Framework for Efficient Electrocatalytic Oxygen Evolution. <i>Journal of the American Chemical Society</i> , 2016, 138, 8336-8339.	6.6	453
17	Iridium single-atom catalyst on nitrogen-doped carbon for formic acid oxidation synthesized using a general host-guest strategy. <i>Nature Chemistry</i> , 2020, 12, 764-772.	6.6	452
18	Exceptional Framework Flexibility and Sorption Behavior of a Multifunctional Porous Cuprous Triazolate Framework. <i>Journal of the American Chemical Society</i> , 2008, 130, 6010-6017.	6.6	447



#	ARTICLE	IF	CITATIONS
37	Spin Canting and Metamagnetism in a 3D Homometallic Molecular Material Constructed by Interpenetration of Two Kinds of Cobalt(II)-Coordination-Polymer Sheets. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3079-3082.	7.2	279
38	Clathration of Two-Dimensional Coordination Polymers: Synthesis and Structures of $[M(4,4\text{-bpy})_2(\text{H}_2\text{O})_2](\text{ClO}_4)_2 \cdot (2,4\text{-bpy})_2 \cdot \text{H}_2\text{O}$ and $[\text{Cu}(4,4\text{-bpy})_2(\text{H}_2\text{O})_2](\text{ClO}_4)_4 \cdot (4,4\text{-H}_2\text{Bpy})$ ( $M = \text{Co}^{\text{II}}$ , $\text{Zn}^{\text{II}}$ ) <i>ETQ</i>	7.2	277
39	Exceptional Hydrophobicity of a Large-Pore Metal-Organic Zeolite. <i>Journal of the American Chemical Society</i> , 2015, 137, 7217-7223.	6.6	270
40	Pore Surface Tailored SOD-Type Metal-Organic Zeolites. <i>Advanced Materials</i> , 2011, 23, 1268-1271.	11.1	268
41	A Single-Molecule-Magnetic, Cubane-Based, Triangular $\text{Co}_{12}$ Supercluster. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 1832-1835.	7.2	261
42	Silver(I)-hexamethylenetetramine molecular architectures: from self-assembly to designed assembly. <i>Coordination Chemistry Reviews</i> , 2003, 246, 185-202.	9.5	260
43	Chiral Magnetic Metal-Organic Frameworks of Dimetal Subunits: Magnetism Tuning by Mixed-Metal Compositions of the Solid Solutions. <i>Inorganic Chemistry</i> , 2006, 45, 7069-7076.	1.9	259
44	A New Route to Supramolecular Isomers via Molecular Templating: Nanosized Molecular Polygons of Copper(I) 2-Methylimidazoles. <i>Journal of the American Chemical Society</i> , 2004, 126, 13218-13219.	6.6	256
45	A Molecular Perovskite with Switchable Coordination Bonds for High-Temperature Multiaxial Ferroelectrics. <i>Journal of the American Chemical Society</i> , 2017, 139, 6369-6375.	6.6	254
46	A Dynamic Porous Magnet Exhibiting Reversible Guest-Induced Magnetic Behavior Modulation. <i>Advanced Materials</i> , 2007, 19, 1494-1498.	11.1	247
47	Assembling Magnetic Nanowires into Networks: A Layered Coll Carboxylate Coordination Polymer Exhibiting Single-Chain-Magnet Behavior. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6310-6314.	7.2	240
48	Controlling flexibility of metal-organic frameworks. <i>National Science Review</i> , 2018, 5, 907-919.	4.6	240
49	Tuning Pore Size in Square Lattice Coordination Networks for Size-Selective Sieving of $\text{CO}_2$ . <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10268-10272.	7.2	237
50	A mixed-valence copper coordination polymer generated by hydrothermal metal/ligand redox reactions Electronic supplementary (ESI) available: the effective molar magnetic moment $\mu_{\text{eff}}$ of 1 vs. T. See <a href="http://www.rsc.org/suppdata/cc/b2/b203301a/">http://www.rsc.org/suppdata/cc/b2/b203301a/</a> . <i>Chemical Communications</i> , 2002, , 1342-1343.	2.2	236
51	Highly Selective $\text{CO}_2$ Electroreduction to $\text{C}_2\text{H}_4$ Using a Metal-Organic Framework with Dual Active Sites. <i>Journal of the American Chemical Society</i> , 2021, 143, 7242-7246.	6.6	236
52	A Heterometallic $\text{Fe}^{\text{II}}$ - $\text{Dy}^{\text{III}}$ Single-Molecule Magnet with a Record Anisotropy Barrier. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 12966-12970.	7.2	235
53	Metal cluster-based functional porous coordination polymers. <i>Coordination Chemistry Reviews</i> , 2015, 293-294, 263-278.	9.5	234
54	Single Crystal-to-Single Crystal Transformation from Ferromagnetic Discrete Molecules to a Spin-Canting Antiferromagnetic Layer. <i>Journal of the American Chemical Society</i> , 2007, 129, 15738-15739.	6.6	233

#	ARTICLE	IF	CITATIONS
55	Monodentate hydroxide as a super strong yet reversible active site for CO <sub>2</sub> capture from high-humidity flue gas. <i>Energy and Environmental Science</i> , 2015, 8, 1011-1016.	15.6	233
56	Dehydration-Induced Conversion from a Single-Chain Magnet into a Metamagnet in a Homometallic Nanoporous Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 3456-3459.	7.2	231
57	A New Self-Penetrating Uniform Net, (8,4) (or 86), Containing Planar Four-Coordinate Nodes. <i>Journal of the American Chemical Society</i> , 2003, 125, 16170-16171.	6.6	230
58	Molecular chairs, zippers, zigzag and helical chains: chemical enumeration of supramolecular isomerism based on a pre-designed metal-organic building-block. <i>Chemical Communications</i> , 2005, , 1258-1260.	2.2	222
59	A Novel, Highly Electrical Conducting, Single-Component Molecular Material: [Ag <sub>2</sub> (ophen) <sub>2</sub> ] (Hophen) <i>Tj ETQq1 1.0,784314,rgBT /Q</i>	6.6	221
60	Characterization of Reverberation Chambers for OTA Measurements of Wireless Devices: Physical Formulations of Channel Matrix and New Uncertainty Formula. <i>IEEE Transactions on Antennas and Propagation</i> , 2012, 60, 3875-3891.	3.1	200
61	Supramolecular Organisation of Polymeric Coordination Chains into a Three-Dimensional Network with Nanosized Channels that Clathrate Large Organic Molecules. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 138-142.	1.0	199
62	A symbol approach for classification of molecule-based magnetic materials exemplified by coordination polymers of metal carboxylates. <i>Coordination Chemistry Reviews</i> , 2014, 258-259, 1-15.	9.5	198
63	Helical Silver(I)-2,4-Bipyridine Chains Organized into 2-D Networks by Metal-Counterion or Metal-Metal Bonding. Structures of [Ag(2,4-bipyridine)] <sub>n</sub> (X= NO <sub>3</sub> -or ClO <sub>4</sub> -). <i>Inorganic Chemistry</i> , 1998, 37, 5278-5281.	1.9	197
64	Putting an ultrahigh concentration of amine groups into a metal-organic framework for CO <sub>2</sub> capture at low pressures. <i>Chemical Science</i> , 2016, 7, 6528-6533.	3.7	197
65	Pseudo-Polyrotaxane and 2-Sheet Layer-Based Three-Dimensional Coordination Polymers Constructed with Silver Salts and Flexible Pyridyl-Type Ligands. <i>Inorganic Chemistry</i> , 2002, 41, 4846-4848.	1.9	193
66	Syntheses, Crystal Structures, and Physical Properties of Dinuclear Copper(I) and Tetranuclear Mixed-Valence Copper(I,II) Complexes with Hydroxylated Bipyridyl-Like Ligands. <i>Chemistry - A European Journal</i> , 2002, 8, 3187.	1.7	191
67	A Star-Antiferromagnet: A Polymeric Iron(III) Acetate That Exhibits Both Spin Frustration and Long-Range Magnetic Ordering. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6076-6080.	7.2	188
68	Switchable Guest Molecular Dynamics in a Perovskite-Like Coordination Polymer toward Sensitive Thermoresponsive Dielectric Materials. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 914-918.	7.2	186
69	Porous Metal-Organic Framework Based on 4-oxo Tetrazinc Clusters: Sorption and Guest-Dependent Luminescent Properties. <i>Inorganic Chemistry</i> , 2008, 47, 1346-1351.	1.9	185
70	Molecular Dynamics of Flexible Polar Cations in a Variable Confined Space: Toward Exceptional Two-Step Nonlinear Optical Switches. <i>Advanced Materials</i> , 2016, 28, 5886-5890.	11.1	184
71	A porous coordination framework for highly sensitive and selective solid-phase microextraction of non-polar volatile organic compounds. <i>Chemical Science</i> , 2013, 4, 351-356.	3.7	183
72	High-Performance and Stable Organic Thin-Film Transistors Based on Fused Thiophenes. <i>Advanced Functional Materials</i> , 2006, 16, 426-432.	7.8	180

#	ARTICLE	IF	CITATIONS
73	Giant Heterometallic Cu <sub>17</sub> Mn <sub>28</sub> Cluster with T <sub>d</sub> Symmetry and High-Spin Ground State. <i>Journal of the American Chemical Society</i> , 2007, 129, 1014-1015.	6.6	180
74	Ultrathin Transition Metal Dichalcogenide/3d Metal Hydroxide Hybridized Nanosheets to Enhance Hydrogen Evolution Activity. <i>Advanced Materials</i> , 2018, 30, e1801171.	11.1	180
75	Triple-stranded helices and zigzag chains of copper(i) 2-ethylimidazolate: solvent polarity-induced supramolecular isomerism. <i>Chemical Communications</i> , 2005, , 2232.	2.2	174
76	Hyperfine Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4996-5000.	7.2	173
77	Polynuclear Cu <sub>12</sub> M <sub>III</sub> 6 (M = Y, Nd, or Gd) Complexes Encapsulating a ClO <sub>4</sub> <sup>-</sup> Anion: [Cu <sub>12</sub> M <sub>6</sub> (OH) <sub>24</sub> (H <sub>2</sub> O) <sub>18</sub> (pyb) <sub>12</sub> (ClO <sub>4</sub> ) <sub>17</sub> ·nH <sub>2</sub> O (Pyb = Pyridine Betaine). <i>Journal of the American Chemical Society</i> , 1995, 117, 9600-9601.	6.6	172
78	A Noble-Metal-Free Porous Coordination Framework with Exceptional Sensing Efficiency for Oxygen. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13429-13433.	7.2	170
79	A Molecular Water Pipe: A Giant Tubular Cluster {Dy <sub>72</sub> } Exhibits Fast Proton Transport and Slow Magnetic Relaxation. <i>Advanced Materials</i> , 2016, 28, 10772-10779.	11.1	170
80	A Solvothermally in Situ Generated Mixed-ligand Approach for NLO-Active Metal-Organic Framework Materials. <i>Inorganic Chemistry</i> , 2005, 44, 4148-4150.	1.9	169
81	Interaction of polypyridyl ruthenium(II) complexes containing non-planar ligands with DNA. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 19-24.	1.1	168
82	Molecular Ladders with Multiple Interpenetration of the Lateral Arms into the Squares of Adjacent Ladders Observed for [M <sub>2</sub> (4,4'-bpy) <sub>3</sub> (H <sub>2</sub> O) <sub>2</sub> (phba) <sub>2</sub> ](NO <sub>3</sub> ) <sub>2</sub> ·4H <sub>2</sub> O (M = Cu <sup>2+</sup> or Co <sup>2+</sup> ; 4,4'-bpy = 1,1'-bipyridine). <i>Chemical Communications</i> , 2000, 00, 1687-1688.	1.0	168
83	Syntheses, Structures, and Properties of Three Novel Coordination Polymers of Silver(I) Aromatic Carboxylates with Hexamethylenetetramine Exhibiting Unique Metal-π Interaction. <i>Organometallics</i> , 2001, 20, 5319-5325.	1.1	164
84	Turning on the flexibility of isoreticular porous coordination frameworks for drastically tunable framework breathing and thermal expansion. <i>Chemical Science</i> , 2013, 4, 1539.	3.7	163
85	A Zeolite-Like Zinc Triazolate Framework with High Gas Adsorption and Separation Performance. <i>Inorganic Chemistry</i> , 2012, 51, 9950-9955.	1.9	155
86	Syntheses, Structures, and Photoluminescence of Three Coordination Polymers of Cadmium Dicarboxylates. <i>Crystal Growth and Design</i> , 2006, 6, 1684-1689.	1.4	153
87	A novel three-dimensional coordination polymer constructed with mixed-valence dimeric copper(i,ii) units. Electronic supplementary information (ESI) available: synthesis and data for 1. See <a href="http://www.rsc.org/suppdata/cc/b2/b210914/jl">http://www.rsc.org/suppdata/cc/b2/b210914/jl</a> . <i>Chemical Communications</i> , 2003, , 428-429.	2.2	151
88	Crystal-to-crystal transformations of a microporous metal-organic laminated framework triggered by guest exchange, dehydration and readsorption. <i>Dalton Transactions</i> , 2004, , 2217-2223.	1.6	150
89	Controlled Aggregation of Heterometallic Nanoscale Cu <sub>12</sub> Ln <sub>6</sub> Clusters (Ln = Gd <sup>III</sup> or Nd <sup>III</sup> ) into 2D Coordination Polymers. <i>Inorganic Chemistry</i> , 2005, 44, 559-565.	1.9	150
90	Interlocking of molecular rhombi into a 2D polyrotaxane network via π-π interactions. Crystal structure of [Cu <sub>2</sub> (bpa) <sub>2</sub> (phen) <sub>2</sub> (H <sub>2</sub> O)] <sub>2</sub> ·2H <sub>2</sub> O (bpa <sup>2-</sup> = biphenyl-4,4'-dicarboxylate, phen = 1,10-phenanthroline). <i>Chemical Communications</i> , 2000, 00, 1687-1688.	1.0	150

#	ARTICLE	IF	CITATIONS
91	Effect of the Size of Aromatic Chelate Ligands on the Frameworks of Metal Dicarboxylate Polymers: From Helical Chains to 2-D Networks. <i>Crystal Growth and Design</i> , 2005, 5, 695-700.	1.4	146
92	Solvent/additive-free synthesis of porous/zeolitic metal azolate frameworks from metal oxide/hydroxide. <i>Chemical Communications</i> , 2011, 47, 9185.	2.2	146
93	Geometry analysis and systematic synthesis of highly porous isorecticular frameworks with a unique topology. <i>Nature Communications</i> , 2012, 3, 642.	5.8	145
94	Formation of One-Dimensional Metal-Water Chain Containing Cyclic Water Hexamers. <i>Inorganic Chemistry</i> , 2004, 43, 6866-6868.	1.9	144
95	Structural phase transitions in perovskite compounds based on diatomic or multiatomic bridges. <i>CrystEngComm</i> , 2016, 18, 7915-7928.	1.3	144
96	In Situ Solvothermal Generation of 1,2,4-Triazolates and Related Compounds from Organonitrile and Hydrazine Hydrate: A Mechanism Study. <i>Inorganic Chemistry</i> , 2007, 46, 1135-1143.	1.9	143
97	Pillared-Layer Microporous Metal-Organic Frameworks Constructed by Robust Hydrogen Bonds. Synthesis, Characterization, and Magnetic and Adsorption Properties of 2,2'-Biimidazole and Carboxylate Complexes. <i>Inorganic Chemistry</i> , 2005, 44, 8836-8845.	1.9	142
98	Self-Assembly of Two- and Three-Dimensional Coordination Networks with Hexamethylenetetramine and Different Silver(I) Salts. <i>Chemistry - A European Journal</i> , 2000, 6, 3729-3738.	1.7	137
99	A Metal-Organic Framework with a Pore Size/Shape Suitable for Strong Binding and Close Packing of Methane. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4674-4678.	7.2	137
100	Dual-Band Eight-Antenna Array Design for MIMO Applications in 5G Mobile Terminals. <i>IEEE Access</i> , 2019, 7, 71636-71644.	2.6	133
101	Syntheses, Structures, and Photoluminescent Properties of Three Silver(I) Cluster-Based Coordination Polymers with Heteroaryldicarboxylate. <i>Crystal Growth and Design</i> , 2004, 4, 831-836.	1.4	132
102	The First Noncluster Vanadium(IV) Coordination Polymers: Solvothermal Syntheses, Crystal Structure, and Ion Exchange. <i>Journal of Solid State Chemistry</i> , 2001, 160, 118-122.	1.4	131
103	Metallophilicity versus $\pi$ - $\pi$ Interactions: Ligand-Unsupported Argentophilicity/Cuprophilicity in Oligomers-of-Dimers $[M_2L_2]_n$ (M=CuI or AgI, L=tridentate ligand). <i>Chemistry - A European Journal</i> , 2005, 11, 552-561.	1.7	131
104	Toward Designed Assembly of Microporous Coordination Networks Constructed from Silver(I)-Hexamethylenetetramine Layers. <i>Inorganic Chemistry</i> , 2001, 40, 3562-3569.	1.9	130
105	Unprecedented (3,9)-Connected (42.6)3(46.621.89) Net Constructed by Trinuclear Mixed-Valence Cobalt Clusters. <i>Crystal Growth and Design</i> , 2007, 7, 980-983.	1.4	130
106	Electrostatic Attraction-Driven Assembly of a Metal-Organic Framework with a Photosensitizer Boosts Photocatalytic $CO_2$ Reduction to CO. <i>Journal of the American Chemical Society</i> , 2021, 143, 17424-17430.	6.6	127
107	Controlled hydrothermal synthesis of copper(ii or i,ii) coordination polymers via pH-dependent in situ metal/ligand redox reactions. <i>New Journal of Chemistry</i> , 2004, 28, 1412.	1.4	123
108	Two mixed-valence copper(i,ii) imidazolate coordination polymers: metal-valence tuning approach for new topological structures Electronic supplementary information (ESI) available: Synthesis and additional plots for 1 and 2. See <a href="http://www.rsc.org/suppdata/cc/b4/b401691b/">http://www.rsc.org/suppdata/cc/b4/b401691b/</a> . <i>Chemical Communications</i> , 2004, , 1100.	2.2	122

#	ARTICLE	IF	CITATIONS
109	Electronic magnetic like ordering in a unique three-dimensional coordination polymer featuring mixed azide/carboxylate-bridged trinuclear manganese(ii) clusters as subunits. Electronic supplementary information (ESI) available: the theoretical expressions of the intra-/inter-molecular magnetic interactions, two-dimensional view of 1, temperature dependence of ac magnetic susceptibility and field dependence of magnetization at 1.97 K. See <a href="http://www.rsc.org/suppdata/cc/b1/b106314f/">http://www.rsc.org/suppdata/cc/b1/b106314f/</a> . Chemical Communications, 2001, , 2320-2321.	2.2	121
110	Syntheses, Structures, Photoluminescence, and Theoretical Studies of a Novel Class of d10 Metal Complexes of 1H-[1,10]phenanthroline-2-one. Chemistry - A European Journal, 2003, 9, 3888-3896.	1.7	120
111	Homochiral crystallization of helical coordination chains bridged by achiral ligands: can it be controlled by the ligand structure?. Dalton Transactions, 2005, , 424.	1.6	120
112	Direct visualization of a guest-triggered crystal deformation based on a flexible ultramicroporous framework. Nature Communications, 2013, 4, 2534.	5.8	120
113	Supramolecular Architectures and Helical Water Chains in Cocrystals of Melamine and Aromatic Carboxylic Acids. Crystal Growth and Design, 2005, 5, 617-622.	1.4	119
114	A robust microporous 3D cobalt(ii) coordination polymer with new magnetically frustrated 2D lattices: single-crystal transformation and guest modulation of cooperative magnetic properties. Dalton Transactions, 2006, , 5294.	1.6	118
115	A flexible metal azolate framework with drastic luminescence response toward solvent vapors and carbon dioxide. Chemical Science, 2011, 2, 2214.	3.7	117
116	A Two-Dimensional Iron(II) Carboxylate Linear Chain Polymer that Exhibits a Metamagnetic Spin-Canted Antiferromagnetic to Single-Chain Magnetic Transition. Inorganic Chemistry, 2008, 47, 4077-4087.	1.9	116
117	An octacobalt cluster based, (3,12)-connected, magnetic, porous coordination polymer. Chemical Communications, 2010, 46, 6311.	2.2	116
118	Synthesis and Structural Characterization of Di- and Tetranuclear Zinc Complexes with Phenolate and Carboxylate Bridges. Correlations between <sup>13</sup> C NMR Chemical Shifts and Carboxylate Binding Modes. Inorganic Chemistry, 2002, 41, 6426-6431.	1.9	115
119	Channel Sounding of Loaded Reverberation Chamber for Over-the-Air Testing of Wireless Devices: Coherence Bandwidth Versus Average Mode Bandwidth and Delay Spread. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 678-681.	2.4	115
120	A novel two-dimensional rectangular network. Synthesis and structure of {[Cu(4,4'-bpy)(pyz)(H <sub>2</sub> O) <sub>2</sub> ][PF <sub>6</sub> ] <sub>2</sub> ] <sub>n</sub> (4,4'-bpy=4,4'-bipyridine, pyz=pyrazine). Journal of the Chemical Society Dalton Transactions, 1998, , 5-6.		114
121	A Mixed-Ligand Approach for a Gigantic and Hollow Heterometallic Cage {Ni <sub>64</sub> RE <sub>96</sub> } for Gas Separation and Magnetic Cooling Applications. Angewandte Chemie - International Edition, 2016, 55, 9375-9379.	7.2	114
122	Non-d Metal Modulation of a Cobalt Imidazolate Framework for Excellent Electrocatalytic Oxygen Evolution in Neutral Media. Angewandte Chemie - International Edition, 2019, 58, 139-143.	7.2	113
123	A Planar Switchable 3-D-Coverage Phased Array Antenna and Its User Effects for 28-GHz Mobile Terminal Applications. IEEE Transactions on Antennas and Propagation, 2017, 65, 6413-6421.	3.1	112
124	An ionic porous coordination framework exhibiting high CO <sub>2</sub> affinity and CO <sub>2</sub> /CH <sub>4</sub> selectivity. Chemical Communications, 2011, 47, 926-928.	2.2	111
125	Selective Aerobic Oxidation of a Metal-Organic Framework Boosts Thermodynamic and Kinetic Propylene/Propane Selectivity. Angewandte Chemie - International Edition, 2019, 58, 7692-7696.	7.2	111
126	Multidimensional Networks Constructed with Isomeric Benzenedicarboxylates and 2,2'-Biimidazole Based on Mono-, Bi-, and Trinuclear Units. Crystal Growth and Design, 2005, 5, 801-806.	1.4	109



#	ARTICLE	IF	CITATIONS
127	Throughput Modeling and Measurement in an Isotropic-Scattering Reverberation Chamber. IEEE Transactions on Antennas and Propagation, 2014, 62, 2130-2139.	3.1	109
128	Molecular perovskite high-energetic materials. Science China Materials, 2018, 61, 1123-1128.	3.5	109
129	Syntheses and crystal structures of four metal-organic co-ordination networks constructed from cadmium(II) thiocyanate and nicotinic acid derivatives with hydrogen bonds. Dalton Transactions RSC, 2011, , 580-585.	2.3	108
130	A Single-Source Approach to Bi <sub>2</sub> S <sub>3</sub> and Sb <sub>2</sub> S <sub>3</sub> Nanorods via a Hydrothermal Treatment. Crystal Growth and Design, 2004, 4, 513-516.	1.4	107
131	Synthesis, Structures, and Magnetic Properties of Heteronuclear Cu(II)-Ln(III) (Ln = La, Gd, or Tb) Complexes. Inorganic Chemistry, 2005, 44, 8285-8292.	1.9	107
132	Adsorptive separation of carbon dioxide: From conventional porous materials to metal-organic frameworks. EnergyChem, 2019, 1, 100016.	10.1	107
133	Supramolecular-jack-like guest in ultramicroporous crystal for exceptional thermal expansion behaviour. Nature Communications, 2015, 6, 6917.	5.8	106
134	Single-crystal-to-single-crystal transformation involving release of bridging water molecules and conversion of chain helicity in a chiral three-dimensional metal-organic framework. Chemical Communications, 2008, , 1551.	2.2	103
135	Solvent-induced supramolecular isomerism in silver(I) 2-methylimidazolate. CrystEngComm, 2006, 8, 351.	1.3	102
136	Microwave-assisted elemental direct reaction route to nanocrystalline copper chalcogenides CuSe and Cu <sub>2</sub> Te. Electronic supplementary information (ESI) available: XPS spectra of the products. See <a href="http://www.rsc.org/suppdata/jm/b2/b205558a/">http://www.rsc.org/suppdata/jm/b2/b205558a/</a> . Journal of Materials Chemistry, 2002, 12, 2747-2748.	6.7	101
137	A Porous Coordination Polymer Assembled from 8-Connected {Co <sup>II</sup> (OH)} <sub>3</sub> Clusters and Isonicotinate: Multiple Active Metal Sites, Apical Ligand Substitution, H <sub>2</sub> Adsorption, and Magnetism. Inorganic Chemistry, 2011, 50, 2321-2328.	1.9	101
138	Coordination templated [2+2+2] cyclotrimerization in a porous coordination framework. Nature Communications, 2015, 6, 8348.	5.8	101
139	The Gigantic {Ni <sub>36</sub> Gd <sub>102</sub> } Hexagon: A Sulfate-Templated "Star-of-David" for Photocatalytic CO <sub>2</sub> Reduction and Magnetic Cooling. Journal of the American Chemical Society, 2020, 142, 4663-4670.	6.6	99
140	Encapsulating Pyrene in a Metal-Organic Zeolite for Optical Sensing of Molecular Oxygen. Chemistry of Materials, 2015, 27, 8255-8260.	3.2	97
141	Strong Luminescent Iridium Complexes with C≡N=N Structure in Ligands and Their Potential in Efficient and Thermally Stable Phosphorescent OLEDs. Advanced Materials, 2009, 21, 339-343.	11.1	96
142	Fluoride-enhanced lanthanide luminescence and white-light emitting in multifunctional Al <sub>3</sub> Ln <sub>2</sub> (Ln =) Tj ETQq0 0 0 rBT /Overlock 10 Tf	2.2	96
143	Dynamic Magnetic and Optical Insight into a High Performance Pentagonal Bipyramidal Dy <sup>III</sup> Single-Ion Magnet. Chemistry - A European Journal, 2017, 23, 5708-5715.	1.7	96
144	Hydrothermal synthesis and crystal structures of two bimetallic chain-like and cluster complexes [{Co(phen) <sub>2</sub> } <sub>2</sub> V <sub>6</sub> O <sub>17</sub> ] <sub>n</sub> and [{Cu(phen) <sub>2</sub> } <sub>4</sub> V <sub>10</sub> O <sub>29</sub> ] <sub>n</sub> ·6H <sub>2</sub> O. Chemical Communications, 2000, , 1817-1818.	2.2	95

#	ARTICLE	IF	CITATIONS
145	Supramolecular isomerism within three-dimensional 3-connected nets: unusual synthesis and characterization of trimorphic copper(I) 3,5-dimethyl-1,2,4-triazolate. Dalton Transactions, 2005, , 3681.	1.6	95
146	Syntheses, Structures, Photoluminescence, and Theoretical Studies of a Class of Beryllium(II) Compounds of Aromatic N,O-Chelate Ligands. Inorganic Chemistry, 2005, 44, 4270-4275.	1.9	95
147	Pillaring Zn-Triazolate Layers with Flexible Aliphatic Dicarboxylates into Three-Dimensional Metal-Organic Frameworks. Crystal Growth and Design, 2008, 8, 3673-3679.	1.4	94
148	3D Homometallic Carboxylate Ferrimagnet Constructed from a Manganese(II) Succinate Carboxylate Layer Motif Pillared by Isonicotinate Spacers. Inorganic Chemistry, 2007, 46, 7241-7243.	1.9	93
149	Isomeric Zinc(II) Triazolate Frameworks with 3-Connected Networks: Syntheses, Structures, and Sorption Properties. Inorganic Chemistry, 2009, 48, 3882-3889.	1.9	92
150	Photoresponsive Organic-Inorganic Hybrid Ferroelectric Designed at the Molecular Level. Journal of the American Chemical Society, 2020, 142, 16990-16998.	6.6	92
151	Encapsulation of Water Cluster, meso-Helical Chain and Tapes in Metal-Organic Frameworks Based on Double-Stranded Cd(II) Helicates and Carboxylates. Crystal Growth and Design, 2006, 6, 2739-2746.	1.4	91
152	Guest-Switchable Multi-Step Spin Transitions in an Amine-Functionalized Metal-Organic Framework. Angewandte Chemie - International Edition, 2017, 56, 14982-14986.	7.2	91
153	Syntheses and structures of six chain-, ladder- and grid-like co-ordination polymers constructed from 1/4-hexamethylenetetramine and silver salts. Dalton Transactions RSC, 2001, , 586-592.	2.3	90
154	Crystal structures of two- and three-dimensional polymeric complexes assembled by metal pseudohalides and 4-aminobenzoic acid via hydrogen bonds and covalent bonds. Inorganica Chimica Acta, 2002, 329, 13-21.	1.2	90
155	Two highly-connected, chiral, porous coordination polymers featuring novel heptanuclear metal carboxylate clusters. Chemical Communications, 2008, , 4019.	2.2	90
156	Above-room-temperature ferroelastic phase transition in a perovskite-like compound [N(CH <sub>3</sub> ) <sub>4</sub> ][Cd(N <sub>3</sub> ) <sub>3</sub> ]. Chemical Communications, 2014, 50, 1989.	2.2	90
157	A novel three-dimensional triangular organic-inorganic hybrid network self-assembled by mononuclear [Mn(4,4'-bipyridine) <sub>2</sub> (H <sub>2</sub> O) <sub>4</sub> ] <sup>2+</sup> cations and rich solvate 4,4'-bipyridine molecules through hydrogen-bonding and $\pi$ - $\pi$ interactions. Journal of the Chemical Society Dalton Transactions, 1999, , 3657-3659.	1.1	88
158	A novel polycatenated double-layered hybrid organic-inorganic material constructed from [Zn <sub>2</sub> (tp)(4,4'-bpy)] <sub>n</sub> <sup>2n+</sup> layers and V <sub>4</sub> O <sub>12</sub> pillars. Dalton Transactions RSC, 2001, , 770-771.	2.3	88
159	Synthesis, crystal structures and properties of six cubane-like transition metal complexes of di-2-pyridyl ketone in gem-diol form. Dalton Transactions RSC, 2002, , 1727-1734.	2.3	88
160	Significant improvement of surface area and CO <sub>2</sub> adsorption of Cu-BTC via solvent exchange activation. RSC Advances, 2013, 3, 17065.	1.7	88
161	Inclusion of 4,4'-Bipyridine (bpy) in Its Copper(II) Aqua Perchlorate Complex. Crystal Structure of [Cu(II)TjETQq110.784314rgBT/Cve] 0.5 86	0.5	86
162	A novel high-spin heterometallic Ni <sub>12</sub> K <sub>4</sub> cluster incorporating large Ni-azide circles and an in situ cyanomethylated di-2-pyridyl ketone. Chemical Communications, 2005, , 233-235.	2.2	86

#	ARTICLE	IF	CITATIONS
163	Variation in the Coordination Mode of Arenedisulfonates: Syntheses and Structural Characterization of Mononuclear and Dinuclear Cadmium(II) Arenedisulfonate Complexes with Two- to Zero-Dimensional Architectures. <i>Inorganic Chemistry</i> , 2002, 41, 4967-4974.	1.9	85
164	Characterization of Implemented Algorithm for MIMO Spatial Multiplexing in Reverberation Chamber. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 4400-4404.	3.1	85
165	The cation-dependent structural phase transition and dielectric response in a family of cyano-bridged perovskite-like coordination polymers. <i>Dalton Transactions</i> , 2016, 45, 4224-4229.	1.6	85
166	Structures, Photoluminescence and Theoretical Studies of Two ZnII Complexes with Substituted 2-(2-Hydroxyphenyl)benzimidazoles. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3734-3741.	1.0	84
167	Chemical/Physical Pressure Tunable Spin-Transition Temperature and Hysteresis in a Two-Step Spin Crossover Porous Coordination Framework. <i>Inorganic Chemistry</i> , 2012, 51, 9423-9430.	1.9	84
168	Desolvation-Driven 100-Fold Slow-down of Tunneling Relaxation Rate in Co(II)-Dy(III) Single-Molecule Magnets through a Single-Crystal-to-Single-Crystal Process. <i>Scientific Reports</i> , 2015, 5, 16621.	1.6	84
169	Well-Resolved, New Water Morphologies Obtained by Modification of the Hydrophilic/Hydrophobic Character and Shapes of the Supporting Layers. <i>Inorganic Chemistry</i> , 2005, 44, 3146-3150.	1.9	83
170	Porous Manganese(II) 3-(2-Pyridyl)-5-(4-Pyridyl)-1,2,4-Triazolate Frameworks: Rational Self-Assembly, Supramolecular Isomerism, Solid-State Transformation, and Sorption Properties. <i>Inorganic Chemistry</i> , 2009, 48, 6652-6660.	1.9	83
171	Zeolitic metal azolate frameworks (MAFs) from ZnO/Zn(OH) <sub>2</sub> and monoalkyl-substituted imidazoles and 1,2,4-triazoles: Efficient syntheses and properties. <i>Microporous and Mesoporous Materials</i> , 2012, 157, 42-49.	2.2	82
172	Coexistence of spin frustration and long-range magnetic ordering in a triangular CoII <sub>3</sub> ( $\frac{1}{4}$ 3-OH)-based two-dimensional compound. <i>Chemical Communications</i> , 2006, , 165-167.	2.2	81
173	Porous Cu(I) Triazolate Framework and Derived Hybrid Membrane with Exceptionally High Sensing Efficiency for Gaseous Oxygen. <i>Advanced Functional Materials</i> , 2014, 24, 5866-5872.	7.8	81
174	Unique Freezing Dynamics of Flexible Guest Cations in the First Molecular Postperovskite Ferroelectric: (C <sub>5</sub> H <sub>13</sub> NBr)[Mn(N(CN) <sub>2</sub> ) <sub>3</sub> ]. <i>CCS Chemistry</i> , 2019, 1, 448-454.	4.6	80
175	Hydrothermal synthesis and crystal structure of a layered vanadium oxide with an interlayer metal co-ordination complex: Cd[C <sub>3</sub> N <sub>2</sub> H <sub>11</sub> ] <sub>2</sub> [V <sub>8</sub> O <sub>20</sub> ]. <i>Dalton Transactions RSC</i> , 2000, , 275-278.	2.3	79
176	Variation in the coordination mode of arenedisulfonates to copper(II): synthesis and structural characterization of six copper(II) arenedisulfonate complexes. <i>Dalton Transactions RSC</i> , 2001, , 1137-1142.	2.3	78
177	Synthesis, Structure and Photoluminescent Studies of a Novel Supramolecular [Ag(phen)(CN)] <sup>+</sup> (phen) Complex. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 1024-1029.	1.0	78
178	Interchain-Solvent-Induced Chirality Change of 1D Helical Chains: From Achiral to Chiral Crystallization. <i>Inorganic Chemistry</i> , 2007, 46, 2637-2644.	1.9	76
179	Microwave-Assisted Solvothermal Synthesis of a Dynamic Porous Metal-Carboxylate Framework. <i>Crystal Growth and Design</i> , 2008, 8, 4559-4563.	1.4	76
180	New Zn-Aminotriazolate-Dicarboxylate Frameworks: Synthesis, Structures, and Adsorption Properties. <i>Crystal Growth and Design</i> , 2013, 13, 2118-2123.	1.4	76

#	ARTICLE	IF	CITATIONS
181	A near-room-temperature organic-inorganic hybrid ferroelectric: $[C_6H_5CH_2CH_2NH_3]_2[Cd_4]$ . Chemical Communications, 2017, 53, 5764-5766.		76
182	Crystalline Supramolecular Gyroscope with a Water Molecule as an Ultrasmall Polar Rotator Modulated by Charge-Assisted Hydrogen Bonds. Journal of the American Chemical Society, 2017, 139, 8086-8089.	6.6	76
183	Synthesis, Structures, and Magnetic Properties of Carboxylate-Bridged Tetranuclear Copper(II)-Lanthanoid(III) Complexes $[Cu_2Ln_2(\text{betaine})_{10}(\text{H}_2\text{O})_8](\text{ClO}_4)_2 \cdot 2\text{H}_2\text{O}$ and $[Cu_2Ln_2(\text{betaine})_{12}(\text{ClO}_4)_2](\text{ClO}_4)_8$ . Inorganic Chemistry, 1998, 37, 6186-6191.	1.9	75
184	A unique open inorganic-organic framework with alternate hexa- and penta-coordinate cobalt(ii) sites. Synthesis, crystal structure and magnetic properties of $[\text{Co}_3(\text{C}_4\text{H}_4\text{O}_4)_2.5(\text{OH})]_n \cdot 0.5n\text{H}_2\text{O}$ . Dalton Transactions RSC, 2001, , 2888-2890.	2.3	75
185	Hydrothermal syntheses and crystal structures of two rectangular grid coordination polymers based on unique prismatic $[M_8(\text{ip})_8(4,4\text{-bipy})_8]$ building blocks $[M=\text{Ni}(\text{II}) \text{ or } \text{Cd}(\text{II}), \text{ip}=\text{isophthalate}, \text{bipy}=\text{bipyridine}]$ . Journal of Solid State Chemistry, 2003, 170, 130-134.	1.4	75
186	Mutual Coupling Suppression With Decoupling Ground for Massive MIMO Antenna Arrays. IEEE Transactions on Vehicular Technology, 2019, 68, 7273-7282.	3.9	75
187	Reaction of divalent metal acetate and 2,2'-bipyridine. Syntheses and structural characterization of mono-, bi- and tri-nuclear complexes. Inorganica Chimica Acta, 2000, 299, 1-8.	1.2	74
188	Synthesis, Structure and Photoluminescent Studies of Two Novel Layered Uranium Coordination Polymers Constructed from $\text{UO}(\text{OH})$ Polyhedra and Pyridinedicarboxylates. European Journal of Inorganic Chemistry, 2005, 2005, 4109-4117.	1.0	74
189	A Tetracarboxylate-Bridged Dicopper(II) Paddle-Wheel-Based 2-D Porous Coordination Polymer with Gas Sorption Properties. Crystal Growth and Design, 2007, 7, 1332-1336.	1.4	74
190	Probing Single-Chain Magnets in a Family of Linear Chain Compounds Constructed by Magnetically Anisotropic Metal-Ions and Cyclohexane-1,2-Dicarboxylate Analogues. Inorganic Chemistry, 2008, 47, 11202-11211.	1.9	72
191	Synthesis and crystal structures of two infinite molecular ladders $\text{Ag}(4,4\text{-bpy})_X$ ( $X = \text{MeCO}_2 \cdot 3\text{H}_2\text{O}$ or $\text{EtO}$ ). Inorganic Chemistry, 2005, 44, 436-441.	1.8	71
192	Two Metal-Carboxylate Frameworks Featuring Uncommon 2D + 3D and 3-Fold-Interpenetration: (3,5)-Connected Isomeric hms and gra Nets. Crystal Growth and Design, 2009, 9, 2415-2419.	1.4	71
193	Molecular Dynamics, Phase Transition and Frequency-Tuned Dielectric Switch of an Ionic Co-Crystal. Angewandte Chemie - International Edition, 2018, 57, 8032-8036.	7.2	71
194	Syntheses, structures and magnetic properties of a family of metal carboxylate polymers via in situ metal-ligand reactions of benzene-1,2,3-tricarboxylic acid. Dalton Transactions, 2009, , 1396.	1.6	70
195	Threshold Receiver Model for Throughput of Wireless Devices With MIMO and Frequency Diversity Measured in Reverberation Chamber. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 1201-1204.	2.4	70
196	Linear Metal(II)-4,4'-Bipyridine (4,4'-bpy) Chains Organized into Two-Dimensional Rhombic Networks by Hydrogen Bonding. Crystal Structures of $[\text{Co}(4,4\text{-bpy})(\text{H}_2\text{O})_4](\text{ClO}_4)_2 \cdot (4,4\text{-bpy})_2 \cdot 2\text{H}_2\text{O}$ and $[\text{Zn}(4,4\text{-bpy})(\text{H}_2\text{O})_3(\text{ClO}_4)](\text{ClO}_4) \cdot (4,4\text{-bpy})_1 \cdot 5\text{H}_2\text{O}$ . Australian Journal of Chemistry, 1998, 51, 637.	0.5	70
197	Organic-inorganic hybrid materials assembled through weak intermolecular interactions. Synthesis, structures and non-linear optical properties of $[4,4\text{-bipyH}_2][M(\text{NCS})_4]$ ( $M = \text{Mn}^{2+}, \text{Co}^{2+}$ or $\text{Zn}^{2+}$ ). Inorganic Chemistry, 2005, 44, 436-441.	1.8	71
198	Syntheses, structures and sorption properties of two framework-isomeric porous copper-coordination polymers. CrystEngComm, 2009, 11, 183-188.	1.3	68

#	ARTICLE	IF	CITATIONS
199	Remarkably high-temperature spin transition exhibited by new 2D metal-organic frameworks. <i>Chemical Science</i> , 2012, 3, 1629.	3.7	68
200	A New Porous 3-D Framework Constructed From Fivefold Parallel Interpenetration of 2-D (6,3) Nets: A Mixed-Valence Copper(I,II) Coordination Polymer [Cu <sub>2</sub> Cu(4,4'-bpy) <sub>2</sub> (pydc) <sub>2</sub> ·4H <sub>2</sub> O]. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 413-417.	1.0	67
201	From One- to Three-Dimensional Architectures: Supramolecular Isomerism of Copper(I) 3,5-Di(4-pyridyl)-1,2,4-triazolate Involving in Situ Ligand Synthesis. <i>Crystal Growth and Design</i> , 2006, 6, 519-523.	1.4	67
202	Highly-connected, porous coordination polymers based on [M <sub>4</sub> (μ <sub>3</sub> -OH) <sub>2</sub> ] (M = Cu and Ni) clusters: different networks, adsorption and magnetic properties. <i>Dalton Transactions</i> , 2012, 41, 4199.	1.6	67
203	A Stable and Conductive Covalent Organic Framework with Isolated Active Sites for Highly Selective Electroreduction of Carbon Dioxide to Acetate. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	67
204	A novel supramolecular synthon for H-bonded coordination networks: syntheses and structures of extended 2-dimensional cadmium(II) arenesulfonates. <i>Dalton Transactions RSC</i> , 2001, , 2370-2375.	2.3	66
205	A Tetrazolate- and Cyano-bridged Homometallic Mixed-Valence Copper(I,II) Molecular Ferrimagnet. <i>Advanced Materials</i> , 2007, 19, 2843-2846.	11.1	66
206	Orbital Angular Momentum Multiplexing in Highly Reverberant Environments. <i>IEEE Microwave and Wireless Components Letters</i> , 2020, 30, 112-115.	2.0	66
207	A Dinuclear Zinc Carboxylate Complex of Biological Relevance. Crystal Structure of [Zn <sub>2</sub> (bpy) <sub>2</sub> (MeCO <sub>2</sub> ) <sub>3</sub> ]ClO <sub>4</sub> (bpy = 2,2'-Bipyridine). <i>Inorganic Chemistry</i> , 1994, 33, 4586-4588.	1.9	65
208	Infinite Water Chains Trapped in an Organic Framework Constructed from Melamine with 1,5-Naphthalenedisulfonic Acid via Hydrogen Bonds. <i>Crystal Growth and Design</i> , 2005, 5, 1609-1616.	1.4	65
209	One-Dimensional Supramolecular Isomerism of Copper(I) and Silver(I) Imidazolates Based on the Ligand Orientations. <i>Crystal Growth and Design</i> , 2006, 6, 1194-1198.	1.4	65
210	3D geometrically frustrated magnets assembled by transition metal ion and 1,2,3-triazole-4,5-dicarboxylate as triangular nodes. <i>CrystEngComm</i> , 2008, 10, 1770.	1.3	65
211	Self-catalysed aerobic oxidization of organic linker in porous crystal for on-demand regulation of sorption behaviours. <i>Nature Communications</i> , 2015, 6, 6350.	5.8	65
212	Two- and three-dimensional non-interpenetrating open-networks self-assembled by μ <sub>4</sub> -hexamethylenetetramine (hmt). Syntheses and structures of [Ag <sub>2</sub> (μ <sub>4</sub> -hmt)(SO <sub>4</sub> )(H <sub>2</sub> O)]·4H <sub>2</sub> O and [Ag <sub>2</sub> (μ <sub>4</sub> -hmt)(μ <sub>4</sub> -O <sub>2</sub> CMe)]MeCO <sub>2</sub> ·4.5H <sub>2</sub> O. <i>Chemical Communications</i> , 1999, , 561-562.	2.2	64
213	Interweaving isomerism and isomerization of molecular chains. <i>Chemical Communications</i> , 2011, 47, 4156.	2.2	64
214	MRC Diversity and MIMO Capacity Evaluations of Multi-Port Antennas Using Reverberation Chamber and Anechoic Chamber. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 917-926.	3.1	64
215	Drastic Enhancement of Catalytic Activity via Post-oxidation of a Porous Mn(II) Triazolate Framework. <i>Chemistry - A European Journal</i> , 2014, 20, 11303-11307.	1.7	64
216	Direct Observation of Confined I <sup>+</sup> ...I <sup>+</sup> Interactions in a Metal-Organic Framework: Iodine Capture and Sensing. <i>Chemistry - A European Journal</i> , 2017, 23, 8409-8413.	1.7	64

#	ARTICLE	IF	CITATIONS
217	An Exceptionally Water Stable Metal-Organic Framework with Amide-Functionalized Cages: Selective CO <sub>2</sub> /CH <sub>4</sub> Uptake and Removal of Antibiotics and Dyes from Water. <i>Chemistry - A European Journal</i> , 2017, 23, 13058-13066.	1.7	64
218	Metal-Free Molecular Perovskite High-Energetic Materials. <i>Crystal Growth and Design</i> , 2020, 20, 1891-1897.	1.4	64
219	Hydrogen-Bonded Anionic Rosette Networks Assembled with Guanidinium and C <sub>3</sub> -Symmetric Oxoanion Building Blocks. <i>Journal of the American Chemical Society</i> , 2005, 127, 11536-11537.	6.6	63
220	Estimation of Average Rician K-Factor and Average Mode Bandwidth in Loaded Reverberation Chamber. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2011, 10, 1437-1440.	2.4	63
221	Phosphorescence doping in a flexible ultramicroporous framework for high and tunable oxygen sensing efficiency. <i>Chemical Communications</i> , 2013, 49, 6864.	2.2	63
222	Mixed-Lanthanide Porous Coordination Polymers Showing Range-Tunable Ratiometric Luminescence for O <sub>2</sub> Sensing. <i>Inorganic Chemistry</i> , 2017, 56, 4238-4243.	1.9	63
223	Cation-templated construction of three-dimensional $\hat{\pm}$ -Po cubic-type [M(dca) <sub>3</sub> ] networks. Syntheses, structures and magnetic properties of A[M(dca) <sub>3</sub> ] (dca = dicyanamide; for A = benzyltributylammonium, Tj ETQq1 1.4 61)	1.4	61
224	Spin-Frustrated Complex, [Fe <sup>II</sup> Fe <sup>III</sup> ](trans-1,4-cyclohexanedicarboxylate) <sub>1.5</sub> : Interplay between Single-Chain Magnetic Behavior and Magnetic Ordering. <i>Inorganic Chemistry</i> , 2009, 48, 2028-2042.	1.9	61
225	Highly Efficient Separation of Glycoprotein by Dual-Functional Magnetic Metal-Organic Framework with Hydrophilicity and Boronic Acid Affinity. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 27612-27620.	4.0	61
226	A flexible porous Cu(II) bis-imidazolate framework with ultrahigh concentration of active sites for efficient and recyclable CO <sub>2</sub> capture. <i>Chemical Communications</i> , 2013, 49, 11728.	2.2	60
227	Flexible, Luminescent Metal-Organic Frameworks Showing Synergistic Solid-Solution Effects on Porosity and Sensitivity. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 16021-16025.	7.2	60
228	Hydrogen-bonding organization of (4,4) coordination layers into a 3-D molecular architecture with channels clathrating guest molecules [Cu(tdc)(bpy)(H <sub>2</sub> O)](bpy) (tdc = thiophene-2,5-dicarboxylate); Tj ETQq0 0 0 rgB8 /Overlook 10 Tf 50		
229	A soluble pentacene: synthesis, EPR and electrochemical studies of 2,3,9,10-tetrakis(trimethylsilyl)pentacene. <i>Chemical Communications</i> , 2005, , 66.	2.2	59
230	Flexible Mixed-Spin Kagomel-Coordination Polymers with Reversible Magnetism Triggered by Dehydration and Rehydration. <i>Inorganic Chemistry</i> , 2011, 50, 309-316.	1.9	59
231	Optimizing the oxygen balance by changing the A-site cations in molecular perovskite high-energetic materials. <i>CrystEngComm</i> , 2018, 20, 7458-7463.	1.3	59
232	Crystal structure of BIS(Betaine) hydrochloride monohydrate. <i>Journal of Molecular Structure</i> , 1990, 240, 69-75.	1.8	57
233	Anionic and neutral metal-4,4'-bipyridine networks. Synthesis, structures and thermal properties of one- and three-dimensional coordination polymers constructed by metal salts and 4,4'-bipyridine. <i>CrystEngComm</i> , 2000, 2, 1.	1.3	57
234	The unique dual role of zinc atoms in a mixed zinc-vanadium phosphate [Zn(phen)Zn(VO)(PO <sub>4</sub> ) <sub>2</sub> ]. <i>Dalton Transactions RSC</i> , 2001, , 2069-2070.	2.3	57

#	ARTICLE	IF	CITATIONS
235	Photoluminescent two-dimensional coordination polymers constructed with octanuclear silver(i) clusters or silver(i) ions. <i>New Journal of Chemistry</i> , 2002, 26, 814-816.	1.4	57
236	Synthesis, structures and photoluminescence of three terbium(iii) dicarboxylate coordination polymers. <i>New Journal of Chemistry</i> , 2002, 26, 791-795.	1.4	57
237	The slow magnetic relaxation observed in a mixed carboxylate/hydroxide-bridged compound [Co <sub>2</sub> Na(4-cpa) <sub>2</sub> (1/43-OH)(H <sub>2</sub> O)] <sup>+</sup> featuring magnetic 1 <sup>D</sup> -chains. <i>Chemical Communications</i> , 2006, , 3603-3605.	2.2	57
238	Tuning fluorocarbon adsorption in new isoreticular porous coordination frameworks for heat transformation applications. <i>Chemical Science</i> , 2015, 6, 2516-2521.	3.7	57
239	Hyperfine adjustment of flexible pore-surface pockets enables smart recognition of gas size and quadrupole moment. <i>Chemical Science</i> , 2017, 8, 7560-7565.	3.7	57
240	Molecule-based nonlinear optical switch with highly tunable on-off temperature using a dual solid solution approach. <i>Nature Communications</i> , 2020, 11, 2752.	5.8	57
241	Metal <sup>+</sup> betaine interactions. Part 13. Preparation and crystal structures of four polymeric silver(I) complexes of betaine derivatives. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 3253-3258.	1.1	56
242	Porous ionic/molecular crystal composed of highly symmetric magnetic clusters. <i>Chemical Communications</i> , 2010, 46, 246-248.	2.2	56
243	Visualizing the distinctly different crystal-to-crystal structural dynamism and sorption behavior of interpenetration-direction isomeric coordination networks. <i>Chemical Science</i> , 2014, 5, 4755-4762.	3.7	56
244	Insight into the molecular dynamics of guest cations confined in deformable azido coordination frameworks. <i>Chemical Communications</i> , 2015, 51, 15641-15644.	2.2	56
245	Syntheses and Crystal Structures of Cadmium Complexes with Thiophenedicarboxylate and Bipyridine-like Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 919-923.	0.6	55
246	Two microporous metal <sup>+</sup> organic frameworks with different topologies constructed from linear trinuclear M <sub>3</sub> (COO) <sub>n</sub> secondary building units. <i>CrystEngComm</i> , 2008, 10, 753.	1.3	55
247	Dual-Polarized Broadband Base Station Antenna Backed With Dielectric Cavity for 5G Communications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 2051-2055.	2.4	55
248	Linear and Helical Chains in Hydrothermally Synthesized Coordination Polymers [Co(bpdc)(H <sub>2</sub> O) <sub>2</sub> ] and [Ni(bpdc)(H <sub>2</sub> O) <sub>3</sub> ] <sup>+</sup> ·H <sub>2</sub> O Involving in situ Ligand Synthesis. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2959-2964.	1.0	54
249	A Dynamic Microporous Metal <sup>+</sup> Organic Framework with BCT Zeolite Topology: Construction, Structure, and Adsorption Behavior. <i>Crystal Growth and Design</i> , 2007, 7, 2286-2289.	1.4	54
250	Porous Coordination Polymer with Flexibility Imparted by Coordinatively Changeable Lithium Ions on the Pore Surface. <i>Inorganic Chemistry</i> , 2010, 49, 1158-1165.	1.9	54
251	Reverberation Chambers for Over-the-Air Tests: An Overview of Two Decades of Research. <i>IEEE Access</i> , 2018, 6, 49129-49143.	2.6	54
252	Highly Efficient Electroconversion of CO <sub>2</sub> into CH <sub>4</sub> by a Metal <sup>+</sup> Organic Framework with Trigonal Pyramidal Cu(I)N <sub>3</sub> Active Sites. <i>ACS Catalysis</i> , 2021, 11, 11786-11792.	5.5	54

#	ARTICLE	IF	CITATIONS
253	Metal <sup>+</sup> betaine interactions. Part 3. Crystal structures of polymeric diaquabis(betaine)disilver(I) dinitrate and bis(pyridine betaine)disilver(I) diperchlorate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 1219-1222.	1.1	53
254	Influence of ligand backbones and counter ions on structures of helical silver(I) complexes with di-Schiff bases derived from phthalaldehydes and diamine. <i>Dalton Transactions RSC</i> , 2000, , 4182-4186.	2.3	53
255	Influence of the counter ions and ligands on structures of silver(I) helicates with di-Schiff bases containing imidazole groups. <i>Dalton Transactions RSC</i> , 2000, , 2337-2344.	2.3	53
256	Solid-state structures of group 1 and group 2 metal 1,5-naphthalenedisulfonates: systematic investigation of lamellar three-dimensional networks constructed by metal arenedisulfonate. <i>Acta Crystallographica Section B: Structural Science</i> , 2001, 57, 520-530.	1.8	53
257	Hydrothermal Syntheses and Structural Studies of Lanthanide Coordination Polymers Involving In-Situ Decarboxylation and their Luminescence Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 937-942.	0.6	53
258	Two temperature-induced isomers of metal-carboxylate frameworks based on different linear trinuclear Co <sub>3</sub> (RCOO) <sub>8</sub> clusters exhibiting different magnetic behaviours. <i>CrystEngComm</i> , 2010, 12, 3834.	1.3	53
259	Generation of Multiple Modes Microwave Vortex Beams Using Active Metasurface. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 59-63.	2.4	53
260	Insight into the Effect of the d-Orbital Energy of Copper Ions in Metal-Organic Frameworks on the Selectivity of Electroreduction of CO <sub>2</sub> to CH <sub>4</sub> . <i>ACS Catalysis</i> , 2022, 12, 2749-2755.	5.5	53
261	Metal-Free Hexagonal Perovskite High-Energetic Materials with NH <sub>3</sub> OH <sup>+</sup> /NH <sub>2</sub> NH <sub>3</sub> <sup>+</sup> as B-Site Cations. <i>Engineering</i> , 2020, 6, 1013-1018.	3.2	52
262	Spin Canting and Topological Ferrimagnetism in Two Manganese(II) Coordination Polymers Generated by In Situ Solvothermal Ligand Reactions. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2668-2676.	1.0	51
263	A Metasurface Superstrate for Mutual Coupling Reduction of Large Antenna Arrays. <i>IEEE Access</i> , 2020, 8, 126859-126867.	2.6	51
264	Synthesis and structures of two-dimensional coordination polymers constructed by metal salts and 4,4'-bipyridine. <i>Polyhedron</i> , 2000, 19, 1809-1814.	1.0	50
265	Coordination Polymer Route to Wurtzite ZnS and CdS Nanorods. <i>Journal of Solid State Chemistry</i> , 2002, 166, 49-52.	1.4	50
266	Controlling Two-Step Phase Transitions and Dielectric Responses by A-Site Cations in Two Perovskite-like Coordination Polymers. <i>Crystal Growth and Design</i> , 2016, 16, 7212-7217.	1.4	50
267	Spin-reorientation-induced magnetodielectric coupling effects in two layered perovskite magnets. <i>Chemical Science</i> , 2018, 9, 7413-7418.	3.7	50
268	Self-assembly of new three-dimensional molecular architectures constructed from silver(I)-hexamethylenetetramine layers with supramolecular interactions. <i>Dalton Transactions RSC</i> , 2002, , 360-364.	2.3	49
269	Layer-by-layer evolution and a hysteretic single-crystal to single-crystal transformation cycle of a flexible pillared-layer open framework. <i>Chemical Communications</i> , 2012, 48, 133-135.	2.2	49
270	Electrolyte Membranes with Biomimetic Lithium-Ion Channels. <i>Nano Letters</i> , 2020, 20, 5435-5442.	4.5	49



#	ARTICLE	IF	CITATIONS
271	A Porous $\pi$ - $\pi$ Stacking Framework with Dicopper(I) Sites and Adjacent Proton Relays for Electroreduction of $\text{CO}_2$ to $\text{C}_2^+$ Products. <i>Journal of the American Chemical Society</i> , 2022, 144, 13319-13326.	6.6	48
272	A new lead(II) complex of 2,2'-bipyridine, acetate and thiocyanate ligands: synthesis, characterization and crystal structure of $[\text{Pb}(\text{bpy})(\text{NCS})(\text{CH}_3\text{COO})]_n$ . <i>Journal of Coordination Chemistry</i> , 2004, 57, 1233-1241.	0.8	47
273	From Pseudo to True $\text{C}_3$ Symmetry: $\pi$ Magnetic Anisotropy Enhanced by Site-Specific Ligand Substitution in Two $\text{Mn}^{15}$ -Carboxylate Clusters. <i>Inorganic Chemistry</i> , 2007, 46, 6437-6443.	1.9	47
274	Core-shell silica particles with dendritic pore channels impregnated with zeolite imidazolate framework-8 for high performance liquid chromatography separation. <i>Journal of Chromatography A</i> , 2017, 1505, 63-68.	1.8	47
275	A photoluminescent polymeric chain complex: synthesis and structure of $[(\text{PPh}_3)_2\text{Cu}_2(\mu_4\text{-I})_2(\mu_4\text{-4,4'-bpy})]_n$ . <i>Inorganic Chemistry Communication</i> , 2003, 6, 1017-1019.	1.8	46
276	Weak Ferromagnetism and Dynamic Magnetic Behavior of Two 2D Compounds with Hydroxy/Carboxylate-Bridged Co(II) Chains. <i>Chemistry of Materials</i> , 2008, 20, 5345-5350.	3.2	46
277	Syntheses, structures and photophysical properties of heterotrinary $\text{Zn}_2\text{Ln}$ clusters (Ln = Nd, Eu). <i>Tj ETQq1 1 0.784314 rgBT /Over</i>	1.6	46
278	A one-dimensional coordination polymer exhibiting simultaneous spin-crossover and semiconductor behaviour. <i>Chemical Communications</i> , 2011, 47, 10233.	2.2	46
279	Structural Transition in the Perovskite-like Bimetallic Azido Coordination Polymers: $(\text{NMe}_4)_2[\text{B}^2\text{B}^3(\text{N}_3)_6]$ ( $\text{B}^2 = \text{Cr}^{3+}, \text{Fe}^{3+}$ ; $\text{B}^3 = \text{Na}^+, \text{K}^+$ ). <i>Crystal Growth and Design</i> , 2014, 14, 3903-3909.	1.4	46
280	Rational Design of a Ferromagnetic Trinuclear Copper(II) Complex with a Novel in-situ Synthesised Metalloligand. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2385-2388.	1.0	45
281	Importing spontaneous polarization into a Heisenberg ferromagnet for a potential single-phase multiferroic. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8704-8710.	2.7	45
282	Preparation and crystal structures of bis(o-phenanthroline)(acetato)zinc(II) perchlorate and bis(2,2'-bipyridine)(pyridinioacetato)zinc(II) diperchlorate. <i>Polyhedron</i> , 1994, 13, 2079-2083.	1.0	44
283	Syntheses, spectra and crystal structures of ruthenium(II) complexes with polypyridyl: $[\text{Ru}(\text{bipy})_2(\text{phen})](\text{ClO}_4)_2 \cdot \text{H}_2\text{O}$ and $[\text{Ru}(\text{bipy})_2(\text{Me-phen})](\text{ClO}_4)_2$ . <i>Inorganica Chimica Acta</i> , 1995, 240, 5-11.	1.2	44
284	Three transition metal complexes formed with tripodal polyimidazole ligands: synthesis, crystal structures and reactivity toward superoxide. <i>Polyhedron</i> , 2001, 20, 223-229.	1.0	44
285	A new ferroelastic hybrid material with a large spontaneous strain: $(\text{Me}_3\text{NOH})_2[\text{ZnCl}_4]$ . <i>Chemical Communications</i> , 2019, 55, 8983-8986.	2.2	44
286	Split-Ring Resonator-Loaded Baffles for Decoupling of Dual-Polarized Base Station Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020, 19, 1828-1832.	2.4	44
287	Room-temperature ferroelectric and ferroelastic orders coexisting in a new tetrafluoroborate-based perovskite. <i>Chemical Science</i> , 2021, 12, 8713-8721.	3.7	44
288	An Exceptional Thermally Induced Four-State Nonlinear Optical Switch Arising from Stepwise Molecular Dynamic Changes in a New Hybrid Salt. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	44

#	ARTICLE	IF	CITATIONS
289	Mesoporous Metal-Organic Frameworks with Exceptionally High Working Capacities for Adsorption Heat Transformation. <i>Advanced Materials</i> , 2018, 30, 1704350.	11.1	43
290	Decoupling of Microstrip Antennas With Defected Ground Structure Using the Common/Differential Mode Theory. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 828-832.	2.4	43
291	Mononuclear nickel complexes assembled into two-dimensional networks via hydrogen bonds and $\pi$ - $\pi$ stacking interactions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2827-2832.	1.1	42
292	Two spin-competing manganese(II) coordination polymers exhibiting unusual multi-step magnetization jumps. <i>Chemical Communications</i> , 2009, , 3804.	2.2	42
293	Coupling Ruthenium Bipyridyl and Cobalt Imidazolate Units in a Metal-Organic Framework for an Efficient Photosynthetic Overall Reaction in Diluted CO <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 2022, 144, 8676-8682.	6.6	42
294	Syntheses, structures, and photoluminescence studies of [2+2] metallomacrocyclic silver(I) complexes with 1,3-bis(4,5-dihydro-1H-imidazol-2-yl)benzene. <i>CrystEngComm</i> , 2004, 6, 200-206.	1.3	41
295	Metal-betaine interactions. VI. Crystal and molecular structure of tetrakis(betaine)copper(II) nitrate, [Cu(Me <sub>3</sub> NCH <sub>2</sub> COO) <sub>4</sub> ](NO <sub>3</sub> ) <sub>2</sub> . <i>Polyhedron</i> , 1991, 10, 273-276.	1.0	40
296	Polymeric and tetranuclear silver(I) chains encapsulated by a scorpion-like ligand. Synthesis and structures of [Ag <sub>2</sub> (tren(mim) <sub>3</sub> ) <sub>n</sub> (NO <sub>3</sub> ) <sub>2n</sub> ·nH <sub>2</sub> O and [Ag <sub>4</sub> (tren(mim) <sub>3</sub> ) <sub>2</sub> ](CF <sub>3</sub> SO <sub>3</sub> ) <sub>4</sub> ·2H <sub>2</sub> O (tren(mim) <sub>3</sub> =tris{2-[2-(1-methyl)imidazolyl]methyliminoethyl}amine). <i>Polyhedron</i> , 2000, 19, 2237-2242.	1.0	40
297	Syntheses, structures and magnetic properties of five coordination polymers derived via in situ metal-ligand reactions of 2-phenyl-malonic acid. <i>Journal of Molecular Structure</i> , 2006, 796, 9-17.	1.8	40
298	N $\alpha$ el Temperature Enhancement by Increasing the In-plane Magnetic Correlation in Layered Inorganic-Organic Hybrid Materials. <i>Advanced Materials</i> , 2008, 20, 1534-1538.	11.1	40
299	Molecular perovskites as a new platform for designing advanced multi-component energetic crystals. <i>Energetic Materials Frontiers</i> , 2020, 1, 123-135.	1.3	40
300	Hydrothermal Synthesis and X-Ray Single Crystal Structure of [Zn(en) <sub>2</sub> ] <sub>6</sub> [(VO) <sub>12</sub> O <sub>6</sub> B <sub>18</sub> O <sub>39</sub> (OH) <sub>3</sub> ] $\cdot$ 13H <sub>2</sub> O. <i>Journal of Solid State Chemistry</i> , 1999, 148, 450-454.	1.4	39
301	Pentanuclear and Heptanuclear Helicates By Self-Assembly of $>10</sup>$ Metal Ions and a Rigid Aromatic Bis-Bidentate Chelator. <i>Inorganic Chemistry</i> , 2008, 47, 7389-7395.	1.9	39
302	Single-crystal X-ray diffraction and Raman spectroscopy studies of isobaric N <sub>2</sub> adsorption in SOD-type metal-organic zeolites. <i>Chemical Communications</i> , 2012, 48, 11395.	2.2	39
303	Flexibility of Metal-Organic Framework Tunable by Crystal Size at the Micrometer to Submillimeter Scale for Efficient Xylene Isomer Separation. <i>Research</i> , 2019, 2019, 9463719.	2.8	39
304	Synthesis, structure and magnetic properties of a singly carboxylate-bridged dinuclear manganese(II) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 4001.	1.1	38
305	Model complexes for the carboxylate-histidine-metal triad systems in metalloenzymes. Synthesis, crystal structures and spectroscopic properties of [M(Him) <sub>2</sub> (O <sub>2</sub> CMe) <sub>2</sub> ](M = Zn or Cu, Him = ) <i>J Chem Soc Dalton Trans</i> 1995, 4001	1.0784314	38
306	Syntheses and structures of three two-dimensional silver(I)-hexamethylenetetramine co-ordination polymers with new topological motifs. <i>Dalton Transactions RSC</i> , 2001, , 2049-2053.	2.3	38

#	ARTICLE	IF	CITATIONS
307	[Zn(bim) <sub>2</sub> ] · (H <sub>2</sub> O) <sub>1.67</sub> : A metal-organic open-framework with sodalite topology. <i>Science Bulletin</i> , 2003, 48, 1531-1534.	1.7	38
308	A novel 3D coordination polymer containing pentacoordinate cobalt(II) dimers with antiferromagnetic ordering. <i>Inorganic Chemistry Communication</i> , 2004, 7, 864-867.	1.8	38
309	Low-Dimensional Porous Coordination Polymers Based on 1,2-Bis(4-pyridyl)hydrazine: From Structure Diversity to Ultrahigh CO <sub>2</sub> /CH <sub>4</sub> Selectivity. <i>Inorganic Chemistry</i> , 2012, 51, 5686-5692.	1.9	38
310	Copper(I) and Silver(I) 2-Methylimidazoles: Extended Isomerism, Isomerization, and Host-Guest Properties. <i>Inorganic Chemistry</i> , 2012, 51, 4772-4778.	1.9	38
311	Room-temperature optic-electric duple bistabilities induced by plastic transition. <i>Chemical Communications</i> , 2018, 54, 3347-3350.	2.2	38
312	A local hydrophobic environment in a metal-organic framework for boosting photocatalytic CO <sub>2</sub> reduction in the presence of water. <i>Chemical Communications</i> , 2019, 55, 14781-14784.	2.2	38
313	Ultrathin 2D Copper(I) 1,2,4-Triazole Coordination Polymer Nanosheets for Efficient and Selective Gene Silencing and Photodynamic Therapy. <i>Advanced Materials</i> , 2021, 33, e2100849.	11.1	38
314	Syntheses and crystal structures of five two-dimensional networks constructed from staircase-like silver(I) thiocyanate chains and bridging polyamines. <i>Dalton Transactions RSC</i> , 2001, , 85-90.	2.3	37
315	Tapes of Cyclic Water Tetramers in the Double-Helical Complex[Cd <sub>2</sub> (bpa) <sub>2</sub> Cl <sub>4</sub> ] · 6H <sub>2</sub> O. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1230-1234.	1.0	37
316	Experimental Investigation of the Number of Independent Samples and the Measurement Uncertainty in a Reverberation Chamber. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2013, 55, 816-824.	1.4	37
317	A Cu(111)-metal-organic framework as a tandem catalyst for highly selective CO <sub>2</sub> electroreduction to C <sub>2</sub> H <sub>4</sub> . <i>Chemical Communications</i> , 2021, 57, 12764-12767.	2.2	37
318	Polydopamine Coating of a Metal-Organic Framework with Bi-Copper Sites for Highly Selective Electroreduction of CO <sub>2</sub> to C <sub>2</sub> + Products. <i>ACS Catalysis</i> , 2022, 12, 7986-7993.	5.5	37
319	Metal-betaine interactions. Preparation and crystal structures of bis(triethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 267 Tj 1991, 10, 2687-2691.	1.0	36
320	Systematic study of synthesis and crystal structures of Ag(DPK) <sub>n</sub> X complexes (DPK=di-2-pyridyl ketone;) Tj ETQq0 0 0 rgBT /Overlock 10 Inorganica Chimica Acta, 2000, 303, 86-93.	1.2	36
321	Synthesis and crystal structures of four nickel(II) 1,5-naphthalenedisulfonate compounds. <i>Journal of Chemical Crystallography</i> , 2001, 31, 271-280.	0.5	36
322	Flexible porous coordination polymers constructed from 1,2-bis(4-pyridyl)hydrazine via solvothermal in situ reduction of 4,4'-azopyridine. <i>Dalton Transactions</i> , 2011, 40, 8549.	1.6	36
323	Packing polymorphism of a two-dimensional copper(i) 3-amino-1,2,4-triazolate coordination polymer. <i>CrystEngComm</i> , 2011, 13, 3827.	1.3	36
324	Characterizations of Mutual Coupling Effects on Switch-Based Phased Array Antennas for 5G Millimeter-Wave Mobile Communications. <i>IEEE Access</i> , 2019, 7, 31376-31384.	2.6	36

#	ARTICLE	IF	CITATIONS
325	Selective Aerobic Oxidation of a Metal-Organic Framework Boosts Thermodynamic and Kinetic Propylene/Propane Selectivity. <i>Angewandte Chemie</i> , 2019, 131, 7774-7778.	1.6	36
326	Cardioprotective effect of the polysaccharide from <i>Ophiopogon japonicus</i> on isoproterenol-induced myocardial ischemia in rats. <i>International Journal of Biological Macromolecules</i> , 2020, 147, 233-240.	3.6	36
327	Field-induced oscillation of magnetization blocking barrier in a holmium metallacrown single-molecule magnet. <i>CheM</i> , 2021, 7, 982-992.	5.8	36
328	Synthesis and structure of a novel dinuclear copper(II) complex containing 1,4,7-triazacyclododecane [Cu <sub>2</sub> (HO) (MeCO <sub>2</sub> ) (tacd) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> . <i>Polyhedron</i> , 1997, 16, 259-261.	1.0	35
329	An Octanuclear Copper(II) Complex Containing the gem-Diol Anionic Form of Di-2-pyridyl Ketone (dpd-2H) and 2-Hydroxypyridine: Synthesis, Crystal Structure, and Properties of [Cu <sub>8</sub> (dpd-2H) <sub>4</sub> (1/4-2-O <sub>2</sub> CMe) <sub>4</sub> {2-(OH)C <sub>5</sub> H <sub>4</sub> N} <sub>4</sub> ]- (ClO <sub>4</sub> ) <sub>4</sub> ·4H <sub>2</sub> O. <i>Inorganic Chemistry</i> , 2000, 39, 4666-4669.	1.9	35
330	Assembly via H-bonds and Ag <sup>+</sup> -Ag attractions of one-dimensional silver(I) complexes of nicotinamide and nicotinic acid with sulfonate counter-anions. <i>Polyhedron</i> , 2002, 21, 689-695.	1.0	35
331	Synthesis and Structural Characterization of the Helical Coordination Polymers		

#	ARTICLE	IF	CITATIONS
343	Unusual Slow Magnetic Relaxation in Helical Co <sub>3</sub> (OH) <sub>2</sub> Ferrimagnetic Chain Based Cobalt Hydroxysulfates. <i>Chemistry of Materials</i> , 2008, 20, 2298-2305.	3.2	33
344	The Kernel Conjugate Gradient Algorithms. <i>IEEE Transactions on Signal Processing</i> , 2018, 66, 4377-4387.	3.2	33
345	A simple tridiagonal loading method for robust adaptive beamforming. <i>Signal Processing</i> , 2019, 157, 103-107.	2.1	33
346	Novel octadecanuclear copper(II)-lanthanoid(III) clusters. Synthesis and structures of [Cu <sub>12</sub> Ln <sub>6</sub> (μ <sub>3</sub> -OH) <sub>24</sub> (O <sub>2</sub> CCH <sub>2</sub> CH <sub>2</sub> NC <sub>5</sub> H <sub>5</sub> ) <sub>12</sub> (H <sub>2</sub> O) <sub>16</sub> (μ <sub>12</sub> -ClO <sub>4</sub> )] [ClO <sub>4</sub> ] <sub>17</sub> ·16H <sub>2</sub> O (Ln(III) = Gd(III) or Sm(III)). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 2443-2448.		32
347	Two Mixed-Valence Vanadium(III,IV) Phosphonoacetates with 16-Ring Channels: H <sub>2</sub> (DABCO)[VIVO(H <sub>2</sub> O)VIII(OH)(O <sub>3</sub> PCH <sub>2</sub> CO <sub>2</sub> ) <sub>2</sub> ] <sub>2</sub> ·2.5H <sub>2</sub> O and H <sub>2</sub> (PIP)[VIVO(H <sub>2</sub> O)VIII(OH)(O <sub>3</sub> PCH <sub>2</sub> CO <sub>2</sub> ) <sub>2</sub> ] <sub>2</sub> ·2.5H <sub>2</sub> O. <i>Inorganic Chemistry</i> , 2006, 45, 8120-8125.	1.9	32
348	Controlling the flexibility and single-crystal to single-crystal interpenetration reconstitution of metal-organic frameworks. <i>Chemical Communications</i> , 2015, 51, 12665-12668.	2.2	32
349	An exceptionally stable octacobalt-cluster-based metal-organic framework for enhanced water oxidation catalysis. <i>Chemical Science</i> , 2019, 10, 9859-9864.	3.7	32
350	Microwave-Assisted Elemental-Direct-Reaction Route to Nanocrystalline Copper Sulfides Cu <sub>9</sub> S <sub>8</sub> and Cu <sub>7</sub> S <sub>4</sub> . <i>Journal of Solid State Chemistry</i> , 2002, 167, 249-253.	1.4	31
351	The role of π-π stacking in stabilizing a,α-trans-cyclohexane-1,4-dicarboxylate in a 2D Co( <i>scp</i> ) network. <i>CrystEngComm</i> , 2010, 12, 1057-1059.	1.3	31
352	A New Isomeric Porous Coordination Framework Showing Single-Crystal to Single-Crystal Structural Transformation and Preferential Adsorption of 1,3-Butadiene from C <sub>4</sub> Hydrocarbons. <i>Crystal Growth and Design</i> , 2017, 17, 2166-2171.	1.4	31
353	Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. <i>Angewandte Chemie</i> , 2017, 129, 5078-5082.	1.6	31
354	A large room-temperature entropy change in a new hybrid ferroelastic with an unconventional bond-switching mechanism. <i>Chemical Communications</i> , 2020, 56, 10054-10057.	2.2	31
355	Graphene-Like Hydrogen-Bonded Melamine-Cyanuric Acid Supramolecular Nanosheets as Pseudo-Porous Catalyst Support. <i>Advanced Materials</i> , 2021, 33, e2007368.	11.1	31
356	Ferroelasticity, thermochromism, semi-conductivity, and ferromagnetism in a new layered perovskite: (4-fluorophenethylammonium) <sub>2</sub> [CuCl <sub>4</sub> ]. <i>Journal of Materials Chemistry C</i> , 2022, 10, 5482-5488.	2.7	31
357	Dalton communications. A model complex for the carboxylate-histidine-zinc system in zinc enzymes. Crystal structure of [Zn(Him) <sub>2</sub> (MeCO <sub>2</sub> ) <sub>2</sub> ](Him = imidazole). <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2331-2332.	1.1	30
358	Synthesis, Crystal Structures and Luminescent Properties of a New Family of Cubane Complexes Self-Assembled by Metal Carboxylates and Di-2-pyridyl Ketone in Gem-Diol Form. <i>Chemistry Letters</i> , 1999, 28, 1087-1088.	0.7	29
359	Studies on the radii dependent lanthanide self-assembly coordination behaviors of a flexible dicarboxylate ligand. <i>Inorganic Chemistry Communication</i> , 2006, 9, 1091-1095.	1.8	29
360	A tetranuclear cobalt(ii) chain with slow magnetization relaxation. <i>Dalton Transactions</i> , 2010, 39, 10827.	1.6	29

#	ARTICLE	IF	CITATIONS
361	Doppler Spread in Reverberation Chamber Predicted From Measurements During Step-Wise Stationary Stirring. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010, 9, 497-500.	2.4	29
362	Syntheses, Structures, and Porous/Luminescent Properties of Silver 3-Alkyl-1,2,4-Triazolates Frameworks with Rare 3-Connected Topologies. <i>Crystal Growth and Design</i> , 2011, 11, 796-802.	1.4	29
363	Comparison of Ergodic Capacities From Wideband MIMO Antenna Measurements in Reverberation Chamber and Anechoic Chamber. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2011, 10, 446-449.	2.4	29
364	A Low-Profile Angle-Insensitive Bandpass Frequency-Selective Surface Based on Vias. <i>IEEE Microwave and Wireless Components Letters</i> , 2018, 28, 200-202.	2.0	29
365	Dendritic core-shell silica spheres with large pore size for separation of biomolecules. <i>Journal of Chromatography A</i> , 2018, 1540, 31-37.	1.8	29
366	An unprecedented hexagonal double perovskite organic-inorganic hybrid ferroelastic material: (piperidinium) <sub>2</sub> [KBiCl <sub>6</sub> ]. <i>Chemical Communications</i> , 2021, 57, 6292-6295.	2.2	29
367	Silver(I) complexes with quinoline based linear multidentate ligands: self-assembly of sulfur-bridged tetrametallo-tricyclic boxes. <i>Dalton Transactions RSC</i> , 2000, , 1985-1993.	2.3	28
368	[NiL1] <sub>3</sub> [Cr(CN) <sub>6</sub> ] <sub>2</sub> ·18H <sub>2</sub> O [L1=3,10-bis(2-hydroxyethyl)-1,3,5,8,10,12-hexaazacyclotetradecane]: a two-dimensional bimetallic assembly exhibiting antiferromagnetic ordering and metamagnetic behavior. <i>New Journal of Chemistry</i> , 2001, 25, 875-878.	1.4	28
369	Ligand behavior of 2,6-pyridinediylbis(2-pyridinyl)methanone in solvent-controlled formation of iron(III) complexes: A novel asymmetric quasi-linear trinuclear core containing an eight-coordinate iron center. <i>Polyhedron</i> , 2005, 24, 1047-1053.	1.0	28
370	Unprecedented binodal (7,9)-connected network based on distinct tricobalt(ii) clusters: structure, topology and cooperative magnetism. <i>CrystEngComm</i> , 2012, 14, 2009.	1.3	28
371	Order-disorder phase transition in the first thiocyanate-bridged double perovskite-type coordination polymer: [NH <sub>4</sub> ] <sub>2</sub> [NiCd(SCN) <sub>6</sub> ]. <i>CrystEngComm</i> , 2016, 18, 4495-4498.	1.3	28
372	Mutual Coupling Reduction With Dielectric Superstrate for Base Station Arrays. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 843-847.	2.4	28
373	A three-dimensional honeycomb-like network constructed with novel one-dimensional S-shaped chains via hydrogen bonding and π-π interactions. Electronic supplementary information (ESI) available: experimental and simulated powder X-ray diffraction patterns (Fig. S1) and plots of χ <sub>M</sub> vs. T and the effective magnetic moment μ <sub>eff</sub> vs. T (Fig. S2) for 1. See <a href="http://www.rsc.org/suppldata/j1/2017/551h">http://www.rsc.org/suppldata/j1/2017/551h</a> . <i>New Journal of Chemistry</i> , 2001, 25, 1482-1485.	1.4	27
374	Ruthenium(II) complexes containing novel asymmetric tridentate ligands: synthesis, structure, electrochemical and spectroscopic properties. <i>Dalton Transactions RSC</i> , 2001, , 1326-1331.	2.3	27
375	Title is missing!. <i>Australian Journal of Chemistry</i> , 2001, 54, 213.	0.5	27
376	Spin canting and/or metamagnetic behaviours of four isostructural grid-type coordination networks. <i>Dalton Transactions</i> , 2009, , 5701.	1.6	27
377	Copper(I) 2-Isopropylimidazolate: Supramolecular Isomerism, Isomerization, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2015, 15, 1735-1739.	1.4	27
378	Four two-dimensional highly undulating silver(I)-hexamethylenetetramine co-ordination networks containing micropores. <i>New Journal of Chemistry</i> , 2001, 25, 1425-1429.	1.4	26

#	ARTICLE	IF	CITATIONS
379	Effect of synthetic conditions on the structures of silver(I)-hexamethylenetetramine coordination polymers: crystal structures of two three-dimensional frameworks featuring new topological motifs. <i>Journal of Solid State Chemistry</i> , 2003, 172, 45-52.	1.4	26
380	Buffering additive effect in the formation of metal-carboxylate frameworks with slightly different linear $M_3(\text{RCOO})_6$ clusters. <i>CrystEngComm</i> , 2011, 13, 4196.	1.3	26
381	On Statistics of the Measured Antenna Efficiency in a Reverberation Chamber. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 5417-5424.	3.1	26
382	MIMO Characterization on System Level of 5G Microbase Stations Subject to Randomness in LOS. <i>IEEE Access</i> , 2014, 2, 1062-1075.	2.6	26
383	Simultaneous binding of betaine and pseudohalide to cadmium: structures of four polymeric mixed-ligand cadmium(II) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 3413.	1.1	25
384	The first $\mu_3$ -carbonato-bridged trinuclear zinc(II) complex containing metal atoms in two different coordination environments. <i>Polyhedron</i> , 1994, 13, 3085-3089.	1.0	25
385	Tris(2,2'-bipyridine)zinc(II) Perchlorate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995, 51, 1545-1547.	0.4	25
386	Syntheses, Structures, and Luminescent Properties of Isomorphous Hydroxo-Bridged Aluminum(III) and Indium(III) Compounds with 2-(2-Hydroxyphenyl)benzimidazole. <i>Australian Journal of Chemistry</i> , 2006, 59, 653.	0.5	25
387	Syntheses, structures, photoluminescence and theoretical studies of two dimeric Zn(II) compounds with aromatic N,O-chelate phenolic ligands. <i>Journal of Molecular Structure</i> , 2007, 826, 104-112.	1.8	25
388	Syntheses, Structures and Magnetic Properties of Dinuclear Copper(II)-Lanthanide(III) Complexes Bridged by 2-Hydroxymethyl-1-methylimidazole. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 679-685.	1.0	25
389	Throughput Multiplexing Efficiency for MIMO Antenna Characterization. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013, 12, 1208-1211.	2.4	25
390	Using Akaike Information Criterion for Selecting the Field Distribution in a Reverberation Chamber. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2013, 55, 664-670.	1.4	25
391	New porous coordination polymers based on expanded pyridyl-dicarboxylate ligands and a paddle-wheel cluster. <i>CrystEngComm</i> , 2014, 16, 6325-6330.	1.3	25
392	A nanocrystalline metal organic framework confined in the fibrous pores of core-shell silica particles for improved HPLC separation. <i>Mikrochimica Acta</i> , 2017, 184, 4099-4106.	2.5	25
393	Throughput Modeling and Validations for MIMO-OTA Testing With Arbitrary Multipath. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018, 17, 637-640.	2.4	25
394	Radiofrequency Ablation Following Downstaging of Hepatocellular Carcinoma by Using Transarterial Chemoembolization: Long-term Outcomes. <i>Radiology</i> , 2019, 293, 707-715.	3.6	25
395	Synthesis, crystal structure and luminescence properties of a europium(III) complex with a new planar aromatic tridentate $N_3$ ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 1767.	1.1	24
396	Crystal structure and magnetic properties of a helical ribbon polymer based on dimeric manganese(II) subunits. <i>Journal of Molecular Structure</i> , 2004, 697, 181-184.	1.8	24

#	ARTICLE	IF	CITATIONS
397	Cu(I) 3,5-Diethyl-1,2,4-Triazolate (MAF-2): From Crystal Engineering to Multifunctional Materials. <i>Crystal Growth and Design</i> , 2017, 17, 1441-1449.	1.4	24
398	Syntheses, crystal structures and spectroscopic characterization of [Co(phen) <sub>2</sub> (gly)]Cl <sub>2</sub> · 4H <sub>2</sub> O and [Co(phen) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ](NO <sub>3</sub> ) <sub>3</sub> · 2H <sub>2</sub> O. <i>Polyhedron</i> , 1994, 13, 2185-2191.	1.0	23
399	On Independent Platform Sample Number for Reverberation Chamber Measurements. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2012, 54, 1306-1309.	1.4	23
400	Crystal structure of 2-carboxy-N,N,N-trimethylethanaminium bromide monohydrate. <i>Journal of Molecular Structure</i> , 1991, 245, 301-306.	1.8	22
401	Synthesis and structures of carboxylate-bridged polynuclear copper(II)-lanthanide(III) complexes [CuLn(C <sub>5</sub> H <sub>5</sub> N+CH <sub>2</sub> CO <sub>2</sub> ) <sub>5</sub> (H <sub>2</sub> O) <sub>5</sub> ][ClO <sub>4</sub> ] <sub>5</sub> · 2H <sub>2</sub> O (Ln = La or Nd) and [Cu <sub>3</sub> Nd <sub>2</sub> (C <sub>5</sub> H <sub>5</sub> N+CH <sub>2</sub> CO <sub>2</sub> ) <sub>10</sub> (NO <sub>3</sub> ) <sub>2</sub> (H <sub>2</sub> O) <sub>8</sub> ][ClO <sub>4</sub> ] <sub>10</sub> · 4H <sub>2</sub> O. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, 2005-2008.	1.1	22
402	Title is missing!. <i>Australian Journal of Chemistry</i> , 2000, 53, 607.	0.5	22
403	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 528-531.	0.7	22
404	Synthesis, Crystal Structures and Magnetic Properties of Two Methoxy-Bridged Dimeric Copper(II) Complexes [Cu <sub>2</sub> (APMD) <sub>4</sub> ( <sup>1</sup> / <sub>2</sub> -OMe) <sub>2</sub> ] <sub>2</sub> · X <sub>2</sub> (APMD = 2-aminopyrimidine; X = BF <sub>4</sub> or ClO <sub>4</sub> ). <i>Journal of Coordination Chemistry</i> , 2002, 55, 667-673.	0.8	22
405	Syntheses, structures and photoluminescent properties of silver(I) complexes with in situ generated hexahydropyrimidine derivatives. <i>Inorganica Chimica Acta</i> , 2004, 357, 443-450.	1.2	22
406	Syntheses, Crystal Structures and Cytotoxicities of Silver (I) Complexes of 2,2'-Bipyridines and 1,10-Phenanthroline. <i>Chinese Journal of Chemistry</i> , 2001, 19, 263-267.	2.6	22
407	Crystallographic studies into the role of exposed rare earth metal ion for guest sorption. <i>CrystEngComm</i> , 2011, 13, 5849.	1.3	22
408	Photochromic Metal-Organic Framework for High-Resolution Inkless and Erasable Printing. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 8458-8463.	4.0	22
409	Heterooctanuclear Cluster Complex Formation with Phosphine Participation: Synthesis, Structure, and Magnetic Properties of Co <sub>6</sub> Ru <sub>2</sub> (mp) <sub>10</sub> (PBun <sub>3</sub> ) <sub>6</sub> (H <sub>2</sub> mp = 2-Mercaptophenol, PBun <sub>3</sub> ) <sub>6</sub> . <i>Inorganic Chemistry</i> , 2019, 58, 1010-1018.	0.7	21
410	Hydrothermal Synthesis and Crystal Structure of a New Oxalato-bridged Lead(II) Polymer: {[Pb(phen) <sub>2</sub> (ox)] <sub>5</sub> · 5H <sub>2</sub> O} <sub>n</sub> (phen = 1, 10-phenanthroline, ox = oxalate). <i>Zeitschrift Für Anorganische Und Allgemeine Chemie</i> , 2004, 630, 952-955.	0.6	21
411	Synthesis, structure and magnetism of a <sup>1</sup> / <sub>3</sub> -carbonato bridged nickel(II) complex with 2,2',2''-tris(2-aminoethyl)amine ligand: a new coordination mode of carbonato bridge. <i>Inorganic Chemistry Communication</i> , 2004, 7, 1285-1288.	1.8	21
412	Organic ammonium ion-occluded flexible coordination polymers: Thermal activation, structure transformation and proton transfer. <i>Science China Chemistry</i> , 2010, 53, 2144-2151.	4.2	21
413	Magnetic variation induced by structural transformation from coordination chains to layers upon dehydration. <i>Dalton Transactions</i> , 2012, 41, 13741.	1.6	21
414	Multiplexing efficiency for MIMO antenna channel impairment characterisation in realistic multipath environments. <i>IET Microwaves, Antennas and Propagation</i> , 2017, 11, 524-528.	0.7	21



#	ARTICLE	IF	CITATIONS
415	Molecular Dynamics, Phase Transition and Frequency-Tuned Dielectric Switch of an Ionic Co-Crystal. <i>Angewandte Chemie</i> , 2018, 130, 8164-8168.	1.6	21
416	Nitroprusside as a promising building block to assemble an organic-inorganic hybrid for thermo-responsive switching materials. <i>Chemical Communications</i> , 2020, 56, 5488-5491.	2.2	21
417	A Stable and Low-Cost Metal-Azolate Framework with Cyclic Tricopper Active Sites for Highly Selective CO <sub>2</sub> Electroreduction to C <sub>2+</sub> Products. <i>ACS Catalysis</i> , 2022, 12, 8444-8450.	5.5	21
418	A novel heterotetranuclear complex bridged by a carboxylate-like ligand: [CaCu(Et <sub>3</sub> NCH <sub>2</sub> CO <sub>2</sub> ) <sub>4</sub> (NO <sub>3</sub> ) <sub>2</sub> (H <sub>2</sub> O)] <sub>2</sub> (NO <sub>3</sub> ) <sub>4</sub> ·5H <sub>2</sub> O. <i>Polyhedron</i> , 1994, 13, 1087-1090.	1.0	20
419	Synthesis of bis(N-methylimidazol-2-yl)ketone (BIK) and crystal structure of [Zn(BIK) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> . <i>Polyhedron</i> , 1995, 14, 319-322.	1.0	20
420	Synthesis and structure of a novel carboxylate-bridged heterometallic copper(II)-gadolinium(III) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 2181-2182.	1.1	20
421	A chain-like polymeric copper(II) complex bridged simultaneously by carboxylato, hydroxo and aqua ligands. <i>Inorganica Chimica Acta</i> , 1997, 266, 121-124.	1.2	20
422	SYNTHESIS AND STRUCTURES OF DICHLOROTETRAKIS-(PHENYLTHIOUREA) CADMIUM(II) AND CATENA-BIS(THIOCYANATE) BIS(PHENYLTHIOUREA)CADMIUM(II). <i>Journal of Coordination Chemistry</i> , 2001, 53, 269-279.	0.8	20
423	Thermal expansion behaviors of Mn(II)-pyridylbenzoate frameworks based on metal-carboxylate chains. <i>Science China Chemistry</i> , 2014, 57, 365-370.	4.2	20
424	Frequency-Diverse Transmission Metamaterial Aperture With a Bunching Random Beam. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018, 17, 1029-1033.	2.4	20
425	Frequency-Polarization-Diverse Aperture for Coincidence Imaging. <i>IEEE Microwave and Wireless Components Letters</i> , 2018, 28, 82-84.	2.0	20
426	Empirical Study of Angular-Temporal Spectra in a Reverberation Chamber. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 6452-6456.	3.1	20
427	Improving Field Uniformity Using Source Stirring With Orbital Angular Momentum Modes in a Reverberation Chamber. <i>IEEE Microwave and Wireless Components Letters</i> , 2019, 29, 560-562.	2.0	20
428	Bandpass FSS With Zeros Adjustable Quasi-Elliptic Response. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 1184-1188.	2.4	20
429	Temperature-Induced Structural Phase Transitions in Two New Postperovskite Coordination Polymers. <i>Crystal Growth and Design</i> , 2019, 19, 1111-1117.	1.4	20
430	Above-Room-Temperature Ferroelastic Phase Transitions in Two Tetrafluoroborate-Based Hexagonal Molecular Perovskites. <i>Inorganic Chemistry</i> , 2022, 61, 2219-2226.	1.9	20
431	Silver(I)-Based Molecular Perovskite Energetic Compounds with Exceptional Thermal Stability and Energetic Performance. <i>Inorganic Chemistry</i> , 2022, 61, 4143-4149.	1.9	20
432	Synthesis and Structural Characterization of Two New 2D Isophthalate-bridged Copper(II) Polymers Based on Tricopper Units. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2053-2057.	0.6	19

#	ARTICLE	IF	CITATIONS
433	Syntheses, structures and properties of three cluster-based coordination polymers: influence of the metal ions on the ligand coordination mode and crystal chirality. <i>Inorganica Chimica Acta</i> , 2004, 357, 1389-1396.	1.2	19
434	Synthesis, Structures, and Magnetic Properties of Two Cobalt(II) Isophthalate Coordination Polymers. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 3850-3855.	1.0	19
435	Guest-Switchable Multi-Step Spin Transitions in an Amine-Functionalized Metal-Organic Framework. <i>Angewandte Chemie</i> , 2017, 129, 15178-15182.	1.6	19
436	Cobalt(II) Magnetic Metal-Organic Framework with an Effective Kagomé Lattice, Large Surface Area, and High Spin-Canted Ordering Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 38181-38186.	4.0	19
437	First metal-encapsulating star polysulfoxide incorporating 2-amino-1,3,4-thiadiazole. <i>Chemical Communications</i> , 1997, , 2041-2042.	2.2	18
438	Synthesis, crystal structures and properties of copper(II) complexes of Schiff base derivatives containing imidazole and L <sup>2</sup> -alanine groups. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1999-2004.	1.1	18
439	A novel dinuclear zinc complex containing both imidazole and carboxylate groups as a possible model for serine/threonine protein phosphatase-1. <i>Inorganic Chemistry Communication</i> , 2000, 3, 65-67.	1.8	18
440	Supramolecular architectures of metallomacrocyclic and coordination polymers with dicarboxylate and 4,4'-bis(imidazol-1-ylmethyl)biphenyl ligands. <i>Journal of Molecular Structure</i> , 2007, 828, 10-14.	1.8	18
441	Synthesis, structures and magnetic properties of a series of polynuclear copper(II)-lanthanide(III) complexes assembled with carboxylate and hydroxide ligands. <i>Chinese Journal of Chemistry</i> , 2000, 18, 664-672.	2.6	18
442	Tangential Network Transmission Theory of Reflective Metasurface With Obliquely Incident Plane Waves. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 64-72.	2.9	18
443	Switching hydrogen bonds to readily interconvert two room-temperature long-term stable crystalline polymorphs in chiral molecular perovskites. <i>Chemical Communications</i> , 2019, 55, 11555-11558.	2.2	18
444	Non-3d Metal Modulation of a Cobalt Imidazolate Framework for Excellent Electrocatalytic Oxygen Evolution in Neutral Media. <i>Angewandte Chemie</i> , 2019, 131, 145-149.	1.6	18
445	Two enantiomeric perovskite ferroelectrics with a high $T_c$ raised by inserting intermolecular hydrogen bonds. <i>APL Materials</i> , 2021, 9, .	2.2	18
446	Crystal and molecular structure of 3-carboxy-1-(carboxymethyl)pyridinium hydroxide inner salt, C <sub>5</sub> H <sub>4</sub> (COO)NCH <sub>2</sub> COOH. <i>Journal of Molecular Structure</i> , 1991, 249, 135-140.	1.8	17
447	Metal-betaine interactions. Part 15. Mercury(II) chloride adducts of betaine derivatives. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 1585-1590.	1.1	17
448	Anion-controlled Formation of Silver(I) Complexes of A Hexaazamacrocyclic Schiff Base: Synthesis, Structures and Electrochemistry. <i>Supramolecular Chemistry</i> , 1999, 11, 119-133.	1.5	17
449	Synthesis and structure of a photoluminescent three-dimensional network [AgL(MeCN)] (L=4,5-dichloro-2-cyano-3,6-dione-1,4-cyclohexen-1-ol anion). <i>Inorganic Chemistry Communication</i> , 2000, 3, 694-696.	1.8	17
450	Molecular architecture via coordination and multi-intermolecular interactions. <i>Inorganica Chimica Acta</i> , 2003, 355, 229-241.	1.2	17

#	ARTICLE	IF	CITATIONS
451	A Two-Dimensional Layered Cadmium Polymer Featuring Cd <sub>4</sub> ( $\frac{1}{4}$ -O) <sub>4</sub> Cores and Fluorescent Emission. Australian Journal of Chemistry, 2003, 56, 1175.	0.5	17
452	Stabilization of D5hand C2vvalence tautomers of the croconate dianion. Chemical Communications, 2004, , 448-449.	2.2	17
453	Synthesis, crystal structures and nonlinear optical properties of three TCF-based chromophores. CrystEngComm, 2009, 11, 589-596.	1.3	17
454	Measurement Uncertainty of Antenna Efficiency in a Reverberation Chamber. IEEE Transactions on Electromagnetic Compatibility, 2013, 55, 1331-1334.	1.4	17
455	Synthesis and stabilization of a hypothetical porous framework based on a classic flexible metal carboxylate cluster. Dalton Transactions, 2016, 45, 4269-4273.	1.6	17
456	Direction-of-Arrival Estimation via Coarray With Model Errors. IEEE Access, 2018, 6, 56514-56525.	2.6	17
457	An Omnidirectional Multiband Antenna for Railway Application. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 54-58.	2.4	17
458	High- and low-temperature dual ferroelasticity in a new hybrid crystal: (Me <sub>3</sub> NCH <sub>2</sub> CH <sub>2</sub> OH) <sub>4</sub> [Ni(NCS) <sub>6</sub> ]. Science China Materials, 2022, 65, 263-267.	3.5	17
459	Perturbation of out-of-plane hydrogen bonding on carboxylato geometry. Structure of [Zn(bpy) <sub>2</sub> (MeCO <sub>2</sub> )](ClO <sub>4</sub> )·H <sub>2</sub> O. Polyhedron, 1994, 13, 3329-3332.	1.0	16
460	Two New Octadecanuclear Copper(II)–Lanthanide(III) Clusters Encapsulating $\frac{1}{4}$ -NO <sup>3-</sup> Anions. Synthesis, Structures, and Magnetic Properties of [Cu <sub>12</sub> Ln <sub>6</sub> ( $\frac{1}{4}$ -OH) <sub>24</sub> (C <sub>5</sub> H <sub>5</sub> NCH <sub>2</sub> CO <sub>2</sub> ) <sub>12</sub> (H <sub>2</sub> O) <sub>18</sub> ( $\frac{1}{4}$ -NO <sub>3</sub> )](PF <sub>6</sub> ) <sub>10</sub> (NO <sub>3</sub> ) <sub>7</sub> ·12H <sub>2</sub> O (Ln(III)=Sm(III) or Gd(III)). Journal of Solid State Chemistry, 2001, 161, 214-224.	1.4	16
461	Metallocycle and ring-opening polymerization of silver(I) complexes with 1,3-bis(4,5-dihydro-1H-imidazol-2-yl)benzene ligand. Inorganica Chimica Acta, 2007, 360, 3741-3747.	1.2	16
462	Dynamic magnetism of an iron(II)-chlorido spin chain and its hexametallic segment. Dalton Transactions, 2015, 44, 1456-1464.	1.6	16
463	Unique (3,9)-connected porous coordination polymers constructed by tripodal ligands with bent arms. CrystEngComm, 2016, 18, 4115-4120.	1.3	16
464	Matching of Host–Guest Symmetry/Orientation and Molecular Dynamics in Two Double Perovskite-Like Azido Coordination Polymers. Inorganic Chemistry, 2017, 56, 9946-9953.	1.9	16
465	Experimental Evaluation of User Influence on Test Zone Size in Multi-Probe Anechoic Chamber Setups. IEEE Access, 2017, 5, 18545-18556.	2.6	16
466	Link-Level Analysis of a Multiservice Indoor Distributed Antenna System [Wireless Corner]. IEEE Antennas and Propagation Magazine, 2017, 59, 154-162.	1.2	16
467	Unprecedented water-controlled rotator–stator conversion of supramolecular rotors in crystals. Chemical Communications, 2019, 55, 7159-7162.	2.2	16
468	Partially Fluorinated Cu(I) Triazolate Frameworks with High Hydrophobicity, Porosity, and Luminescence Sensitivity. Inorganic Chemistry, 2019, 58, 3944-3949.	1.9	16

#	ARTICLE	IF	CITATIONS
469	Launcher of high-order Bessel vortex beam carrying orbital angular momentum by designing anisotropic holographic metasurface. <i>Applied Physics Letters</i> , 2020, 117, .	1.5	16
470	Three-dimensional supramolecular arrays supported by decavanadate clusters: syntheses and crystal structures of $(\text{NH}_4)_2[\text{M}(\text{dod})(\text{H}_2\text{O})_4]_2 \cdot 2\text{V}_2\text{O}_7 \cdot 2\text{H}_2\text{O}$ . <i>Inorganic Chemistry Communication</i> , 2003, 6, 206-209.	1.8	15
471	A New Octadecanuclear Copper(II)-Lanthanide(III) Cluster Complex: Synthesis and Structural Characterization of $[\text{Cu}_{12}\text{Nd}_6(\text{OH})_{24}(\text{betaine})_{16}(\text{NO}_3)_3(\text{H}_2\text{O})_{10}](\text{NO}_3)[\text{PF}_6]_{14} \cdot 5\text{H}_2\text{O}$ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 286-290.	0.6	15
472	Spatial Correlation and Ergodic Capacity of MIMO Channel in Reverberation Chamber. <i>International Journal of Antennas and Propagation</i> , 2012, 2012, 1-7.	0.7	15
473	Metal-ion controlled solid-state reactivity and photoluminescence in two isomorphous coordination polymers. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 172.	3.0	15
474	Thermal-induced reversible ferroelastic phase transition in a new bromethyl-substituted molecular rotor. <i>Science China Chemistry</i> , 2015, 58, 1137-1143.	4.2	15
475	Generation of a microwave beam with both orbital and spin angular momenta using a transparent metasurface. <i>Journal of Applied Physics</i> , 2019, 126, .	1.1	15
476	Statics and dynamics of ferroelectric domains in molecular multiaxial ferroelectric $(\text{Me}_3\text{NOH})_2[\text{KCo}(\text{CN})_6]$ . <i>Journal of Materials Chemistry C</i> , 2021, 9, 10741-10748.	2.7	15
477	Synthesis, structures and hydrolytic properties of metal complexes with 1,3-bis[(4-methyl-5-imidazol-1-yl)ethylideneamino]propan-2-ol. <i>Polyhedron</i> , 1999, 18, 1927-1933.	1.0	14
478	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1999, 29, 309-316.	0.5	14
479	Hydrogen bond induced change of geometry and crystallized form of copper(II) complexes: syntheses and crystal structure of complexes with Schiff-base ligands containing two imidazolyl groups. <i>Dalton Transactions RSC</i> , 2001, , 845-849.	2.3	14
480	Hydrothermal syntheses, crystal structures and magnetic properties of two inorganic-organic hybrid materials: $[\{\text{Cu}(\text{phen})\}_2(\text{VVO}_2)_2\text{VVO}_2(\text{H}_2\text{O})(\text{PO}_4)_2]$ and $[\text{V}_4\text{O}_7(2,2\text{-bpy})_2(\text{HPO}_4)_2]$ (phen=1,10-phenathroline, bpy=bipyridine). <i>Journal of Solid State Chemistry</i> , 2003, 176, 69-75.	1.4	14
481	Metal ion modulation of polycatenation networks constructed by mixed rigid and flexible bridging ligands. <i>CrystEngComm</i> , 2011, 13, 6613.	1.3	14
482	Structural evolution and magnetic properties of a series of coordination polymers featuring dinuclear secondary-building units and adamantane-dicarboxylato ligands. <i>Polyhedron</i> , 2013, 52, 1159-1168.	1.0	14
483	Generalized Statistics of Antenna Efficiency Measurement in a Reverberation Chamber. <i>IEEE Transactions on Antennas and Propagation</i> , 2014, 62, 1504-1507.	3.1	14
484	A novel pillared-layer-type porous coordination polymer featuring three-dimensional pore system and high methane storage capacity. <i>Science China Chemistry</i> , 2016, 59, 970-974.	4.2	14
485	Babinet Principle for Anisotropic Metasurface With Different Substrates Under Obliquely Incident Plane Wave. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 2704-2713.	2.9	14
486	Bromocholine bromide is a molecular ferroelectric with moderate phase transition temperature. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2221-2224.	2.7	14

#	ARTICLE	IF	CITATIONS
487	Differential Coincidence Imaging With Frequency Diverse Aperture. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 964-968.	2.4	14
488	Frequency-Diverse Metasurface Antenna With Hybrid Bunching Methods for Coincidence Imaging. IEEE Access, 2020, 8, 137711-137719.	2.6	14
489	A porphyrin-based metal-organic framework with highly efficient adsorption and photocatalytic degradation performances for organic dyes. Inorganic Chemistry Frontiers, 2022, 9, 2328-2335.	3.0	14
490	Simultaneous binding of nitrate, o-phenanthroline, and carboxylate ligands to manganese(II). Structure of [Mn(phen)(Me3NCH2CO2)(NO3)(H2O)2](NO3) · H2O. Polyhedron, 1994, 13, 1393-1396.	1.0	13
491	Structural variation and magnetic properties of tetrakis (1/42-carboxylate) -bridged dicopper (II) complexes of betaines with different axial ligands. Polyhedron, 1998, 17, 2639-2646.	1.0	13
492	Title is missing!. Australian Journal of Chemistry, 2000, 53, 601.	0.5	13
493	Robust Heteromeric Hydrogen-bonded Self-assemblies Based on [M(H2biim)2(H2O) n ]2+ (M=Cd2+, Co2+,) Tj ETQq1 1 0.784314 rgBT	1.5	13
494	Synthesis, structures, and physical properties of metal flexible dicarboxylate frameworks with dipyriddy coligand. Journal of Molecular Structure, 2008, 877, 36-43.	1.8	13
495	On OTA Test in the Presence of Doppler Spreads in a Reverberation Chamber. IEEE Antennas and Wireless Propagation Letters, 2013, 12, 886-889.	2.4	13
496	Structural diversity of coordination polymers controlled by the metal ion as the sole reaction variable. CrystEngComm, 2015, 17, 4462-4468.	1.3	13
497	OFDM Based Multi-Node Transmission in the Presence of Phase Noises for Small Cell Backhaul. IEEE Communications Letters, 2017, 21, 1207-1210.	2.5	13
498	Direct synthesis of an aliphatic amine functionalized metal-organic framework for efficient CO <sub>2</sub> removal and CH <sub>4</sub> purification. CrystEngComm, 2018, 20, 5969-5975.	1.3	13
499	Broadly absorbing bluish black-to-transmissive sky blue electrochromic polymer based on 3,4-dioxythiophene. Journal of Solid State Electrochemistry, 2019, 23, 19-25.	1.2	13
500	Resolution Threshold Analysis of the Microwave Radar Coincidence Imaging. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 2232-2243.	2.7	13
501	Statistical Analysis of Antenna Efficiency Measurements With Non-Reference Antenna Methods in a Reverberation Chamber. IEEE Access, 2020, 8, 113967-113980.	2.6	13
502	A metal-organic framework with in situ generated low-coordinate binuclear Cu(I) units as a highly effective catalyst for photodriven hydrogen production. Chemical Communications, 2020, 56, 6700-6703.	2.2	13
503	Hydrogen-Bonded Three-Dimensional Molecular Architectures Featuring Carboxylate - Imidazole - Zinc Triad Systems. Australian Journal of Chemistry, 2002, 55, 741.	0.5	13
504	Title is missing!. Transition Metal Chemistry, 2001, 26, 195-197.	0.7	12

#	ARTICLE	IF	CITATIONS
505	Metal Cation-Supported Supramolecular Crown Ethers Featuring Hydrogen-Bonded Tetrameric Unit of 2-Hydroxy Pyridines. <i>Crystal Growth and Design</i> , 2002, 2, 443-448.	1.4	12
506	Copper-mediated dihydroxylation of 2,2'-bipyridine-like ligands under solvothermal conditions. <i>Inorganica Chimica Acta</i> , 2006, 359, 3666-3670.	1.2	12
507	Synthesis and two-photon absorption property of new $\pi$ -conjugated dendritic fluorophores containing styrylpyridyl moieties. <i>Materials Chemistry and Physics</i> , 2007, 101, 329-335.	2.0	12
508	Improved MIMO Throughput With Inverse Power Allocation Study Using USRP Measurement in Reverberation Chamber. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014, 13, 1494-1496.	2.4	12
509	Restraining the motion of a ligand for modulating the structural phase transition in two isomorphous polar coordination polymers. <i>Dalton Transactions</i> , 2014, 43, 9008-9011.	1.6	12
510	Tuning oxygen-sensing behaviour of a porous coordination framework by a guest fluorophore. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 1085-1090.	3.0	12
511	On Near-Field and Far-Field Correlations in Reverberation Chambers. <i>IEEE Microwave and Wireless Components Letters</i> , 2019, 29, 74-76.	2.0	12
512	Four-step thermosensitive dielectric response arising from motionable low-symmetry ammonium confined in deformable supramolecular cages. <i>Journal of Materials Chemistry C</i> , 0, , .	2.7	12
513	Heteropolynuclear Sodium(I) Lead(II) Complex: Crystal and Molecular Structure of a Novel 3-D Polymer, $[(n)Pb(\eta^3-ONO)2Na(\eta^3-ONO)2Na(\eta^3-O2ClO2)Na]_n$ . <i>Helvetica Chimica Acta</i> , 2004, 87, 3050-3055.	1.0	11
514	Synthesis crystal structure and luminescence properties of europium complexes with a new terpyridine-like ligand. <i>Chinese Journal of Chemistry</i> , 1999, 17, 411-414.	2.6	11
515	Two new polar coordination polymers with diamond networks: interpenetration and thermal phase transition. <i>CrystEngComm</i> , 2013, 15, 9530.	1.3	11
516	Colorimetric sensing of non-ionic and cationic surfactants using a versatile anionic poly(3,4-propylenedioxythiophene) derivative. <i>Analytical Methods</i> , 2015, 7, 2800-2805.	1.3	11
517	Thermal and Gas Dual-Responsive Behaviors of an Expanded UiO-66-Type Porous Coordination Polymer. <i>ChemPlusChem</i> , 2016, 81, 817-821.	1.3	11
518	On MIMO-FMC in the Presence of Phase Noise and Antenna Mutual Coupling. <i>Radio Science</i> , 2017, 52, 1386-1394.	0.8	11
519	Efficient Restraint of Intra-Cluster Aggregation-Induced Quenching Effect Lighting Room-Temperature Photoluminescence. <i>Advanced Optical Materials</i> , 2021, 9, 2100757.	3.6	11
520	A new nitrate-based energetic molecular perovskite as a modern edition of black powder. <i>Energetic Materials Frontiers</i> , 2022, 3, 122-127.	1.3	11
521	Preparation and crystal structures of two monomeric lanthanide(III) complexes containing betaine and nitrate ligands: $[Ln(\text{bet})_2(\text{NO}_3)_3(\text{H}_2\text{O})_2]$ ( $Ln \rightarrow \text{La}$ and $\text{Sm}$ ). <i>Polyhedron</i> , 1996, 15, 739-744.	1.0	10
522	Tetrakis(1-methylimidazole-N3)zinc(II) Diperchlorate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996, 52, 2482-2484.	0.4	10

#	ARTICLE	IF	CITATIONS
523	Bis(di-2-pyridylmethanediol-N,O,N')copper(II) Diperchlorate. Acta Crystallographica Section C: Crystal Structure Communications, 1998, 54, 732-734.	0.4	10
524	catena-Poly[[bis(imidazole-N3)cadmium(II)]-bis(1/4-thiocyanato)-S:N;N:S]. Acta Crystallographica Section C: Crystal Structure Communications, 1999, 55, 2012-2014.	0.4	10
525	Assembly of alternating spin-chains with magnetically anisotropic cobalt(ii) dimers. Dalton Transactions, 2013, 42, 1770-1777.	1.6	10
526	Experimental Investigation and Modeling of the Throughput of a $2 \times 2$ Closed-Loop MIMO System in a Reverberation Chamber. IEEE Transactions on Antennas and Propagation, 2014, 62, 4832-4835.	3.1	10
527	Effects of Signal Bandwidth on Total Isotropic Sensitivity Measurements in Reverberation Chamber. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-8.	2.4	10
528	Synthesis and Crystal Structures of Two Monomeric Zinc(II) Complexes Containing Carboxylate and Aqua Ligands. Australian Journal of Chemistry, 1997, 50, 865.	0.5	10
529	Fast Converging Measurement of MRC Diversity Gain in Reverberation Chamber Using Covariance-Eigenvalue Approach. IEICE Transactions on Electronics, 2011, E94-C, 1657-1660.	0.3	10
530	An Exceptional Thermally Induced Four-State Nonlinear Optical Switch Arising from Stepwise Molecular Dynamic Changes in a New Hybrid Salt. Angewandte Chemie, 2022, 134, .	1.6	10
531	Synthesis and crystal structures of two dichloro-bridged dimeric metal complexes of 1,4,7-triazacyclodecane: [Zn2(tacd)2Cl2] [Cu2(tacd)2Cl2](ClO4)2. Polyhedron, 1995, 14, 1195-1199.	1.0	9
532	Synthesis and Crystal Structures of Three Carboxylate- Bridged Tetranuclear Copper(II) - Lanthanide(III) Complexes of Ph3P+CH2CH2CO2 <sup>2-</sup> . Australian Journal of Chemistry, 1999, 52, 983.	0.5	9
533	Dichlorobis(2-hydroxymethyl-1-methylimidazole-N3)zinc(II). Acta Crystallographica Section C: Crystal Structure Communications, 1999, 55, 869-871.	0.4	9
534	Three-Dimensional Structure Constructed via Hydrogen Bonds and $\pi$ - $\pi$ Stacking Interaction. Crystal Structure of [Cu(AFO)2(H2O)2](ClO4)2.2(AFO).2H2O (AFO = 4,5-Diazafluoren-9-one). Crystal Research and Technology, 2000, 35, 993-1000.	0.6	9
535	'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4'-bipyridinium) diaquatetraisothiocyanatonickellate(II) dinitrate. Inorganic Chemistry Communication, 2001, 4, 76-78.	1.8	9
536	Flexible, Luminescent Metal-Organic Frameworks Showing Synergistic Solid-Solution Effects on Porosity and Sensitivity. Angewandte Chemie, 2016, 128, 16255-16259.	1.6	9
537	Rods-on-sphere silica particles for high performance liquid chromatography. Journal of Chromatography A, 2017, 1497, 87-91.	1.8	9
538	Performance Study of a MIMO Mobile Terminal With Upto 18 Elements Operating in the Sub-6 GHz 5G Band With User Hand. IEEE Access, 2020, 8, 28164-28177.	2.6	9
539	A 16-Channel Dense Array for <i>In Vivo</i> Animal Cortical MRI/fMRI on 7T Human Scanners. IEEE Transactions on Biomedical Engineering, 2021, 68, 1611-1618.	2.5	9
540	A Unified Approach for Uncertainty Analyses for Total Radiated Power and Total Isotropic Sensitivity Measurements in Reverberation Chamber. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-12.	2.4	9

#	ARTICLE	IF	CITATIONS
541	Performance Analysis of Millimeter Wave Wireless Power Transfer With Imperfect Beam Alignment. <i>IEEE Transactions on Vehicular Technology</i> , 2021, 70, 2605-2618.	3.9	9
542	A Stable and Conductive Covalent Organic Framework with Isolated Active Sites for Highly Selective Electroreduction of Carbon Dioxide to Acetate. <i>Angewandte Chemie</i> , 0, , .	1.6	9
543	Bis(pyridiniopropionate) hydrogen bromide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994, 50, 1807-1809.	0.4	8
544	Bis[di-2-pyridylmethanediolato(1 $\lambda$ -N,O,N')]cobalt(III) Perchlorate Trihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 217-219.	0.4	8
545	Syntheses, Crystal Structures, Superoxide Dismutase-Like Behaviors and Physical Properties of Four Manganese(III) Complexes with Di-Schiff Bases Derived from Salicylaldehyde and Polyamines. <i>Journal of Coordination Chemistry</i> , 2002, 55, 843-852.	0.8	8
546	Tetra- $\mu$ /4-acetato- $\mu$ 2O:O $\mu$ -bis[(4-phenylpyridine- $\mu$ N)copper(II)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, m232-m234.	0.4	8
547	Observation of allylic rearrangement in water-rich reaction. <i>Chemical Communications</i> , 2014, 50, 2910-2912.	2.2	8
548	Syntheses, structures and gas sorption properties of two coordination polymers with a unique type of supramolecular isomerism. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 136-140.	3.0	8
549	A Super-Resolution Computational Coincidence Imaging Method Based on SIMO Radar System. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017, 14, 2265-2269.	1.4	8
550	A Generalized Accurate Model for Complementary Periodic Subwavelength Metasurface Based on Babinet Principle. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 3780-3790.	3.1	8
551	Two Metal Complexes of the Macrocyclic Ligand 1,4,7-Triazacyclodecane (tacd). Crystal Structures of [Zn(tacd) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> and [Cu(tacd) <sub>2</sub> ]Br <sub>2</sub> ·4H <sub>2</sub> O. <i>Australian Journal of Chemistry</i> , 1995, 48, 139.	0.5	8
552	Phase transition and thermal expansion of molecular perovskite energetic crystal (C <sub>6</sub> N <sub>2</sub> H <sub>14</sub> )(NH <sub>4</sub> )(ClO <sub>4</sub> ) <sub>3</sub> (DAP-4). <i>FirePhysChem</i> , 2022, , .	1.5	8
553	Ultrathin two-dimensional triptycene-based metal-organic framework for highly selective CO <sub>2</sub> electroreduction to CO. <i>Chinese Chemical Letters</i> , 2023, 34, 107134.	4.8	8
554	2,2'-Biphenol Monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996, 52, 1727-1729.	0.4	7
555	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 49-51.	0.7	7
556	Coordination Networks Self-assembled by Transition Metal Salts With 4,4'-oxydianiline (4,4'-oda). Syntheses and Structures of $\tilde{z}$ 1 [Ni(NCS) <sub>2</sub> (4,4'-oda) <sub>2</sub> ], $\tilde{z}$ 2 [Co(NCS) <sub>2</sub> (4,4'-oda) <sub>2</sub> ] and $\tilde{z}$ 2 [M(N <sub>3</sub> ) <sub>2</sub> (4,4'-oda) <sub>2</sub> ]. <i>Journal of Inorganic Biochemistry</i> , 2007, 91, 111-117.	1.1	7
557	Self-assembly of amphiphilic molecules: A review on the recent computer simulation results. <i>Science China Chemistry</i> , 2010, 53, 1853-1861.	4.2	7
558	Assembly Chemistry of Coordination Polymers. , 2011, , 207-225.		7



#	ARTICLE	IF	CITATIONS
559	A flexible, porous, cluster-based Zn-pyrazolate-dicarboxylate framework showing selective adsorption properties. <i>New Journal of Chemistry</i> , 2014, 38, 2002-2007.	1.4	7
560	A flexible metal-organic framework with adaptive pores for high column-capacity gas chromatographic separation. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2777-2783.	3.0	7
561	Navy-to-transmissive electrochromic polymer based on 3,4-propylenedioxythiophene. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 16469-16477.	1.1	7
562	Supercooling Behavior and Dipole-Glass-like Relaxation in a Three-Dimensional Water Framework. <i>Journal of the American Chemical Society</i> , 2019, 141, 5645-5649.	6.6	7
563	Isostructural phase transition and tunable water rotation within a unique solid rotor system. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13176-13181.	2.7	7
564	Measurement uncertainty of RC and its reduction techniques for OTA tests: a review. <i>IET Microwaves, Antennas and Propagation</i> , 2019, 13, 2598-2604.	0.7	7
565	Analysis of Complementary Metasurfaces Based on the Babinet Principle. <i>IEEE Microwave and Wireless Components Letters</i> , 2019, 29, 8-10.	2.0	7
566	Broadband Metamaterial Aperture Antenna for Coincidence Imaging in Terahertz Band. <i>IEEE Access</i> , 2020, 8, 121311-121318.	2.6	7
567	Compact multi-functional frequency-selective absorber based on customizable impedance films. <i>Optics Express</i> , 2021, 29, 14974.	1.7	7
568	Dynamic Pendulum Effect of an Exceptionally Flexible Pillared Layer Metal-Organic Framework. <i>Chinese Journal of Chemistry</i> , 2021, 39, 2718-2724.	2.6	7
569	Biodiversity Benefits for Size Modulation of Metal Nanoparticles to Achieve In Situ Semi-Oxidation toward Optimized Electrocatalytic Oxygen Evolution. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	7
570	Crystal structures and phase transitions in two new hybrid crystals: (Me <sub>3</sub> NCH <sub>2</sub> CH <sub>2</sub> X) <sub>4</sub> [Ni(NCS) <sub>6</sub> ] (X = Cl and Br). <i>Chinese Chemical Letters</i> , 2023, 34, 107310.	4.8	7
571	A Crystalline Supramolecular Rotor Functioned by Dual Ultrasmall Polar Rotators. <i>Chinese Journal of Chemistry</i> , 2022, 40, 1917-1923.	2.6	7
572	Aquabis(2,2'-bipyridine)chloromanganese(II) Perchlorate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995, 51, 358-361.	0.4	6
573	The effect of the perturbation of hydrogen bonding on the Zn(II) coordination geometry: synthesis and structure of [Zn(BIP)(H <sub>2</sub> O) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> (BIP=1,3-bis[(4-methyl-5-imidazol-1-yl)ethylideneamino]propane). <i>Inorganic Chemistry Communication</i> , 1999, 2, 181-183.	1.8	6
574	One-pot monomer self-assembly route to PbS/poly(methyl methacrylate) core/shell nanocomposite thin coatings. <i>Journal of Materials Chemistry</i> , 2002, 12, 611-613.	6.7	6
575	Crystal structures and supramolecular assembly of 1:2 piperazine with o- and p-nitrophenol. <i>Journal of Chemical Crystallography</i> , 2002, 32, 219-225.	0.5	6
576	Incorporation of spin-5/2 chain into 2D network with conformational pure e,a-cis-cyclohexane-1,4-dicarboxylate linker. <i>Dalton Transactions</i> , 2012, 41, 11989.	1.6	6

#	ARTICLE	IF	CITATIONS
577	Verification of the Rician $\chi^2$ -factor-based uncertainty model for measurements in reverberation chambers. IET Science, Measurement and Technology, 2015, 9, 534-539.	0.9	6
578	Resolution of ketoconazole enantiomers by high-performance liquid chromatography and inclusion complex formation between selector and enantiomers. Chemical Papers, 2015, 69, .	1.0	6
579	On the resonant frequencies of dual-band patch antennas. Electronics Letters, 2019, 55, 368-370.	0.5	6
580	Intramolecular charge transfer ampholytes with water-induced pendulum-type fluorescence variation. Chemical Communications, 2020, 56, 10702-10705.	2.2	6
581	Structural insights into a new family of three-dimensional thiocyanate-bridged molecular double perovskites. CrystEngComm, 2021, 23, 2208-2214.	1.3	6
582	[Zn(bim) <sub>2</sub> ] $\cdot\frac{1}{2}$ (H <sub>2</sub> O) <sub>1.67</sub> : A metal-organic open-framework with sodalite topology. Science Bulletin, 2003, 48, 1531.	1.7	6
583	Insights into the Molecular Dynamics of Quasi-Spherical (Chloromethyl)triethylammonium Confined in a Weakly Bound Ionic Cocystal. Inorganic Chemistry, 2022, 61, 7201-7206.	1.9	6
584	Crystal structure of [Mn(bpy) <sub>3</sub> ](ClO <sub>4</sub> ) <sub>2</sub> $\cdot$ 0.5(bpy) (bpy=2,2'-bipyridine). Journal of Chemical Crystallography, 1991, 27, 441-444.	0.5	5
585	Bis( $\frac{1}{4}$ -hexamethylenetetramine)bis(aquadibromocadmium)diaquadibromocadmium dihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 960-962.	0.4	5
586	Title is missing!. Transition Metal Chemistry, 2001, 26, 423-425.	0.7	5
587	Deformable Mn( $\chi^2$ )-Schiff-base dimer for anomalously large positive and negative anisotropic thermal expansions. CrystEngComm, 2017, 19, 1725-1728.	1.3	5
588	Mutual coupling and correlation of closely spaced patch antennas. Electronics Letters, 2019, 55, 724-726.	0.5	5
589	Novel Organic/Inorganic Hybrid Star Polymer Surface-Crosslinked with Polyhedral Oligomeric Silsesquioxane. Macromolecular Research, 2020, 28, 152-158.	1.0	5
590	Four-Dimensional Characteristic Matrix for Electromagnetic Coupling of Multilayer Sub-Wavelength Metasurface System. IEEE Transactions on Electromagnetic Compatibility, 2020, 62, 2765-2772.	1.4	5
591	Enhancing switchable dielectric property for crystalline supramolecular rotor compounds by adding polar components. Chemical Communications, 2020, 56, 4114-4117.	2.2	5
592	Crystal structure of a non-stoichiometric channel inclusion complex of 1-benzyl-6-phenylpiperidin-2-one-5-carboxylic acid with acetonitrile. Journal of Inclusion Phenomena, 1988, 6, 507-513.	0.6	4
593	Title is missing!. Journal of Chemical Crystallography, 1999, 29, 409-412.	0.5	4
594	Di( $\frac{1}{4}$ -bromo-bis[bromo(di-2-pyridylmethanediol-N,O,N $\chi^2$ )cadmium(II)] trihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 969-970.	0.4	4

#	ARTICLE	IF	CITATIONS
595	catena-Poly[[[bis(perchlorato-O)(1,10-phenanthroline-N,Nâ€²)copper(II)]- $\hat{1}$ / $\hat{4}$ -4,4â€²-bipyridine-N:Nâ€²] monohydrate]. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, e374-e375.	0.4	4
596	Ligation of Bipyridyl Ligands to Metal 8-Hydroxyquinolates - Synthesis, Crystal Structures, and TDDFT Study. European Journal of Inorganic Chemistry, 2008, 2008, 5076-5081.	1.0	4
597	Oriented growth of a single crystalline Cu(111) flake synthesized by pyrolysis of coordination polymer [(CuBr) <sub>2</sub> (bpy)] <sub>n</sub> (bpy = 2,2â€²-bipyridine). CrystEngComm, 2009, 11, 1303.	1.3	4
598	Inclusion Complex of $\hat{1}$ -cyclodextrin with CTAB in Aqueous Solution. Chinese Journal of Chemical Physics, 2011, 24, 484-488.	0.6	4
599	Metalâ€“Organic Frameworks: From Design to Materials. Structure and Bonding, 2013, , 1-26.	1.0	4
600	Dynamic Magnetic and Optical Insight into a Highâ€“Performance Pentagonal Bipyramidal Dy<sup>III</sup> Singleâ€“Ion Magnet. Chemistry - A European Journal, 2017, 23, 5630-5630.	1.7	4
601	Direction-of-Arrival Estimation in the Presence of Phase Noise. IEEE Communications Letters, 2020, 24, 1710-1714.	2.5	4
602	Partial Orderâ€“Disorder Transformation of Interpenetrated Porous Coordination Polymers. CCS Chemistry, 0, , 1532-1541.	4.6	4
603	Crystal and molecular structure of aquabis(2,2â€²-bipyridine)nitratomanganese(II) nitrate monohydrate. Journal of Chemical Crystallography, 1995, 25, 605-607.	0.5	3
604	Title is missing!. Transition Metal Chemistry, 1999, 24, 440-444.	0.7	3
605	CRYSTAL STRUCTURE OF BIS(4-METHYL-5-IMIDAZOLYL-5- CARBOXALDEHYDE)DICHLORODIZINC DIPERCHLORATE. Main Group Metal Chemistry, 2001, 24, .	0.6	3
606	Supramolecular Interactions in Directing and Sustaining Coordination Molecular Architectures. , 2006, , 219-263.		3
607	Corrections to “Channel Sounding of Loaded Reverberation Chamber for Over-the-Air Testing of Wireless Devices” Coherence Bandwidth Versus Average Mode Bandwidth and Delay Spreadâ€“. IEEE Antennas and Wireless Propagation Letters, 2013, 12, 1728-1728.	2.4	3
608	Porous Metal Azolate Frameworks. , 2016, , 309-343.		3
609	Controlling Thermal Expansion Behaviors of Fence-Like Metal-Organic Frameworks by Varying/Mixing Metal Ions. Frontiers in Chemistry, 2018, 6, 306.	1.8	3
610	Design of a Low-Profile Antenna for Use with 698-2,700 MHz Femtocell Base Stations [Antenna Applications Corner]. IEEE Antennas and Propagation Magazine, 2018, 60, 84-94.	1.2	3
611	Blue-to-transmissive electrochromic poly(2,3-dimethyl-2,3-dihydrothieno[3,4-b][1,4]dioxine) (PEDOT-Me <sub>2</sub> ) with improved optical contrast. Journal of Solid State Electrochemistry, 2020, 24, 441-445.	1.2	3
612	Assembled medium: A route to the generation of vortex waves carrying orbital angular momentum with different modes. Journal of Applied Physics, 2020, 128, 044101.	1.1	3

#	ARTICLE	IF	CITATIONS
613	Tuning the packing, interpenetration, and porosity of two-dimensional networks by metal ions and ligand side groups. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 3424-3430.	3.0	3
614	Statistical analysis of measurement uncertainty in total radiated power of wireless devices in reverberation chamber. <i>IET Microwaves, Antennas and Propagation</i> , 2020, 14, 1241-1245.	0.7	3
615	Synthesis, Crystal Structure and Characterization of [Bis { N,Nâ€²-bis(2-aminoethyl) propane-1,3-diamine} (Âµ- imidazolato-N,Nâ€²)dizinc(II)] Triperchlorate. <i>Australian Journal of Chemistry</i> , 1999, 52, 709.	0.5	3
616	Microporous Zinc Formate for Efficient Separation of Acetylene over Carbon Dioxide. <i>Chemical Research in Chinese Universities</i> , 2022, 38, 87-91.	1.3	3
617	Crystal and molecular structure of aqua(2,2â€²-bipyridine)bis(betaine)copper(II) perchlorate monohydrate. <i>Journal of Chemical Crystallography</i> , 1995, 25, 875-878.	0.5	2
618	Mixed Coordination Modes of 1,2-bis(Diphenylphosphino)Ethane in the Ionic Triiron(II) Complex [Fe(dppe) <sub>2</sub> (MeCN) <sub>2</sub> ][(FeCl <sub>3</sub> ) <sub>2</sub> (1/2-dppe)]. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1996, 26, 1651-1660.	1.8	2
619	A novel monomeric manganese(ii) carboxylate. preparation and structure of Na <sub>2</sub> [Mn(Me <sub>3</sub> NCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>4</sub> · 4H <sub>2</sub> O. <i>Polyhedron</i> , 1996, 15, 3585-3588.	1.0	2
620	Crystal structure of [Co(o-SC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ){P(OMe) <sub>3</sub> ] <sub>3</sub> ]PF <sub>6</sub> . <i>Journal of Chemical Crystallography</i> , 1998, 28, 635-638.	0.5	2
621	Synthesis, Crystal Structure and Electrochemical Behavior of a Fe(II) Complex of 8â€²-Mercaptoquinoline (Hmtq) with Trimethylphosphite Participation. <i>Journal of the Chinese Chemical Society</i> , 1999, 46, 159-163.	0.8	2
622	Photoluminescence: Porous Cu(I) Triazolate Framework and Derived Hybrid Membrane with Exceptionally High Sensing Efficiency for Gaseous Oxygen ( <i>Adv. Funct. Mater.</i> 37(2014)). <i>Advanced Functional Materials</i> , 2014, 24, 5928-5928.	7.8	2
623	An Optically Transparent Metasurface-Based Resonant Cavity Fed by Patch Antenna for Improved Gain. <i>Materials</i> , 2019, 12, 3805.	1.3	2
624	Controlled manipulation of TiO <sub>2</sub> nanoclusters inside mesochannels of core-shell silica particles as stationary phase for HPLC separation. <i>Mikrochimica Acta</i> , 2020, 187, 328.	2.5	2
625	The Importance of Continuity for Linear Time-Invariant Systems [Lecture Notes]. <i>IEEE Signal Processing Magazine</i> , 2020, 37, 77-100.	4.6	2
626	A metamaterial lens based on transformation optics for horizontal radiation of OAM vortex waves. <i>Journal of Applied Physics</i> , 2021, 129, 104101.	1.1	2
627	Post-Synthetic Coordination Modification of Robust Pillared-Rod Metal-Azolate Frameworks for Diversified Applications. <i>Bulletin of Japan Society of Coordination Chemistry</i> , 2021, 77, 3-10.	0.1	2
628	Synthesis and structure of a novel MoFe <sub>4</sub> S <sub>4</sub> cubane-like cluster (Me <sub>3</sub> PhCH <sub>2</sub> N) <sub>2</sub> [MoFe <sub>4</sub> S <sub>4</sub> (SC <sub>6</sub> H <sub>11</sub> ) <sub>7</sub> ]. <i>Science in China Series B: Chemistry</i> , 1998, 41, 301-308.	0.8	1
629	catena-Poly[[silver(I)-1/4-(E)-1,2-bis(2-pyridyl)ethylene-N:Nâ€²]] nitrate]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1075-1076.	0.4	1
630	Polymeric (3-amino-2-chloropyridine)nitrat silver(I). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, m481-m482.	0.4	1

#	ARTICLE	IF	CITATIONS
631	Bis(3-amino-2-chloropyridine- $\hat{N}$ )silver(I) perchlorate. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, m203-m205.	0.2	1
632	catena-Poly[[bis(N,N-dimethylformamide)cobalt(II)]-di- $\hat{N}$ -1,5-dicyanamido]. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, m405-m407.	0.2	1
633	catena-Poly[[bromatosilver(I)- $\hat{N}$ -4,4- $\hat{N}$ -bipyridine] 2.5-hydrate]. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, m364-m366.	0.2	1
634	Crystallographic report:catena-Aqua(2,2- $\hat{N}$ -bipyrimidine)lithium(I) perchlorate. Applied Organometallic Chemistry, 2004, 18, 95-96.	1.7	1
635	Synthesis and crystal structure of [Co(mpt)2{P(OCH3)3}2]BF4 (Hmpt = 2-mercaptothiazoline). Chinese Journal of Chemistry, 2010, 17, 36-41.	2.6	1
636	Investigation of the Effect of Noise Correlations on Diversity Gains and Capacities of Multiport Antennas Using Reverberation Chamber. International Journal of Antennas and Propagation, 2012, 2012, 1-9.	0.7	1
637	Effect of an anionic surfactant upon the viscosity of poly(ethylene glycol) in dilute solution. E-Polymers, 2013, 13, .	1.3	1
638	Viscometric Study of the Inclusion Complex Between $\hat{N}$ -Cyclodextrin and HTAC in Aqueous Solution. Journal of Surfactants and Detergents, 2015, 18, 597-601.	1.0	1
639	Innentitelbild: Hyperfine- $\hat{N}$ -Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single- $\hat{N}$ Magnet (Angew. Chem. 18/2017). Angewandte Chemie, 2017, 129, 4974-4974.	1.6	1
640	Self-Adaption Matched Filter and Bi-Directional Difference Method for Moving Target Detection. Sensors, 2018, 18, 3177.	2.1	1
641	Uplink Multiuser MIMO-OFDM System in the Presence of Phase Noises, Power Imbalance, and Correlation. Wireless Communications and Mobile Computing, 2018, 2018, 1-8.	0.8	1
642	Investigation of automotive testing in a reverberation chamber. IET Microwaves, Antennas and Propagation, 2019, 13, 2605-2609.	0.7	1
643	Guest Editorial: Special Cluster on 5G/6G Enabling Antenna Systems and Associated Testing Technologies. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 1916-1919.	2.4	1
644	A Decoupling Network for Resonant and Non-Resonant Sub-1 GHz MIMO Mobile Terminal Antennas With Improved Compactness and Efficiency. IEEE Access, 2021, 9, 59475-59485.	2.6	1
645	Self-Assembly of Two- and Three-Dimensional Coordination Networks with Hexamethylenetetramine and Different Silver(I) Salts. , 2000, 6, 3729.		1
646	Thermal energy storage in a three-dimensional perovskite-type compound. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C1009-C1009.	0.0	1
647	On Low-Pass Phase Noise Mitigation in OFDM System for mmWave Communications. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2018, , 271-280.	0.2	1
648	Synthesis and crystal structure of a phosphite nickel(II) 8-mercaptoquinoline complex. Transition Metal Chemistry, 1999, 24, 274-276.	0.7	0

#	ARTICLE	IF	CITATIONS
649	The ternary metal mixed ligand complexes formed by benzimidazole and N, N-bis(2-hydroxyethyl) glycine. <i>Science in China Series B: Chemistry</i> , 1999, 42, 185-194.	0.8	0
650	CRYSTAL STRUCTURE OF BIS[BIS(2-IMIDAZOLYL)KETONE]ZINC DIPERCHLORATE. <i>Main Group Metal Chemistry</i> , 2001, 24, .	0.6	0
651	Recent Advances in Luminescent Monomeric, Multinuclear, and Polymeric Zn(II) and Cd(II) Coordination Complexes.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
652	Diiodobis(2-hydroxymethyl-1-methyl-1-imidazole-N3)cadmium(II). <i>Applied Organometallic Chemistry</i> , 2005, 19, 354-355.	1.7	0
653	Controlled Aggregation of Heterometallic Nanoscale Cu <sub>12</sub> Ln <sub>6</sub> Clusters (Ln: GdIII or NdIII) into 2D Coordination Polymers.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
654	Single-side and double-side swing behaviours of a flexible porous coordination polymer with a rhombic-lattice structure. <i>CrystEngComm</i> , 2019, 21, 1872-1875.	1.3	0
655	Critical frequency of metasurfaces on dielectric half-space. <i>Electronics Letters</i> , 2021, 57, 164-165.	0.5	0