

Gang Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/400239/publications.pdf>

Version: 2024-02-01

74
papers

3,470
citations

117625

34
h-index

144013

57
g-index

75
all docs

75
docs citations

75
times ranked

4303
citing authors

#	ARTICLE	IF	CITATIONS
1	Well-crystallized square-like 2D BiOCl nanoplates: mannitol-assisted hydrothermal synthesis and improved visible-light-driven photocatalytic performance. RSC Advances, 2011, 1, 1542.	3.6	319
2	Chemical Properties, Structural Properties, and Energy Storage Applications of Prussian Blue Analogues. Small, 2019, 15, e1900470.	10.0	226
3	Tunable BiOCl hierarchical nanostructures for high-efficient photocatalysis under visible light irradiation. Chemical Engineering Journal, 2013, 220, 228-236.	12.7	196
4	Novel Preparation of Anatase TiO ₂ @Reduced Graphene Oxide Hybrids for High-Performance Dye-Sensitized Solar Cells. ACS Applied Materials & Interfaces, 2013, 5, 6635-6642.	8.0	147
5	Facile template-free and fast refluxing synthesis of 3D desertrose-like BiOCl nanoarchitectures with superior photocatalytic activity. New Journal of Chemistry, 2013, 37, 3207.	2.8	138
6	Impact of post-processing modes of precursor on adsorption and photocatalytic capability of mesoporous TiO ₂ nanocrystallite aggregates towards ciprofloxacin removal. Chemical Engineering Journal, 2018, 349, 1-16.	12.7	124
7	Positive Ni(HCO ₃) ₂ as a Novel Cocatalyst for Boosting the Photocatalytic Hydrogen Evolution Capability of Mesoporous TiO ₂ Nanocrystals. ACS Sustainable Chemistry and Engineering, 2017, 5, 5027-5038.	6.7	98
8	BiO ₂ COOH hierarchical nanostructures: Shape-controlled solvothermal synthesis and photocatalytic degradation performances. CrystEngComm, 2011, 13, 2381.	2.6	91
9	Facile anchoring Cu ₂ O nanoparticles on mesoporous TiO ₂ nanorods for enhanced photocatalytic CO ₂ reduction through efficient charge transfer. Chinese Chemical Letters, 2022, 33, 3709-3712.	9.0	80
10	Shape-controlled solvothermal synthesis of bismuth subcarbonate nanomaterials. Journal of Solid State Chemistry, 2010, 183, 1878-1883.	2.9	78
11	Porous biochar-supported MnFe ₂ O ₄ magnetic nanocomposite as an excellent adsorbent for simultaneous and effective removal of organic/inorganic arsenic from water. Journal of Hazardous Materials, 2021, 411, 124909.	12.4	77
12	Facile inverse micelle fabrication of magnetic ordered mesoporous iron cerium bimetal oxides with excellent performance for arsenic removal from water. Journal of Hazardous Materials, 2020, 383, 121172.	12.4	76
13	Fabrication of gold nanoparticles with different morphologies in HEPES buffer. Rare Metals, 2010, 29, 180-186.	7.1	74
14	Enhanced adsorption and photocatalysis capability of generally synthesized TiO ₂ -carbon materials hybrids. Advanced Powder Technology, 2016, 27, 1949-1962.	4.1	74
15	Insights into Promoted Adsorption Capability of Layered BiOCl Nanostructures Decorated with TiO ₂ Nanoparticles. ACS Sustainable Chemistry and Engineering, 2016, 4, 7013-7022.	6.7	70
16	Bismuth subcarbonate nanoparticles fabricated by water-in-oil microemulsion-assisted hydrothermal process exhibit anti-Helicobacter pylori properties. Materials Research Bulletin, 2010, 45, 654-658.	5.2	66
17	Ionic liquid-employed synthesis of Bi ₂ E ₃ (E = S, Se, and Te) hierarchitectures: The case of Bi ₂ S ₃ with superior visible-light-driven Cr(VI) photoreduction capacity. Chemical Engineering Journal, 2017, 327, 371-386.	12.7	64
18	Synergistic impact of cocatalysts and hole scavenger for promoted photocatalytic H ₂ evolution in mesoporous TiO ₂ NiS hybrid. Journal of Energy Chemistry, 2019, 32, 45-56.	12.9	61

#	ARTICLE	IF	CITATIONS
19	Oxygen vacancy induced peroxymonosulfate activation by Mg-doped Fe ₂ O ₃ composites for advanced oxidation of organic pollutants. <i>Chemosphere</i> , 2021, 279, 130482.	8.2	60
20	Promoting solar-to-hydrogen evolution on Schottky interface with mesoporous TiO ₂ -Cu hybrid nanostructures. <i>Journal of Colloid and Interface Science</i> , 2019, 545, 116-127.	9.4	58
21	Cuprous ion (Cu ⁺) doping induced surface/interface engineering for enhancing the CO ₂ photoreduction capability of W ₁₈ O ₄₉ nanowires. <i>Journal of Colloid and Interface Science</i> , 2020, 572, 306-317.	9.4	50
22	Mediation of Valence Band Maximum of BiOI by Cl Incorporation for Improved Oxidation Power in Photocatalysis. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 4969-4978.	3.7	48
23	Achieving simultaneous Cu particles anchoring in meso-porous TiO ₂ nanofabrication for enhancing photo-catalytic CO ₂ reduction through rapid charge separation. <i>Chinese Chemical Letters</i> , 2022, 33, 1313-1316.	9.0	48
24	Simultaneous removal of As(V)/Cr(VI) and acid orange 7 (AO7) by nanosized ordered magnetic mesoporous Fe-Ce bimetal oxides: Behavior and mechanism. <i>Chemosphere</i> , 2019, 218, 1002-1013.	8.2	45
25	From Ni-based nanoprecursors to NiO nanostructures: morphology-controlled synthesis and structure-dependent electrochemical behavior. <i>New Journal of Chemistry</i> , 2015, 39, 676-682.	2.8	44
26	Large-scale synthesis of bismuth sulfide nanorods by microwave irradiation. <i>Journal of Alloys and Compounds</i> , 2011, 509, 2116-2126.	5.5	42
27	Titanium glycolate-derived TiO ₂ nanomaterials: Synthesis and applications. <i>Advanced Powder Technology</i> , 2018, 29, 2289-2311.	4.1	41
28	Recent Advances in Cu-Based Cocatalysts toward Solar-to-Hydrogen Evolution: Categories and Roles. <i>Solar Rrl</i> , 2019, 3, 1900256.	5.8	41
29	A facile and general synthesis strategy to doped TiO ₂ nanoaggregates with a mesoporous structure and comparable property. <i>RSC Advances</i> , 2015, 5, 64293-64298.	3.6	38
30	Enhanced visible light photocatalytic performance of Sb-doped (BiO) ₂ CO ₃ nanoplates. <i>Catalysis Communications</i> , 2015, 58, 190-194.	3.3	38
31	Electrostatically assembled construction of ternary TiO ₂ -Cu@C hybrid with enhanced solar-to-hydrogen evolution employing amorphous carbon dots as electronic mediator. <i>Chemical Engineering Journal</i> , 2019, 375, 121902.	12.7	38
32	Synthesis of bismuth micro- and nanospheres by a simple refluxing method. <i>Materials Letters</i> , 2009, 63, 2239-2242.	2.6	37
33	Same titanium glycolate precursor but different products: successful synthesis of twinned anatase TiO ₂ nanocrystals with excellent solar photocatalytic hydrogen evolution capability. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1319-1329.	6.0	37
34	Structure modification of anatase TiO ₂ nanomaterials-based photoanodes for efficient dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2013, 113, 527-535.	5.2	36
35	Facile hydrothermal selective fabrication of Ni(OH) ₂ and Ni(HCO ₃) ₂ nanoparticles and their electrochemical performances. <i>RSC Advances</i> , 2014, 4, 49303-49307.	3.6	34
36	In-situ room-temperature synthesis of amorphous/crystalline contact Bi ₂ S ₃ /Bi ₂ WO ₆ heterostructures for improved photocatalytic ability. <i>Ceramics International</i> , 2017, 43, 11296-11304.	4.8	34

#	ARTICLE	IF	CITATIONS
37	Facile polyol-triggered anatase/rutile heterophase TiO _{2-x} nanoparticles for enhancing photocatalytic CO ₂ reduction. <i>Journal of Colloid and Interface Science</i> , 2020, 579, 872-877.	9.4	34
38	Impact of Cu particles on adsorption and photocatalytic capability of mesoporous Cu@TiO ₂ hybrid towards ciprofloxacin antibiotic removal. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 96, 229-242.	5.3	32
39	Co-embedding oxygen vacancy and copper particles into titanium-based oxides (TiO ₂ , BaTiO ₃ , and) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> of <i>Colloid and Interface Science</i> , 2022, 624, 348-361.	9.4	32
40	HEPES-involved hydrothermal synthesis of Fe ₃ O ₄ nanoparticles and their biological application. <i>RSC Advances</i> , 2015, 5, 5059-5067.	3.6	31
41	Integrated p-n/Schottky junctions for efficient photocatalytic hydrogen evolution upon Cu@TiO ₂ -Cu ₂ O ternary hybrids with steering charge transfer. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 924-937.	9.4	31
42	A 1D/2D WO ₃ nanostructure coupled with a nanoparticulate CuO cocatalyst for enhancing solar-driven CO ₂ photoreduction: the impact of the crystal facet. <i>Sustainable Energy and Fuels</i> , 2020, 4, 2593-2603.	4.9	29
43	Engineered tungsten oxide-based photocatalysts for CO ₂ reduction: categories and roles. <i>Journal of Materials Chemistry A</i> , 2021, 9, 22781-22809.	10.3	29
44	Facile solvothermal synthesis of uniform sponge-like Bi ₂ SiO ₅ hierarchical nanostructure and its application in Cr(VI) removal. <i>Materials Letters</i> , 2012, 77, 25-28.	2.6	27
45	Achieving photocatalytic hydrogen production from alkaline solution upon a designed mesoporous TiO ₂ @Ni hybrid employing commonly used paper as a sacrificial electron donor. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2709-2717.	6.0	27
46	A novel protocol to design TiO ₂ -Fe ₂ O ₃ hybrids with effective charge separation efficiency for improved photocatalysis. <i>Advanced Powder Technology</i> , 2017, 28, 665-670.	4.1	25
47	Stimulus-Responsive Biopolymeric Surface: Molecular Switches for Oil/Water Separation. <i>ACS Applied Bio Materials</i> , 2019, 2, 4249-4257.	4.6	25
48	Achieving phase transformation and structure control of crystalline anatase TiO ₂ @C hybrids from titanium glycolate precursor and glucose molecules. <i>Journal of Colloid and Interface Science</i> , 2015, 438, 169-178.	9.4	22
49	Simultaneous oxidation and immobilization of arsenite from water by nanosized magnetic mesoporous iron manganese bimetal oxides (Nanosized-MMIM): Synergistic effect and interface catalysis. <i>Chemical Engineering Journal</i> , 2020, 391, 123578.	12.7	22
50	Recent Progress on Two-Dimensional Carbon Materials for Emerging Post-Lithium (Na ⁺ , K ⁺ , Zn ²⁺) Hybrid Supercapacitors. <i>Polymers</i> , 2021, 13, 2137.	4.5	19
51	New insights on nanostructure of ordered mesoporous Fe Mn bimetal oxides (OMFMs) by a novel inverse micelle method and their superior arsenic sequestration performance: Effect of calcination temperature and role of Fe/Mn oxides. <i>Science of the Total Environment</i> , 2021, 762, 143163.	8.0	18
52	Metallic Copper-Containing Composite Photocatalysts: Fundamental, Materials Design, and Photoredox Applications. <i>Small Methods</i> , 2022, 6, e2101001.	8.6	18
53	Shape-Dependent Photocatalytic Activities of Bismuth Subcarbonate Nanostructures. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 4028-4034.	0.9	16
54	Extremely rapid engineering of zinc oxide nanoaggregates with structure-dependent catalytic capability towards removal of ciprofloxacin antibiotic. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2432-2444.	6.0	16

#	ARTICLE	IF	CITATIONS
55	Achieving solar-to-hydrogen evolution promotion using TiO ₂ nanoparticles and an unanchored Cu co-catalyst. <i>Materials Research Bulletin</i> , 2020, 129, 110891.	5.2	15
56	Fabrication of three-dimensional snowflake-like bismuth sulfide nanostructures by simple refluxing. <i>Materials Letters</i> , 2010, 64, 287-290.	2.6	14
57	Insights into the structure-induced catalysis dependence of simply engineered one-dimensional zinc oxide nanocrystals towards photocatalytic water purification. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 2075-2087.	6.0	14
58	Recent advances in synthesis strategies and solar-to-hydrogen evolution of 1T phase MS ₂ (M = W, Mo) co-catalysts. <i>Journal of Materials Science and Technology</i> , 2022, 101, 242-263.	10.7	14
59	A facile polyol-mediated approach to tunable CeO ₂ microcrystals and their photocatalytic activity. <i>Powder Technology</i> , 2013, 249, 89-94.	4.2	13
60	Sorbitol-employed hydrothermal carbonization to TiO ₂ @C mesoporous hybrids with promoted visible light utilization and excellent photosensitization stability. <i>Journal of Alloys and Compounds</i> , 2017, 723, 948-959.	5.5	13
61	One dimensional hierarchical nanostructures composed of CdS nanosheets/nanoparticles and Ag nanowires with promoted photocatalytic performance. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 903-915.	6.0	13
62	Engineered zinc oxide nanoaggregates for photocatalytic removal of ciprofloxacin with structure dependence. <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.	1.9	13
63	Precursor self-derived Cu@TiO ₂ hybrid Schottky junction for enhanced solar-to-hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 10628-10637.	7.1	13
64	Surface Potential/Wettability and Interface Charge Transfer Engineering of Copper-Oxide (Cu-MO _x , M = W, Ti, and Ce) Hybrids for Efficient Wastewater Treatment through Adsorption-Photocatalysis Synergy. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 15454-15463.	3.7	12
65	Ions-exchange anchoring Cu ₇ S ₄ cocatalyst on K ₂ Ti ₈ O ₁₇ nanowires assembly for enhanced CO ₂ photoreduction through efficient charge separation. <i>Journal of Alloys and Compounds</i> , 2022, 909, 164792.	5.5	11
66	Refluxing Synthesis of Anatase TiO ₂ Nanoparticles Assembled Microprisms and Its Application for Dye-Sensitized Solar Cells. <i>Science of Advanced Materials</i> , 2014, 6, 459-464.	0.7	9
67	Facile construction of g-C ₃ N ₄ /W ₁₈ O ₄₉ heterojunction with improved charge transfer for solar-driven CO ₂ photoreduction. <i>Inorganic Chemistry Communication</i> , 2021, 132, 108814.	3.9	8
68	Anion-exchange synthesis of hollow BiOCl/Bi ₂ S ₃ hybrids with superior capability for photocatalytic reduction of hexavalent chromium under visible light irradiation. <i>Micro and Nano Letters</i> , 2017, 12, 1020-1023.	1.3	7
69	Solvothermal Synthesis of Layered BiOCl Nanosheets and Their Efficient Visible-Light-Induced Photocatalytic Activities. <i>Science of Advanced Materials</i> , 2013, 5, 1024-1031.	0.7	6
70	Facile synthesis and characterization of TiO ₂ nanodots and TiO ₂ nanodots@MWCNTs composite via solvothermal method. <i>Materials Letters</i> , 2013, 113, 71-75.	2.6	5
71	Simply Coupling TiO ₂ Nanospheres with Cu ₂ O Particles to Boost the Photocatalytic Hydrogen Evolution through p-n Heterojunction-Induced Charge Transfer. <i>Energy Technology</i> , 2022, 10, 2100259.	3.8	4
72	Facile Anchoring Cu nanoparticles on WO ₃ Nanocubes for Enhanced Photocatalysis through Efficient Interface Charge Transfer. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021, 36, 325.	1.3	2

#	ARTICLE	IF	CITATIONS
73	Beta-Cyclodextrin-triggered fabrication of broccoli-like ZnO nanoaggregates with enhanced photocatalytic capability. <i>Functional Materials Letters</i> , 2020, 13, 2051004.	1.2	1
74	Promoted Visible-Light-Driven Photocatalytic Capability of TiO ₂ Nanoparticles Decorated Bi ₂ O ₃ Quadrangular Prism Structures Prepared via a Solvothermal Approach. <i>Energy and Environment Focus</i> , 2017, 6, 35-42.	0.3	0