

Debby Gerritsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4002675/publications.pdf>

Version: 2024-02-01

85
papers

1,550
citations

304368

22
h-index

360668

35
g-index

89
all docs

89
docs citations

89
times ranked

1747
citing authors

#	ARTICLE	IF	CITATIONS
1	Allowing Visitors Back in the Nursing Home During the COVID-19 Crisis: A Dutch National Study Into First Experiences and Impact on Well-Being. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 900-904.	1.2	165
2	Coming to Grips With Challenging Behavior: A Cluster Randomized Controlled Trial on the Effects of a Multidisciplinary Care Program for Challenging Behavior in Dementia. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 531.e1-531.e10.	1.2	79
3	A structural multidisciplinary approach to depression management in nursing-home residents: a multicentre, stepped-wedge cluster-randomised trial. <i>Lancet, The</i> , 2013, 381, 2255-2264.	6.3	73
4	Process Evaluation to Explore Internal and External Validity of the ‘Act in Case of Depression’-Care Program in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 488.e1-488.e8.	1.2	60
5	Only 10% of the psychotropic drug use for neuropsychiatric symptoms in patients with dementia is fully appropriate. The PROPER I-study. <i>International Psychogeriatrics</i> , 2016, 28, 1589-1595.	0.6	60
6	A Revised Index for Social Engagement for Long-Term Care. <i>Journal of Gerontological Nursing</i> , 2008, 34, 40-48.	0.3	51
7	Challenging behavior of nursing home residents during COVID-19 measures in the Netherlands. <i>Aging and Mental Health</i> , 2021, 25, 1314-1319.	1.5	46
8	Nursing Home Residents with Dementia and Very Frequent Agitation: A Particular Group. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1339-1348.	0.6	43
9	Implementation and impact of unforgettable: an interactive art program for people with dementia and their caregivers. <i>International Psychogeriatrics</i> , 2019, 31, 351-362.	0.6	41
10	Criteria for Psychosis in Major and Mild Neurocognitive Disorders: International Psychogeriatric Association (IPA) Consensus Clinical and Research Definition. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 1256-1269.	0.6	40
11	Nature and dementia: development of a person-centered approach. <i>International Psychogeriatrics</i> , 2016, 28, 1455-1470.	0.6	38
12	Comparative Validation of Proxy-Based Montgomery-Åsberg Depression Rating Scale and Cornell Scale for Depression in Dementia in Nursing Home Residents With Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 985-993.	0.6	37
13	Grip on challenging behavior: process evaluation of the implementation of a care program. <i>Trials</i> , 2014, 15, 302.	0.7	37
14	Apathy: Risk Factor for Mortality in Nursing Home Patients. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2182-2189.	1.3	36
15	The effect of biannual medication reviews on the appropriateness of psychotropic drug use for neuropsychiatric symptoms in patients with dementia: a randomised controlled trial. <i>Age and Ageing</i> , 2018, 47, 430-437.	0.7	36
16	Systematic review on barriers and facilitators of complex interventions for residents with dementia in long-term care. <i>International Psychogeriatrics</i> , 2021, 33, 873-889.	0.6	36
17	Residents with mental-physical multimorbidity living in long-term care facilities: prevalence and characteristics. A systematic review. <i>International Psychogeriatrics</i> , 2013, 25, 531-548.	0.6	33
18	What do nursing home residents with mental-physical multimorbidity need and who actually knows this? A cross-sectional cohort study. <i>International Journal of Nursing Studies</i> , 2018, 81, 89-97.	2.5	33

#	ARTICLE	IF	CITATIONS
19	More insight into the concept of apathy: a multidisciplinary depression management program has different effects on depressive symptoms and apathy in nursing homes. <i>International Psychogeriatrics</i> , 2013, 25, 1941-1952.	0.6	31
20	Act In case of Depression: The evaluation of a care program to improve the detection and treatment of depression in nursing homes. <i>Study Protocol. BMC Psychiatry</i> , 2011, 11, 91.	1.1	30
21	Factors Related to Psychotropic Drug Prescription for Neuropsychiatric Symptoms in Nursing Home Residents With Dementia. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 835-840.	1.2	30
22	Dementia in the movies: the clinical picture. <i>Aging and Mental Health</i> , 2014, 18, 276-280.	1.5	26
23	Feeling useful and engaged in daily life: exploring the experiences of people with young-onset dementia. <i>International Psychogeriatrics</i> , 2017, 29, 1889-1898.	0.6	23
24	Defining empowerment for older people living with dementia from multiple perspectives: A qualitative study. <i>International Journal of Nursing Studies</i> , 2021, 114, 103823.	2.5	23
25	Quality of Life in Dementia: Do Professional Caregivers Focus on the Significant Domains?. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2007, 22, 176-183.	0.9	21
26	PROPER I: frequency and appropriateness of psychotropic drugs use in nursing home patients and its associations: a study protocol. <i>BMC Psychiatry</i> , 2013, 13, 307.	1.1	21
27	The effects of the COVID-19 virus on mental healthcare for older people in The Netherlands. <i>International Psychogeriatrics</i> , 2020, 32, 1353-1356.	0.6	19
28	Psychotropic drug prescription for nursing home residents with dementia: prevalence and associations with non-resident-related factors. <i>Aging and Mental Health</i> , 2018, 22, 1244-1252.	1.5	18
29	A reliable and valid index was developed to measure appropriate psychotropic drug use in dementia. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 903-912.	2.4	17
30	A Comparative Validation of the Abbreviated Apathy Evaluation Scale (AES-10) With the Neuropsychiatric Inventory Apathy Subscale Against Diagnostic Criteria of Apathy. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 308.e1-308.e6.	1.2	16
31	The development of the Grip on Challenging Behaviour dementia care programme. <i>International Journal of Palliative Nursing</i> , 2014, 20, 15-21.	0.2	15
32	Quality of life assessments in nursing homes revealed a tendency of proxies to moderate patients' self-reports. <i>Journal of Clinical Epidemiology</i> , 2016, 80, 123-133.	2.4	15
33	Apathy and health-related quality of life in nursing home residents. <i>Quality of Life Research</i> , 2019, 28, 751-759.	1.5	15
34	Antibiotic prescribing and non-prescribing in nursing home residents with signs and symptoms ascribed to urinary tract infection (ANNA): study protocol for a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 341.	1.1	15
35	Characteristics and health conditions of a group of nursing home patients with mental and physical multimorbidity – the MAPPING study. <i>International Psychogeriatrics</i> , 2017, 29, 1037-1047.	0.6	14
36	Need fulfillment in the nursing home: resident and observer perspectives in relation to resident well-being. <i>European Journal of Ageing</i> , 2013, 10, 201-209.	1.2	13

#	ARTICLE	IF	CITATIONS
37	The Difficulty With Studying Challenging Behavior. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 879-881.	1.2	13
38	Reducing inappropriate psychotropic drug use in nursing home residents with dementia: protocol for participatory action research in a stepped-wedge cluster randomized trial. <i>BMC Psychiatry</i> , 2019, 19, 298.	1.1	13
39	An Electronic Health Record Integrated Decision Tool and Supportive Interventions to Improve Antibiotic Prescribing for Urinary Tract Infections in Nursing Homes: A Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 387-393.	1.2	13
40	Explaining experiences of community-dwelling older adults with a pro-active comprehensive geriatric assessment program – a thorough evaluation by interviews. <i>BMC Geriatrics</i> , 2019, 19, 12.	1.1	11
41	“Because if I don’t hold his hand then I might as well not be there” Experiences of Dutch and UK care home visiting during the COVID-19 pandemic. <i>International Psychogeriatrics</i> , 2023, 35, 107-116.	0.6	11
42	Social well-being and its measurement in the nursing home, the SWON scale. <i>Journal of Clinical Nursing</i> , 2010, 19, 1243-1251.	1.4	10
43	Severe Agitation in Dementia: An Explorative Secondary Data Analysis on the Prevalence and Associated Factors in Nursing Home Residents. <i>Journal of Alzheimer’s Disease</i> , 2018, 66, 1463-1470.	1.2	10
44	Goal planning in person-centred care supports older adults receiving case management to attain their health-related goals. <i>Disability and Rehabilitation</i> , 2021, 43, 1682-1691.	0.9	10
45	Very frequent physical aggression and vocalizations in nursing home residents with dementia. <i>Aging and Mental Health</i> , 2021, 25, 1442-1451.	1.5	9
46	Effects on staff outcomes and process evaluation of the educating nursing staff effectively (TENSE) program for managing challenging behavior in nursing home residents with dementia: A cluster-randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2021, 120, 103982.	2.5	9
47	Empowerment for people living with dementia: An integrative literature review. <i>International Journal of Nursing Studies</i> , 2021, 124, 104098.	2.5	8
48	Two-Year Course of Quality of Life in Nursing Home Residents with Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 754-764.	0.6	7
49	Structural validity and internal consistency of the Qualidem in people with severe dementia. <i>International Psychogeriatrics</i> , 2018, 30, 49-59.	0.6	7
50	Implementing a multidisciplinary psychotropic medication review among nursing home residents with dementia: a process evaluation. <i>International Psychogeriatrics</i> , 2019, 33, 1-13.	0.6	7
51	The construction of a conceptual framework explaining the relation between barriers to change of management of neuropsychiatric symptoms in nursing homes: a qualitative study using focus groups. <i>BMC Geriatrics</i> , 2020, 20, 163.	1.1	7
52	Overall Quality of Life (OQoL) questionnaire in frail elderly: A study of reproducibility and responsiveness of the Depression List (DL). <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 22-27.	1.4	6
53	Factors associated with appropriate psychotropic drug prescription in nursing home patients with severe dementia. <i>International Psychogeriatrics</i> , 2018, 30, 547-556.	0.6	6
54	Prevalence and characteristics of neuropsychiatric symptoms, quality of life and psychotropics in people with acquired brain injury in long-term care. <i>Journal of Advanced Nursing</i> , 2019, 75, 3715-3725.	1.5	6

#	ARTICLE	IF	CITATIONS
55	The association between specific activity components and depression in nursing home residents: the importance of the social component. <i>Aging and Mental Health</i> , 2021, 25, 118-125.	1.5	5
56	Evaluation of the "Unforgettable"™ art programme by people with dementia and their care-givers. <i>Ageing and Society</i> , 2021, 41, 294-312.	1.2	5
57	Impact of borderline personality disorder traits on the association between age and health-related quality of life: A cohort study in the general population. <i>European Psychiatry</i> , 2021, 64, e33.	0.1	5
58	Stimuli changes and challenging behavior in nursing homes during the COVID-19 pandemic. <i>BMC Geriatrics</i> , 2022, 22, 142.	1.1	5
59	"The educating nursing staff effectively (TENSE) study" design of a cluster randomized controlled trial. <i>BMC Nursing</i> , 2014, 13, 46.	0.9	4
60	Development and Validation of the Dutch EBPAS™ and EBPO™ for Nursing Assistants and Nurses with a Vocational Education. <i>Worldviews on Evidence-Based Nursing</i> , 2019, 16, 371-380.	1.2	4
61	Using Video Feedback at Home in Dementia Care: A Feasibility Study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2019, 34, 153-162.	0.9	4
62	Primary care functioning scale showed validity and reliability in patients with chronic conditions: a psychometric study. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 130-137.	2.4	4
63	Specific components of a complex depression care program can affect staff outcomes differently: post-hoc analyses of a stepped-wedge cluster-randomized trial in nursing homes. <i>International Psychogeriatrics</i> , 2020, 32, 371-380.	0.6	4
64	Family caregivers'™ perspectives on their interaction and relationship with people living with dementia in a nursing home: a qualitative study. <i>BMC Geriatrics</i> , 2022, 22, 212.	1.1	4
65	Effects Of Increasing The Involvement Of Community-Dwelling Frail Older Adults In A Proactive Assessment Service: A Pragmatic Trial. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1985-1995.	1.3	3
66	Natural course of neuropsychiatric symptoms in nursing home patients with mental-physical multimorbidity in the first eight months after admission. <i>Aging and Mental Health</i> , 2020, 24, 155-161.	1.5	3
67	Continuous Palliative Sedation in Nursing Home Residents With Dementia and Refractory Neuropsychiatric Symptoms. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 305-311.e4.	1.2	3
68	Telehealth and telecommunication in nursing homes during COVID-19 antiepidemic measures in the Netherlands. <i>International Psychogeriatrics</i> , 2021, 33, 835-836.	0.6	3
69	Time trends in psychotropic drug prescriptions in Dutch nursing home residents with dementia between 2003 and 2018. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	3
70	Well-being in long-term care: an ode to vulnerability. <i>Aging and Mental Health</i> , 2021, , 1-6.	1.5	3
71	Implementing a Personalized Integrated Stepped-Care Method (STIP-Method) to Prevent and Treat Neuropsychiatric Symptoms in Persons With Dementia in Nursing Homes: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2022, 11, e34550.	0.5	3
72	Applying Intervention Mapping to Improve the Applicability of Precious Memories, an Intervention for Depressive Symptoms in Nursing Home Residents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5163.	1.2	2

#	ARTICLE	IF	CITATIONS
73	The Prevalence and Determinants of Neuropsychiatric Symptoms in People With Acquired Brain Injury in Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1643-1650.	1.2	2
74	Value of Personalized Dementia-Specific Quality of Life Scales: An Explorative Study in 3 European Countries. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2021, 36, 153331752110337.	0.9	2
75	The prevalence and determinants of inappropriate sexual behaviour in people with acquired brain injury in nursing homes. <i>Journal of Advanced Nursing</i> , 2021, 77, 3058-3072.	1.5	2
76	Process evaluation of a tailored intervention to Reduce Inappropriate psychotropic Drug use in nursing home residents with dementia. <i>BMC Geriatrics</i> , 2021, 21, 414.	1.1	2
77	210 - Palliative Care in Dementia. <i>International Psychogeriatrics</i> , 2020, 32, 53-54.	0.6	2
78	Increasing Older Adult Involvement in Geriatric Assessment: A Mixed-Methods Process Evaluation. <i>Journal of Aging and Health</i> , 2021, 33, 482-492.	0.9	1
79	Informal antidepressant strategies for nursing home residents: two group concept mapping studies. <i>Aging and Mental Health</i> , 2023, 27, 251-262.	1.5	1
80	Assessment of functioning in Dutch primary care: Development study of a consultation tool for patients with chronic conditions and multimorbidity. <i>Health Expectations</i> , 0, , .	1.1	1
81	Schema Therapy in the Nursing Home Setting: A Case Study of a Cognitively Impaired Patient. <i>Clinical Case Studies</i> , 2022, 21, 552-570.	0.5	1
82	Feeling blue, sad, or depressed: how to manage these patients. <i>British Journal of General Practice</i> , 2018, 68, 330-331.	0.7	0
83	Continuous palliative sedation in nursing home residents with dementia suffering from extreme refractory BPSD symptoms: A qualitative study. <i>Alzheimer's and Dementia</i> , 2020, 16, e039800.	0.4	0
84	553 - A promising Dutch initiative for highly intelligent seniors affected by dementia: a qualitative evaluation of Studiegroepen day time activities in long term care. <i>International Psychogeriatrics</i> , 2021, 33, 94-94.	0.6	0
85	The Impact of Visitation Guidelines During COVID-19 on Well-Being and Daily Life in Nursing Homes. <i>Innovation in Aging</i> , 2021, 5, 406-406.	0.0	0