Debby Gerritsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4002675/publications.pdf

Version: 2024-02-01

		304368	360668
85	1,550 citations	22	35
papers	citations	h-index	g-index
89	89	89	1747
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	"Because if I don't hold his hand then I might as well not be there― Experiences of Dutch and UK care home visiting during the COVID-19 pandemic. International Psychogeriatrics, 2023, 35, 107-116.	0.6	11
2	Informal antidepressant strategies for nursing home residents: two group concept mapping studies. Aging and Mental Health, 2023, 27, 251-262.	1.5	1
3	Stimuli changes and challenging behavior in nursing homes during the COVID-19 pandemic. BMC Geriatrics, 2022, 22, 142.	1.1	5
4	Family caregivers' perspectives on their interaction and relationship with people living with dementia in a nursing home: a qualitative study. BMC Geriatrics, 2022, 22, 212.	1.1	4
5	An Electronic Health Record Integrated Decision Tool and Supportive Interventions to Improve Antibiotic Prescribing for Urinary Tract Infections in Nursing Homes: A Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2022, 23, 387-393.	1.2	13
6	Time trends in psychotropic drug prescriptions in Dutch nursing home residents with dementia between 2003 and 2018. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	3
7	Schema Therapy in the Nursing Home Setting: A Case Study of a Cognitively Impaired Patient. Clinical Case Studies, 2022, 21, 552-570.	0.5	1
8	Implementing a Personalized Integrated Stepped-Care Method (STIP-Method) to Prevent and Treat Neuropsychiatric Symptoms in Persons With Dementia in Nursing Homes: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2022, 11, e34550.	0.5	3
9	Goal planning in person-centred care supports older adults receiving case management to attain their health-related goals. Disability and Rehabilitation, 2021, 43, 1682-1691.	0.9	10
10	Challenging behavior of nursing home residents during COVID-19 measures in the Netherlands. Aging and Mental Health, 2021, 25, 1314-1319.	1.5	46
11	Very frequent physical aggression and vocalizations in nursing home residents with dementia. Aging and Mental Health, 2021, 25, 1442-1451.	1.5	9
12	Systematic review on barriers and facilitators of complex interventions for residents with dementia in long-term care. International Psychogeriatrics, 2021, 33, 873-889.	0.6	36
13	Defining empowerment for older people living with dementia from multiple perspectives: A qualitative study. International Journal of Nursing Studies, 2021, 114, 103823.	2.5	23
14	Continuous Palliative Sedation in Nursing Home Residents With Dementia and Refractory Neuropsychiatric Symptoms. Journal of the American Medical Directors Association, 2021, 22, 305-311.e4.	1.2	3
15	The association between specific activity components and depression in nursing home residents: the importance of the social component. Aging and Mental Health, 2021, 25, 118-125.	1.5	5
16	Evaluation of the â€~Unforgettable' art programme by people with dementia and their care-givers. Ageing and Society, 2021, 41, 294-312.	1.2	5
17	Value of Personalized Dementia-Specific Quality of Life Scales: An Explorative Study in 3 European Countries. American Journal of Alzheimer's Disease and Other Dementias, 2021, 36, 153331752110337.	0.9	2
18	The prevalence and determinants of inappropriate sexual behaviour in people with acquired brain injury in nursing homes. Journal of Advanced Nursing, 2021, 77, 3058-3072.	1.5	2

#	Article	IF	CITATIONS
19	Increasing Older Adult Involvement in Geriatric Assessment: A Mixed-Methods Process Evaluation. Journal of Aging and Health, 2021, 33, 482-492.	0.9	1
20	Telehealth and telecommunication in nursing homes during COVID-19 antiepidemic measures in the Netherlands. International Psychogeriatrics, 2021, 33, 835-836.	0.6	3
21	Process evaluation of a tailored intervention to Reduce Inappropriate psychotropic Drug use in nursing home residents with dementia. BMC Geriatrics, 2021, 21, 414.	1.1	2
22	Effects on staff outcomes and process evaluation of the educating nursing staff effectively (TENSE) program for managing challenging behavior in nursing home residents with dementia: A cluster-randomized controlled trial. International Journal of Nursing Studies, 2021, 120, 103982.	2.5	9
23	Empowerment for people living with dementia: An integrative literature review. International Journal of Nursing Studies, 2021, 124, 104098.	2.5	8
24	Impact of borderline personality disorder traits on the association between age and health-related quality of life: A cohort study in the general population. European Psychiatry, 2021, 64, e33.	0.1	5
25	553 - A promising Dutch initiative for highly intelligent seniors affected by dementia: a qualitative evaluation of Studiegroepen day time activities in long term care. International Psychogeriatrics, 2021, 33, 94-94.	0.6	0
26	The Impact of Visitation Guidelines During COVID-19 on Well-Being and Daily Life in Nursing Homes. Innovation in Aging, 2021, 5, 406-406.	0.0	0
27	Well-being in long-term care: an ode to vulnerability. Aging and Mental Health, 2021, , 1-6.	1.5	3
28	Natural course of neuropsychiatric symptoms in nursing home patients with mental-physical multimorbidity in the first eight months after admission. Aging and Mental Health, 2020, 24, 155-161.	1.5	3
29	The Prevalence and Determinants of Neuropsychiatric Symptoms in People With Acquired Brain Injury in Nursing Homes. Journal of the American Medical Directors Association, 2020, 21, 1643-1650.	1.2	2
30	Criteria for Psychosis in Major and Mild Neurocognitive Disorders: International Psychogeriatric Association (IPA) Consensus Clinical and Research Definition. American Journal of Geriatric Psychiatry, 2020, 28, 1256-1269.	0.6	40
31	Allowing Visitors Back in the Nursing Home During the COVID-19 Crisis: A Dutch National Study Into First Experiences and Impact on Well-Being. Journal of the American Medical Directors Association, 2020, 21, 900-904.	1.2	165
32	Antibiotic prescribing and non-prescribing in nursing home residents with signs and symptoms ascribed to urinary tract infection (ANNA): study protocol for a cluster randomized controlled trial. BMC Geriatrics, 2020, 20, 341.	1.1	15
33	Continuous palliative sedation in nursing home residents with dementia suffering from extreme refractory BPSD symptoms: A qualitative study. Alzheimer's and Dementia, 2020, 16, e039800.	0.4	0
34	The effects of the COVID-19 virus on mental healthcare for older people in The Netherlands. International Psychogeriatrics, 2020, 32, 1353-1356.	0.6	19
35	Primary care functioning scale showed validity and reliability in patients with chronic conditions: a psychometric study. Journal of Clinical Epidemiology, 2020, 125, 130-137.	2.4	4
36	The construction of a conceptual framework explaining the relation between barriers to change of management of neuropsychiatric symptoms in nursing homes: a qualitative study using focus groups. BMC Geriatrics, 2020, 20, 163.	1.1	7

#	Article	IF	CITATIONS
37	Specific components of a complex depression care program can affect staff outcomes differently: <i>post-hoc</i> analyses of a stepped-wedge cluster-randomized trial in nursing homes. International Psychogeriatrics, 2020, 32, 371-380.	0.6	4
38	210 - Palliative Care in Dementia. International Psychogeriatrics, 2020, 32, 53-54.	0.6	2
39	Implementation and impact of unforgettable: an interactive art program for people with dementia and their caregivers. International Psychogeriatrics, 2019, 31, 351-362.	0.6	41
40	Prevalence and characteristics of neuropsychiatric symptoms, quality of life and psychotropics in people with acquired brain injury in longâ€term care. Journal of Advanced Nursing, 2019, 75, 3715-3725.	1.5	6
41	Development and Validation of the Dutch EBPASâ€ve and EBPQâ€ve for Nursing Assistants and Nurses with a Vocational Education. Worldviews on Evidence-Based Nursing, 2019, 16, 371-380.	1.2	4
42	Implementing a multidisciplinary psychotropic medication review among nursing home residents with dementia: a process evaluation. International Psychogeriatrics, 2019, 33, 1-13.	0.6	7
43	Using Video Feedback at Home in Dementia Care: A Feasibility Study. American Journal of Alzheimer's Disease and Other Dementias, 2019, 34, 153-162.	0.9	4
44	The Difficulty With Studying Challenging Behavior. Journal of the American Medical Directors Association, 2019, 20, 879-881.	1.2	13
45	Effects Of Increasing The Involvement Of Community-Dwelling Frail Older Adults In A Proactive Assessment Service: A Pragmatic Trial (p) Clinical Interventions in Aging, 2019, Volume 14, 1985-1995.	1.3	3
46	Applying Intervention Mapping to Improve the Applicability of Precious Memories, an Intervention for Depressive Symptoms in Nursing Home Residents. International Journal of Environmental Research and Public Health, 2019, 16, 5163.	1.2	2
47	Reducing inappropriate psychotropic drug use in nursing home residents with dementia: protocol for participatory action research in a stepped-wedge cluster randomized trial. BMC Psychiatry, 2019, 19, 298.	1.1	13
48	Apathy and health-related quality of life in nursing home residents. Quality of Life Research, 2019, 28, 751-759.	1.5	15
49	Explaining experiences of community-dwelling older adults with a pro-active comprehensive geriatric assessment program $\hat{a} \in \hat{a}$ a thorough evaluation by interviews. BMC Geriatrics, 2019, 19, 12.	1.1	11
50	What do nursing home residents with mental-physical multimorbidity need and who actually knows this? A cross-sectional cohort study. International Journal of Nursing Studies, 2018, 81, 89-97.	2.5	33
51	Two-Year Course of Quality of Life in Nursing Home Residents with Dementia. American Journal of Geriatric Psychiatry, 2018, 26, 754-764.	0.6	7
52	The effect of biannual medication reviews on the appropriateness of psychotropic drug use for neuropsychiatric symptoms in patients with dementia: a randomised controlled trial. Age and Ageing, 2018, 47, 430-437.	0.7	36
53	Psychotropic drug prescription for nursing home residents with dementia: prevalence and associations with non-resident-related factors. Aging and Mental Health, 2018, 22, 1244-1252.	1.5	18
54	Factors associated with appropriate psychotropic drug prescription in nursing home patients with severe dementia. International Psychogeriatrics, 2018, 30, 547-556.	0.6	6

#	Article	IF	CITATIONS
55	Structural validity and internal consistency of the Qualidem in people with severe dementia. International Psychogeriatrics, 2018, 30, 49-59.	0.6	7
56	Severe Agitation in Dementia: An Explorative Secondary Data Analysis on the Prevalence and Associated Factors in Nursing Home Residents. Journal of Alzheimer's Disease, 2018, 66, 1463-1470.	1.2	10
57	Feeling blue, sad, or depressed: how to manage these patients. British Journal of General Practice, 2018, 68, 330-331.	0.7	О
58	Characteristics and health conditions of a group of nursing home patients with mental–physical multimorbidity – the MAPPING study. International Psychogeriatrics, 2017, 29, 1037-1047.	0.6	14
59	Apathy: Risk Factor for Mortality in Nursing Home Patients. Journal of the American Geriatrics Society, 2017, 65, 2182-2189.	1.3	36
60	Nursing Home Residents with Dementia and Very Frequent Agitation: A Particular Group. American Journal of Geriatric Psychiatry, 2017, 25, 1339-1348.	0.6	43
61	Feeling useful and engaged in daily life: exploring the experiences of people with young-onset dementia. International Psychogeriatrics, 2017, 29, 1889-1898.	0.6	23
62	Nature and dementia: development of a person-centered approach. International Psychogeriatrics, 2016, 28, 1455-1470.	0.6	38
63	Only 10% of the psychotropic drug use for neuropsychiatric symptoms in patients with dementia is fully appropriate. The PROPER I-study. International Psychogeriatrics, 2016, 28, 1589-1595.	0.6	60
64	Quality of life assessments in nursing homes revealed a tendency of proxies to moderate patients' self-reports. Journal of Clinical Epidemiology, 2016, 80, 123-133.	2.4	15
65	A reliable and valid index was developed to measure appropriate psychotropic drug use in dementia. Journal of Clinical Epidemiology, 2015, 68, 903-912.	2.4	17
66	Overall Quality of Life (OQoL) questionnaire in frail elderly: A study of reproducibility and responsiveness of the Depression List (DL). Archives of Gerontology and Geriatrics, 2015, 60, 22-27.	1.4	6
67	Dementia in the movies: the clinical picture. Aging and Mental Health, 2014, 18, 276-280.	1.5	26
68	The development of the Grip on Challenging Behaviour dementia care programme. International Journal of Palliative Nursing, 2014, 20, 15-21.	0.2	15
69	"The educating nursing staff effectively (TENSE) study― design of a cluster randomized controlled trial. BMC Nursing, 2014, 13, 46.	0.9	4
70	Factors Related to Psychotropic Drug Prescription for Neuropsychiatric Symptoms in Nursing Home Residents With Dementia. Journal of the American Medical Directors Association, 2014, 15, 835-840.	1.2	30
71	Grip on challenging behavior: process evaluation of the implementation of a care program. Trials, 2014, 15, 302.	0.7	37
72	Coming to Grips With Challenging Behavior: A Cluster Randomized Controlled Trial on the Effects of a Multidisciplinary Care Program for Challenging Behavior in Dementia. Journal of the American Medical Directors Association, 2014, 15, 531.e1-531.e10.	1.2	79

#	Article	IF	Citations
73	Need fulfillment in the nursing home: resident and observer perspectives in relation to resident well-being. European Journal of Ageing, 2013, 10, 201-209.	1.2	13
74	PROPER I: frequency and appropriateness of psychotropic drugs use in nursing home patients and its associations: a study protocol. BMC Psychiatry, 2013, 13, 307.	1.1	21
75	A structural multidisciplinary approach to depression management in nursing-home residents: a multicentre, stepped-wedge cluster-randomised trial. Lancet, The, 2013, 381, 2255-2264.	6.3	73
76	More insight into the concept of apathy: a multidisciplinary depression management program has different effects on depressive symptoms and apathy in nursing homes. International Psychogeriatrics, 2013, 25, 1941-1952.	0.6	31
77	Residents with mental–physical multimorbidity living in long-term care facilities: prevalence and characteristics. A systematic review. International Psychogeriatrics, 2013, 25, 531-548.	0.6	33
78	Process Evaluation to Explore Internal and External Validity of the "Act in Case of Depression―Care Program in Nursing Homes. Journal of the American Medical Directors Association, 2012, 13, 488.e1-488.e8.	1.2	60
79	A Comparative Validation of the Abbreviated Apathy Evaluation Scale (AES-10) With the Neuropsychiatric Inventory Apathy Subscale Against Diagnostic Criteria of Apathy. Journal of the American Medical Directors Association, 2012, 13, 308.e1-308.e6.	1.2	16
80	Comparative Validation of Proxy-Based Montgomery-Ã…sberg Depression Rating Scale and Cornell Scale for Depression in Dementia in Nursing Home Residents With Dementia. American Journal of Geriatric Psychiatry, 2012, 20, 985-993.	0.6	37
81	Act In case of Depression: The evaluation of a care program to improve the detection and treatment of depression in nursing homes. Study Protocol. BMC Psychiatry, 2011, 11, 91.	1.1	30
82	Social wellâ€being and its measurement in the nursing home, the SWONâ€scale. Journal of Clinical Nursing, 2010, 19, 1243-1251.	1.4	10
83	A Revised Index for Social Engagement for Long-Term Care. Journal of Gerontological Nursing, 2008, 34, 40-48.	0.3	51
84	Quality of Life in Dementia: Do Professional Caregivers Focus on the Significant Domains?. American Journal of Alzheimer's Disease and Other Dementias, 2007, 22, 176-183.	0.9	21
85	Assessment of functioning in Dutch primary care: Development study of a consultation tool for patients with chronic conditions and multimorbidity. Health Expectations, 0, , .	1.1	1