

Ke Bi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4003405/ke-bi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

2,771
citations

26
h-index

46
g-index

163
ext. papers

3,451
ext. citations

4.5
avg, IF

5.56
L-index

#	Paper	IF	Citations
154	Significantly enhanced energy storage performance promoted by ultimate sized ferroelectric BaTiO ₃ fillers in nanocomposite films. <i>Nano Energy</i> , 2017 , 31, 49-56	17.1	252
153	Ultrafine core-shell BaTiO ₃ @SiO ₂ structures for nanocomposite capacitors with high energy density. <i>Nano Energy</i> , 2018 , 51, 513-523	17.1	238
152	Tungsten disulphide for ultrashort pulse generation in all-fiber lasers. <i>Nanoscale</i> , 2017 , 9, 5806-5811	7.7	171
151	Enhanced photocatalytic H ₂ evolution by plasmonic and piezotronic effects based on periodic Al/BaTiO ₃ heterostructures. <i>Nano Energy</i> , 2019 , 62, 513-520	17.1	79
150	Magnetically tunable wideband microwave filter using ferrite-based metamaterials. <i>Applied Physics Letters</i> , 2015 , 106, 173507	3.4	75
149	N, P-doped CoS ₂ Embedded in TiO ₂ Nanoporous Films for Zn Air Batteries. <i>Advanced Functional Materials</i> , 2018 , 28, 1804540	15.6	73
148	Experimental demonstration of ultra-large-scale terahertz all-dielectric metamaterials. <i>Photonics Research</i> , 2019 , 7, 457	6	72
147	Particle size effect of BaTiO ₃ nanofillers on the energy storage performance of polymer nanocomposites. <i>Nanoscale</i> , 2017 , 9, 16386-16395	7.7	69
146	Enhanced dielectric properties and energy storage density of PVDF nanocomposites by co-loading of BaTiO ₃ and CoFe ₂ O ₄ nanoparticles. <i>Advanced Composites and Hybrid Materials</i> , 2020 , 3, 58-65	8.7	55
145	Metamaterial perfect absorber based on artificial dielectric "atoms". <i>Optics Express</i> , 2016 , 24, 20454-60	3.3	47
144	Dual band metamaterial perfect absorber based on Mie resonances. <i>Applied Physics Letters</i> , 2016 , 109, 062902	3.4	46
143	Wideband slot-coupled dielectric resonator-based filter. <i>Journal of Alloys and Compounds</i> , 2019 , 785, 1264-1269	5.7	45
142	Paper-based metasurface: Turning waste-paper into a solution for electromagnetic pollution. <i>Journal of Cleaner Production</i> , 2019 , 234, 588-596	10.3	44
141	Magnetically tunable metamaterial perfect absorber. <i>Journal of Applied Physics</i> , 2016 , 119, 244504	2.5	44
140	Magnetically tunable Mie resonance-based dielectric metamaterials. <i>Scientific Reports</i> , 2014 , 4, 7001	4.9	36
139	Novel graphite-carbon encased tungsten carbide nanocomposites by solid-state reaction and their ORR electrocatalytic performance in alkaline medium. <i>Electrochimica Acta</i> , 2015 , 174, 172-177	6.7	36
138	Novel VN/C nanocomposites as methanol-tolerant oxygen reduction electrocatalyst in alkaline electrolyte. <i>Scientific Reports</i> , 2015 , 5, 11351	4.9	35

137	Large magnetoelectric effect and resonance frequency controllable characteristics in Ni/Lead zirconium titanate/Ni cylindrical layered composites. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 5163-5166	5.7	32
136	All-Dielectric Metamaterial Fabrication Techniques. <i>Advanced Optical Materials</i> , 2021 , 9, 2001474	8.1	31
135	Highly dispersive Ba _{0.6} Sr _{0.4} TiO ₃ nanoparticles modified P(VDF-HFP)/PMMA composite films with improved energy storage density and efficiency. <i>IET Nanodielectrics</i> , 2018 , 1, 60-66	2.8	30
134	Large magnetoelectric effect in negative magnetostrictive/piezoelectric/positive magnetostrictive laminate composites with two resonance frequencies. <i>Scripta Materialia</i> , 2010 , 63, 589-592	5.6	30
133	Magnetoelectric Ni/Pb(Zr,Ti)/Ni trilayers prepared by electroless deposition. <i>Solid State Communications</i> , 2010 , 150, 248-250	1.6	29
132	Tunable dual-band negative refractive index in ferrite-based metamaterials. <i>Optics Express</i> , 2013 , 21, 10746-52	3.3	28
131	Synthesis and characterization of Bi ₂ Te ₃ /polyaniline composites. <i>Materials Science in Semiconductor Processing</i> , 2011 , 14, 219-222	4.3	28
130	Magnetoelectric performance in Ni/Pb(Zr,Ti)O ₃ /FeCo trilayered cylindrical composites. <i>Journal of Alloys and Compounds</i> , 2012 , 545, 182-185	5.7	27
129	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 2494-2497	3.8	27
128	Tunable silicon-based all-dielectric metamaterials with strontium titanate thin film in terahertz range. <i>Optics Express</i> , 2017 , 25, 22158-22163	3.3	25
127	A Small-Divergence-Angle Orbital Angular Momentum Metasurface Antenna. <i>Research</i> , 2019 , 2019, 9686283	6.2	25
126	Flexible and Stretchable Capacitive Sensors with Different Microstructures. <i>Advanced Materials</i> , 2021 , 33, e2008267	24	25
125	Novel Al ₂ Mo ₃ O ₁₂ -based temperature-stable microwave dielectric ceramics for LTCC applications. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 11465-11470	7.1	25
124	Nanocrystalline Fe ₈₃ P ₁₆ Cu ₁ soft magnetic alloy produced by crystallization of its amorphous precursor. <i>Journal of Alloys and Compounds</i> , 2013 , 549, 26-29	5.7	24
123	The large magnetoelectric effect in Ni/Lead zirconium titanate/Ni trilayers derived by electroless deposition. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 132002	3	24
122	Tunable resonance frequency of magnetoelectric layered composites. <i>Sensors and Actuators A: Physical</i> , 2011 , 166, 48-51	3.9	24
121	Defect Engineering in Lead Zirconate Titanate Ferroelectric Ceramic for Enhanced Electromechanical Transducer Efficiency. <i>Advanced Functional Materials</i> , 2021 , 31, 2005012	15.6	24
120	Metamaterial mechanical antenna for very low frequency wireless communication. <i>Advanced Composites and Hybrid Materials</i> , 2021 , 4, 761-767	8.7	23

119	Gradient design of ultrasmall dielectric nanofillers for PVDF-based high energy-density composite capacitors. <i>Materials and Design</i> , 2020 , 189, 108523	8.1	22
118	Photocatalytic glycerol oxidation on AuCu ₂ S@TiO ₂ plasmonic heterostructures. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 22005-22012	13	22
117	Synthesis of hollow porous ZnCo ₂ O ₄ microspheres as high-performance oxygen reduction reaction electrocatalyst. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 13024-13031	6.7	22
116	Interface structure, precursor rheology and dielectric properties of BaTiO ₃ /PVDF/βfp nanocomposite films prepared from colloidal perovskite nanoparticles. <i>RSC Advances</i> , 2017 , 7, 32886-32892	3.7	22
115	Phase and Defect Engineering of MoS ₂ Stabilized in Periodic TiO ₂ Nanoporous Film for Enhanced Solar Water Splitting. <i>Advanced Optical Materials</i> , 2019 , 7, 1801403	8.1	21
114	2D optically controlled radio frequency orbital angular momentum beam steering system based on a dual-parallel Mach-Zehnder modulator. <i>Optics Letters</i> , 2019 , 44, 255-258	3	20
113	Bifunctional metamaterials with simultaneous and independent manipulation of thermal and electric fields. <i>Optics Express</i> , 2016 , 24, 23072-23080	3.3	20
112	Negative and near zero refraction metamaterials based on permanent magnetic ferrites. <i>Scientific Reports</i> , 2014 , 4, 4139	4.9	19
111	Temperature-dependent terahertz magnetic dipole radiation from antiferromagnetic GdFeO ₃ ceramics. <i>Applied Physics Letters</i> , 2013 , 103, 211108	3.4	19
110	Reduced graphene oxide-NiCo ₂ O ₄ nanoflowers as efficient electrocatalysts for the oxygen reduction reaction. <i>Journal of Alloys and Compounds</i> , 2017 , 720, 147-155	5.7	18
109	Highly Efficient Active All-Dielectric Metasurfaces Based on Hybrid Structures Integrated with Phase-Change Materials: From Terahertz to Optical Ranges. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 14229-14238	9.5	18
108	High-Sensitivity Dielectric Resonator-Based Waveguide Sensor for Crack Detection on Metallic Surfaces. <i>IEEE Sensors Journal</i> , 2019 , 19, 5470-5474	4	18
107	Porous VO _x N _y nanoribbons supported on CNTs as efficient and stable non-noble electrocatalysts for the oxygen reduction reaction. <i>Scientific Reports</i> , 2015 , 5, 17385	4.9	18
106	High-efficiency polarization conversion phase gradient metasurface for wideband anomalous reflection. <i>Journal of Applied Physics</i> , 2017 , 122, 014501	2.5	17
105	Large magnetoelectric effect in mechanically mediated structure of TbFe ₂ , Pb(Zr,Ti)O ₃ , and nonmagnetic flakes. <i>Applied Physics Letters</i> , 2011 , 98, 133504	3.4	17
104	Achieving bifunctional cloak via combination of passive and active schemes. <i>Applied Physics Letters</i> , 2016 , 109, 201903	3.4	17
103	Giant magnetoelectric effect in negative magnetostrictive/piezoelectric/positive magnetostrictive semiring structure. <i>Journal of Applied Physics</i> , 2016 , 119, 034102	2.5	16
102	Controlled fabrication of βGaOOH with a novel needle-like submicron tubular structure and its enhanced photocatalytic performance. <i>Journal of Alloys and Compounds</i> , 2015 , 644, 485-490	5.7	15

101	Ferrite based metamaterials with thermo-tunable negative refractive index. <i>Applied Physics Letters</i> , 2013 , 103, 131915	3.4	15
100	A Wideband F-Shaped Microstrip Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 829-832	3.8	15
99	Broadband complementary ring-resonator based terahertz antenna. <i>Optics Express</i> , 2017 , 25, 17099-17104	3.4	15
98	Efficient dielectric metasurface hologram for visual-cryptographic image hiding. <i>Optics Express</i> , 2019 , 27, 19212-19217	3.3	15
97	A facile route to graphite-tungsten nitride and graphite-molybdenum nitride nanocomposites and their ORR performances. <i>Ceramics International</i> , 2016 , 42, 16017-16022	5.1	14
96	Experimental demonstration of hyperbolic property in conventional material ferrite. <i>Applied Physics Letters</i> , 2015 , 107, 211112	3.4	14
95	Graphite Carbon-Supported Mo ₂ C Nanocomposites by a Single-Step Solid State Reaction for Electrochemical Oxygen Reduction. <i>PLoS ONE</i> , 2015 , 10, e0138330	3.7	14
94	Mie-resonance-coupled total broadband transmission through a single subwavelength aperture. <i>Applied Physics Letters</i> , 2014 , 104, 204103	3.4	14
93	Photoelectrochemical CO ₂ reduction by Cu ₂ O/Cu ₂ S hybrid catalyst immobilized in TiO ₂ nanocavity arrays. <i>Journal of Materials Science</i> , 2019 , 54, 10379-10388	4.3	13
92	Multi-band terahertz metasurface absorber. <i>Modern Physics Letters B</i> , 2017 , 31, 1750354	1.6	13
91	Hyperbolic metamaterial based on anisotropic Mie-type resonance. <i>Optics Express</i> , 2013 , 21, 29592-600	3.3	13
90	Magnetoelectric performance of cylindrical Ni ₂ Fe/zirconate titanate/Ni laminated composite synthesized by electroless deposition. <i>Journal of Materials Science</i> , 2011 , 46, 1602-1605	4.3	13
89	Controllable route to barium molybdate crystal and their photoluminescence. <i>Journal of Alloys and Compounds</i> , 2015 , 639, 102-105	5.7	12
88	Microwave memristive-like nonlinearity in a dielectric metamaterial. <i>Scientific Reports</i> , 2014 , 4, 5499	4.9	12
87	A Dual-Band Microwave Filter Design for Modern Wireless Communication Systems. <i>IEEE Access</i> , 2019 , 7, 98786-98791	3.5	11
86	Generation of Orbital Angular Momentum Beam With Circular Polarization Ceramic Antenna Array. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-8	1.8	10
85	Enhanced adsorption and photocatalysis properties of molybdenum oxide ultrathin nanobelts. <i>Materials Letters</i> , 2015 , 154, 132-135	3.3	10
84	Hollow-sphere SrTiO ₃ nanocube assemblies with enhanced room-temperature photoluminescence. <i>Materials and Design</i> , 2018 , 155, 257-263	8.1	10

83	Flexible all-dielectric metamaterials in terahertz range based on ceramic microsphere/ PDMS composite. <i>Optics Express</i> , 2017 , 25, 29155	3.3	9
82	Bath temperature effect on magnetoelectric performance of Ni _{0.6} Ba _{0.4} zirconate titanate _{0.9} laminated composites synthesized by electroless deposition. <i>Journal of Magnetism and Magnetic Materials</i> , 2011 , 323, 422-426	2.8	9
81	Magnetoelectric effect in layered composites with arc shape. <i>Chinese Physics B</i> , 2011 , 20, 067503	1.2	9
80	Frequency tunable slot-coupled dielectric resonators antenna. <i>Journal of Alloys and Compounds</i> , 2017 , 702, 664-668	5.7	8
79	Magnetically tunable broadband transmission through a single small aperture. <i>Scientific Reports</i> , 2015 , 5, 12489	4.9	8
78	Low-power nonlinear enhanced electromagnetic transmission of a subwavelength metallic aperture. <i>Photonics Research</i> , 2018 , 6, 1102	6	8
77	Thermally tunable enhanced transmission of microwaves through a subwavelength aperture by a dielectric metamaterial resonator. <i>Applied Physics Letters</i> , 2016 , 108, 051906	3.4	8
76	Intercalation assembly of Li ₃ VO ₄ nanoribbons/graphene sandwich-structured composites with enhanced oxygen reduction catalytic performance. <i>Journal of Alloys and Compounds</i> , 2015 , 646, 837-842	5.7	7
75	Tunable metamaterial bandstop filter based on ferromagnetic resonance. <i>AIP Advances</i> , 2015 , 5, 077145	1.5	7
74	Microstructure and microwave dielectric properties of Al ₂ O ₃ added Li ₂ ZnTi ₃ O ₈ ceramics. <i>Ceramics International</i> , 2018 , 44, 8928-8933	5.1	7
73	A novel self-catalytic route to zinc stannate nanowires and cathodoluminescence and electrical transport properties of a single nanowire. <i>Journal of Alloys and Compounds</i> , 2016 , 657, 394-399	5.7	7
72	Magnetically tunable microwave bandpass filter structure composed of ferrite rods and metallic slits. <i>Applied Physics Letters</i> , 2015 , 107, 064103	3.4	7
71	MULTI-BAND NEGATIVE REFRACTIVE INDEX IN FERRITE-BASED METAMATERIALS. <i>Progress in Electromagnetics Research</i> , 2013 , 140, 457-469	3.8	7
70	Recent progress on RF orbital angular momentum antennas. <i>Journal of Electromagnetic Waves and Applications</i> , 2020 , 34, 275-300	1.3	7
69	High-Throughput and Low-Cost Terahertz All-Dielectric Resonators Made of Polymer/Ceramic Composite Particles. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-8	1.8	6
68	Novel Bi ₂ O ₃ -added Al ₂ Mo ₃ O ₁₂ composite microwave dielectric ceramics for ULTCC applications. <i>Journal of Alloys and Compounds</i> , 2020 , 823, 153867	5.7	6
67	Bandwidth Enhancement of Microstrip Patch Antenna Using Complementary Rhombus Resonator. <i>Wireless Communications and Mobile Computing</i> , 2018 , 2018, 1-8	1.9	6
66	Enhanced photoluminescence properties of SrTiO ₃ :Pr ³⁺ nanocrystals by the "EG-sol" method. <i>APL Materials</i> , 2018 , 6, 086102	5.7	6

65	Hydrothermal temperature effect on magnetoelectric coupling of Ni/Pb(Zr _{0.52} Ti _{0.48})O ₃ bilayers. <i>Thin Solid Films</i> , 2012 , 520, 5575-5578	2.2	6
64	Wideband terahertz absorber based on Mie resonance metasurface. <i>AIP Advances</i> , 2017 , 7, 115310	1.5	6
63	Strong magnetoelectric coupling in a NiPb(Zr _{0.52} Ti _{0.48})O ₃ bilayer derived from the hydrothermal method. <i>Solid State Communications</i> , 2010 , 150, 1837-1839	1.6	6
62	Polarization-multiplexed broadband hologram on all-dielectric metasurface. <i>Europhysics Letters</i> , 2018 , 124, 14003	1.6	6
61	Manganese vanadium oxide hollow microspheres: a novel electrocatalyst for oxygen reduction reaction. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 1743-1749	2.6	5
60	New Route to Monodispersed Zinc Ferrite Nanoparticles and Its Excellent Oxygen Reduction Reaction Property. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 2917-2922	1.3	5
59	Magnetoelectric cylindrical layered composite structure with multi-resonance frequencies. <i>Science China Technological Sciences</i> , 2013 , 56, 2572-2575	3.5	5
58	Tunable artificial microwave blackbodies based on metasurfaces. <i>Optics Express</i> , 2017 , 25, 25879-25885	3.3	5
57	Microwave Orbital Angular Momentum Beam Generation Based on Circularly Polarized Metasurface Antenna Array. <i>Engineered Science</i> , 2019 ,	3.8	5
56	Highly efficient manipulation of Laplace fields in film system with structured bilayer composite. <i>Optics Express</i> , 2016 , 24, 29537-29546	3.3	5
55	Enhancement of electrostatic field by a metamaterial electrostatic concentrator. <i>Journal of Alloys and Compounds</i> , 2017 , 724, 1064-1069	5.7	4
54	Magnetic coupling effect of Mie resonance-based metamaterial with inclusion of split ring resonators. <i>Journal of Alloys and Compounds</i> , 2015 , 646, 680-684	5.7	4
53	Magnetically tunable dual-band transmission through a single subwavelength aperture. <i>Applied Physics Letters</i> , 2015 , 106, 194102	3.4	4
52	Resonance transmission of electromagnetic wave through a thin dielectric rod. <i>Applied Physics Letters</i> , 2014 , 104, 123902	3.4	4
51	Giant magnetoelectric effect in mechanically mediated composite structure of TbFe ₂ alloy and Pb(Zr,Ti)O ₃ ceramics. <i>Journal of Applied Physics</i> , 2013 , 113, 114504	2.5	4
50	NICKEL AND LEAD ZIRCONIUM TITANATE MULTI-LAYERED MAGNETOELECTRIC COMPOSITES PREPARED BY ELECTROLESS DEPOSITION. <i>Modern Physics Letters B</i> , 2011 , 25, 723-729	1.6	4
49	Dual-band piezoelectric artificial structure for very low frequency mechanical antenna. <i>Advanced Composites and Hybrid Materials</i> , 2022 , 5, 410	8.7	4
48	Tunable dielectric properties of ferrite-dielectric based metamaterial. <i>PLoS ONE</i> , 2015 , 10, e0127331	3.7	4

47	All-Dielectric Transparent Metamaterial Absorber With Encapsulated Water. <i>IEEE Access</i> , 2020 , 8, 175998-176004	3.7	4
46	Progress on material characterization methods under big data environment. <i>Advanced Composites and Hybrid Materials</i> , 2021 , 4, 235-247	8.7	4
45	Thermally tunable slot-coupled dielectric resonator antenna. <i>AIP Advances</i> , 2017 , 7, 025106	1.5	3
44	Thermally tunable dielectric resonator filter. <i>Journal of Alloys and Compounds</i> , 2018 , 749, 363-368	5.7	3
43	A facile route to strontium titanate nanocubes/reduced graphene oxide nanocomposites and their enhanced adsorption and photocatalytic activity. <i>Materials Letters</i> , 2016 , 185, 36-39	3.3	3
42	Phase Structure and Photoluminescence of Pr ³⁺ Doped (K,Na)NbO ₃ -Based Multifunctional Ceramics. <i>Journal of Electronic Materials</i> , 2018 , 47, 6551-6556	1.9	3
41	Controllable resonance frequency in Ni/Pb(Zr,Ti)O ₃ /FeCo cylindrical composites. <i>Materials Research Innovations</i> , 2014 , 18, 231-234	1.9	3
40	Giant magnetoelectric effect in mechanically mediated composite structure of TbFe ₂ Bb(Zr,Ti)O ₃ ∕bFe ₂ with two nonmagnetic flakes. <i>Solid State Communications</i> , 2013 , 160, 37-40	1.6	3
39	Extremely-Low Frequency Mechanical Antenna Based on Vibrating Permanent Magnet. <i>Engineered Science</i> , 2021 ,	3.8	3
38	Space charge regulated high-k polymer nanocomposite with a novel sandwich structure. <i>Composites Part B: Engineering</i> , 2020 , 203, 108461	10	3
37	Ensemble-machine-learning-based correlation analysis of internal and band characteristics of thermoelectric materials. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13079-13089	7.1	3
36	Hierarchically Porous MgMn ₂ O ₄ Microspheres Assembled with Nanosheets as High Oxygen Reduction Catalyst. <i>Catalysis Letters</i> , 2019 , 149, 1903-1910	2.8	2
35	Highly selective growth of TiO ₂ nanoparticles on one tip of CdS nanowires. <i>Journal of Alloys and Compounds</i> , 2015 , 646, 1004-1008	5.7	2
34	Nanosphere of Pb-modified bismuth-based borate photocatalysts. <i>Micro and Nano Letters</i> , 2017 , 12, 430-434	0.9	2
33	Dielectric Properties of Two-Dimensional Bi ₂ Se ₃ Hexagonal Nanoplates Modified PVDF Nanocomposites. <i>Advances in Polymer Technology</i> , 2019 , 2019, 1-8	1.9	2
32	A one-step way to novel carbon-niobium nitride nanoparticles for efficient oxygen reduction. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 638-646	3.8	2
31	RESONANT MAGNETOELECTRIC EFFECTS IN Ni/Pb(Zr,Ti)O ₃ /FeCo TRILAYERED SEMICIRCULAR COMPOSITES. <i>Surface Review and Letters</i> , 2013 , 20, 1350004	1.1	2
30	Magnetoelectric effect in a bi-rectangular structure composed of negative/positive magnetostrictive and piezoelectric flakes. <i>Journal of Materials Research</i> , 2011 , 26, 2707-2710	2.5	2

29	Flexible 2.5D Metamaterial with High Mechanical Bearing Capacity for Electromagnetic Interference Filters at Microwave Frequency. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901126	3.5	2
28	Dual-Band Microstrip Antenna Based on Polarization Conversion Metasurface Structure. <i>Frontiers in Physics</i> , 2020 , 8,	3.9	2
27	Broadband, High-Efficiency and Wide-Incident-Angle Anomalous Reflection in Groove Metagratings. <i>Annalen Der Physik</i> , 2021 , 533, 2100149	2.6	2
26	Effects of organic solvents on morphologies, photoluminescence, and photocatalytic properties of ZnO nanostructures. <i>Micro and Nano Letters</i> , 2019 , 14, 1146-1150	0.9	2
25	Progress on Very/Ultra Low Frequency Mechanical Antennas. <i>ES Materials & Manufacturing</i> , 2021 ,	3.7	2
24	Outstanding Photoluminescence in Pr-Doped Perovskite Ceramics. <i>Micromachines</i> , 2018 , 9,	3.3	2
23	Excellent energy storage performance of NaNbO ₃ -based antiferroelectric ceramics with ultrafast charge/discharge rate. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 6465-6473	6	2
22	Poly(methyl methacrylate)-based ferroelectric/dielectric laminated films with enhanced energy storage performances. <i>Advanced Composites and Hybrid Materials</i> , ¹	8.7	2
21	Effective method to identify and verify the Dirac-like point through finite photonic crystals with triangular lattice. <i>Europhysics Letters</i> , 2017 , 118, 14003	1.6	1
20	Split-ring resonator-based compact microstrip antenna. <i>Modern Physics Letters B</i> , 2019 , 33, 1950043	1.6	1
19	Bismuth Oxychloride Nanoplates Prepared by a Single-Source Organometallic Reactant Bismuth Hexafluoroacetylacetonate and Their Excellent Photocatalytic Performance. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 2601-605	1.3	1
18	Experimental demonstration in X-band of dual-negative refraction in photonic crystals. <i>Europhysics Letters</i> , 2013 , 104, 34003	1.6	1
17	NiCo-lead zirconium titanate-NiCo trilayered magnetoelectric composites prepared by electroless deposition. <i>AIP Advances</i> , 2015 , 5, 047142	1.5	1
16	BUFFER LAYER EFFECTS ON MAGNETOELECTRIC COUPLING OF Ni/Pb(Zr _{0.52} Ti _{0.48})O ₃ BILAYERS. <i>Surface Review and Letters</i> , 2011 , 18, 177-181	1.1	1
15	Wideband metasurface filter based on complementary split-ring resonators. <i>Modern Physics Letters B</i> , 2017 , 31, 1750222	1.6	1
14	Phonon-phonon interaction assisted electron-hole recombination in WSe ₂ /hBN van der Waals heterostructure. <i>Journal of Applied Physics</i> , 2021 , 130, 205708	2.5	1
13	One-step hydrothermal route to synthesise Bi ₂ O ₃ /Bi ₂ O ₂ (BO ₂ OH) heterostructure with improved photocatalytic performance. <i>Micro and Nano Letters</i> , 2017 , 12, 944-948	0.9	1
12	Hydrothermal two-dimensionalisation to porous ZnCo ₂ O ₄ nanosheets non-platinum ORR catalyst. <i>Micro and Nano Letters</i> , 2019 , 14, 665-668	0.9	1

11	ELECTROLESS DEPOSITION OF NICKEL ON LEAD ZIRCONIUM TITANATE CERAMICS: PREPARATION, MAGNETIC AND MAGNETOELECTRIC PROPERTIES. <i>Surface Review and Letters</i> , 2012 , 19, 1250061	1.1	0
10	Ferroelectric state and polarization switching behaviour of ultrafine BaTiO ₃ nanoparticles with large-scale size uniformity. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 5267-5276	7.1	0
9	Orientational Ag nanoparticle alignment from a facile "EG-sol" method. <i>Micro and Nano Letters</i> , 2018 , 13, 69-71	0.9	
8	Zero phase delay with relax incident condition in photonic crystals. <i>Optics Express</i> , 2013 , 21, 29860-6	3.3	
7	INFLUENCE OF INTERFACE AND POLARIZATION ON MAGNETOELECTRIC COUPLING IN Ni-LEAD ZIRCONIUM TITANATE-Ni TRILAYERS DERIVED BY ELECTROLESS DEPOSITION. <i>Surface Review and Letters</i> , 2012 , 19, 1250030	1.1	
6	Highly efficient manipulation of Laplace fields in film system with structured bilayer composite: erratum. <i>Optics Express</i> , 2019 , 27, 19633-19634	3.3	
5	Microwave Bandpass Filter Based on Mie-Resonance Extraordinary Transmission. <i>PLoS ONE</i> , 2016 , 11, e0166696	3.7	
4	Large-scale uniform fabrication and morphology control of ultrafine perovskite nanocrystals. <i>Micro and Nano Letters</i> , 2019 , 14, 289-292	0.9	
3	Crystallization investigation of BaTiO ₃ coating layer on Ni nanoparticles. <i>Micro and Nano Letters</i> , 2021 , 16, 299-303	0.9	
2	Zn/Air Batteries: N, P-doped CoS ₂ Embedded in TiO ₂ Nanoporous Films for Zn/Air Batteries (Adv. Funct. Mater. 42/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870301	15.6	
1	Flexible and Stretchable Electrodes for Capacitive Sensors. <i>Journal of Electronic Materials</i> , 1	1.9	