

Luis Cabedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4005331/publications.pdf>

Version: 2024-02-01

74
papers

2,773
citations

196777

29
h-index

214428

50
g-index

76
all docs

76
docs citations

76
times ranked

3374
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Plasticizers on PHB/bio-TPE Blends Compatibilized by Reactive Extrusion. <i>Materials</i> , 2022, 15, 1226.	1.3	6
2	Development and Characterization of Fully Renewable and Biodegradable Polyhydroxyalkanoate Blends with Improved Thermoformability. <i>Polymers</i> , 2022, 14, 2527.	2.0	16
3	In Service Performance of Toughened PHBV/TPU Blends Obtained by Reactive Extrusion for Injected Parts. <i>Polymers</i> , 2022, 14, 2337.	2.0	3
4	Effect of the Purification Treatment on the Valorization of Natural Cellulosic Residues as Fillers in PHB-Based Composites for Short Shelf Life Applications. <i>Waste and Biomass Valorization</i> , 2021, 12, 2541-2556.	1.8	14
5	Blends of Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate) with Fruit Pulp Biowaste Derived Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate-co-3-Hydroxyhexanoate) for Organic Recycling Food Packaging. <i>Polymers</i> , 2021, 13, 1155.	2.0	20
6	High-Oxygen-Barrier Multilayer Films Based on Polyhydroxyalkanoates and Cellulose Nanocrystals. <i>Nanomaterials</i> , 2021, 11, 1443.	1.9	17
7	Development and Characterization of Electrospun Fiber-Based Poly(ethylene-co-vinyl Alcohol) Films of Application Interest as High-Gas-Barrier Interlayers in Food Packaging. <i>Polymers</i> , 2021, 13, 2061.	2.0	9
8	Development and Characterization of Electrospun Biopapers of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Derived from Cheese Whey with Varying 3-Hydroxyvalerate Contents. <i>Biomacromolecules</i> , 2021, 22, 2935-2953.	2.6	18
9	Barrier biopaper multilayers obtained by impregnation of electrospun poly(3-hydroxybutyrate-co-3-hydroxyvalerate) with protein and polysaccharide hydrocolloids. <i>Carbohydrate Polymer Technologies and Applications</i> , 2021, 2, 100150.	1.6	3
10	Development of Active Barrier Multilayer Films Based on Electrospun Antimicrobial Hot-Tack Food Waste Derived Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and Cellulose Nanocrystal Interlayers. <i>Nanomaterials</i> , 2020, 10, 2356.	1.9	26
11	Valorization of Municipal Biowaste into Electrospun Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Biopapers for Food Packaging Applications. <i>ACS Applied Bio Materials</i> , 2020, 3, 6110-6123.	2.3	21
12	Study of the Compatibilization Effect of Different Reactive Agents in PHB/Natural Fiber-Based Composites. <i>Polymers</i> , 2020, 12, 1967.	2.0	16
13	Development of Electrospun Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Monolayers Containing Eugenol and Their Application in Multilayer Antimicrobial Food Packaging. <i>Frontiers in Nutrition</i> , 2020, 7, 140.	1.6	38
14	Development of electrospun active films of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by the incorporation of cyclodextrin inclusion complexes containing oregano essential oil. <i>Food Hydrocolloids</i> , 2020, 108, 106013.	5.6	49
15	Electrospun Active Biopapers of Food Waste Derived Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) with Short-Term and Long-Term Antimicrobial Performance. <i>Nanomaterials</i> , 2020, 10, 506.	1.9	29
16	New coloured coatings to enhance silica sand absorbance for direct particle solar receiver applications. <i>Renewable Energy</i> , 2020, 152, 1-8.	4.3	20
17	On the perceptions of students and professors in the implementation of an inter-university engineering PBL experience. <i>European Journal of Engineering Education</i> , 2019, 44, 726-744.	1.5	3
18	Reactive Melt Mixing of Poly(3-Hydroxybutyrate)/Rice Husk Flour Composites with Purified Biosustainably Produced Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate). <i>Materials</i> , 2019, 12, 2152.	1.3	42

#	ARTICLE	IF	CITATIONS
19	Physicochemical, Antioxidant and Antimicrobial Properties of Electrospun Poly(ϵ -caprolactone) Films Containing a Solid Dispersion of Sage (<i>Salvia officinalis</i> L.) Extract. <i>Nanomaterials</i> , 2019, 9, 270.	1.9	48
20	Electrospun Antimicrobial Films of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Containing Eugenol Essential Oil Encapsulated in Mesoporous Silica Nanoparticles. <i>Nanomaterials</i> , 2019, 9, 227.	1.9	85
21	PHBV/TPU/cellulose compounds for compostable injection molded parts with improved thermal and mechanical performance. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47257.	1.3	17
22	Effect of the addition of sepiolite on the morphology and properties of melt compounded PHBV/PLA blends. <i>Polymer Composites</i> , 2019, 40, E156.	2.3	23
23	Biocomposites of different lignocellulosic wastes for sustainable food packaging applications. <i>Composites Part B: Engineering</i> , 2018, 145, 215-225.	5.9	122
24	Antimicrobial nanocomposites and electrospun coatings based on poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and copper oxide nanoparticles for active packaging and coating applications. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45673.	1.3	95
25	Multilayer structures based on annealed electrospun biopolymer coatings of interest in water and aroma barrier fiber-based food packaging applications. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45501.	1.3	40
26	On the relationship between the specific heat enhancement of salt-based nanofluids and the ionic exchange capacity of nanoparticles. <i>Scientific Reports</i> , 2018, 8, 7532.	1.6	37
27	Melt processability, characterization, and antibacterial activity of compression-molded green composite sheets made of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) reinforced with coconut fibers impregnated with oregano essential oil. <i>Food Packaging and Shelf Life</i> , 2018, 17, 39-49.	3.3	56
28	Inorganic-Based Nanostructures and Their Use in Food Packaging. , 2018, , 13-45.		8
29	Preparation and Characterization of Electrospun Food Biopackaging Films of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Derived From Fruit Pulp Biowaste. <i>Frontiers in Sustainable Food Systems</i> , 2018, 2, .	1.8	57
30	Toughness Enhancement of PHBV/TPU/Cellulose Compounds with Reactive Additives for Compostable Injected Parts in Industrial Applications. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2102.	1.8	14
31	Antibacterial and Barrier Properties of Gelatin Coated by Electrospun Polycaprolactone Ultrathin Fibers Containing Black Pepper Oleoresin of Interest in Active Food Biopackaging Applications. <i>Nanomaterials</i> , 2018, 8, 199.	1.9	68
32	University Social Responsibility towards Engineering Undergraduates: The Effect of Methodology on a Service-Learning Experience. <i>Sustainability</i> , 2018, 10, 1823.	1.6	48
33	Compatibilization of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)-poly(lactic acid) blends with diisocyanates. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	30
34	Stabilization and characterization of a nanofluid based on a eutectic mixture of diphenyl and diphenyl oxide and carbon nanoparticles under high temperature conditions. <i>International Journal of Heat and Mass Transfer</i> , 2017, 113, 908-913.	2.5	14
35	Post-processing optimization of electrospun submicron poly(3-hydroxybutyrate) fibers to obtain continuous films of interest in food packaging applications. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2017, 34, 1817-1830.	1.1	49
36	Nanofluid based on self-nanoencapsulated metal/metal alloys phase change materials with tuneable crystallisation temperature. <i>Scientific Reports</i> , 2017, 7, 17580.	1.6	32

#	ARTICLE	IF	CITATIONS
37	Assessing the thermoformability of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/poly(acid lactic) blends compatibilized with diisocyanates. <i>Polymer Testing</i> , 2017, 62, 235-245.	2.3	31
38	Development and characterization of unmodified kaolinite/EVOH nanocomposites by melt compounding. <i>Applied Clay Science</i> , 2017, 135, 300-306.	2.6	16
39	On the Use of the Electrospinning Coating Technique to Produce Antimicrobial Polyhydroxyalkanoate Materials Containing In Situ-Stabilized Silver Nanoparticles. <i>Nanomaterials</i> , 2017, 7, 4.	1.9	51
40	New High-Temperature Heat Transfer and Thermal Storage Molten Salt-Based Nanofluids. , 2017, , 287-304.		2
41	On the use of tris(nonylphenyl) phosphite as a chain extender in melt-blended poly(hydroxybutyrate-co-3-hydroxyvalerate)/clay nanocomposites: Morphology, thermal stability, and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	13
42	Characterization of polyhydroxyalkanoate blends incorporating unpurified biosustainably produced poly(3-hydroxybutyrate-co-3-hydroxyvalerate). <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	17
43	Biodegradable poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/thermoplastic polyurethane blends with improved mechanical and barrier performance. <i>Polymer Degradation and Stability</i> , 2016, 132, 52-61.	2.7	27
44	Tailoring barrier properties of thermoplastic corn starch-based films (TPCS) by means of a multilayer design. <i>Journal of Colloid and Interface Science</i> , 2016, 483, 84-92.	5.0	30
45	Toughness Enhancement of Commercial Poly (Hydroxybutyrate-co-Valerate) (PHBV) by Blending with a Thermoplastic Polyurethane (TPU). <i>Journal of Multiscale Modeling</i> , 2016, 07, 1640008.	1.0	2
46	Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate)/Purified Cellulose Fiber Composites by Melt Blending: Characterization and Degradation in Composting Conditions. <i>Journal of Renewable Materials</i> , 2016, 4, 123-132.	1.1	27
47	Superparamagnetic [sic] nanofibers by electrospinning. <i>RSC Advances</i> , 2016, 6, 21413-21422.	1.7	9
48	IDM@TI NETWORK & SOCIAL COMMITMENT: A INNOVATIVE PROPOSAL FOR IMPROVING TEACHING AND LEARNING IN MATERIALS SCIENCE AND ENGINEERING (MSE). , 2016, , .		0
49	On the use of ball milling to develop poly(3-hydroxybutyrate-co-3-hydroxyvalerate)-graphene nanocomposites (II)-Mechanical, barrier, and electrical properties. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	15
50	On the use of ball milling to develop PHBV-graphene nanocomposites (I)-Morphology, thermal properties, and thermal stability. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	17
51	Modification of Nafion Membranes with Polyaniline to Reduce Methanol Permeability. <i>Journal of the Electrochemical Society</i> , 2015, 162, E325-E333.	1.3	9
52	The combined role of inhibitive pigment and organo-modified silica particles on powder coatings: Mechanical and electrochemical investigation. <i>Progress in Organic Coatings</i> , 2015, 80, 11-19.	1.9	11
53	A Project Based Learning interuniversity experience in materials science. , 2015, , .		2
54	Acquisition of transversal skills through PBL: a study of the perceptions of the students and teachers in materials science courses in engineering. <i>Multidisciplinary Journal for Education, Social and Technological Sciences</i> , 2015, 2, 121.	0.8	11

#	ARTICLE	IF	CITATIONS
55	Increment of specific heat capacity of solar salt with SiO ₂ nanoparticles. <i>Nanoscale Research Letters</i> , 2014, 9, 582.	3.1	141
56	Keratin-polyhydroxyalkanoate melt-compounded composites with improved barrier properties of interest in food packaging applications. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	31
57	Study of the degradation of hybrid sol-gel coatings in aqueous medium. <i>Progress in Organic Coatings</i> , 2014, 77, 1799-1806.	1.9	53
58	Characterization of halloysite-water nanofluid for heat transfer applications. <i>Applied Clay Science</i> , 2014, 99, 54-61.	2.6	21
59	Materials in Spanish Design. <i>Procedia, Social and Behavioral Sciences</i> , 2014, 116, 2876-2880.	0.5	0
60	Adhesion enhancement of powder coatings on galvanised steel by addition of organo-modified silica particles. <i>Progress in Organic Coatings</i> , 2014, 77, 1309-1315.	1.9	26
61	Biotic degradation of poly(dl-lactide) based nanocomposites. <i>Polymer Degradation and Stability</i> , 2012, 97, 1278-1284.	2.7	27
62	Comparative study of nanocomposites of polyolefin compatibilizers containing kaolinite and montmorillonite organoclays. <i>Journal of Applied Polymer Science</i> , 2010, 115, 1325-1335.	1.3	25
63	Studying the degradation of polyhydroxybutyrate-covalerate during processing with clay-based nanofillers. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3669-3676.	1.3	46
64	Study of the dispersion of nanoclays in a LDPE matrix using microscopy and in-process ultrasonic monitoring. <i>Polymer Testing</i> , 2009, 28, 277-287.	2.3	30
65	Propiedades mecánicas y tribológicas de recubrimientos alumina/titania proyectados por oxifuel (spray llama). <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2008, 47, 7-12.	0.9	1
66	Optimization of Biodegradable Nanocomposites Based on aPLA/PCL Blends for Food Packaging Applications. <i>Macromolecular Symposia</i> , 2006, 233, 191-197.	0.4	251
67	The effect of ethylene content on the interaction between ethylene-vinyl alcohol copolymers and water: (I) Application of FT-IR spectroscopy to determine transport properties and interactions in food packaging films. <i>Polymer Testing</i> , 2006, 25, 254-261.	2.3	27
68	The effect of ethylene content on the interaction between ethylene-vinyl alcohol copolymers and water: II: Influence of water sorption on the mechanical properties of EVOH copolymers. <i>Polymer Testing</i> , 2006, 25, 860-867.	2.3	44
69	Comparison of flame sprayed Al ₂ O ₃ /TiO ₂ coatings: Their microstructure, mechanical properties and tribology behavior. <i>Surface and Coatings Technology</i> , 2006, 201, 1436-1443.	2.2	113
70	Development of amorphous PLA-montmorillonite nanocomposites. <i>Journal of Materials Science</i> , 2005, 40, 1785-1788.	1.7	63
71	Improving packaged food quality and safety. Part 2: Nanocomposites. <i>Food Additives and Contaminants</i> , 2005, 22, 994-998.	2.0	188
72	Development of EVOH-kaolinite nanocomposites. <i>Polymer</i> , 2004, 45, 5233-5238.	1.8	151

#	ARTICLE	IF	CITATIONS
73	Uniaxial tensile behavior and thermoforming characteristics of high barrier EVOH-based blends of interest in food packaging. <i>Polymer Engineering and Science</i> , 2004, 44, 598-608.	1.5	29
74	Study of the thermoformability of ethylene-vinyl alcohol copolymer based barrier blends of interest in food packaging applications. <i>Journal of Applied Polymer Science</i> , 2004, 91, 3851-3855.	1.3	17