

Thomas Hillemacher

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4005856/thomas-hillemacher-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

3,683
citations

36
h-index

52
g-index

164
ext. papers

4,178
ext. citations

4.2
avg, IF

5.12
L-index

#	Paper	IF	Citations
159	Ghrelin levels are increased in alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 2154-7	3.7	117
158	Epigenetic dysregulation of dopaminergic genes in eating disorders. <i>International Journal of Eating Disorders</i> , 2010 , 43, 577-83	6.3	106
157	Promoter specific methylation of the dopamine transporter gene is altered in alcohol dependence and associated with craving. <i>Journal of Psychiatric Research</i> , 2009 , 43, 388-92	5.2	104
156	Sex hormone activity in alcohol addiction: integrating organizational and activational effects. <i>Progress in Neurobiology</i> , 2012 , 96, 136-63	10.9	97
155	Evidence of increased homocysteine levels in alcoholism: the Franconian alcoholism research studies (FARS). <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 334-6	3.7	84
154	Global DNA hypomethylation and DNA hypermethylation of the alpha synuclein promoter in females with anorexia nervosa. <i>Molecular Psychiatry</i> , 2007 , 12, 229-30	15.1	80
153	Elevated alpha synuclein mRNA levels are associated with craving in patients with alcoholism. <i>Biological Psychiatry</i> , 2004 , 56, 984-6	7.9	79
152	Subjective experience and coping in ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2002 , 3, 225-31		77
151	Same Same but Different: A Clinical Characterization of Men with Hypersexual Disorder in the Sex@Brain Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	70
150	Burden of care in amyotrophic lateral sclerosis. <i>Palliative Medicine</i> , 2003 , 17, 327-33	5.5	70
149	Is parenting style a predictor of suicide attempts in a representative sample of adolescents?. <i>BMC Pediatrics</i> , 2014 , 14, 113	2.6	69
148	DNA methylation of the POMC gene promoter is associated with craving in alcohol dependence. <i>Journal of Neural Transmission</i> , 2010 , 117, 513-9	4.3	69
147	Did the General Population in Germany Drink More Alcohol during the COVID-19 Pandemic Lockdown?. <i>Alcohol and Alcoholism</i> , 2020 , 55, 698-699	3.5	67
146	BDNF and GDNF serum levels in alcohol-dependent patients during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1060-4	5.5	67
145	N-methyl-D-aspartate 2b receptor subtype (NR2B) promoter methylation in patients during alcohol withdrawal. <i>Journal of Neural Transmission</i> , 2009 , 116, 615-22	4.3	63
144	Evidence of an association of leptin serum levels and craving in alcohol dependence. <i>Psychoneuroendocrinology</i> , 2007 , 32, 87-90	5	63
143	Global DNA methylation is influenced by smoking behaviour. <i>European Neuropsychopharmacology</i> , 2008 , 18, 295-8	1.2	62

142	Alpha-synuclein protein levels are increased in alcoholic patients and are linked to craving. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 763-5	3.7	61
141	Epigenetic regulation and gene expression of vasopressin and atrial natriuretic peptide in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009 , 34, 555-60	5	59
140	Role of appetite-regulating peptides in alcohol craving: an analysis in respect to subtypes and different consumption patterns in alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 950-4	3.7	59
139	Treating dopamimetic psychosis in Parkinson's disease: structured review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2007 , 17, 165-71	1.2	59
138	Epigenetics in Personality Disorders: Today's Insights. <i>Frontiers in Psychiatry</i> , 2018 , 9, 579	5	58
137	Epigenetic downregulation of atrial natriuretic peptide but not vasopressin mRNA expression in females with eating disorders is related to impulsivity. <i>Neuropsychopharmacology</i> , 2008 , 33, 2605-9	8.7	56
136	Predictors of binge drinking in adolescents: ultimate and distal factors - a representative study. <i>BMC Public Health</i> , 2012 , 12, 263	4.1	52
135	Alcohol consumption and binge drinking in adolescents: comparison of different migration backgrounds and rural vs. urban residence--a representative study. <i>BMC Public Health</i> , 2011 , 11, 84	4.1	52
134	Epigenetic down regulation of nerve growth factor during alcohol withdrawal. <i>Addiction Biology</i> , 2013 , 18, 508-10	4.6	49
133	Serum levels of BDNF are associated with craving in opiate-dependent patients. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1480-4	4.6	47
132	TNF- α and IL-6 serum levels: neurobiological markers of alcohol consumption in alcohol-dependent patients?. <i>Alcohol</i> , 2014 , 48, 671-6	2.7	46
131	Elevated cannabinoid 1 receptor mRNA is linked to eating disorder related behavior and attitudes in females with eating disorders. <i>Psychoneuroendocrinology</i> , 2009 , 34, 620-4	5	45
130	Homocysteine levels in patients classified according to Lesch's typology. <i>Alcohol and Alcoholism</i> , 2004 , 39, 493-8	3.5	44
129	Association of the long allele of the 5-HTTLPR polymorphism with compulsive craving in alcohol dependence. <i>Alcohol and Alcoholism</i> , 2007 , 42, 509-12	3.5	43
128	Increased levels of adiponectin and resistin in alcohol dependence--possible link to craving. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 333-7	4.9	41
127	Alcoholism, craving, and hormones: the role of leptin, ghrelin, prolactin, and the pro-opiomelanocortin system in modulating ethanol intake. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1963-7	3.7	40
126	Association of catecholamine-O-methyltransferase and 5-HTTLPR genotype with eating disorder-related behavior and attitudes in females with eating disorders. <i>Psychiatric Genetics</i> , 2006 , 16, 205-8	2.9	40
125	Short-term cognition deficits during early alcohol withdrawal are associated with elevated plasma homocysteine levels in patients with alcoholism. <i>Journal of Neural Transmission</i> , 2006 , 113, 357-63	4.3	39

124	Volume intake and craving in alcohol withdrawal. <i>Alcohol and Alcoholism</i> , 2006 , 41, 61-5	3.5	37
123	An assessment of the potential value of elevated homocysteine in predicting alcohol-withdrawal seizures. <i>Epilepsia</i> , 2006 , 47, 934-8	6.4	35
122	COVID-19 Lockdown Restrictions and Online Media Consumption in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	35
121	Impulse control disorders in psychiatric inpatients. <i>Psychiatry Research</i> , 2011 , 188, 434-8	9.9	32
120	The relationship of appetitive, reproductive and posterior pituitary hormones to alcoholism and craving in humans. <i>Neuropsychology Review</i> , 2012 , 22, 211-28	7.7	30
119	Depression and bulbar involvement in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2004 , 5, 245-9		30
118	Alterations in DNA-methylation of the dopamine-receptor 2 gene are associated with abstinence and health care utilization in individuals with a lifetime history of pathologic gambling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 63, 30-4	5.5	29
117	Neurobiology and treatment in alcoholism--recent findings regarding Lesch's typology of alcohol dependence. <i>Alcohol and Alcoholism</i> , 2008 , 43, 341-6	3.5	28
116	Alcohol-induced changes in methylation status of individual CpG sites, and serum levels of vasopressin and atrial natriuretic peptide in alcohol-dependent patients during detoxification treatment. <i>European Addiction Research</i> , 2014 , 20, 143-50	4.6	27
115	Polymorphism of the long polyglutamine tract in the human androgen receptor influences craving of men in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009 , 34, 968-71	5	27
114	Do changes in the BDNF promoter methylation indicate the risk of alcohol relapse?. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1892-7	1.2	26
113	Smoking, but not malnutrition, influences promoter-specific DNA methylation of the proopiomelanocortin gene in patients with and without anorexia nervosa. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 168-76	4.8	26
112	Alcoholism-associated hyperhomocysteinemia and previous withdrawal seizures. <i>Biological Psychiatry</i> , 2005 , 57, 1590-3	7.9	26
111	Combinations of carbohydrate-deficient transferrin, mean corpuscular erythrocyte volume, gamma-glutamyltransferase, homocysteine and folate increase the significance of biological markers in alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 2007 , 89, 60-5	4.9	25
110	Epidemiology of suicidal ideation, suicide attempts, and direct self-injurious behavior in adolescents with a migration background: a representative study. <i>BMC Pediatrics</i> , 2019 , 19, 45	2.6	24
109	Nicotine dependence is associated with compulsive alcohol craving. <i>Addiction</i> , 2006 , 101, 892-7	4.6	24
108	Effectiveness of an Online CBT-I Intervention and a Face-to-Face Treatment for Shift Work Sleep Disorder: A Comparison of Sleep Diary Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	23
107	Alcohol abuse and cigarette smoking are associated with global DNA hypermethylation: results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol</i> , 2015 , 49, 97-101	2.7	23

106	Hormones and drinking behaviour: new findings on ghrelin, insulin, leptin and volume-regulating hormones. An ESBRA Symposium report. <i>Drug and Alcohol Review</i> , 2009 , 28, 160-5	3.2	23
105	Altered DNA methylation of glucose transporter 1 and glucose transporter 4 in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 76, 66-73	5.2	22
104	Biological mechanisms in alcohol dependence--new perspectives. <i>Alcohol and Alcoholism</i> , 2011 , 46, 224-305	3.5	22
103	The modulating effect of the androgen receptor on craving in alcohol withdrawal of men is partially mediated by leptin. <i>Pharmacogenomics Journal</i> , 2010 , 10, 226-31	3.5	21
102	Different allele-distribution of mthfr 677 C -> T and mthfr -393 C -> a in patients classified according to subtypes of Lesch's typology. <i>Alcohol and Alcoholism</i> , 2006 , 41, 364-7	3.5	21
101	Recurrent detoxifications are associated with craving in patients classified as type 1 according to Lesch's typology. <i>Alcohol and Alcoholism</i> , 2006 , 41, 66-9	3.5	21
100	Alteration of prolactin serum levels during alcohol withdrawal correlates with craving in female patients. <i>Addiction Biology</i> , 2005 , 10, 337-43	4.6	21
99	DNA methylation of the LEP gene is associated with craving during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2015 , 51, 371-7	5	20
98	Motives for khat use and abstinence in Yemen--a gender perspective. <i>BMC Public Health</i> , 2010 , 10, 735	4.1	20
97	Prevalence of the metabolic syndrome in men and women with alcohol dependence: results from a cross-sectional study during behavioural treatment in a controlled environment. <i>Addiction</i> , 2010 , 105, 1921-7	4.6	19
96	NGF plasma levels increase due to alcohol intoxication and decrease during withdrawal. <i>Psychoneuroendocrinology</i> , 2008 , 33, 999-1003	5	19
95	Hippocampal volume loss in patients with alcoholism is influenced by the consumed type of alcoholic beverage. <i>Alcohol and Alcoholism</i> , 2008 , 43, 296-9	3.5	18
94	Cognitive impairment and its association with homocysteine plasma levels in females with eating disorders - findings from the HEaD-study. <i>Journal of Neural Transmission</i> , 2005 , 112, 1591-8	4.3	18
93	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. <i>Høgre Utbildning</i> , 2017 , 8, 1304114	5	17
92	Homocysteine and epigenetic DNA methylation: a biological model for depression?. <i>American Journal of Psychiatry</i> , 2007 , 164, 1610	11.9	17
91	Association of V89L SRD5A2 polymorphism with craving and serum leptin levels in male alcohol addicts. <i>Psychopharmacology</i> , 2012 , 224, 421-9	4.7	16
90	Does alcohol craving decrease with increasing age? Results from a cross-sectional study. <i>Journal of Studies on Alcohol and Drugs</i> , 2011 , 72, 158-62	1.9	16
89	Opioid modulators for alcohol dependence. <i>Expert Opinion on Investigational Drugs</i> , 2011 , 20, 1073-86	5.9	16

88	Alterations of homocysteine serum levels during alcohol withdrawal are influenced by folate and riboflavin: results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol and Alcoholism</i> , 2012 , 47, 497-500	3.5	16
87	Depressive symptoms may explain elevated plasma levels of homocysteine in females with eating disorders. <i>Journal of Psychiatric Research</i> , 2008 , 42, 83-6	5.2	16
86	Influence of beer, wine and spirits consumption on craving. <i>Addiction Biology</i> , 2005 , 10, 181-6	4.6	16
85	Transient receptor potential ankyrin 1 promoter methylation and peripheral pain sensitivity in Crohn's disease. <i>Clinical Epigenetics</i> , 2019 , 12, 1	7.7	16
84	Indicators for elevated risk factors for alcohol-withdrawal seizures: an analysis using a random forest algorithm. <i>Journal of Neural Transmission</i> , 2012 , 119, 1449-53	4.3	15
83	Biological markers to predict previous alcohol withdrawal seizures: a risk assessment. <i>Journal of Neural Transmission</i> , 2007 , 114, 151-4	4.3	15
82	Prolactin serum levels and alcohol craving - an analysis using Lesch's typology. <i>Neuropsychobiology</i> , 2006 , 53, 133-6	4	15
81	Plasma homocysteine concentrations do not influence craving in alcohol withdrawal. <i>Alcohol</i> , 2004 , 34, 211-5	2.7	15
80	Elevation of homocysteine levels is only partially reversed after therapy in females with eating disorders. <i>Journal of Neural Transmission</i> , 2010 , 117, 521-7	4.3	14
79	Neuroendocrine pathways in benzodiazepine dependence: new targets for research and therapy. <i>Human Psychopharmacology</i> , 2008 , 23, 171-81	2.3	14
78	Serum levels of vascular endothelial growth factor A increase during alcohol withdrawal. <i>Addiction Biology</i> , 2010 , 15, 362-4	4.6	13
77	Substance Abuse-Related Self-Stigma in Women with Substance Use Disorder and Comorbid Posttraumatic Stress Disorder. <i>European Addiction Research</i> , 2019 , 25, 20-29	4.6	12
76	BDNF plasma levels decrease during benzodiazepine withdrawal in patients suffering from comorbidity of depressive disorder and benzodiazepine dependence. <i>Psychopharmacology</i> , 2010 , 209, 213-5	4.7	12
75	Extensive craving in high dose zolpidem dependency. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 591-2	5.5	12
74	Alcohol consumption alters Gdnf promoter methylation and expression in rats. <i>Journal of Psychiatric Research</i> , 2020 , 121, 1-9	5.2	12
73	The dissociative subtype of PTSD in women with substance use disorders: Exploring symptom and exposure profiles. <i>Journal of Substance Abuse Treatment</i> , 2019 , 99, 73-79	4.2	12
72	Elevated methylation and decreased serum concentrations of BDNF in patients in levomethadone compared to diamorphine maintenance treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 33-40	5.1	11
71	Promoter Polymorphism rs886205 Genotype Interacts With DNA Methylation of the ALDH2 Regulatory Region in Alcohol Dependence. <i>Alcohol and Alcoholism</i> , 2017 , 52, 269-276	3.5	11

70	Elevated prenatal homocysteine levels and the risk of schizophrenia. <i>Archives of General Psychiatry</i> , 2007 , 64, 980-1		11
69	Association of testosterone and BDNF serum levels with craving during alcohol withdrawal. <i>Alcohol</i> , 2016 , 54, 67-72	2.7	10
68	Association of nerve growth factor and vascular endothelial growth factor A with psychometric measurements of opiate dependence: results of a pilot study in patients participating in a structured diamorphine maintenance program. <i>European Addiction Research</i> , 2012 , 18, 213-9	4.6	10
67	Atrial natriuretic peptide, arginine vasopressin peptide and cortisol serum levels in opiate-dependent patients. <i>Neuropsychobiology</i> , 2013 , 67, 111-5	4	10
66	Prolactin serum levels during alcohol withdrawal are associated with the severity of alcohol dependence and withdrawal symptoms. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 235-9	3.7	10
65	The TTTAn aromatase (CYP19A1) polymorphism is associated with compulsive craving of male patients during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2011 , 36, 1261-4	5	10
64	Methanol levels in saliva--a non-invasive parameter that may be useful in detection of alcohol intoxication. <i>Alcohol and Alcoholism</i> , 2010 , 45, 126-7	3.5	10
63	Smoking behaviour is associated with expression and phosphorylation of CREB in human buffy coat. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 207-15	5.8	10
62	Alpha-synuclein mRNA levels correspond to beck depression inventory scores in females with eating disorders. <i>Neuropsychobiology</i> , 2008 , 58, 48-52	4	10
61	Association of Leptin Gene DNA Methylation With Diagnosis and Treatment Outcome of Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2019 , 10, 197	5	9
60	Apolipoprotein E polymorphism, homocysteine serum levels and hippocampal volume in patients with alcoholism: an investigation of a gene-environment interaction. <i>Pharmacogenomics Journal</i> , 2008 , 8, 117-21	3.5	9
59	Elevated prolactin serum levels and history of alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007 , 41, 702-6	5.2	9
58	Pregabalin in benzodiazepine withdrawal. <i>Pharmacopsychiatry</i> , 2007 , 40, 292-3	2	9
57	S100B, Homocysteine, Vitamin B12, Folic Acid, and Procalcitonin Serum Levels in Remitters to Electroconvulsive Therapy: A Pilot Study. <i>Disease Markers</i> , 2018 , 2018, 2358451	3.2	9
56	CAGn repeat of the androgen receptor is linked to proopiomelanocortin promoter methylation-relevance for craving of male alcohol-dependent patients?. <i>Psychopharmacology</i> , 2014 , 231, 2059-66	4.7	8
55	Decreased galanin serum levels are associated with alcohol-craving during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 568-72	5.5	8
54	Perazine elevates clozapine serum levels by inhibiting hepatic metabolism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 908-9	5.5	8
53	Treatment with clomethiazole is associated with lower rates of premature discharge during alcohol withdrawal. <i>Pharmacopsychiatry</i> , 2008 , 41, 134-7	2	8

52	Alcoholism and homicide with respect to the classification systems of Lesch and Cloninger. <i>Alcohol and Alcoholism</i> , 2007 , 42, 103-7	3.5	8
51	Should aspirin be discontinued for diagnostic lumbar puncture?. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 181-2	5.6	8
50	Pharmacotherapeutic options for co-morbid depression and alcohol dependence. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 547-569	4	8
49	Biological markers for alcohol withdrawal seizures: a retrospective analysis. <i>European Addiction Research</i> , 2012 , 18, 97-102	4.6	7
48	Apolipoprotein E gene polymorphism and previous alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007 , 41, 871-5	5.2	7
47	Who Was Shopping More During the Spring Lockdown 2020 in Germany?. <i>Frontiers in Psychiatry</i> , 2021 , 12, 650989	5	7
46	Dopamine-receptor 2 gene-methylation and gambling behavior in relation to impulsivity. <i>Psychiatry Research</i> , 2016 , 239, 154-5	9.9	7
45	Substance consumption in adolescents with and without an immigration background: a representative study-What part of an immigration background is protective against binge drinking?. <i>BMC Public Health</i> , 2016 , 16, 1157	4.1	6
44	Smoking and Promoter-Specific Deoxyribonucleic Acid Methylation of the Atrial Natriuretic Peptide Gene: Methylation of Smokers and Non-Smokers Differs Significantly during Withdrawal. <i>European Addiction Research</i> , 2017 , 23, 306-311	4.6	6
43	Investigational therapies for the pharmacological treatment of alcoholism. <i>Expert Opinion on Investigational Drugs</i> , 2015 , 24, 17-30	5.9	6
42	Binge drinking and experiences of victimization among adolescents: findings of a nationwide representative study in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014 , 22, 489-496	1.4	6
41	Reduced plasma levels of asymmetric di-methylarginine (ADMA) in patients with alcohol dependence normalize during withdrawal. <i>European Neuropsychopharmacology</i> , 2012 , 22, 836-40	1.2	6
40	Brain-derived neurotrophic factor, Val66Met single nucleotide polymorphism is not associated with alcohol dependence. <i>Psychiatric Genetics</i> , 2011 , 21, 53-4	2.9	6
39	The Epigenetic Regulation of GATA4-Dependent Brain Natriuretic Peptide Expression during Alcohol Withdrawal. <i>Neuropsychobiology</i> , 2016 , 74, 131-138	4	6
38	Sleep disorders in migrants and refugees: a systematic review with implications for personalized medical approach. <i>EPMA Journal</i> , 2020 , 11, 251-260	8.8	5
37	Epigenetic alterations of the POMC promoter in tobacco dependence. <i>European Neuropsychopharmacology</i> , 2018 , 28, 875-879	1.2	5
36	Epigenetic Effects of Intravenous Diacetylmorphine on the Methylation of POMC and NR3C1. <i>Neuropsychobiology</i> , 2017 , 75, 193-199	4	5
35	ERK1/2 protein and mRNA levels in human blood are linked to smoking behavior. <i>Addiction Biology</i> , 2012 , 17, 1026-35	4.6	5

34	The metabolic syndrome in patients with alcohol dependency: Current research and clinical implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 70, 49-56	5.5	5
33	Positive association of personal distress with testosterone in opiate-addicted patients. <i>Journal of Addictive Diseases</i> , 2017 , 36, 167-174	1.7	4
32	DNA-methylation of the dopamin receptor 2 gene is altered during alcohol withdrawal. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1250-1257	1.2	4
31	The implications for the biological and sociodynamic causal explanations of attitudes toward alcohol-dependent patients. <i>Psychiatry Research</i> , 2014 , 215, 766-70	9.9	4
30	Epigenetic Regulation of the Promotor Region of Vascular Endothelial Growth Factor-A and Nerve Growth Factor in Opioid-Maintained Patients. <i>European Addiction Research</i> , 2017 , 23, 249-259	4.6	4
29	Joint Effects of the Epigenetic Alteration of Neurotrophins and Cytokine Signaling: A Possible Exploratory Model of Affective Symptoms in Alcohol-Dependent Patients?. <i>Alcohol and Alcoholism</i> , 2017 , 52, 277-281	3.5	4
28	Ranking the Harm of Psychoactive Drugs Including Prescription Analgesics to Users and Others-A Perspective of German Addiction Medicine Experts. <i>Frontiers in Psychiatry</i> , 2020 , 11, 592199	5	4
27	Stable-isotope dilution GC-MS method for ethanol in vapour ethanol and microdialysis systems based on carbonate-catalyzed extractive pentafluorobenzoylation. <i>Analyst, The</i> , 2012 , 137, 2480-5	5	3
26	Insomnia Associated with Tinnitus and Gender Differences. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
25	Kratom use for depression/anxiety self-management: challenges during the COVID-19 pandemic - A case report. <i>Heliyon</i> , 2021 , 7, e07039	3.6	3
24	Smoking-induced changes in leptin serum levels and c/EBPalpha-related methylation status of the leptin core promotor during smoking cessation. <i>Psychoneuroendocrinology</i> , 2019 , 100, 106-112	5	3
23	Predictors of attendance in outpatient group treatment for women with posttraumatic stress disorder and substance use disorder. <i>Psychotherapy Research</i> , 2021 , 31, 632-643	3.6	3
22	Androgen receptor polyglutamine length does not influence serum levels of adipocytokines in alcoholism: a preliminary retrospective analysis. <i>Alcohol and Alcoholism</i> , 2011 , 46, 214-6	3.5	2
21	Genetic predisposition to neuroleptic malignant syndrome in siblings. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 574-5	2.9	2
20	Apolipoprotein E4 genotype is not associated with short-term cognition deficits during alcohol withdrawal. <i>Alcohol</i> , 2005 , 37, 151-6	2.7	2
19	Desacylghrelin but not acylghrelin is reduced during smoking cessation. <i>Journal of Neural Transmission</i> , 2018 , 125, 1885-1889	4.3	2
18	Severe hair loss associated with psychotropic drugs in psychiatric inpatients-Data from an observational pharmacovigilance program in German-speaking countries. <i>European Psychiatry</i> , 2018 , 54, 117-123	6	2
17	Attempted suicide during an episode of lycanthropy - A case report and review of literature. <i>Psychiatry Research</i> , 2020 , 286, 112796	9.9	1

16	Transplantation in alcohol-induced liver diseases-a kind of gene therapy for addictive behaviour?. <i>Addiction</i> , 2016 , 111, 2065-2066	4.6	1
15	Coma after single dose of zopiclone. <i>American Journal on Addictions</i> , 2012 , 21, 291	3.7	1
14	Genetic polymorphisms relevant for one-carbon metabolism show no effect on homocysteine plasma levels and DNA methylation in alcoholism. <i>Psychiatric Genetics</i> , 2009 , 19, 215-6	2.9	1
13	Alterations in pain perception during benzodiazepine withdrawal: a case series. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 743-5	1.7	1
12	Psychiatrische Notfälle im Rettungsdienst. <i>Notfallmedizin Up2date</i> , 2007 , 2, 157-171	0.2	1
11	Obsessive-compulsive alcohol craving is not associated with Apolipoprotein E genotype. <i>Psychiatric Genetics</i> , 2006 , 16, 231-2	2.9	1
10	Promoter Methylation of LEP and LEPR before and after Bariatric Surgery: A Cross-Sectional Study. <i>Obesity Facts</i> , 2021 , 1-7	5.1	1
9	Cardiovascular Autonomic Modulation during Metronomic Breathing and Stress Exposure in Patients with Borderline Personality Disorder. <i>Neuropsychobiology</i> , 2021 , 80, 359-373	4	0
8	Alkoholabhängigkeit und Epigenetik. <i>BioSpektrum</i> , 2013 , 19, 714-716	0.1	
7	Beer and Other Alcoholic Beverages: Implications for Dependence, Craving and Relapse 2009 , 201-209		
6	Alkoholfolgeerkrankungen. <i>Psychiatrie Und Psychotherapie Up2date</i> , 2008 , 2, 305-320		
5	Recurrent hyponatremia under desmopressin overdosing: is abuse a possible explication?. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 239-40	2.9	
4	Limited use of CK-MB as a screening parameter for acute coronary syndrome in patients with alcohol dependency. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 577-8		
3	Suchtmittelkonsum 2011 , 125-151		
2	Internalizing and externalizing subtypes in female patients with co-occurring post-traumatic stress disorder and substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2021 , 121, 108198	4.2	
1	Differences in the promoter methylation of atrial natriuretic peptide and vasopressin in alcohol use disorder. A longitudinal case-control-study during withdrawal therapy. <i>Psychoneuroendocrinology</i> , 2021 , 133, 105387	5	