Thomas Hillemacher

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4005856/thomas-hillemacher-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159 papers

3,683 citations

36 h-index

52 g-index

164 ext. papers

4,178 ext. citations

4.2 avg, IF

5.12 L-index

#	Paper	IF	Citations
159	Who Was Shopping More During the Spring Lockdown 2020 in Germany?. <i>Frontiers in Psychiatry</i> , 2021 , 12, 650989	5	7
158	Insomnia Associated with Tinnitus and Gender Differences. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
157	Kratom use for depression/anxiety self-management: challenges during the COVID-19 pandemic - A case report. <i>Heliyon</i> , 2021 , 7, e07039	3.6	3
156	Internalizing and externalizing subtypes in female patients with co-occurring post-traumatic stress disorder and substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2021 , 121, 108198	4.2	
155	Predictors of attendance in outpatient group treatment for women with posttraumatic stress disorder and substance use disorder. <i>Psychotherapy Research</i> , 2021 , 31, 632-643	3.6	3
154	Cardiovascular Autonomic Modulation during Metronomic Breathing and Stress Exposure in Patients with Borderline Personality Disorder. <i>Neuropsychobiology</i> , 2021 , 80, 359-373	4	O
153	Promoter Methylation of LEP and LEPR before and after Bariatric Surgery: A Cross-Sectional Study. <i>Obesity Facts</i> , 2021 , 1-7	5.1	1
152	Differences in the promoter methylation of atrial natriuretic peptide and vasopressin in alcohol use disorder. A longitudinal case-control-study during withdrawal therapy. <i>Psychoneuroendocrinology</i> , 2021 , 133, 105387	5	
151	Did the General Population in Germany Drink More Alcohol during the COVID-19 Pandemic Lockdown?. <i>Alcohol and Alcoholism</i> , 2020 , 55, 698-699	3.5	67
150	Sleep disorders in migrants and refugees: a systematic review with implications for personalized medical approach. <i>EPMA Journal</i> , 2020 , 11, 251-260	8.8	5
149	Attempted suicide during an episode of lycanthropy - A case report and review of literature. <i>Psychiatry Research</i> , 2020 , 286, 112796	9.9	1
148	COVID-19 Lockdown Restrictions and Online Media Consumption in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	35
147	Alcohol consumption alters Gdnf promoter methylation and expression in rats. <i>Journal of Psychiatric Research</i> , 2020 , 121, 1-9	5.2	12
146	Ranking the Harm of Psychoactive Drugs Including Prescription Analgesics to Users and Others-A Perspective of German Addiction Medicine Experts. <i>Frontiers in Psychiatry</i> , 2020 , 11, 592199	5	4
145	Substance Abuse-Related Self-Stigma in Women with Substance Use Disorder and Comorbid Posttraumatic Stress Disorder. <i>European Addiction Research</i> , 2019 , 25, 20-29	4.6	12
144	Effectiveness of an Online CBT-I Intervention and a Face-to-Face Treatment for Shift Work Sleep Disorder: A Comparison of Sleep Diary Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	23
143	Epidemiology of suicidal ideation, suicide attempts, and direct self-injurious behavior in adolescents with a migration background: a representative study. <i>BMC Pediatrics</i> , 2019 , 19, 45	2.6	24

(2017-2019)

142	Association of Leptin Gene DNA Methylation With Diagnosis and Treatment Outcome of Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2019 , 10, 197	5	9	
141	Same Same but Different: A Clinical Characterization of Men with Hypersexual Disorder in the Sex@Brain Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	70	
140	DNA-methylation of the dopamin receptor 2 gene is altered during alcohol withdrawal. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1250-1257	1.2	4	
139	Transient receptor potential ankyrin 1 promoter methylation and peripheral pain sensitivity in Crohn ß disease. <i>Clinical Epigenetics</i> , 2019 , 12, 1	7.7	16	
138	Pharmacotherapeutic options for co-morbid depression and alcohol dependence. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 547-569	4	8	
137	The dissociative subtype of PTSD in women with substance use disorders: Exploring symptom and exposure profiles. <i>Journal of Substance Abuse Treatment</i> , 2019 , 99, 73-79	4.2	12	
136	Smoking-induced changes in leptin serum levels and c/EBPalpha-related methylation status of the leptin core promotor during smoking cessation. <i>Psychoneuroendocrinology</i> , 2019 , 100, 106-112	5	3	
135	Epigenetic alterations of the POMC promoter in tobacco dependence. <i>European Neuropsychopharmacology</i> , 2018 , 28, 875-879	1.2	5	
134	Epigenetics in Personality Disorders: Todayß Insights. Frontiers in Psychiatry, 2018, 9, 579	5	58	
133	Desacylghrelin but not acylghrelin is reduced during smoking cessation. <i>Journal of Neural Transmission</i> , 2018 , 125, 1885-1889	4.3	2	
132	Severe hair loss associated with psychotropic drugs in psychiatric inpatients-Data from an observational pharmacovigilance program in German-speaking countries. <i>European Psychiatry</i> , 2018 , 54, 117-123	6	2	
131	S100B, Homocysteine, Vitamin B12, Folic Acid, and Procalcitonin Serum Levels in Remitters to Electroconvulsive Therapy: A Pilot Study. <i>Disease Markers</i> , 2018 , 2018, 2358451	3.2	9	
130	Elevated methylation and decreased serum concentrations of BDNF in patients in levomethadone compared to diamorphine maintenance treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 33-40	5.1	11	
129	Positive association of personal distress with testosterone in opiate-addicted patients. <i>Journal of Addictive Diseases</i> , 2017 , 36, 167-174	1.7	4	
128	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. <i>Hgre Utbildning</i> , 2017 , 8, 1304114	5	17	
127	Promoter Polymorphism rs886205 Genotype Interacts With DNA Methylation of the ALDH2 Regulatory Region in Alcohol Dependence. <i>Alcohol and Alcoholism</i> , 2017 , 52, 269-276	3.5	11	
126	Epigenetic Regulation of the Promotor Region of Vascular Endothelial Growth Factor-A and Nerve Growth Factor in Opioid-Maintained Patients. <i>European Addiction Research</i> , 2017 , 23, 249-259	4.6	4	
125	Joint Effects of the Epigenetic Alteration of Neurotrophins and Cytokine Signaling: A Possible Exploratory Model of Affective Symptoms in Alcohol-Dependent Patients?. <i>Alcohol and Alcoholism</i> ,			

124	Smoking and Promoter-Specific Deoxyribonucleic Acid Methylation of the Atrial Natriuretic Peptide Gene: Methylation of Smokers and Non-Smokers Differs Significantly during Withdrawal. <i>European Addiction Research</i> , 2017 , 23, 306-311	4.6	6
123	Epigenetic Effects of Intravenous Diacetylmorphine on the Methylation of POMC and NR3C1. <i>Neuropsychobiology</i> , 2017 , 75, 193-199	4	5
122	Transplantation in alcohol-induced liver diseases-a kind of gene therapy for addictive behaviour?. <i>Addiction</i> , 2016 , 111, 2065-2066	4.6	1
121	Association of testosterone and BDNF serum levels with craving during alcohol withdrawal. <i>Alcohol</i> , 2016 , 54, 67-72	2.7	10
12 0	Substance consumption in adolescents with and without an immigration background: a representative study-What part of an immigration background is protective against binge drinking?. <i>BMC Public Health</i> , 2016 , 16, 1157	4.1	6
119	Altered DNA methylation of glucose transporter 1 and glucose transporter 4 in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 76, 66-73	5.2	22
118	The Epigenetic Regulation of GATA4-Dependent Brain Natriuretic Peptide Expression during Alcohol Withdrawal. <i>Neuropsychobiology</i> , 2016 , 74, 131-138	4	6
117	The metabolic syndrome in patients with alcohol dependency: Current research and clinical implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 70, 49-56	5.5	5
116	Dopamine-receptor 2 gene-methylation and gambling behavior in relation to impulsivity. <i>Psychiatry Research</i> , 2016 , 239, 154-5	9.9	7
115	Alterations in DNA-methylation of the dopamine-receptor 2 gene are associated with abstinence and health care utilization in individuals with a lifetime history of pathologic gambling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 63, 30-4	5.5	29
114	Do changes in the BDNF promoter methylation indicate the risk of alcohol relapse?. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1892-7	1.2	26
113	DNA methylation of the LEP gene is associated with craving during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2015 , 51, 371-7	5	20
112	Investigational therapies for the pharmacological treatment of alcoholism. <i>Expert Opinion on Investigational Drugs</i> , 2015 , 24, 17-30	5.9	6
111	Alcohol abuse and cigarette smoking are associated with global DNA hypermethylation: results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol</i> , 2015 , 49, 97-101	2.7	23
110	TNF-Dand IL-6 serum levels: neurobiological markers of alcohol consumption in alcohol-dependent patients?. <i>Alcohol</i> , 2014 , 48, 671-6	2.7	46
109	Is parenting style a predictor of suicide attempts in a representative sample of adolescents?. <i>BMC Pediatrics</i> , 2014 , 14, 113	2.6	69
108	The implications for the biological and sociodynamic causal explanations of attitudes toward alcohol-dependent patients. <i>Psychiatry Research</i> , 2014 , 215, 766-70	9.9	4
107	Binge drinking and experiences of victimization among adolescents: findings of a nationwide representative study in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014 , 22, 489-496	1.4	6

(2012-2014)

106	Alcohol-induced changes in methylation status of individual CpG sites, and serum levels of vasopressin and atrial natriuretic peptide in alcohol-dependent patients during detoxification treatment. <i>European Addiction Research</i> , 2014 , 20, 143-50	4.6	27
105	CAGn repeat of the androgen receptor is linked to proopiomelanocortin promoter methylation-relevance for craving of male alcohol-dependent patients?. <i>Psychopharmacology</i> , 2014 , 231, 2059-66	4.7	8
104	Epigenetic down regulation of nerve growth factor during alcohol withdrawal. <i>Addiction Biology</i> , 2013 , 18, 508-10	4.6	49
103	Alkoholabhfigigkeit und Epigenetik. <i>BioSpektrum</i> , 2013 , 19, 714-716	0.1	
102	Atrial natriuretic peptide, arginine vasopressin peptide and cortisol serum levels in opiate-dependent patients. <i>Neuropsychobiology</i> , 2013 , 67, 111-5	4	10
101	Indicators for elevated risk factors for alcohol-withdrawal seizures: an analysis using a random forest algorithm. <i>Journal of Neural Transmission</i> , 2012 , 119, 1449-53	4.3	15
100	The relationship of appetitive, reproductive and posterior pituitary hormones to alcoholism and craving in humans. <i>Neuropsychology Review</i> , 2012 , 22, 211-28	7.7	30
99	Reduced plasma levels of asymmetric di-methylarginine (ADMA) in patients with alcohol dependence normalize during withdrawal. <i>European Neuropsychopharmacology</i> , 2012 , 22, 836-40	1.2	6
98	Stable-isotope dilution GC-MS method for ethanol in vapour ethanol and microdialysis systems based on carbonate-catalyzed extractive pentafluorobenzoylation. <i>Analyst, The</i> , 2012 , 137, 2480-5	5	3
97	Sex hormone activity in alcohol addiction: integrating organizational and activational effects. <i>Progress in Neurobiology</i> , 2012 , 96, 136-63	10.9	97
96	Coma after single dose of zopiclone. American Journal on Addictions, 2012, 21, 291	3.7	1
95	Predictors of binge drinking in adolescents: ultimate and distal factors - a representative study. <i>BMC Public Health</i> , 2012 , 12, 263	4.1	52
94	Association of V89L SRD5A2 polymorphism with craving and serum leptin levels in male alcohol addicts. <i>Psychopharmacology</i> , 2012 , 224, 421-9	4.7	16
93	Association of nerve growth factor and vascular endothelial growth factor A with psychometric measurements of opiate dependence: results of a pilot study in patients participating in a structured diamorphine maintenance program. <i>European Addiction Research</i> , 2012 , 18, 213-9	4.6	10
92	ERK1/2 protein and mRNA levels in human blood are linked to smoking behavior. <i>Addiction Biology</i> , 2012 , 17, 1026-35	4.6	5
91	Biological markers for alcohol withdrawal seizures: a retrospective analysis. <i>European Addiction Research</i> , 2012 , 18, 97-102	4.6	7
90	Alterations of homocysteine serum levels during alcohol withdrawal are influenced by folate and riboflavin: results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol and Alcoholism</i> , 2012 , 47, 497-500	3.5	16
89	Smoking, but not malnutrition, influences promoter-specific DNA methylation of the proopiomelanocortin gene in patients with and without anorexia nervosa. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 168-76	4.8	26

88	Decreased galanin serum levels are associated with alcohol-craving during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 568-72	5.5	8
87	Impulse control disorders in psychiatric inpatients. <i>Psychiatry Research</i> , 2011 , 188, 434-8	9.9	32
86	Does alcohol craving decrease with increasing age? Results from a cross-sectional study. <i>Journal of Studies on Alcohol and Drugs</i> , 2011 , 72, 158-62	1.9	16
85	Brain-derived neurotrophic factor, Val66Met single nucleotide polymorphism is not associated with alcohol dependence. <i>Psychiatric Genetics</i> , 2011 , 21, 53-4	2.9	6
84	Prolactin serum levels during alcohol withdrawal are associated with the severity of alcohol dependence and withdrawal symptoms. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 235-9	3.7	10
83	The TTTAn aromatase (CYP19A1) polymorphism is associated with compulsive craving of male patients during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2011 , 36, 1261-4	5	10
82	Alcohol consumption and binge drinking in adolescents: comparison of different migration backgrounds and rural vs. urban residencea representative study. <i>BMC Public Health</i> , 2011 , 11, 84	4.1	52
81	Opioid modulators for alcohol dependence. Expert Opinion on Investigational Drugs, 2011, 20, 1073-86	5.9	16
80	Serum levels of BDNF are associated with craving in opiate-dependent patients. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1480-4	4.6	47
79	Androgen receptor polyglutamine length does not influence serum levels of adipocytokines in alcoholism: a preliminary retrospective analysis. <i>Alcohol and Alcoholism</i> , 2011 , 46, 214-6	3.5	2
78	Biological mechanisms in alcohol dependencenew perspectives. Alcohol and Alcoholism, 2011, 46, 224-	·3 ₃ 0 ₅	22
77	Suchtmittelkonsum 2011 , 125-151		
76	Prevalence of the metabolic syndrome in men and women with alcohol dependence: results from a cross-sectional study during behavioural treatment in a controlled environment. <i>Addiction</i> , 2010 , 105, 1921-7	4.6	19
75	Serum levels of vascular endothelial growth factor A increase during alcohol withdrawal. <i>Addiction Biology</i> , 2010 , 15, 362-4	4.6	13
74	Methanol levels in salivaa non-invasive parameter that may be useful in detection of alcohol intoxication. <i>Alcohol and Alcoholism</i> , 2010 , 45, 126-7	3.5	10
73	The modulating effect of the androgen receptor on craving in alcohol withdrawal of men is partially mediated by leptin. <i>Pharmacogenomics Journal</i> , 2010 , 10, 226-31	3.5	21
72	BDNF and GDNF serum levels in alcohol-dependent patients during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1060-4	5.5	67
71	Smoking behaviour is associated with expression and phosphorylation of CREB in human buffy coat. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 207-15	5.8	10

(2008-2010)

70	Alterations in pain perception during benzodiazepine withdrawal: a case series. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 743-5	1.7	1
69	BDNF plasma levels decrease during benzodiazepine withdrawal in patients suffering from comorbidity of depressive disorder and benzodiazepine dependence. <i>Psychopharmacology</i> , 2010 , 209, 213-5	4.7	12
68	DNA methylation of the POMC gene promoter is associated with craving in alcohol dependence. Journal of Neural Transmission, 2010 , 117, 513-9	4.3	69
67	Elevation of homocysteine levels is only partially reversed after therapy in females with eating disorders. <i>Journal of Neural Transmission</i> , 2010 , 117, 521-7	4.3	14
66	Motives for khat use and abstinence in Yemena gender perspective. <i>BMC Public Health</i> , 2010 , 10, 735	4.1	20
65	Epigenetic dysregulation of dopaminergic genes in eating disorders. <i>International Journal of Eating Disorders</i> , 2010 , 43, 577-83	6.3	106
64	Beer and Other Alcoholic Beverages: Implications for Dependence, Craving and Relapse 2009 , 201-209		
63	Promoter specific methylation of the dopamine transporter gene is altered in alcohol dependence and associated with craving. <i>Journal of Psychiatric Research</i> , 2009 , 43, 388-92	5.2	104
62	Elevated cannabinoid 1 receptor mRNA is linked to eating disorder related behavior and attitudes in females with eating disorders. <i>Psychoneuroendocrinology</i> , 2009 , 34, 620-4	5	45
61	Epigenetic regulation and gene expression of vasopressin and atrial natriuretic peptide in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009 , 34, 555-60	5	59
60	Polymorphism of the long polyglutamine tract in the human androgen receptor influences craving of men in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009 , 34, 968-71	5	27
59	N-methyl-D-aspartate 2b receptor subtype (NR2B) promoter methylation in patients during alcohol withdrawal. <i>Journal of Neural Transmission</i> , 2009 , 116, 615-22	4.3	63
58	Hormones and drinking behaviour: new findings on ghrelin, insulin, leptin and volume-regulating hormones. An ESBRA Symposium report. <i>Drug and Alcohol Review</i> , 2009 , 28, 160-5	3.2	23
57	Increased levels of adiponectin and resistin in alcohol dependencepossible link to craving. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 333-7	4.9	41
56	Perazine elevates clozapine serum levels by inhibiting hepatic metabolism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 908-9	5.5	8
55	Genetic polymorphisms relevant for one-carbon metabolism show no effect on homocysteine plasma levels and DNA methylation in alcoholism. <i>Psychiatric Genetics</i> , 2009 , 19, 215-6	2.9	1
54	Depressive symptoms may explain elevated plasma levels of homocysteine in females with eating disorders. <i>Journal of Psychiatric Research</i> , 2008 , 42, 83-6	5.2	16
53	NGF plasma levels increase due to alcohol intoxication and decrease during withdrawal. <i>Psychoneuroendocrinology</i> , 2008 , 33, 999-1003	5	19

52	Extensive craving in high dose zolpidem dependency. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 591-2	5.5	12
51	Global DNA methylation is influenced by smoking behaviour. <i>European Neuropsychopharmacology</i> , 2008 , 18, 295-8	1.2	62
50	Alpha-synuclein mRNA levels correspond to beck depression inventory scores in females with eating disorders. <i>Neuropsychobiology</i> , 2008 , 58, 48-52	4	10
49	Apolipoprotein E polymorphism, homocysteine serum levels and hippocampal volume in patients with alcoholism: an investigation of a gene-environment interaction. <i>Pharmacogenomics Journal</i> , 2008 , 8, 117-21	3.5	9
48	Neurobiology and treatment in alcoholismrecent findings regarding Lesch® typology of alcohol dependence. <i>Alcohol and Alcoholism</i> , 2008 , 43, 341-6	3.5	28
47	Hippocampal volume loss in patients with alcoholism is influenced by the consumed type of alcoholic beverage. <i>Alcohol and Alcoholism</i> , 2008 , 43, 296-9	3.5	18
46	Alkoholfolgeerkrankungen. <i>Psychiatrie Und Psychotherapie Up2date</i> , 2008 , 2, 305-320		
45	Treatment with clomethiazole is associated with lower rates of premature discharge during alcohol withdrawal. <i>Pharmacopsychiatry</i> , 2008 , 41, 134-7	2	8
44	Epigenetic downregulation of atrial natriuretic peptide but not vasopressin mRNA expression in females with eating disorders is related to impulsivity. <i>Neuropsychopharmacology</i> , 2008 , 33, 2605-9	8.7	56
43	Neuroendocrine pathways in benzodiazepine dependence: new targets for research and therapy. <i>Human Psychopharmacology</i> , 2008 , 23, 171-81	2.3	14
42	Global DNA hypomethylation and DNA hypermethylation of the alpha synuclein promoter in females with anorexia nervosa. <i>Molecular Psychiatry</i> , 2007 , 12, 229-30	15.1	80
41	Role of appetite-regulating peptides in alcohol craving: an analysis in respect to subtypes and different consumption patterns in alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 950-4	3.7	59
40	Alcoholism, craving, and hormones: the role of leptin, ghrelin, prolactin, and the pro-opiomelanocortin system in modulating ethanol intake. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1963-7	3.7	40
39	Evidence of an association of leptin serum levels and craving in alcohol dependence. <i>Psychoneuroendocrinology</i> , 2007 , 32, 87-90	5	63
38	Elevated prolactin serum levels and history of alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007 , 41, 702-6	5.2	9
37	Apolipoprotein E gene polymorphism and previous alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007 , 41, 871-5	5.2	7
36	Biological markers to predict previous alcohol withdrawal seizures: a risk assessment. <i>Journal of Neural Transmission</i> , 2007 , 114, 151-4	4.3	15
35	Alcoholism and homicide with respect to the classification systems of Lesch and Cloninger. <i>Alcohol and Alcoholism</i> , 2007 , 42, 103-7	3.5	8

(2006-2007)

34	Association of the long allele of the 5-HTTLPR polymorphism with compulsive craving in alcohol dependence. <i>Alcohol and Alcoholism</i> , 2007 , 42, 509-12	3.5	43
33	Elevated prenatal homocysteine levels and the risk of schizophrenia. <i>Archives of General Psychiatry</i> , 2007 , 64, 980-1		11
32	Homocysteine and epigenetic DNA methylation: a biological model for depression?. <i>American Journal of Psychiatry</i> , 2007 , 164, 1610	11.9	17
31	Psychiatrische Notfle im Rettungsdienst. <i>Notfallmedizin Up2date</i> , 2007 , 2, 157-171	0.2	1
30	Pregabalin in benzodiazepine withdrawal. <i>Pharmacopsychiatry</i> , 2007 , 40, 292-3	2	9
29	Combinations of carbohydrate-deficient transferrin, mean corpuscular erythrocyte volume, gamma-glutamyltransferase, homocysteine and folate increase the significance of biological markers in alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 2007 , 89, 60-5	4.9	25
28	Treating dopamimetic psychosis in Parkinson® disease: structured review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2007 , 17, 165-71	1.2	59
27	Recurrent hyponatremia under desmopressin overdosing: is abuse a possible explication?. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 239-40	2.9	
26	Different allele-distribution of mthfr 677 C -> T and mthfr -393 C -> a in patients classified according to subtypes of Lesch® typology. <i>Alcohol and Alcoholism</i> , 2006 , 41, 364-7	3.5	21
25	Recurrent detoxifications are associated with craving in patients classified as type 1 according to Leschß typology. <i>Alcohol and Alcoholism</i> , 2006 , 41, 66-9	3.5	21
24	Volume intake and craving in alcohol withdrawal. Alcohol and Alcoholism, 2006, 41, 61-5	3.5	37
23	Genetic predisposition to neuroleptic malignant syndrome in siblings. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 574-5	2.9	2
22	Prolactin serum levels and alcohol craving - an analysis using Leschß typology. <i>Neuropsychobiology</i> , 2006 , 53, 133-6	4	15
21	Association of catecholamine-O-methyltransferase and 5-HTTLPR genotype with eating disorder-related behavior and attitudes in females with eating disorders. <i>Psychiatric Genetics</i> , 2006 , 16, 205-8	2.9	40
20	Obsessive-compulsive alcohol craving is not associated with Apolipoprotein E genotype. <i>Psychiatric Genetics</i> , 2006 , 16, 231-2	2.9	1
19	An assessment of the potential value of elevated homocysteine in predicting alcohol-withdrawal seizures. <i>Epilepsia</i> , 2006 , 47, 934-8	6.4	35
18	Should aspirin be discontinued for diagnostic lumbar puncture?. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 181-2	5.6	8
17	Nicotine dependence is associated with compulsive alcohol craving. <i>Addiction</i> , 2006 , 101, 892-7	4.6	24

16	Short-term cognition deficits during early alcohol withdrawal are associated with elevated plasma homocysteine levels in patients with alcoholism. <i>Journal of Neural Transmission</i> , 2006 , 113, 357-63	4.3	39
15	Alteration of prolactin serum levels during alcohol withdrawal correlates with craving in female patients. <i>Addiction Biology</i> , 2005 , 10, 337-43	4.6	21
14	Alcoholism-associated hyperhomocysteinemia and previous withdrawal seizures. <i>Biological Psychiatry</i> , 2005 , 57, 1590-3	7.9	26
13	Apolipoprotein E4 genotype is not associated with short-term cognition deficits during alcohol withdrawal. <i>Alcohol</i> , 2005 , 37, 151-6	2.7	2
12	Influence of beer, wine and spirits consumption on craving. Addiction Biology, 2005, 10, 181-6	4.6	16
11	Evidence of increased homocysteine levels in alcoholism: the Franconian alcoholism research studies (FARS). <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 334-6	3.7	84
10	Alpha-synuclein protein levels are increased in alcoholic patients and are linked to craving. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 763-5	3.7	61
9	Ghrelin levels are increased in alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 215	4- <i>3</i> .7	117
8	Cognitive impairment and its association with homocysteine plasma levels in females with eating disorders - findings from the HEaD-study. <i>Journal of Neural Transmission</i> , 2005 , 112, 1591-8	4.3	18
7	Limited use of CK-MB as a screening parameter for acute coronary syndrome in patients with alcohol dependency. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 577-8		
6	Homocysteine levels in patients classified according to Leschß typology. <i>Alcohol and Alcoholism</i> , 2004 , 39, 493-8	3.5	44
5	Depression and bulbar involvement in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis</i> and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases, 2004 , 5, 245-9		30
4	Plasma homocysteine concentrations do not influence craving in alcohol withdrawal. <i>Alcohol</i> , 2004 , 34, 211-5	2.7	15
3	Elevated alpha synuclein mRNA levels are associated with craving in patients with alcoholism. <i>Biological Psychiatry</i> , 2004 , 56, 984-6	7.9	79
2	Burden of care in amyotrophic lateral sclerosis. <i>Palliative Medicine</i> , 2003 , 17, 327-33	5.5	70
1	Subjective experience and coping in ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> 2002, 3, 225-31		77