

# Theresa M Winhusen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4006457/publications.pdf>

Version: 2024-02-01

113  
papers

2,851  
citations

159358

30  
h-index

223531

46  
g-index

113  
all docs

113  
docs citations

113  
times ranked

3148  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neonatal opioid withdrawal syndrome: a review of the science and a look toward the use of buprenorphine for affected infants. <i>Journal of Perinatology</i> , 2022, 42, 300-306.	0.9	11
2	Validation of the tobacco, alcohol, prescription medication, and other substance use (TAPS) tool with the WHO alcohol, smoking, and substance involvement screening test (ASSIST). <i>Addictive Behaviors</i> , 2022, 126, 107178.	1.7	3
3	Pain Severity and Interference and Substance Use among Community Pharmacy Patients Prescribed Opioids: A Secondary Analysis of the PHARMSCREEN Study. <i>Journal of Pain</i> , 2022, , .	0.7	2
4	Design considerations for a remote randomized multi-site clinical trial evaluating an e-health self-management program for chronic pain patients receiving opioid therapy. <i>Contemporary Clinical Trials</i> , 2021, 101, 106245.	0.8	5
5	Validation and threshold identification of a prescription drug monitoring program clinical opioid risk metric with the WHO alcohol, smoking, and substance involvement screening test. <i>Drug and Alcohol Dependence</i> , 2021, 228, 109067.	1.6	15
6	Reductions in tobacco use in naltrexone, relative to buprenorphine-maintained individuals with opioid use disorder: Secondary analysis from the National Drug Abuse Treatment Clinical Trials Network. <i>Journal of Substance Abuse Treatment</i> , 2021, 130, 108489.	1.5	3
7	Blunt use and menthol cigarette smoking: An examination of adult marijuana users. <i>Addictive Behaviors</i> , 2020, 102, 106153.	1.7	6
8	The association between regular cannabis use, with and without tobacco co-use, and adverse cardiovascular outcomes: cannabis may have a greater impact in non-tobacco smokers. <i>American Journal of Drug and Alcohol Abuse</i> , 2020, 46, 454-461.	1.1	22
9	The Opioid-overdose Reduction Continuum of Care Approach (ORCCA): Evidence-based practices in the HEALing Communities Study. <i>Drug and Alcohol Dependence</i> , 2020, 217, 108325.	1.6	50
10	Evaluation of a personally-tailored opioid overdose prevention education and naloxone distribution intervention to promote harm reduction and treatment readiness in individuals actively using illicit opioids. <i>Drug and Alcohol Dependence</i> , 2020, 216, 108265.	1.6	10
11	Is it "enough?": A qualitative investigation of blunt use among African American young adults. <i>Journal of Ethnicity in Substance Abuse</i> , 2020, , 1-15.	0.6	3
12	A brief telephone-delivered peer intervention to encourage enrollment in medication for opioid use disorder in individuals surviving an opioid overdose: Results from a randomized pilot trial. <i>Drug and Alcohol Dependence</i> , 2020, 216, 108270.	1.6	14
13	The HEALing (Helping to End Addiction Long-term SM) Communities Study: Protocol for a cluster randomized trial at the community level to reduce opioid overdose deaths through implementation of an integrated set of evidence-based practices. <i>Drug and Alcohol Dependence</i> , 2020, 217, 108335.	1.6	50
14	Medication treatment for opioid use disorder in expectant mothers (MOMs): Design considerations for a pragmatic randomized trial comparing extended-release and daily buprenorphine formulations. <i>Contemporary Clinical Trials</i> , 2020, 93, 106014.	0.8	20
15	The association between regular cocaine use, with and without tobacco co-use, and adverse cardiovascular and respiratory outcomes. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108136.	1.6	14
16	Increased Morbidity and Mortality in Hypertensive Patients With Substance Use Disorders: Electronic Health Record Findings. <i>Journal of Studies on Alcohol and Drugs</i> , 2020, 81, 471-478.	0.6	2
17	Differential Posttreatment Outcomes of Methylphenidate for Smoking Cessation for Individuals With ADHD. <i>American Journal on Addictions</i> , 2019, 28, 497-502.	1.3	3
18	Regular cannabis use, with and without tobacco co-use, is associated with respiratory disease. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107557.	1.6	40

#	ARTICLE	IF	CITATIONS
19	Blunts versus joints: Cannabis use characteristics and consequences among treatment-seeking adults. <i>Drug and Alcohol Dependence</i> , 2019, 198, 105-111.	1.6	11
20	Medical complications associated with substance use disorders in patients with type 2 diabetes and hypertension: electronic health record findings. <i>Addiction</i> , 2019, 114, 1462-1470.	1.7	43
21	Substance use outcomes in cocaine-dependent tobacco smokers: A mediation analysis exploring the role of sleep disturbance, craving, anxiety, and depression. <i>Journal of Substance Abuse Treatment</i> , 2019, 96, 53-57.	1.5	10
22	Exploring longitudinal course and treatment-baseline severity interactions in secondary outcomes of smoking cessation treatment in individuals with attention-deficit hyperactivity disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2018, 44, 653-659.	1.1	3
23	Neurocognitive Profiling of Adult Treatment Seekers Enrolled in a Clinical Trial of a Web-delivered Intervention for Substance Use Disorders. <i>Journal of Addiction Medicine</i> , 2018, 12, 99-106.	1.4	8
24	Baseline Cigarette Smoking Status as a Predictor of Virologic Suppression and CD4 Cell Count During One-Year Follow-Up in Substance Users with Uncontrolled HIV Infection. <i>AIDS and Behavior</i> , 2018, 22, 2026-2032.	1.4	17
25	Examination of the Hepatitis C Virus care continuum among individuals with an opioid use disorder in substance use treatment. <i>Journal of Substance Abuse Treatment</i> , 2017, 76, 77-80.	1.5	9
26	Efficacy of motivational enhancement therapy to decrease alcohol and illicit-drug use in pregnant substance users reporting baseline alcohol use. <i>Journal of Substance Abuse Treatment</i> , 2017, 77, 150-155.	1.5	10
27	The association between cigarette smoking, virologic suppression, and CD4+ lymphocyte count in HIV-Infected Russian women. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1102-1106.	0.6	13
28	Introduction to Special Issue on Tobacco and Other Substance Use Disorders: Links and Implications. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 129-131.	1.1	4
29	Cigarette smoking in pregnant substance users: Association with substance use and desire to quit. <i>Journal of Addictive Diseases</i> , 2017, 36, 88-91.	0.8	4
30	Association of methadone dose with substance use and treatment retention in pregnant and postpartum women with opioid use disorder. <i>Journal of Substance Abuse Treatment</i> , 2017, 80, 33-36.	1.5	17
31	The Effectiveness of Ultra-Low Magnitude Reinforcers: Findings From a "Real-World" Application of Contingency Management. <i>Journal of Substance Abuse Treatment</i> , 2017, 72, 111-116.	1.5	12
32	Knowledge of and interest in opioid overdose education and naloxone distribution among US veterans on chronic opioids for addiction or pain. <i>Drugs: Education, Prevention and Policy</i> , 2016, 23, 322-327.	0.8	6
33	Design considerations for a pilot trial using a novel approach for evaluating smoking-cessation medication in methadone-maintained smokers. <i>Contemporary Clinical Trials</i> , 2016, 47, 334-339.	0.8	5
34	Risk factors for opioid overdose and awareness of overdose risk among veterans prescribed chronic opioids for addiction or pain. <i>Journal of Addictive Diseases</i> , 2016, 35, 42-51.	0.8	55
35	Development and initial testing of a tailored telephone intervention delivered by peers to prevent recurring opioid-overdoses (TTIP-PRO). <i>Health Education Research</i> , 2016, 31, 146-160.	1.0	10
36	Decision-making processes as predictors of relapse and subsequent use in stimulant-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 2016, 42, 88-97.	1.1	23

#	ARTICLE	IF	CITATIONS
37	Evaluating Nicotine Craving, Withdrawal, and Substance Use as Mediators of Smoking Cessation in Cocaine- and Methamphetamine-Dependent Patients. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1196-1201.	1.4	5
38	The coupling of nicotine and stimulant craving during treatment for stimulant dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 2016, 84, 230-237.	1.6	6
39	Toward personalized smoking-cessation treatment: Using a predictive modeling approach to guide decisions regarding stimulant medication treatment of attention-deficit/hyperactivity disorder (ADHD) in smokers. <i>American Journal on Addictions</i> , 2015, 24, 348-356.	1.3	10
40	Cigarette Smoking During Substance Use Disorder Treatment: Secondary Outcomes from a National Drug Abuse Treatment Clinical Trials Network study. <i>Journal of Substance Abuse Treatment</i> , 2015, 53, 39-46.	1.5	19
41	Medication assisted treatment discontinuation in pregnant and postpartum women with opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2015, 149, 225-231.	1.6	81
42	A systematic approach to subgroup analyses in a smoking cessation trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2015, 41, 498-507.	1.1	14
43	Pharmacological Management of Opioid Use Disorder in Pregnant Women. <i>CNS Drugs</i> , 2015, 29, 625-636.	2.7	21
44	Anxiety and Depressed Mood Decline Following Smoking Abstinence in Adult Smokers with Attention Deficit Hyperactivity Disorder. <i>Journal of Substance Abuse Treatment</i> , 2015, 59, 104-108.	1.5	5
45	Improving Treatment for Opioid Dependence: A Perspective From the Ohio Valley Node of the NIDA Clinical Trials Network. <i>Progress in Community Health Partnerships: Research, Education, and Action</i> , 2014, 8, 99-107.	0.2	3
46	Total antioxidant capacity is significantly lower in cocaine-dependent and methamphetamine-dependent patients relative to normal controls: results from a preliminary study. <i>Human Psychopharmacology</i> , 2014, 29, 537-543.	0.7	37
47	Family Discord is Associated with Increased Substance Use for Pregnant Substance Users. <i>Substance Use and Misuse</i> , 2014, 49, 326-332.	0.7	20
48	Pharmacodynamics Must Inform Statistics: An Example from a Cocaine Dependence Pharmacotherapy Trial. <i>ISRN Addiction</i> , 2014, 2014, 1-7.	0.9	0
49	An Evaluation of Substance Abuse Treatment and HIV Education on Safe Sex Practices in Cocaine Dependent Individuals. <i>ISRN Addiction</i> , 2014, 2014, 1-7.	0.9	3
50	Internet-Delivered Treatment for Substance Abuse: A Multisite Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2014, 171, 683-690.	4.0	203
51	Optimal neurocognitive, personality and behavioral measures for assessing impulsivity in cocaine dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 2014, 40, 455-462.	1.1	10
52	Design considerations for point-of-care clinical trials comparing methadone and buprenorphine treatment for opioid dependence in pregnancy and for neonatal abstinence syndrome. <i>Contemporary Clinical Trials</i> , 2014, 39, 158-165.	0.8	11
53	Achieving Cannabis Cessation â€” Evaluating N-acetylcysteine Treatment (ACCENT): Design and implementation of a multi-site, randomized controlled study in the National Institute on Drug Abuse Clinical Trials Network. <i>Contemporary Clinical Trials</i> , 2014, 39, 211-223.	0.8	42
54	A randomized pilot clinical trial to evaluate the efficacy of Community Reinforcement and Family Training for Treatment Retention (CRAFT-T) for improving outcomes for patients completing opioid detoxification. <i>Drug and Alcohol Dependence</i> , 2014, 138, 240-243.	1.6	47

#	ARTICLE	IF	CITATIONS
55	Achieving smoking abstinence is associated with decreased cocaine use in cocaine-dependent patients receiving smoking-cessation treatment. <i>Drug and Alcohol Dependence</i> , 2014, 134, 391-395.	1.6	35
56	A Randomized Trial of Concurrent Smoking-Cessation and Substance Use Disorder Treatment in Stimulant-Dependent Smokers. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 336-343.	1.1	50
57	Multisite, Randomized, Double-Blind, Placebo-Controlled Pilot Clinical Trial to Evaluate the Efficacy of Buspirone as a Relapse-Prevention Treatment for Cocaine Dependence. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 757-764.	1.1	47
58	Not getting lost in translational science: A tool for navigating the pre-implementation phase of multi-site pharmacological clinical trials. <i>Applied Clinical Trials</i> , 2014, 23, 36-39.	0.5	3
59	Characteristics of Northern Plains American Indians Seeking Substance Abuse Treatment in an Urban, Non-Tribal Clinic: A Descriptive Study. <i>Community Mental Health Journal</i> , 2013, 49, 714-721.	1.1	14
60	Relationship of Age to Impulsivity and Decision Making: A Baseline Secondary Analysis of a Behavioral Treatment Study in Stimulant Use Disorders. <i>Journal of Addictive Diseases</i> , 2013, 32, 206-216.	0.8	9
61	Preliminary evaluation of a model of stimulant use, oxidative damage and executive dysfunction. <i>American Journal of Drug and Alcohol Abuse</i> , 2013, 39, 227-234.	1.1	13
62	Predictors of treatment response in adolescents with comorbid substance use disorder and attention-deficit/hyperactivity disorder. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 224-230.	1.5	41
63	Impulsivity is associated with treatment non-completion in cocaine- and methamphetamine-dependent patients but differs in nature as a function of stimulant-dependence diagnosis. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 541-547.	1.5	48
64	Sex differences in disinhibition and its relationship to physical abuse in a sample of stimulant-dependent patients. <i>Drug and Alcohol Dependence</i> , 2013, 129, 158-162.	1.6	18
65	A tale of two stimulants: Mentholated cigarettes may play a role in cocaine, but not methamphetamine, dependence. <i>Drug and Alcohol Dependence</i> , 2013, 133, 845-851.	1.6	13
66	Risk of Methylphenidate-Induced Prehypertension in Normotensive Adult Smokers With Attention Deficit Hyperactivity Disorder. <i>Journal of Clinical Hypertension</i> , 2013, 15, 124-132.	1.0	8
67	HIV rapid testing in drug treatment: comparison across treatment modalities. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 369-374.	1.5	10
68	Frontal systems deficits in stimulant-dependent patients: Evidence of pre-illness dysfunction and relationship to treatment response. <i>Drug and Alcohol Dependence</i> , 2013, 127, 94-100.	1.6	28
69	Predicting Treatment Response in Adolescents with ADHD Who Use Substances. <i>The ADHD Report</i> , 2013, 21, 1-5.	0.4	0
70	A Multisite, Double-blind, Placebo-Controlled Clinical Trial to Evaluate the Safety and Efficacy of Vigabatrin for Treating Cocaine Dependence. <i>JAMA Psychiatry</i> , 2013, 70, 630.	6.0	36
71	Osmotic Release Oral System Methylphenidate Prevents Weight Gain during a Smoking-Cessation Attempt in Adults with ADHD. <i>Nicotine and Tobacco Research</i> , 2013, 15, 583-587.	1.4	2
72	Preliminary Evidence That Adherence to Counseling Mediates the Effects of Pretreatment Self-efficacy and Motivation on Outcome of a Cessation Attempt in Smokers with ADHD. <i>Nicotine and Tobacco Research</i> , 2013, 15, 393-400.	1.4	8

#	ARTICLE	IF	CITATIONS
73	Treating Nicotine Dependence by Targeting Attention-Deficit/ Hyperactivity Disorder (ADHD) With OROS Methylphenidate. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 983-990.	1.1	19
74	Therapist Effects in a NIDA CTN Intervention Trial with Pregnant Substance Abusing Women: Findings from a RCT with MET and TAU Conditions. <i>Alcoholism Treatment Quarterly</i> , 2012, 30, 224-237.	0.5	8
75	Attention-Deficit/Hyperactivity Disorder Subtypes in Adolescents with Comorbid Substance-Use Disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2012, 38, 93-100.	1.1	26
76	Prescription Drug Abuse as a Public Health Problem in Ohio: A Case Report. <i>Public Health Nursing</i> , 2012, 29, 553-562.	0.7	13
77	Evaluation of buspirone for relapse-prevention in adults with cocaine dependence: An efficacy trial conducted in the real world. <i>Contemporary Clinical Trials</i> , 2012, 33, 993-1002.	0.8	16
78	Pre-treatment change in a randomized trial with pregnant substance-abusing women in community-based outpatient treatment. <i>Contemporary Clinical Trials</i> , 2012, 33, 1074-1079.	0.8	12
79	Design considerations for a study to evaluate the impact of smoking cessation treatment on stimulant use outcomes in stimulant-dependent individuals. <i>Contemporary Clinical Trials</i> , 2012, 33, 197-205.	0.8	14
80	Design and methodological considerations of an effectiveness trial of a computer-assisted intervention: An example from the NIDA Clinical Trials Network. <i>Contemporary Clinical Trials</i> , 2012, 33, 386-395.	0.8	50
81	Tobacco dependence counseling in a randomized multisite clinical trial. <i>Contemporary Clinical Trials</i> , 2012, 33, 576-582.	0.8	11
82	The potential impact of recruitment method on sample characteristics and treatment outcomes in a psychosocial trial for women with co-occurring substance use disorder and PTSD. <i>Drug and Alcohol Dependence</i> , 2012, 120, 225-228.	1.6	17
83	Major depression and treatment response in adolescents with ADHD and substance use disorder. <i>Drug and Alcohol Dependence</i> , 2012, 120, 214-219.	1.6	31
84	Attention-deficit/hyperactivity disorder (ADHD) symptoms, craving to smoke, and tobacco withdrawal symptoms in adult smokers with ADHD. <i>Drug and Alcohol Dependence</i> , 2012, 124, 268-273.	1.6	16
85	An Exploration of Site Effects in a Multisite Trial of OROS-Methylphenidate for Smokers with Attention Deficit/Hyperactivity Disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2011, 37, 392-399.	1.1	9
86	Gender Research in the National Institute on Drug Abuse National Treatment Clinical Trials Network: A Summary of Findings. <i>American Journal of Drug and Alcohol Abuse</i> , 2011, 37, 301-312.	1.1	37
87	Randomized Controlled Trial of Osmotic-Release Methylphenidate With Cognitive-Behavioral Therapy in Adolescents With Attention-Deficit/Hyperactivity Disorder and Substance Use Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 903-914.	0.3	102
88	Cigarette and cannabis use trajectories among adolescents in treatment for attention-deficit/hyperactivity disorder and substance use disorders. <i>Drug and Alcohol Dependence</i> , 2011, 117, 242-247.	1.6	23
89	Subjective Effects, Misuse, and Adverse Effects of Osmotic-Release Methylphenidate Treatment in Adolescent Substance Abusers with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2011, 21, 455-463.	0.7	39
90	Divergence by ADHD Subtype in Smoking Cessation Response to OROS-Methylphenidate. <i>Nicotine and Tobacco Research</i> , 2011, 13, 1003-1008.	1.4	20

#	ARTICLE	IF	CITATIONS
91	Increasing Prenatal Care and Healthy Behaviors in Pregnant Substance Users. <i>Journal of Psychoactive Drugs</i> , 2010, 42, 73-81.	1.0	12
92	Incentives for retention of pregnant substance users: A secondary analysis. <i>Journal of Substance Abuse Treatment</i> , 2010, 38, 90-95.	1.5	20
93	Multisite effectiveness trials of treatments for substance abuse and co-occurring problems: Have we chosen the best designs?. <i>Journal of Substance Abuse Treatment</i> , 2010, 38, S97-S112.	1.5	24
94	External pressure, motivation, and treatment outcome among pregnant substance-using women. <i>Drug and Alcohol Dependence</i> , 2010, 107, 149-153.	1.6	23
95	OROS-methylphenidate or placebo for adult smokers with attention deficit hyperactivity disorder: Racial/ethnic differences†. <i>Drug and Alcohol Dependence</i> , 2010, 110, 156-159.	1.6	22
96	Impact of Attention-Deficit/Hyperactivity Disorder (ADHD) Treatment on Smoking Cessation Intervention in ADHD Smokers. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1680-1688.	1.1	78
97	Predictors of outcome for short-term medically supervised opioid withdrawal during a randomized, multicenter trial of buprenorphine+naloxone and clonidine in the NIDA clinical trials network drug and alcohol dependence. <i>Drug and Alcohol Dependence</i> , 2009, 99, 28-36.	1.6	59
98	Motivation Enhancement Therapy with pregnant substance-abusing women: Does baseline motivation moderate efficacy?. <i>Drug and Alcohol Dependence</i> , 2009, 101, 74-79.	1.6	19
99	Motivational enhancement therapy to improve treatment utilization and outcome in pregnant substance users. <i>Journal of Substance Abuse Treatment</i> , 2008, 35, 161-173.	1.5	82
100	The SRPHK1 outcome measure for cocaine-dependence trials combines self-report, urine benzoylecgonine levels, and the concordance between the two to determine a cocaine-use status for each study day. <i>Drug and Alcohol Dependence</i> , 2008, 93, 132-140.	1.6	12
101	A double-blind, placebo-controlled trial of reserpine for the treatment of cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2007, 91, 205-212.	1.6	32
102	A double-blind, placebo-controlled trial of tiagabine for the treatment of cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2007, 91, 141-148.	1.6	46
103	Using buprenorphine short-term taper to facilitate early treatment engagement. <i>Journal of Substance Abuse Treatment</i> , 2007, 32, 349-356.	1.5	25
104	Methylphenidate and cocaine: A placebo-controlled drug interaction study. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 29-38.	1.3	43
105	A medication screening trial evaluation of reserpine, gabapentin and lamotrigine pharmacotherapy of cocaine dependence. <i>Addiction</i> , 2005, 100, 58-67.	1.7	61
106	Cocaine Rapid Efficacy Screening Trials (CREST): lessons learned. <i>Addiction</i> , 2005, 100, 102-110.	1.7	24
107	A placebo-controlled screening trial of tiagabine, sertraline and donepezil as cocaine dependence treatments. <i>Addiction</i> , 2005, 100, 68-77.	1.7	85
108	Metypalone and cocaine: A double-blind, placebo-controlled drug interaction study. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 80, 631-638.	1.3	12

#	ARTICLE	IF	CITATIONS
109	An Open-Label Pilot Study of Methylphenidate in the Treatment of Cocaine Dependent Patients with Adult Attention Deficit/ Hyperactivity Disorder. <i>Journal of Addictive Diseases</i> , 2004, 23, 77-92.	0.8	44
110	Bringing Buprenorphine-Naloxone Detoxification to Community Treatment Providers: The NIDA Clinical Trials Network Field Experience. <i>American Journal on Addictions</i> , 2004, 13, S42-S66.	1.3	130
111	Measuring outcome in cocaine clinical trials: a comparison of sweat patches with urine toxicology and participant self-report. <i>Addiction</i> , 2003, 98, 317-324.	1.7	29
112	Psychosocial treatments for women with substance use disorders. <i>Obstetrics and Gynecology Clinics of North America</i> , 2003, 30, 483-499.	0.7	4
113	The HPA Axis in Cocaine Use. <i>Journal of Addictive Diseases</i> , 2001, 20, 105-119.	0.8	49