## Gonzague Jourdain

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4007270/publications.pdf

Version: 2024-02-01

140 papers

3,548 citations

201658 27 h-index 54 g-index

144 all docs

144 docs citations

times ranked

144

3123 citing authors

#	Article	IF	CITATIONS
1	OUP accepted manuscript. Journal of Antimicrobial Chemotherapy, 2022, , .	3.0	1
2	Prevalences of SARS-CoV-2 RNA and anti-SARS-CoV-2 among at-risk populations in Chiang Mai and Lamphun provinces, Thailand, during November 2020–January 2021. PLoS ONE, 2022, 17, e0263127.	2.5	4
3	Zika Virus Immunoglobulin G Seroprevalence among Young Adults Living with HIV or without HIV in Thailand from 1997 to 2017. Viruses, 2022, 14, 368.	3.3	O
4	Editorial: dying while waiting for a hepatitis B cure?. Alimentary Pharmacology and Therapeutics, 2022, 56, 550-551.	3.7	0
5	Effect of Pregnancy and Concomitant Antiretrovirals on the Pharmacokinetics of Tenofovir in Women With HIV Receiving Tenofovir Disoproxil Fumarateâ€Based Antiretroviral Therapy Versus Women With HBV Receiving Tenofovir Disoproxil Fumarate Monotherapy. Journal of Clinical Pharmacology, 2021. 61. 388-393.	2.0	4
6	Viral hepatitis and pregnancy. Nature Reviews Gastroenterology and Hepatology, 2021, 18, 117-130.	17.8	66
7	Reply to â€ <sup>-</sup> Evidence against in utero transmission of hepatitis B virus'. Nature Reviews Gastroenterology and Hepatology, 2021, 18, 445-446.	17.8	O
8	Lack of Association between Adverse Pregnancy Outcomes and Zika Antibodies among Pregnant Women in Thailand between 1997 and 2015. Viruses, 2021, 13, 1423.	3.3	2
9	Impact of Counseling Methods on HIV Retesting Uptake in At-Risk Individuals: A Randomized Controlled Study. AIDS and Behavior, 2020, 24, 1505-1516.	2.7	5
10	Impact of lowâ€level viraemia on virological failure among Asian children with perinatally acquired HIV on firstâ€line combination antiretroviral treatment: a multicentre, retrospective cohort study. Journal of the International AIDS Society, 2020, 23, e25550.	3.0	4
11	Perinatal Antiretroviral Intensification to Prevent Intrapartum HIV Transmission When Antenatal Antiretroviral Therapy Is Initiated Less Than 8 Weeks Before Delivery. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 313-322.	2.1	3
12	HIV RNA measurement in dried blood spots of HIV-infected patients in Thailand using Abbott m2000 system. PLoS ONE, 2020, 15, e0227929.	2.5	4
13	Appointment reminders to increase uptake of HIV retesting by atâ€risk individuals: a randomized controlled study in Thailand. Journal of the International AIDS Society, 2020, 23, e25478.	3.0	7
14	Outcomes of secondâ€ine antiretroviral therapy among children living with HIV: a global cohort analysis. Journal of the International AIDS Society, 2020, 23, e25477.	3.0	5
15	Use and Outcomes of Antiretroviral Monotherapy and Treatment Interruption in Adolescents With Perinatal HIV Infection in Asia. Journal of Adolescent Health, 2019, 65, 651-659.	2.5	0
16	Long term renal function in Asian HIV-1 infected adults receiving tenofovir disoproxil fumarate without protease inhibitors. Journal of Infection, 2019, 79, 454-461.	3.3	1
17	Incidence and risk factors of loss to follow-up among HIV-infected children in an antiretroviral treatment program. PLoS ONE, 2019, 14, e0222082.	2.5	2
18	Impact of antiretroviral treatment on height evolution of HIV infected children. BMC Pediatrics, 2019, 19, 287.	1.7	4

#	Article	IF	CITATIONS
19	Recommended First-Line Antiretroviral Therapy Regimens and Risk of Diabetes Mellitus in HIV-Infected Adults in Resource-Limited Settings. Open Forum Infectious Diseases, 2019, 6, ofz298.	0.9	12
20	CD4 recovery following antiretroviral treatment interruptions in children and adolescents with HIV infection in Europe and Thailand. HIV Medicine, 2019, 20, 456-472.	2.2	3
21	Impact of the frequency of plasma viral load monitoring on treatment outcomes among children with perinatally acquired HIV. Journal of the International AIDS Society, 2019, 22, e25312.	3.0	O
22	Role of efavirenz plasma concentrations on long-term HIV suppression and immune restoration in HIV-infected children. PLoS ONE, 2019, 14, e0216868.	2.5	1
23	Feasibility of using dried blood spots for HIV viral load testing among HIVâ€infected individuals in Thailand using QIAGEN QIAsymphonyâ€artus HIVâ€1 platform. Journal of Medical Virology, 2019, 91, 1652-1659.	5.0	2
24	<p>Current progress in the prevention of mother-to-child transmission of hepatitis B and resulting clinical and programmatic implications</p> . Infection and Drug Resistance, 2019, Volume 12, 977-987.	2.7	5
25	Perinatal hepatitis B virus transmission in Lao PDR: A prospective cohort study. PLoS ONE, 2019, 14, e0215011.	2.5	10
26	Maternal and Infant Bone Mineral Density 1 Year After Delivery in a Randomized, Controlled Trial of Maternal Tenofovir Disoproxil Fumarate to Prevent Mother-to-child Transmission of Hepatitis B Virus. Clinical Infectious Diseases, 2019, 69, 144-146.	5.8	18
27	Prevalence and Clinical Outcomes of Poor Immune Response Despite Virologically Suppressive Antiretroviral Therapy Among Children and Adolescents With Human Immunodeficiency Virus in Europe and Thailand: Cohort Study. Clinical Infectious Diseases, 2019, 70, 404-415.	5.8	8
28	Incidence of switching to second-line antiretroviral therapy and associated factors in children with HIV: an international cohort collaboration. Lancet HIV,the, 2019, 6, e105-e115.	4.7	22
29	OLA-Simple: A software-guided HIV-1 drug resistance test for low-resource laboratories. EBioMedicine, 2019, 50, 34-44.	6.1	22
30	Serologic characteristics of hepatitis B virus among hill-tribe children in Omkoi district, Chiangmai province, Thailand. Journal of Infection in Developing Countries, 2019, 13, 169-173.	1.2	3
31	Tenofovir versus Placebo to Prevent Perinatal Transmission of Hepatitis B. New England Journal of Medicine, 2018, 378, 911-923.	27.0	226
32	Time to Switch to Second-line Antiretroviral Therapy in Children With Human Immunodeficiency Virus in Europe and Thailand. Clinical Infectious Diseases, 2018, 66, 594-603.	5.8	12
33	Contribution of Maternal Antiretroviral Therapy and Breastfeeding to 24-Month Survival in Human Immunodeficiency Virus-Exposed Uninfected Children: An Individual Pooled Analysis of African and Asian Studies. Clinical Infectious Diseases, 2018, 66, 1668-1677.	5.8	28
34	Brief Report: AIDS-Defining Events and Deaths in HIV-Infected Children and Adolescents on Antiretrovirals: A 14-Year Study in Thailand. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 17-22.	2.1	9
35	Tenofovir Versus Placebo to Prevent Perinatal Transmission of Hepatitis B. Obstetrical and Gynecological Survey, 2018, 73, 443-445.	0.4	1
36	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. Journal of the International AIDS Society, 2018, 21, e25200.	3.0	6

#	Article	IF	Citations
37	Tenofovir Exposure during Pregnancy and Postpartum in Women Receiving Tenofovir Disoproxil Fumarate for the Prevention of Mother-to-Child Transmission of Hepatitis B Virus. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	14
38	Incidence and clinical outcomes of diabetes mellitus in HIV-infected adults in Thailand: a retrospective cohort study. BMC Public Health, 2018, 18, 1079.	2.9	10
39	Prevention of the motherâ€toâ€child transmission of Hepatitis B virus. Liver International, 2018, 38, 1177-1178.	3.9	0
40	Reactivation of a Vaccine Escape Hepatitis B Virus Mutant in a Cambodian Patient During Anti-Hepatitis C Virus Therapy. Frontiers in Medicine, 2018, 5, 97.	2.6	2
41	Tenofovir to Prevent Perinatal Transmission of Hepatitis B. New England Journal of Medicine, 2018, 378, 2348-2350.	27.0	13
42	Hepatitis B Virus., 2018,,.		0
43	Low Risk of CD4 Decline After Immune Recovery in Human Immunodeficiency Virus-Infected Children With Viral Suppression. Journal of the Pediatric Infectious Diseases Society, 2017, 6, piw031.	1.3	1
44	Human Papillomavirus infection and cervical lesions in HIV infected women on antiretroviral treatment in Thailand. Journal of Infection, 2017, 74, 501-511.	3.3	13
45	Assessment of Nevirapine Prophylactic and Therapeutic Dosing Regimens for Neonates. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 554-560.	2.1	12
46	Safety of zidovudine/lamivudine scored tablets in children with HIV infection in Europe and Thailand. European Journal of Clinical Pharmacology, 2017, 73, 463-468.	1.9	7
47	Incidence of Tuberculosis and Associated Mortality in a Cohort of Human Immunodeficiency Virus-Infected Children Initiating Antiretroviral Therapy. Journal of the Pediatric Infectious Diseases Society, 2017, 6, 161-167.	1.3	4
48	Hepatitis B virus outreach to immigrant population in Greater Boston Area: Key to improving hepatitis B knowledge. World Journal of Gastroenterology, 2017, 23, 7626-7634.	3.3	5
49	Contribution of Different Antiretroviral Regimens Containing Zidovudine, Lamivudine and Ritonavir-Boosted Lopinavir on HIV Viral Load Reduction during Pregnancy. Antiviral Therapy, 2016, 21, 435-440.	1.0	2
50	Safety of Darunavir and Atazanavir in HIV-Infected Children in Europe and Thailand. Antiviral Therapy, 2016, 21, 353-358.	1.0	6
51	Risk of congenital cytomegalovirus infection among HIVâ€exposed uninfected infants is not decreased by maternal nelfinavir use during pregnancy. Journal of Medical Virology, 2016, 88, 1051-1058.	5.0	21
52	A Population Pharmacokinetic/Pharmacodynamic Model Predicts Favorable HDL Cholesterol Changes Over the First 5 Years in Children Treated With Current Efavirenzâ€Based Regimens. Journal of Clinical Pharmacology, 2016, 56, 1076-1083.	2.0	0
53	Antiretroviral Therapy in Severely Malnourished, HIV-infected Children in Asia. Pediatric Infectious Disease Journal, 2016, 35, e144-e151.	2.0	14
54	Tuberculosis in HIV-infected children in Europe, Thailand and Brazil: paediatric TB-HIV EuroCoord study. International Journal of Tuberculosis and Lung Disease, 2016, 20, 1448-1456.	1.2	3

#	Article	IF	Citations
55	Development and validation of an oligonucleotide ligation assay to detect lamivudine resistance in hepatitis B virus. Journal of Virological Methods, 2016, 233, 51-55.	2.1	2
56	Kaposi Sarcoma Risk in HIV-Infected Children and Adolescents on Combination Antiretroviral Therapy From Sub-Saharan Africa, Europe, and Asia. Clinical Infectious Diseases, 2016, 63, ciw519.	5.8	20
57	Prevention of mother-to-child transmission of hepatitis B virus: a phase III, placebo-controlled, double-blind, randomized clinical trial to assess the efficacy and safety of a short course of tenofovir disoproxil fumarate in women with hepatitis B virus e-antigen. BMC Infectious Diseases, 2016. 16. 393.	2.9	29
58	Prevalence of chronic hepatitis B virus infection in Thailand: a systematic review and meta-analysis. International Journal of Infectious Diseases, 2016, 51, 36-43.	3.3	36
59	Early Height and Weight Changes in Children Using Cotrimoxazole Prophylaxis With Antiretroviral Therapy. Clinical Infectious Diseases, 2016, 63, ciw514.	5.8	8
60	Neurocognition and quality of life after reinitiating antiretroviral therapy in children randomized to planned treatment interruption. Aids, 2016, 30, 1075-1081.	2.2	9
61	Final Height and Associated Factors in Perinatally HIV-infected Asian Adolescents. Pediatric Infectious Disease Journal, 2016, 35, 201-204.	2.0	16
62	New-Onset Diabetes and Antiretroviral Treatments in HIV-Infected Adults in Thailand. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 453-459.	2.1	20
63	Randomized noninferiority trial of two maternal single-dose nevirapine-sparing regimens to prevent perinatal HIV in Thailand. Aids, 2015, 29, 2497-2507.	2.2	13
64	Pharmacokinetics of tenofovir during pregnancy and postpartum. HIV Medicine, 2015, 16, 502-511.	2.2	50
65	Efavirenz Concentrations and Probability of HIV Replication in Children. Pediatric Infectious Disease Journal, 2015, 34, 1214-1217.	2.0	7
66	Resistance detected by pyrosequencing following zidovudine monotherapy for prevention of HIV-1 mother-to-child-transmission. Aids, 2015, 29, 1467-1471.	2.2	3
67	Plasma and Intracellular Pharmacokinetics of Tenofovir Disoproxil Fumarate 300 mg Every 48 Hours vs 150 mg Once Daily in HIV-Infected Adults With Moderate Renal Function Impairment. Clinical Infectious Diseases, 2015, 61, 633-639.	5.8	12
68	Treatment Failure in HIV-Infected Children on Second-line Protease Inhibitor–Based Antiretroviral Therapy. Clinical Infectious Diseases, 2015, 61, 95-101.	5.8	23
69	No Relationship Between Drug Transporter Genetic Variants and Tenofovir Plasma Concentrations or Changes in Glomerular Filtration Rate in HIV-Infected Adults. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, e56-e59.	2.1	10
70	Impact of body weight and missed doses on lopinavir concentrations with standard and increased lopinavir/ritonavir doses during late pregnancy. Journal of Antimicrobial Chemotherapy, 2015, 70, 217-224.	3.0	10
71	Modeling of In-Utero and Intra-Partum Transmissions to Evaluate the Efficacy of Interventions for the Prevention of Perinatal HIV. PLoS ONE, 2015, 10, e0126647.	2.5	11
72	Cost-Effectiveness of Early Infant HIV Diagnosis of HIV-Exposed Infants and Immediate Antiretroviral Therapy in HIV-Infected Children under 24 Months in Thailand. PLoS ONE, 2014, 9, e91004.	2.5	15

#	Article	IF	CITATIONS
73	Characterizing HIV Manifestations and Treatment Outcomes of Perinatally Infected Adolescents in Asia. Pediatric Infectious Disease Journal, 2014, 33, 291-294.	2.0	34
74	Weight as Predictors of Clinical Progression and Treatment Failure. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, 71-76.	2.1	8
75	Potential impact of statins on cancer incidence in HIV-infected patients. Aids, 2014, 28, 2475-2476.	2.2	1
76	Estimating the Timing of Mother-to-Child Transmission of the Human Immunodeficiency Virus Type 1 Using a Viral Molecular Evolution Model. PLoS ONE, 2014, 9, e90421.	2.5	9
77	Incidence and predictors of severe anemia in Asian HIV-infected children using first-line antiretroviral therapy. International Journal of Infectious Diseases, 2013, 17, e806-e810.	3.3	16
78	Adherence to Antiretroviral Therapy and Acceptability of Planned Treatment Interruptions in HIV-Infected Children. AIDS and Behavior, 2013, 17, 193-202.	2.7	6
79	Analysis of residual perinatal transmission of hepatitis B virus (HBV) and of genetic variants in human immunodeficiency virus and HBV co-infected women and their offspring. Journal of Clinical Virology, 2013, 58, 415-421.	3.1	16
80	Five-Year Trends in Antiretroviral Usage and Drug Costs in HIV-Infected Children in Thailand. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 95-102.	2.1	9
81	Switching HIV Treatment in Adults Based on CD4 Count Versus Viral Load Monitoring: A Randomized, Non-Inferiority Trial in Thailand. PLoS Medicine, 2013, 10, e1001494.	8.4	35
82	Reduced indinavir exposure during pregnancy. British Journal of Clinical Pharmacology, 2013, 76, 475-483.	2.4	16
83	Prevalence, Risk Factors, and Impact of Isolated Antibody to Hepatitis B Core Antigen and Occult Hepatitis B Virus Infection in HIV-1–Infected Pregnant Women. Clinical Infectious Diseases, 2013, 56, 1704-1712.	5.8	28
84	Outcomes after reinitiating antiretroviral therapy in children randomized to planned treatment interruptions. Aids, 2013, 27, 579-589.	2.2	24
85	The Immunological and Virological Consequences of Planned Treatment Interruptions in Children with HIV Infection. PLoS ONE, 2013, 8, e76582.	2.5	29
86	A Comparison of 3 Regimens to Prevent Nevirapine Resistance Mutations in HIV-Infected Pregnant Women Receiving a Single Intrapartum Dose of Nevirapine. Clinical Infectious Diseases, 2012, 54, 285-293.	5.8	19
87	Infant Outcomes After Maternal Antiretroviral Exposure in Resource-Limited Settings. Pediatrics, 2012, 129, e1525-e1532.	2.1	15
88	Efavirenz Pharmacokinetics During the Third Trimester of Pregnancy and Postpartum. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 245-252.	2.1	68
89	Predictors of 5-Year Mortality in HIV-Infected Adults Starting Highly Active Antiretroviral Therapy in Thailand. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 91-98.	2.1	36
90	Hospitalization trends, costs, and risk factors in HIV-infected children on antiretroviral therapy. Aids, 2012, 26, 1943-1952.	2.2	6

#	Article	IF	CITATIONS
91	High virologic response rate after second-line boosted protease inhibitor-based antiretroviral therapy regimens in children from a resource limited setting. AIDS Research and Therapy, 2012, 9, 20.	1.7	15
92	Laboratory and Clinical Predictors of Disease Progression following Initiation of Combination Therapy in HIV-Infected Adults in Thailand. PLoS ONE, 2012, 7, e43375.	2.5	8
93	Envelope glycoproteins of Human Immunodeficiency Virus type 1 variants issued from mother–infant pairs display a wide spectrum of biological properties. Virology, 2012, 426, 12-21.	2.4	15
94	Long-Term Hepatitis B Virus (HBV) Response to Lamivudine-Containing Highly Active Antiretroviral Therapy in HIV-HBV Co-Infected Patients in Thailand. PLoS ONE, 2012, 7, e42184.	2.5	10
95	A biregional survey and review of firstâ€line treatment failure and secondâ€line paediatric antiretroviral access and use in Asia and southern Africa. Journal of the International AIDS Society, 2011, 14, 7-7.	3.0	23
96	Influence of Body Weight on Achieving Indinavir Concentrations Within Its Therapeutic Window in HIV-Infected Thai Patients Receiving Indinavir Boosted With Ritonavir. Therapeutic Drug Monitoring, 2011, 33, 25-31.	2.0	5
97	The Interrelated Transmission of HIV-1 and Cytomegalovirus During Gestation and Delivery in the Offspring of HIV-Infected Mothers. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 58, 188-192.	2.1	31
98	Survival of HIV-Infected Children: A Cohort Study From the Asia-Pacific Region. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, 365-371.	2.1	30
99	Resistance Patterns Selected by Nevirapine vs. Efavirenz in HIV-Infected Patients Failing First-Line Antiretroviral Treatment: A Bayesian Analysis. PLoS ONE, 2011, 6, e27427.	2.5	15
100	Antiretroviral Therapy Outcomes of HIV-Infected Children in the TREAT Asia Pediatric HIV Observational Database. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 503-509.	2.1	38
101	Pharmacokinetics and virologic response of zidovudine/lopinavir/ritonavir initiated during the third trimester of pregnancy. Aids, 2010, 24, 2193-2200.	2.2	25
102	HIVâ€1 drug resistance mutations in children after failure of firstâ€line nonnucleoside reverse transcriptase inhibitorâ€based antiretroviral therapy. HIV Medicine, 2010, 11, 565-572.	2,2	26
103	Efficacy and Safety of 1â€Month Postpartum Zidovudineâ€Didanosine to Prevent HIVâ€Resistance Mutations after Intrapartum Singleâ€Dose Nevirapine. Clinical Infectious Diseases, 2010, 50, 898-908.	5.8	28
104	Association between Detection of HIVâ€1 DNA Resistance Mutations by a Sensitive Assay at Initiation of Antiretroviral Therapy and Virologic Failure. Clinical Infectious Diseases, 2010, 50, 1397-1404.	5.8	35
105	Longâ€Term Survival of HIVâ€Infected Children Receiving Antiretroviral Therapy in Thailand: A 5â€Year Observational Cohort Study. Clinical Infectious Diseases, 2010, 51, 1449-1457.	5.8	50
106	Detection of HIV-1 Drug Resistance in Women Following Administration of a Single Dose of Nevirapine: Comparison of Plasma RNA to Cellular DNA by Consensus Sequencing and by Oligonucleotide Ligation Assay. Journal of Clinical Microbiology, 2010, 48, 1555-1561.	3.9	19
107	Preventing Mother-to-Child Transmission of HIV — Protecting This Generation and the Next. New England Journal of Medicine, 2010, 363, 1570-1572.	27.0	20
108	Human immunodeficiency virus–hepatitis C virus co-infection in pregnant women and perinatal transmission to infants in Thailand. International Journal of Infectious Diseases, 2010, 14, e602-e607.	3.3	27

#	Article	IF	Citations
109	Hematological Safety of Perinatal Exposure to Zidovudine in Uninfected Infants Born to HIV Type 1-Infected Women in Thailand. AIDS Research and Human Retroviruses, 2010, 26, 1163-1166.	1.1	4
110	Early Postpartum Pharmacokinetics of Lopinavir Initiated Intrapartum in Thai Women. Antimicrobial Agents and Chemotherapy, 2009, 53, 2189-2191.	3.2	6
111	Association of Low CD4 Cell Count and Intrauterine Growth Retardation in Thailand. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 50, 409-413.	2.1	11
112	Influence of CYP2B6 polymorphisms on the persistence of plasma nevirapine concentrations following a single intra-partum dose for the prevention of mother to child transmission in HIV-infected Thai women. Journal of Antimicrobial Chemotherapy, 2009, 64, 1265-1273.	3.0	29
113	Maternal neutralizing antibodies against a CRF01_AE primary isolate are associated with a low rate of intrapartum HIV-1 transmission. Virology, 2009, 387, 388-394.	2.4	26
114	Perinatal zidovudine prophylaxis in HIV type-1-infected pregnant women with thalassaemia carriage in Thailand. Antiviral Therapy, 2009, 14, 117-22.	1.0	0
115	Risk factors for human cytomegalovirus (HCMV) infection in infants born to HIV-1 infected mothers in Thailand. Retrovirology, 2008, 5, O12.	2.0	0
116	Characteristics of HIV Type 1 (HIVâ€1) Glycoprotein 120 <i>env</i> sequences in Motherâ€infant Pairs Infected with HIVâ€1 Subtype CRF01_AE. Journal of Infectious Diseases, 2008, 198, 868-876.	4.0	28
117	Early HIV-1 Diagnosis Using In-House Real-Time PCR Amplification on Dried Blood Spots for Infants in Remote and Resource-Limited Settings. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 465-471.	2.1	35
118	Plasma Drug Concentrations and Virologic Evaluations after Stopping Treatment with Nonnucleoside Reverseâ€Transcriptase Inhibitors in HIV Type 1–Infected Children. Clinical Infectious Diseases, 2008, 46, 1601-1608.	5.8	16
119	Maternal HIV-1 DNA Load and Mother-to-Child Transmission. AIDS Patient Care and STDs, 2007, 21, 638-643.	2.5	24
120	Risk Factors for In Utero or Intrapartum Motherâ€toâ€Child Transmission of Human Immunodeficiency Virus Type 1 in Thailand. Journal of Infectious Diseases, 2007, 196, 1629-1636.	4.0	95
121	Nevirapine prophylaxis for the prevention of perinatal HIV and the impact of resistance mutations on subsequent therapy. Future HIV Therapy, 2007, 1, 23-27.	0.4	O
122	Comparison of the TaqMan and LightCycler systems in evaluation of CYP2B6 516G>T polymorphism. Molecular and Cellular Probes, 2007, 21, 408-411.	2.1	7
123	Haematological Safety of Perinatal Zidovudine in Pregnant HIV-1–Infected Women in Thailand: Secondary Analysis of a Randomized Trial. PLOS Clinical Trials, 2007, 2, e11.	3.5	10
124	A comprehensive programme to strengthen adherence to antiretroviral drug therapy and achieve virological control in HIV infected children in Thailand. Vulnerable Children and Youth Studies, 2006, 1, 180-191.	1.1	6
125	Intensive Pharmacokinetics of Zidovudine 200 mg Twice Daily in HIV-1-Infected Patients Weighing Less Than 60 kg on Highly Active Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 387-389.	2.1	13
126	Revisiting the Role of Neutralizing Antibodies in Motherâ€toâ€Child Transmission of HIVâ€1. Journal of Infectious Diseases, 2006, 193, 1504-1511.	4.0	51

#	Article	IF	CITATIONS
127	Low-doses of indinavir boosted with ritonavir in HIV-infected Thai patients: pharmacokinetics, efficacy and tolerability. Journal of Antimicrobial Chemotherapy, 2005, 55, 1041-1044.	3.0	25
128	Persistence of nevirapine exposure during the postpartum period after intrapartum single-dose nevirapine in addition to zidovudine prophylaxis for the prevention of mother-to-child transmission of HIV-1. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 38, 283-8.	2.1	32
129	Single-Dose Perinatal Nevirapine plus Standard Zidovudine to Prevent Mother-to-Child Transmission of HIV-1 in Thailand. New England Journal of Medicine, 2004, 351, 217-228.	27.0	432
130	Intrapartum Exposure to Nevirapine and Subsequent Maternal Responses to Nevirapine-Based Antiretroviral Therapy. New England Journal of Medicine, 2004, 351, 229-240.	27.0	408
131	Prevention of Mother-to-Child Transmission of HIV in Thailand. , 2004, , 457-469.		1
132	Influence of Mother and Infant Zidovudine Treatment Duration on the Age at Which HIV Infection Can be Detected by Polymerase Chain Reaction in Infants. Antiviral Therapy, 2004, 9, 179-185.	1.0	12
133	A Trial of Shortened Zidovudine Regimens to Prevent Mother-to-Child Transmission of Human Immunodeficiency Virus Type 1. New England Journal of Medicine, 2000, 343, 982-991.	27.0	364
134	Ethics of Placebo-Controlled Trials of Zidovudine to Prevent the Perinatal Transmission of HIV in the Third World. New England Journal of Medicine, 1998, 338, 836-841.	27.0	22
135	The Riluzole Early Access Programme: descriptive analysis of 844 patients in France. Journal of Neurology, 1997, 244, S22-S25.	3.6	16
136	Characteristics Associated with HIV-1 Infection in Pregnant Women in Brazzaville, Congo. Journal of Acquired Immune Deficiency Syndromes (1999), 1992, 5, 279???285.	2.1	6
137	Controlled comparison of the efficacy and safety of four doses of suriclone, diazepam, and placebo in generalized anxiety disorder. Psychopharmacology, 1991, 104, 439-443.	3.1	35
138	Over-reporting of maladjustment by depressed subjects. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 68-74.	3.1	21
139	Polymerase chain reaction for studies of mother to child transmission of HIV1 in Africa. Journal of Medical Virology, 1990, 30, 53-57.	5.0	27
140	Mother-child transmission of HIV-1 and infant survival in Brazzaville, Congo. Aids, 1989, 3, 643-646.	2.2	66