## Michael A Postow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4008252/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combined Nivolumab and Ipilimumab or Monotherapy in Untreated Melanoma. New England Journal of Medicine, 2015, 373, 23-34.	13.9	6,773
2	Nivolumab plus Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2013, 369, 122-133.	13.9	3,776
3	Genetic Basis for Clinical Response to CTLA-4 Blockade in Melanoma. New England Journal of Medicine, 2014, 371, 2189-2199.	13.9	3,753
4	Overall Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2017, 377, 1345-1356.	13.9	3,589
5	Immune-Related Adverse Events Associated with Immune Checkpoint Blockade. New England Journal of Medicine, 2018, 378, 158-168.	13.9	3,047
6	Nivolumab and Ipilimumab versus Ipilimumab in Untreated Melanoma. New England Journal of Medicine, 2015, 372, 2006-2017.	13.9	2,489
7	Immunologic Correlates of the Abscopal Effect in a Patient with Melanoma. New England Journal of Medicine, 2012, 366, 925-931.	13.9	1,836
8	Anti-programmed-death-receptor-1 treatment with pembrolizumab in ipilimumab-refractory advanced melanoma: a randomised dose-comparison cohort of a phase 1 trial. Lancet, The, 2014, 384, 1109-1117.	6.3	1,588
9	T-cell invigoration to tumour burden ratio associated with anti-PD-1 response. Nature, 2017, 545, 60-65.	13.7	1,280
10	OncoKB: A Precision Oncology Knowledge Base. JCO Precision Oncology, 2017, 2017, 1-16.	1.5	1,266
11	Combined Nivolumab and Ipilimumab in Melanoma Metastatic to the Brain. New England Journal of Medicine, 2018, 379, 722-730.	13.9	983
12	Immune-Related Adverse Events, Need for Systemic Immunosuppression, and Effects on Survival and Time to Treatment Failure in Patients With Melanoma Treated With Ipilimumab at Memorial Sloan Kettering Cancer Center. Journal of Clinical Oncology, 2015, 33, 3193-3198.	0.8	892
13	Pneumonitis in Patients Treated With Anti–Programmed Death-1/Programmed Death Ligand 1 Therapy. Journal of Clinical Oncology, 2017, 35, 709-717.	0.8	829
14	Combined nivolumab and ipilimumab versus ipilimumab alone in patients with advanced melanoma: 2-year overall survival outcomes in a multicentre, randomised, controlled, phase 2 trial. Lancet Oncology, The, 2016, 17, 1558-1568.	5.1	827
15	Treatment of the Immune-Related Adverse Effects of Immune Checkpoint Inhibitors. JAMA Oncology, 2016, 2, 1346.	3.4	667
16	Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. Clinical Cancer Research, 2016, 22, 5487-5496.	3.2	480
17	Baseline Peripheral Blood Biomarkers Associated with Clinical Outcome of Advanced Melanoma Patients Treated with Ipilimumab. Clinical Cancer Research, 2016, 22, 2908-2918.	3.2	459
18	Immune Modulation in Cancer with Antibodies. Annual Review of Medicine, 2014, 65, 185-202.	5.0	455

#	Article	IF	CITATIONS
19	MHC proteins confer differential sensitivity to CTLA-4 and PD-1 blockade in untreated metastatic melanoma. Science Translational Medicine, 2018, 10, .	5.8	425
20	Targeting T Cell Co-receptors for Cancer Therapy. Immunity, 2016, 44, 1069-1078.	6.6	418
21	Efficacy and Safety Outcomes in Patients With Advanced Melanoma Who Discontinued Treatment With Nivolumab and Ipilimumab Because of Adverse Events: A Pooled Analysis of Randomized Phase II and III Trials. Journal of Clinical Oncology, 2017, 35, 3807-3814.	0.8	364
22	Managing Immune Checkpoint-Blocking Antibody Side Effects. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , 76-83.	1.8	344
23	Improving the Evidence Base for Treating Older Adults With Cancer: American Society of Clinical Oncology Statement. Journal of Clinical Oncology, 2015, 33, 3826-3833.	0.8	343
24	Stereotactic Radiosurgery for Melanoma BrainÂMetastases in Patients Receiving Ipilimumab: Safety Profile and Efficacy of Combined Treatment. International Journal of Radiation Oncology Biology Physics, 2015, 92, 368-375.	0.4	334
25	LXR/ApoE Activation Restricts Innate Immune Suppression in Cancer. Cell, 2018, 172, 825-840.e18.	13.5	312
26	Autoimmune Bullous Skin Disorders with Immune Checkpoint Inhibitors Targeting PD-1 and PD-L1. Cancer Immunology Research, 2016, 4, 383-389.	1.6	247
27	The efficacy of antiâ€PDâ€1 agents in acral and mucosal melanoma. Cancer, 2016, 122, 3354-3362.	2.0	236
28	Endocrine-related adverse events associated with immune checkpoint blockade and expert insights on their management. Cancer Treatment Reviews, 2017, 58, 70-76.	3.4	228
29	Checkpoint blocking antibodies in cancer immunotherapy. FEBS Letters, 2014, 588, 368-376.	1.3	227
30	The Spectrum of Serious Infections Among Patients Receiving Immune Checkpoint Blockade for the Treatment of Melanoma. Clinical Infectious Diseases, 2016, 63, 1490-1493.	2.9	226
31	Genomic characterization of metastatic patterns from prospective clinical sequencing of 25,000 patients. Cell, 2022, 185, 563-575.e11.	13.5	223
32	Gut microbiota signatures are associated with toxicity to combined CTLA-4 and PD-1 blockade. Nature Medicine, 2021, 27, 1432-1441.	15.2	216
33	Management of Adverse Events Following Treatment With Anti-Programmed Death-1 Agents. Oncologist, 2016, 21, 1230-1240.	1.9	212
34	Pretreatment neutrophil-to-lymphocyte ratio and mutational burden as biomarkers of tumor response to immune checkpoint inhibitors. Nature Communications, 2021, 12, 729.	5.8	212
35	Alternative transcription initiation leads to expression of a novel ALK isoform in cancer. Nature, 2015, 526, 453-457.	13.7	191
36	Peripheral T cell receptor diversity is associated with clinical outcomes following ipilimumab treatment in metastatic melanoma. , 2015, 3, 23.		190

#	Article	IF	CITATIONS
37	Rational design of anti-GITR-based combination immunotherapy. Nature Medicine, 2019, 25, 759-766.	15.2	180
38	CTLA-4 and PD-1 Pathway Blockade: Combinations in the Clinic. Frontiers in Oncology, 2014, 4, 385.	1.3	175
39	Clinical activity of ipilimumab for metastatic uveal melanoma. Cancer, 2013, 119, 3687-3695.	2.0	171
40	First-in-Humans Imaging with <sup>89</sup> Zr-Df-IAB22M2C Anti-CD8 Minibody in Patients with Solid Malignancies: Preliminary Pharmacokinetics, Biodistribution, and Lesion Targeting. Journal of Nuclear Medicine, 2020, 61, 512-519.	2.8	170
41	Treatment Outcomes of Immune-Related Cutaneous Adverse Events. Journal of Clinical Oncology, 2019, 37, 2746-2758.	0.8	160
42	Nivolumab Plus Ipilimumab in Patients With Advanced Melanoma: Updated Survival, Response, and Safety Data in a Phase I Dose-Escalation Study. Journal of Clinical Oncology, 2018, 36, 391-398.	0.8	156
43	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. Lancet Oncology, The, 2019, 20, e378-e389.	5.1	155
44	Prognosis of Mucosal, Uveal, Acral, Nonacral Cutaneous, and Unknown Primary Melanoma From the Time of First Metastasis. Oncologist, 2016, 21, 848-854.	1.9	154
45	Increases in Absolute Lymphocytes and Circulating CD4+ and CD8+ T Cells Are Associated with Positive Clinical Outcome of Melanoma Patients Treated with Ipilimumab. Clinical Cancer Research, 2016, 22, 4848-4858.	3.2	146
46	Anticancer immunotherapy by CTLA-4 blockade: obligatory contribution of IL-2 receptors and negative prognostic impact of soluble CD25. Cell Research, 2015, 25, 208-224.	5.7	143
47	Combinations of Radiation Therapy and Immunotherapy for Melanoma: A Review of Clinical Outcomes. International Journal of Radiation Oncology Biology Physics, 2014, 88, 986-997.	0.4	142
48	Ipilimumab for Patients With Advanced Mucosal Melanoma. Oncologist, 2013, 18, 726-732.	1.9	140
49	The association between tumor mutational burden and prognosis is dependent on treatment context. Nature Genetics, 2021, 53, 11-15.	9.4	139
50	Mucosal Melanoma: Pathogenesis, Clinical Behavior, and Management. Current Oncology Reports, 2012, 14, 441-448.	1.8	138
51	Long-Term Outcomes and Responses to Retreatment in Patients With Melanoma Treated With PD-1 Blockade. Journal of Clinical Oncology, 2020, 38, 1655-1663.	0.8	138
52	On being less tolerant: Enhanced cancer immunosurveillance enabled by targeting checkpoints and agonists of T cell activation. Science Translational Medicine, 2015, 7, 280sr1.	5.8	134
53	Concurrent Radiotherapy and Ipilimumab Immunotherapy for Patients with Melanoma. Cancer Immunology Research, 2013, 1, 92-98.	1.6	133
54	Long-term outcomes of patients with active melanoma brain metastases treated with combination nivolumab plus ipilimumab (CheckMate 204): final results of an open-label, multicentre, phase 2 study. Lancet Oncology, The, 2021, 22, 1692-1704.	5.1	129

#	Article	IF	CITATIONS
55	Measuring Toxic Effects and Time to Treatment Failure for Nivolumab Plus Ipilimumab in Melanoma. JAMA Oncology, 2018, 4, 98.	3.4	125
56	Computational Algorithm-Driven Evaluation of Monocytic Myeloid-Derived Suppressor Cell Frequency for Prediction of Clinical Outcomes. Cancer Immunology Research, 2014, 2, 812-821.	1.6	122
57	Non-conventional Inhibitory CD4+Foxp3â^'PD-1hi T Cells as a Biomarker of Immune Checkpoint Blockade Activity. Cancer Cell, 2018, 33, 1017-1032.e7.	7.7	112
58	Thrombocytopenia in patients with melanoma receiving immune checkpoint inhibitor therapy. , 2017, 5, 8.		111
59	Improved prediction of immune checkpoint blockade efficacy across multiple cancer types. Nature Biotechnology, 2022, 40, 499-506.	9.4	110
60	Marked Response of a Hypermutated ACTH-Secreting Pituitary Carcinoma to Ipilimumab and Nivolumab. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3925-3930.	1.8	106
61	Opportunistic infections in patients treated with immunotherapy for cancer. , 2014, 2, 19.		98
62	Melanoma brain metastases treated with stereotactic radiosurgery and concurrent pembrolizumab display marked regression; efficacy and safety of combined treatment. , 2017, 5, 76.		96
63	Clinical and Morphologic Characteristics of MEK Inhibitor–Associated Retinopathy. Ophthalmology, 2017, 124, 1788-1798.	2.5	95
64	High neutrophilâ€toâ€lymphocyte ratio (NLR) is associated with treatment failure and death in patients who have melanoma treated with PDâ€1 inhibitor monotherapy. Cancer, 2020, 126, 76-85.	2.0	92
65	Peripheral blood clinical laboratory variables associated with outcomes following combination nivolumab and ipilimumab immunotherapy in melanoma. Cancer Medicine, 2018, 7, 690-697.	1.3	90
66	Peripheral CD8 effector-memory type 1 T-cells correlate with outcome in ipilimumab-treated stage IV melanoma patients. European Journal of Cancer, 2017, 73, 61-70.	1.3	88
67	Safety of Inactivated Influenza Vaccine in Cancer Patients Receiving Immune Checkpoint Inhibitors. Clinical Infectious Diseases, 2020, 70, 193-199.	2.9	86
68	Neutrophil to Lymphocyte Ratio is Associated With Outcome During Ipilimumab Treatment. EBioMedicine, 2017, 18, 56-61.	2.7	83
69	Ipilimumab in patients with melanoma and autoimmune disease. , 2014, 2, 35.		82
70	Immune checkpoint modulation: Rational design of combination strategies. , 2015, 150, 23-32.		76
71	Health-related quality of life results from the phase III CheckMate 067 study. European Journal of Cancer, 2017, 82, 80-91.	1.3	76
72	Safety and efficacy of the combination of nivolumab plus ipilimumab in patients with melanoma and asymptomatic or symptomatic brain metastases (CheckMate 204). Neuro-Oncology, 2021, 23, 1961-1973.	0.6	66

#	Article	IF	CITATIONS
73	Localized sinonasal mucosal melanoma: Outcomes and associations with stage, radiotherapy, and positron emission tomography response. Head and Neck, 2016, 38, 1310-1317.	0.9	65
74	Thinking Critically About Classifying Adverse Events: Incidence of Pancreatitis in Patients Treated With Nivolumab + Ipilimumab. Journal of the National Cancer Institute, 2017, 109, djw260.	3.0	56
75	Immune checkpoint inhibitors to treat cutaneous malignancies. Journal of the American Academy of Dermatology, 2020, 83, 1239-1253.	0.6	56
76	Proportions of blood-borne Vδ1+ and Vδ2+ T-cells are associated with overall survival of melanoma patients treated with ipilimumab. European Journal of Cancer, 2016, 64, 116-126.	1.3	54
77	LAG-3 expression on peripheral blood cells identifies patients with poorer outcomes after immune checkpoint blockade. Science Translational Medicine, 2021, 13, .	5.8	54
78	Treatment-Free Survival: A Novel Outcome Measure of the Effects of Immune Checkpoint Inhibition—A Pooled Analysis of Patients With Advanced Melanoma. Journal of Clinical Oncology, 2019, 37, 3350-3358.	0.8	52
79	Inherited gastrointestinal stromal tumor syndromes: mutations, clinical features, and therapeutic implications. Clinical Sarcoma Research, 2012, 2, 16.	2.3	49
80	Early Readout on Overall Survival of Patients With Melanoma Treated With Immunotherapy Using a Novel Imaging Analysis. JAMA Oncology, 2022, 8, 385.	3.4	44
81	Melanoma brain metastasis presentation, treatment, and outcomes in the age of targeted and immunotherapies. Cancer, 2021, 127, 2062-2073.	2.0	40
82	Emerging Tissue and Blood-Based Biomarkers that may Predict Response to Immune Checkpoint Inhibition. Current Oncology Reports, 2016, 18, 21.	1.8	39
83	Clinical features and response to systemic therapy in a historical cohort of advanced or unresectable mucosal melanoma. Melanoma Research, 2017, 27, 57-64.	0.6	39
84	Elevated Blood Neutrophil-to-Lymphocyte Ratio: A Readily Available Biomarker Associated with Death due to Disease in High Risk Nonmetastatic Melanoma. Annals of Surgical Oncology, 2017, 24, 1989-1996.	0.7	39
85	Survival Outcomes After Metastasectomy in Melanoma Patients Categorized by Response to Checkpoint Blockade. Annals of Surgical Oncology, 2020, 27, 1180-1188.	0.7	39
86	Eosinophilic Fasciitis Following Checkpoint Inhibitor Therapy: Four Cases and a Review of Literature. Oncologist, 2020, 25, 140-149.	1.9	38
87	Checkpoint Blockade for the Treatment of Advanced Melanoma. Cancer Treatment and Research, 2016, 167, 231-250.	0.2	36
88	Myocarditis Surveillance in Patients with Advanced Melanoma on Combination Immune Checkpoint Inhibitor Therapy: The Memorial Sloan Kettering Cancer Center Experience. Oncologist, 2019, 24, e196-e197.	1.9	31
89	Lower baseline autoantibody levels are associated with immune-related adverse events from immune checkpoint inhibition. , 2022, 10, e004008.		28
90	The Antitumor Immunity of Ipilimumab: (T-cell) Memories to Last a Lifetime?. Clinical Cancer Research, 2012, 18, 1821-1823.	3.2	27

#	Article	IF	CITATIONS
91	A Prospective, Phase 1 Trial of Nivolumab, Ipilimumab, and Radiotherapy in Patients with Advanced Melanoma. Clinical Cancer Research, 2020, 26, 3193-3201.	3.2	27
92	Success and failure of additional immune modulators in steroid-refractory/resistant pneumonitis related to immune checkpoint blockade. , 2021, 9, e001884.		27
93	Beyond Cancer Vaccines. Cancer Journal (Sudbury, Mass ), 2011, 17, 372-378.	1.0	26
94	Adaptive Dosing of Nivolumab + Ipilimumab Immunotherapy Based Upon Early, Interim Radiographic Assessment in Advanced Melanoma (The ADAPT-IT Study). Journal of Clinical Oncology, 2022, 40, 1059-1067.	0.8	26
95	The need for a network to establish and validate predictive biomarkers in cancer immunotherapy. Journal of Translational Medicine, 2017, 15, 223.	1.8	25
96	Therapeutic Implications of Detecting MAPK-Activating Alterations in Cutaneous and Unknown Primary Melanomas. Clinical Cancer Research, 2021, 27, 2226-2235.	3.2	25
97	Targeting immune checkpoints: releasing the restraints on anti-tumor immunity for patients with melanoma. Cancer Journal (Sudbury, Mass ), 2012, 18, 153-9.	1.0	25
98	Safety of Infusing Ipilimumab Over 30 Minutes. Journal of Clinical Oncology, 2015, 33, 3454-3458.	0.8	24
99	Imaging findings of immune checkpoint inhibitor associated pancreatitis. European Journal of Radiology, 2020, 131, 109250.	1.2	24
100	Intravitreous Cutaneous Metastatic Melanoma in the Era of Checkpoint Inhibition. Ophthalmology, 2020, 127, 240-248.	2.5	22
101	Checkpoint Modulation in Melanoma: An Update on Ipilimumab and Future Directions. Current Oncology Reports, 2013, 15, 500-508.	1.8	20
102	Absolute lymphocyte count as a prognostic biomarker for overall survival in patients with advanced melanoma treated with ipilimumab. Melanoma Research, 2020, 30, 71-75.	0.6	20
103	Liver resection and ablation for metastatic melanoma: A single center experience. Journal of Surgical Oncology, 2015, 111, 962-968.	0.8	19
104	A phase II study to evaluate the need for > two doses of nivolumab + ipilimumab combination (combo) immunotherapy Journal of Clinical Oncology, 2020, 38, 10003-10003.	0.8	19
105	Phase Ib/II Trial of Ribociclib in Combination with Binimetinib in Patients with <i>NRAS</i> -mutant Melanoma. Clinical Cancer Research, 2022, 28, 3002-3010.	3.2	18
106	Peripheral and tumor immune correlates in patients with advanced melanoma treated with nivolumab (anti-PD-1, BMS-936558, ONO-4538) monotherapy or in combination with ipilimumab. Journal of Translational Medicine, 2014, 12, O8.	1.8	17
107	Definite regression of cutaneous melanoma metastases upon addition of topical contact sensitizer diphencyprone to immune checkpoint inhibitor treatment. Experimental Dermatology, 2016, 25, 553-554.	1.4	17
108	Sequential, Multiple Assignment, Randomized Trial Designs in Immuno-oncology Research. Clinical Cancer Research, 2018, 24, 730-736.	3.2	16

#	Article	IF	CITATIONS
109	A phase II, open label, randomized controlled trial of nivolumab plus ipilimumab with stereotactic radiotherapy versus ipilimumab plus nivolumab alone in patients with melanoma brain metastases (ABC-X Trial) Journal of Clinical Oncology, 2019, 37, TPS9600-TPS9600.	0.8	16
110	Ipilimumab alone or in combination with nivolumab in patients with advanced melanoma who have progressed or relapsed on PD-1 blockade: clinical outcomes and translational biomarker analyses. , 2022, 10, e003853.		16
111	Melanoma and nonâ€melanoma skin cancers in hairy cell leukaemia: a Surveillance, Epidemiology and End Results population analysis and the 30â€year experience at Memorial Sloan Kettering Cancer Center. British Journal of Haematology, 2015, 171, 84-90.	1.2	14
112	Patient perspectives on ipilimumab across the melanoma treatment trajectory. Supportive Care in Cancer, 2017, 25, 2155-2167.	1.0	14
113	Treatment-free survival over extended follow-up of patients with advanced melanoma treated with immune checkpoint inhibitors in CheckMate 067. , 2021, 9, e003743.		14
114	Computed tomography-derived assessments of regional muscle volume: Validating their use as predictors of whole body muscle volume in cancer patients. British Journal of Radiology, 2018, 91, 20180451.	1.0	12
115	Evaluation of the Response of Unresectable Primary Cutaneous Melanoma to Immunotherapy Visualized With Reflectance Confocal Microscopy. JAMA Dermatology, 2019, 155, 347.	2.0	12
116	A phase 1 study of NY-ESO-1 vaccine + anti-CTLA4 antibody Ipilimumab (IPI) in patients with unresectable or metastatic melanoma. Oncolmmunology, 2021, 10, 1898105.	2.1	11
117	Facts and Hopes in Prediction, Diagnosis, and Treatment of Immune-Related Adverse Events. Clinical Cancer Research, 2022, 28, 1250-1257.	3.2	11
118	Four-month course of adjuvant dabrafenib in patients with surgically resected stage IIIC melanoma characterized by a BRAFV600E/K mutation. Oncotarget, 2017, 8, 105000-105010.	0.8	10
119	Factors Determining Long-Term Antitumor Responses to Immune Checkpoint Blockade Therapy in Melanoma. Frontiers in Immunology, 2021, 12, 810388.	2.2	9
120	TNFα Blockade in Checkpoint Inhibition: The Good, the Bad, or the Ugly?. Clinical Cancer Research, 2020, 26, 2085-2086.	3.2	8
121	Recommendations for Testing and Treating Outpatient Cancer Patients in the Era of COVID-19. Journal of the National Cancer Institute, 2021, 113, 820-822.	3.0	7
122	Markers for Anti-cytotoxic T-lymphocyte Antigen 4 (CTLA-4) Therapy in Melanoma. Methods in Molecular Biology, 2014, 1102, 83-95.	0.4	7
123	Risks and benefits of reinduction ipilimumab/nivolumab in melanoma patients previously treated with ipilimumab/nivolumab. , 2021, 9, e003395.		7
124	A step forward for patients with NRAS-mutant melanoma. Lancet Oncology, The, 2017, 18, 414-415.	5.1	6
125	The Genetic Evolution of Treatment-Resistant Cutaneous, Acral, and Uveal Melanomas. Clinical Cancer Research, 2021, 27, 1516-1525.	3.2	6
126	Proton Pump Inhibitor Use and Efficacy of Nivolumab and Ipilimumab in Advanced Melanoma. Cancers, 2022, 14, 2300.	1.7	6

#	Article	IF	CITATIONS
127	Current options and future directions in the systemic treatment of metastatic melanoma. Journal of Community and Supportive Oncology, 2014, 12, 20-26.	0.1	5
128	Efficacy of Infliximab Dose Escalation in Patients with Refractory Immunotherapy-Related Colitis: A Case Series. Oncologist, 2022, 27, e350-e352.	1.9	4
129	The brim of uncertainty in adjuvant treatment of melanoma. Lancet Oncology, The, 2018, 19, 436-437.	5.1	3
130	Immune-Directed Molecular Imaging Biomarkers. Seminars in Nuclear Medicine, 2020, 50, 584-603.	2.5	3
131	Dermatologic infections in cancer patients treated with checkpoint inhibitors. Journal of the American Academy of Dermatology, 2021, 85, 1528-1536.	0.6	3
132	Targeting immune checkpoints in melanoma: an update. Melanoma Management, 2015, 2, 339-352.	0.1	2
133	Reduced-dose ipilimumab with standard-dose pembrolizumab: is less more?. Lancet Oncology, The, 2017, 18, 1144-1145.	5.1	2
134	Chemotherapy in the Rwandan Countryside: Universal Issues a World Away. Annals of Internal Medicine, 2012, 156, 60.	2.0	1
135	Reply to M. Horiguchi et al. Journal of Clinical Oncology, 2018, 36, 721-721.	0.8	1
136	The Ice Cream Man. JAMA - Journal of the American Medical Association, 2011, 305, 1518.	3.8	0
137	Reply to A. Indini et al. Journal of Clinical Oncology, 2016, 34, 1018-1019.	0.8	0
138	Primary Mucosal Melanomas of the Head and Neck. , 2016, , 641-656.		0
139	The "Great Debate―at Immunotherapy Bridge 2021, December 1st–2nd, 2021. Journal of Translational Medicine, 2022, 20, 179	1.8	0
140	Melanoma-Specific Clinical Outcomes of Inpatient Immune Checkpoint Blockade Treatment. Oncologist, 0, , .	1.9	0