

Fabio Pitta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4009142/publications.pdf>

Version: 2024-02-01

199
papers

13,316
citations

61984

43
h-index

23533

111
g-index

202
all docs

202
docs citations

202
times ranked

8823
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional tests for adults with asthma: validity, reliability, minimal detectable change, and feasibility. <i>Journal of Asthma</i> , 2022, 59, 169-177.	1.7	19
2	Dyspnoea-12 and Multidimensional Dyspnea Profile: Systematic Review of Use and Properties. <i>Journal of Pain and Symptom Management</i> , 2022, 63, e75-e87.	1.2	15
3	Reference Values for 7 Different Protocols of Simple Functional Tests: A Multicenter Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 20-28.e5.	0.9	10
4	Quadriceps weakness associated with mortality in individuals with chronic obstructive pulmonary disease. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101587.	2.3	0
5	Reduction of Physical Activity Due to the COVID-19 Pandemic in Adults With Asthma. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2022, 42, 66-68.	2.1	1
6	Adults with asthma treated with add-on omalizumab report less limitation in activities of daily living. <i>Jornal Brasileiro De Pneumologia</i> , 2022, 48, e20210321.	0.7	0
7	Minimal important difference of two methods for assessment of quadriceps femoris strength post exercise program in individuals with COPD. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2022, 54, 56-60.	1.6	1
8	Rela�o entre a carga de trabalho e sintomas no teste ergom�trico em pacientes com doen�as pulmonares intersticiais e em indiv�duos saud�veis. <i>Research, Society and Development</i> , 2022, 11, e38011931863.	0.1	0
9	Total volume/week of physical activity: an underused variable of physical activity in daily life in patients with copd and its association with exercise capacity. <i>Pulmonology</i> , 2021, 27, 73-75.	2.1	0
10	Physical activity and inactivity among different body composition phenotypes in individuals with moderate to very severe chronic obstructive pulmonary disease. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 296-302.	2.5	10
11	Maximum Voluntary Ventilation and Its Relationship With Clinical Outcomes in Subjects With COPD. <i>Respiratory Care</i> , 2021, 66, 79-86.	1.6	3
12	Objectively Measured Physical Activity in Patients with COPD: Recommendations from an International Task Force on Physical Activity. <i>Chronic Obstructive Pulmonary Diseases (Miami, Fla)</i> , 2021, 8, 528-550.	0.7	24
13	Frequency and functional translation of low muscle mass in overweight and obese patients with COPD. <i>Respiratory Research</i> , 2021, 22, 93.	3.6	18
14	Handgrip Strength as a Reflection of General Muscle Strength in Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2021, 18, 299-306.	1.6	7
15	Longitudinal changes in total and regional body composition in patients with chronic obstructive pulmonary disease. <i>Respirology</i> , 2021, 26, 851-860.	2.3	8
16	Translation, cross-cultural adaptation, and measurement properties of the Brazilian-Portuguese version of the idiopathic pulmonary fibrosis-specific version of the Saint George's Respiratory Questionnaire (SGRQ-I) for patients with interstitial lung disease. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 794-794.	2.5	2
17	Functional performance tests in interstitial lung disease: Impairment and measurement properties. <i>Respiratory Medicine</i> , 2021, 184, 106413.	2.9	4
18	Instruments to assess function or functionality in adults after a burn injury: A systematic review. <i>Burns</i> , 2021, 47, 999-1011.	1.9	2

#	ARTICLE	IF	CITATIONS
19	Pulmonary rehabilitation after COVID-19. <i>Jornal Brasileiro De Pneumologia</i> , 2021, 47, e20210034-e20210034.	0.7	23
20	Relationship between body composition, exercise capacity and health-related quality of life in idiopathic pulmonary fibrosis. <i>BMJ Open Respiratory Research</i> , 2021, 8, e001039.	3.0	9
21	Energy expenditure per minute in different activities and body positions and its association with the classification as physically active or inactive in daily life in individuals with COPD. <i>Chronic Respiratory Disease</i> , 2021, 18, 147997312110533.	2.4	2
22	Validation of the Brazilian Portuguese version of the University of California San Diego Shortness of Breath Questionnaire in patients with interstitial lung disease. <i>Jornal Brasileiro De Pneumologia</i> , 2021, 47, e20210172.	0.7	2
23	Effects of land- and water-based exercise programmes on postural balance in individuals with COPD: additional results from a randomised clinical trial. <i>Physiotherapy</i> , 2020, 107, 58-65.	0.4	12
24	Are the Effects of High-Intensity Exercise Training Different in Patients with COPD Versus COPD+Asthma Overlap?. <i>Lung</i> , 2020, 198, 135-141.	3.3	11
25	Differences in Respiratory Muscle Responses to Hyperpnea or Loaded Breathing in COPD. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1126-1134.	0.4	22
26	The Gini Coefficient: A New Approach to Assess Physical Activity Inequality in COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020, 17, 623-626.	1.6	2
27	Six-minute walk test in burned subjects: Applicability, reproducibility and performance at hospital discharge. <i>Burns</i> , 2020, 46, 1540-1547.	1.9	4
28	Effectiveness and Safety of Supervised Home-Based Physical Training in Patients With COPD on Long-term Home Oxygen Therapy. <i>Chest</i> , 2020, 158, 965-972.	0.8	9
29	Vitamin D: association with eosinophil counts and IgE levels in children with asthma. <i>Jornal Brasileiro De Pneumologia</i> , 2020, 47, e20200279.	0.7	7
30	Correlação entre a diferença da capacidade vital lenta e forçada com a atividade física na vida diária em pacientes com Doença Pulmonar Obstrutiva Crônica. <i>Fisioterapia E Pesquisa</i> , 2020, 27, 64-70.	0.1	1
31	Which is the best protocol and cut-off point in the 4-metre gait speed test to discriminate exercise capacity in COPD?. <i>Jornal Brasileiro De Pneumologia</i> , 2020, 46, e20190232-e20190232.	0.7	4
32	Tossing and turning: association of sleep quantity and quality with physical activity in COPD. <i>ERJ Open Research</i> , 2020, 6, 00370-2020.	2.6	8
33	Profile and determinants of daily physical activity objectively assessed in university students. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 60, 1493-1501.	0.7	1
34	Are there differences in muscular activation to maintain balance between individuals with chronic obstructive pulmonary disease and controls?. <i>Respiratory Medicine</i> , 2020, 173, 106016.	2.9	5
35	A guide for respiratory physiotherapy postgraduate education: presentation of the harmonised curriculum. <i>European Respiratory Journal</i> , 2019, 53, 1900320.	6.7	5
36	Introduction of the harmonised respiratory physiotherapy curriculum. <i>Breathe</i> , 2019, 15, 110-115.	1.3	21

#	ARTICLE	IF	CITATIONS
37	A breath of fresh air: Validity and reliability of a Portuguese version of the Multidimensional Dyspnea Profile for patients with COPD. PLoS ONE, 2019, 14, e0215544.	2.5	8
38	Functional Status of Patients with COPD Assessed by London Chest Activity of Daily Living Scale: Gender Association and Validity of a Cutoff Point. Lung, 2019, 197, 509-516.	3.3	3
39	Pulmonary rehabilitation, physical activity, respiratory failure and palliative respiratory care. Thorax, 2019, 74, 693-699.	5.6	14
40	Muscle Dysfunction in Smokers and Patients With Mild COPD. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 241-252.	2.1	3
41	Cluster analysis identifying patients with COPD at high risk of 2-year all-cause mortality. Chronic Respiratory Disease, 2019, 16, 147997231880945.	2.4	6
42	Clinical impact of body composition phenotypes in patients with COPD: a retrospective analysis. European Journal of Clinical Nutrition, 2019, 73, 1512-1519.	2.9	23
43	Difference Between Slow and Forced Vital Capacity and Its Relationship with Dynamic Hyperinflation in Patients with Chronic Obstructive Pulmonary Disease. Lung, 2019, 197, 9-13.	3.3	3
44	Cutoff points for the 1-RM test and their association with mortality in COPD. , 2019, , .		0
45	Physiopathological relationship between chronic obstructive pulmonary disease and insulin resistance. Endocrine, 2018, 61, 17-22.	2.3	21
46	Effects of exercise training in water and on land in patients with COPD: a randomised clinical trial. Physiotherapy, 2018, 104, 408-416.	0.4	24
47	The Physical Activity Coach in Pulmonary Rehabilitation. , 2018, , 195-204.		0
48	Patient-Centered Outcomes. , 2018, , 253-272.		0
49	Pulmonary rehabilitation for patients with COPD during and after an exacerbation-related hospitalisation: back to the future?. European Respiratory Journal, 2018, 51, 1701312.	6.7	24
50	4-Meter Gait Speed Test in Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2018, 38, E10-E13.	2.1	9
51	Agreement of different reference equations to classify patients with COPD as having reduced or preserved 6MWD. Pulmonology, 2018, 24, 16-22.	2.1	8
52	Oxygen Desaturation in Daily Life and During a Laboratory-Based Protocol of Activities of Daily Living in COPD: Is There Relationship?. Lung, 2018, 196, 19-26.	3.3	7
53	O tempo de uso do sensor de movimento interfere na escolha do desfecho de atividade f�sica na vida di�ria em pacientes com DPOC?. Fisioterapia E Pesquisa, 2018, 25, 43-48.	0.1	2
54	Sedentary Behaviour and Physical Inactivity in Patients with Chronic Obstructive Pulmonary Disease: Two Sides of the Same Coin?. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 432-438.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Best Protocol for the Sit-to-Stand Test in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 1040-1049.	1.6	36
56	Physical Inactivity, Functional Status and Exercise Capacity in COPD Patients Receiving Home-Based Oxygen Therapy. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018, 15, 271-276.	1.6	16
57	Heart Rate Recovery, Physical Activity Level, and Functional Status in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 1002-1008.	1.6	21
58	Worker acceptability of the Pennington Pedal Desk, an occupational workstation alternative. <i>Work</i> , 2018, 60, 499-506.	1.1	6
59	Increasing Physical Activity in Daily Life in Chronic Obstructive Pulmonary Disease: To Solve the Puzzle, Every Piece Counts. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1088-1089.	5.6	2
60	Is physical activity equally reduced in patients with respiratory disease? – Preliminary results. , 2018, , .		0
61	Predictors of exercise-induced oxygen desaturation in subjects with chronic obstructive pulmonary disease. , 2018, , .		0
62	Heterogeneity of physical activity and its relationship with clinical outcomes in patients with COPD. , 2018, , .		0
63	Nocturnal sleep and daytime physical activity in patients with ILD: Preliminary results. , 2018, , .		0
64	A network analysis of clinical characteristics of patients with COPD: partial results. , 2018, , .		0
65	Classification Decision Tree models to understanding subjects with COPD physical activity profiles: Preliminary results. , 2018, , .		0
66	Relationship between educational sessions in addition to exercise training and improvements in quality of life and physical activity in COPD: Preliminary results. , 2018, , .		0
67	Physical activity and clinical outcomes in patients with interstitial lung disease: how large is the impairment? – Preliminary results. , 2018, , .		0
68	Effects of high-intensity exercise training: what about the asthma-COPD overlap syndrome?. , 2018, , .		1
69	Correlations between two instruments measuring sleep quality in patients with ILD: Preliminary results. , 2018, , .		0
70	Clinical characteristics, physical function, physical activity and their associations with body composition phenotypes in patients with COPD. , 2018, , .		0
71	Validity and Reproducibility of the Glittre ADL-Test in Obese and Post-Bariatric Surgery Patients. <i>Obesity Surgery</i> , 2017, 27, 110-114.	2.1	18
72	Londrina Activities of Daily Living Protocol: Reproducibility, Validity, and Reference Values in Physically Independent Adults Age 50 Years and Older. <i>Respiratory Care</i> , 2017, 62, 298-306.	1.6	10

#	ARTICLE	IF	CITATIONS
73	Activity Levels and Exercise Motivation in Patients With COPD and Their Resident Loved Ones. <i>Chest</i> , 2017, 151, 1028-1038.	0.8	49
74	Oxygen therapy devices and portable ventilators for improved physical activity in daily life in patients with chronic respiratory disease. <i>Expert Review of Medical Devices</i> , 2017, 14, 103-115.	2.8	11
75	Physical Function, Quality of Life, and Energy Expenditure During Activities of Daily Living in Obese, Post-Bariatric Surgery, and Healthy Subjects. <i>Obesity Surgery</i> , 2017, 27, 2138-2144.	2.1	14
76	Analysis of nocturnal actigraphic sleep measures in patients with COPD and their association with daytime physical activity. <i>Thorax</i> , 2017, 72, 694-701.	5.6	46
77	Development, Validity and Reliability of the Londrina Activities of Daily Living Protocol for Subjects With COPD. <i>Respiratory Care</i> , 2017, 62, 288-297.	1.6	13
78	Reliability, construct validity and determinants of 6-minute walk test performance in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2017, 240, 285-290.	1.7	78
79	Multitask protocols to evaluate activities of daily living performance in people with COPD: a systematic review. <i>Expert Review of Respiratory Medicine</i> , 2017, 11, 581-590.	2.5	12
80	Changes in physical activity and sedentary behaviour following pulmonary rehabilitation in patients with COPD. <i>Respiratory Medicine</i> , 2017, 126, 122-129.	2.9	74
81	Peripheral muscle training in patients with chronic obstructive pulmonary disease: novel approaches and recent advances. <i>Expert Review of Respiratory Medicine</i> , 2017, 11, 1-11.	2.5	8
82	Physical Activity of Patients with COPD from Regions with Different Climatic Variations. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017, 14, 276-283.	1.6	30
83	Sedentary Behavior Is an Independent Predictor of Mortality in Subjects With COPD. <i>Respiratory Care</i> , 2017, 62, 579-587.	1.6	91
84	A pulmonary index able to predict peripheral muscle function in COPD. <i>Revista Portuguesa De Pneumologia</i> , 2017, 23, 1-2.	0.7	4
85	Maximal Inspiratory Pressure. <i>Chest</i> , 2017, 152, 32-39.	0.8	48
86	Fat-free mass depletion in patients with COPD in Brazil: development of a new cutoff point and its relation with mortality and extrapulmonary manifestations. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1285-1290.	2.9	5
87	Physical activity patterns and clusters in 1001 patients with COPD. <i>Chronic Respiratory Disease</i> , 2017, 14, 256-269.	2.4	56
88	Can the six-minute walk distance predict the occurrence of acute exacerbations of COPD in patients in Brazil?. <i>Jornal Brasileiro De Pneumologia</i> , 2017, 43, 280-284.	0.7	11
89	Validity of a cutoff point for the London Chest Activity Daily Living scale in patients with COPD. , 2017, , .		1
90	Sedentary behavior and physical inactivity in patients with COPD: two sides of the same coin?. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
91	Effects of smoking history on the benefits of pulmonary rehabilitation in patients with COPD. , 2017, , .		0
92	Maximal Exercise capacity as discriminatory factor to identify subjects with COPD as physical active/inactive: Preliminary results. , 2017, , .		0
93	Cluster analysis identifying patients with COPD at high-risk of 2-year mortality: preliminary results. , 2017, , .		0
94	Which reference equation should be used to classify Brazilian patients with COPD as having poor six-minute walk distance?. , 2017, , .		0
95	The survival effect of physical activity in patients with COPD: every step counts. , 2017, , .		0
96	Measurement properties of the Timed Up & Go test in patients with COPD. Chronic Respiratory Disease, 2016, 13, 344-352.	2.4	75
97	Static and Functional Balance in Individuals With COPD: Comparison With Healthy Controls and Differences According to Sex and Disease Severity. Respiratory Care, 2016, 61, 1488-1496.	1.6	35
98	Is the six-minute walk test a useful tool to prescribe high-intensity exercise in patients with chronic obstructive pulmonary disease?. Heart and Lung: Journal of Acute and Critical Care, 2016, 45, 550-556.	1.6	6
99	What is the impact of impaired left ventricular ejection fraction in COPD after adjusting for confounders?. International Journal of Cardiology, 2016, 225, 365-370.	1.7	17
100	Validation of an integrated pedal desk and electronic behavior tracking platform. BMC Research Notes, 2016, 9, 74.	1.4	3
101	Profile of patients with chronic obstructive pulmonary disease classified as physically active and inactive according to different thresholds of physical activity in daily life. Brazilian Journal of Physical Therapy, 2016, 20, 517-524.	2.5	7
102	LATE-BREAKING ABSTRACT: Physical activity and sedentary behaviour in patients with COPD and their resident loved ones. , 2016, , .		0
103	How much time spent per day in sedentary behavior increases mortality risk in patients with COPD?. , 2016, , .		0
104	Summer-winter variability of physical activity in daily life: comparison between Brazilian and Belgian patients with COPD. , 2016, , .		0
105	Analysis of three different equations for predicting quadriceps femoris muscle strength in patients with COPD. Jornal Brasileiro De Pneumologia, 2015, 41, 305-312.	0.7	17
106	An Official American Thoracic Society/European Respiratory Society Policy Statement: Enhancing Implementation, Use, and Delivery of Pulmonary Rehabilitation. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1373-1386.	5.6	584
107	GOLD B-C-D groups or GOLD II-III-IV grades. Chronic Respiratory Disease, 2015, 12, 102-110.	2.4	13
108	Objectively identified comorbidities in COPD: impact on pulmonary rehabilitation outcomes. European Respiratory Journal, 2015, 46, 545-548.	6.7	39

#	ARTICLE	IF	CITATIONS
109	Pulmonary Rehabilitation and Physical Activity in Patients with Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 924-933.	5.6	198
110	Development of a syllabus for postgraduate respiratory physiotherapy education: the Respiratory Physiotherapy HERMES project. European Respiratory Journal, 2015, 45, 1221-1223.	6.7	9
111	Simple Lower Limb Functional Tests in Patients With Chronic Obstructive Pulmonary Disease: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2221-2230.	0.9	47
112	Smoking status and its relationship with exercise capacity, physical activity in daily life and quality of life in physically independent, elderly individuals. Physiotherapy, 2015, 101, 55-61.	0.4	26
113	Balance status and falls of patients with COPD referred to pulmonary rehabilitation: Preliminary results. , 2015, , .		1
114	Which is the best protocol of the sit-to-stand test in patients with COPD?. , 2015, , .		1
115	Comparison of two maximal exercise tests on treadmill in patients with COPD – Preliminary results. , 2015, , .		0
116	Effects of bariatric surgery on physical activity in daily life in women. , 2015, , .		0
117	Effects of exercise training in water and on land in patients with COPD. , 2015, , .		0
118	Physical and psychological impairments in COPD patients with and without reduced left ventricular ejection fraction. , 2015, , .		0
119	Do patients with COPD who live alone present better functional status than those who do not?. , 2015, , .		0
120	Analysis of different equations to predict quadriceps femoris muscle strength in patients with COPD. , 2015, , .		0
121	Effect of high-intensity physical training on balance of patients with COPD submitted to exercise in water and on land. , 2015, , .		0
122	ATS/ERS criteria for oxygen supplementation and progression of work rate during exercise training sessions in patients with COPD. , 2015, , .		0
123	Agreement and responsiveness of reference equations for the 6-min walk test in Brazilian patients with COPD. , 2015, , .		0
124	Relationship between the work developed in maximal and submaximal exercise capacity tests and the degree of airflow obstruction in individuals with Chronic Obstructive Pulmonary Disease. Fisioterapia E Pesquisa, 2014, 21, 81-86.	0.1	1
125	Fatores associados à melhora da composição corporal em indivíduos com DPOC após 3 meses de treinamento físico. Fisioterapia Em Movimento, 2014, 27, 633-641.	0.1	1
126	An official European Respiratory Society statement on physical activity in COPD. European Respiratory Journal, 2014, 44, 1521-1537.	6.7	398

#	ARTICLE	IF	CITATIONS
127	An official European Respiratory Society/American Thoracic Society technical standard: field walking tests in chronic respiratory disease. <i>European Respiratory Journal</i> , 2014, 44, 1428-1446.	6.7	1,663
128	Comparison of Two Strategies Using Pedometers to Counteract Physical Inactivity in Smokers. <i>Nicotine and Tobacco Research</i> , 2014, 16, 562-568.	2.6	52
129	Relationship Between Sniff Nasal Inspiratory Pressure and BODE Index in Patients with COPD. <i>Lung</i> , 2014, 192, 897-903.	3.3	11
130	Minimal Detectable Change of the London Chest Activity of Daily Living Scale in Patients With COPD. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014, 34, 213-216.	2.1	32
131	An official systematic review of the European Respiratory Society/American Thoracic Society: measurement properties of field walking tests in chronic respiratory disease. <i>European Respiratory Journal</i> , 2014, 44, 1447-1478.	6.7	652
132	Reduction of physical activity in daily life and its determinants in smokers without airflow obstruction. <i>Respirology</i> , 2014, 19, 369-375.	2.3	44
133	Differences in content and organisational aspects of pulmonary rehabilitation programmes. <i>European Respiratory Journal</i> , 2014, 43, 1326-1337.	6.7	231
134	Promoting Regular Physical Activity in Pulmonary Rehabilitation. <i>Clinics in Chest Medicine</i> , 2014, 35, 363-368.	2.1	16
135	A core syllabus for post-graduate training in respiratory physiotherapy. <i>Breathe</i> , 2014, 10, 220-228.	1.3	16
136	Long-term Effects of a Program to Increase Physical Activity in Smokers. <i>Chest</i> , 2014, 146, 1627-1632.	0.8	7
137	Spirometry in Healthy Subjects: Do Technical Details of the Test Procedure Affect the Results?. <i>PLoS ONE</i> , 2014, 9, e107782.	2.5	6
138	An Official American Thoracic Society/European Respiratory Society Statement: Key Concepts and Advances in Pulmonary Rehabilitation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 188, e13-e64.	5.6	2,668
139	Within-Day Test-Retest Reliability of the Timed Up & Go Test in Patients With Advanced Chronic Organ Failure. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2131-2138.	0.9	76
140	Respiratory Muscle Strength During and After Hospitalization for COPD Exacerbation. <i>Respiratory Care</i> , 2013, 58, 2142-2149.	1.6	18
141	Practical recommendations for exercise training in patients with COPD. <i>European Respiratory Review</i> , 2013, 22, 178-186.	7.1	200
142	Pulmonary rehabilitation and COPD: is nonlinear exercise better?. <i>Expert Review of Respiratory Medicine</i> , 2013, 7, 323-325.	2.5	7
143	Patients with chronic obstructive pulmonary disease and their perceptions: How to cope with them?. <i>Chronic Respiratory Disease</i> , 2013, 10, 115-116.	2.4	1
144	Reference equations for the six-minute walk distance based on a Brazilian multicenter study. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 556-563.	2.5	181

#	ARTICLE	IF	CITATIONS
145	Standardised education and training for respiratory physiotherapists. <i>Breathe</i> , 2013, 9, 171-174.	1.3	11
146	Physical activity in daily life in physically independent elderly participating in community-based exercise program. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 57-63.	2.5	16
147	International COPD Coalition Column: pulmonary rehabilitation-reaching out to our international community. <i>Journal of Thoracic Disease</i> , 2013, 5, 343-8.	1.4	5
148	Use of Expiratory Positive Airway Pressure Delivered by a Spring Load Resistor During Exercise: A New Tool to Optimize Exercise Training in Patients With COPD?. <i>Respiratory Care</i> , 2012, 57, 1530-1531.	1.6	2
149	Reproducibility of 6-minute walking test in patients with COPD. N.A. Hernandez, E.F.M. Wouters, K. Meijer, J. Annegarn, F. Pitta and M.A. Spruit. <i>Eur Respir J</i> 2011; 38: 261-267. <i>European Respiratory Journal</i> , 2012, 40, 1583.2-1583.	6.7	0
150	Maximum voluntary ventilation is more strongly associated with energy expenditure during simple activities of daily living than measures of airflow obstruction or respiratory muscle strength in patients with COPD. <i>Chronic Respiratory Disease</i> , 2012, 9, 239-240.	2.4	4
151	Transporte mucociliar e sua rela�o com o n�vel de atividade f�sica na vida di�ria em fumadores saud�veis e n�o fumadores. <i>Revista Portuguesa De Pneumologia</i> , 2012, 18, 233-238.	0.7	6
152	Reference values for the incremental shuttle walking test. <i>Respiratory Medicine</i> , 2012, 106, 243-248.	2.9	123
153	Evaluation of a New Motion Sensor in Patients With Chronic Obstructive Pulmonary Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2319-2325.	0.9	20
154	Profile of physical activity in daily life in physically independent elderly men and women. <i>Revista Brasileira De Educa�o F�sica E Esporte: RBEFE</i> , 2012, 26, 645-655.	0.1	7
155	Obesity and Physical Activity in the Daily Life of Patients with COPD. <i>Lung</i> , 2012, 190, 403-410.	3.3	36
156	Short-Term Effects of Using Pedometers to Increase Daily Physical Activity in Smokers: A Randomized Trial. <i>Respiratory Care</i> , 2012, 57, 1089-1097.	1.6	17
157	Responsiveness of Three Instruments to Assess Self-Reported Functional Status in Patients with COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2011, 8, 334-339.	1.6	13
158	Energy expenditure during daily activities as measured by two motion sensors in patients with COPD. <i>Respiratory Medicine</i> , 2011, 105, 922-929.	2.9	70
159	Improvement of heart rate variability after exercise training and its predictors in COPD. <i>Respiratory Medicine</i> , 2011, 105, 1054-1062.	2.9	48
160	Seasonal Variation Of The Impact Of Pulmonary Rehabilitation On Daily Physical Activity In COPD. , 2011, , .		0
161	Fractal correlation property of heart rate variability in chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2011, 6, 23.	2.3	49
162	Reproducibility of 6-minute walking test in patients with COPD. <i>European Respiratory Journal</i> , 2011, 38, 261-267.	6.7	174

#	ARTICLE	IF	CITATIONS
163	Increase in walk distance is not enough evidence to add a walk to the 6-minute walk test. <i>European Respiratory Journal</i> , 2011, 38, 1240-1241.	6.7	0
164	Effects of 2 Exercise Training Programs on Physical Activity in Daily Life in Patients With COPD. <i>Respiratory Care</i> , 2011, 56, 1799-1807.	1.6	66
165	Does the BODE index reflect the level of physical activity in daily life in patients with COPD?. <i>Brazilian Journal of Physical Therapy</i> , 2011, 15, 131-137.	2.5	17
166	Estimation Of Maximal Work Rate Based On The 6-minute Walking Test And Fat-free Mass In Patients With Chronic Obstructive Pulmonary Disease. , 2010, , .		0
167	Validation of the London Chest Activity of Daily Living scale in patients with heart failure. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 715-718.	1.1	11
168	Allied respiratory professionals. <i>European Respiratory Journal</i> , 2010, 36, 701-703.	6.7	5
169	Resistance Training Prevents Deterioration in Quadriceps Muscle Function During Acute Exacerbations of Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 181, 1072-1077.	5.6	224
170	Step Counting and Energy Expenditure Estimation in Patients With Chronic Obstructive Pulmonary Disease and Healthy Elderly: Accuracy of 2 Motion Sensors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 261-267.	0.9	73
171	Estimation of Maximal Work Rate Based on the 6-Minute Walk Test and Fat-Free Mass in Chronic Obstructive Pulmonary Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1626-1628.	0.9	20
172	O acesso aos Programas de Reabilitação Pulmonar na rede pública de saúde: (replaca dos autores). <i>Brazilian Journal of Physical Therapy</i> , 2010, 14, 359-359.	2.5	0
173	Perfil do nível de atividade física na vida diária de pacientes portadores de DPOC no Brasil. <i>Jornal Brasileiro De Pneumologia</i> , 2009, 35, 949-956.	0.7	109
174	Influence of pursed-lip breathing on heart rate variability and cardiorespiratory parameters in subjects with chronic obstructive pulmonary disease (COPD). <i>Brazilian Journal of Physical Therapy</i> , 2009, 13, 288-293.	2.5	17
175	Versão em português do Chronic Respiratory Questionnaire: estudo da validade e reprodutibilidade. <i>Jornal Brasileiro De Pneumologia</i> , 2009, 35, 737-744.	0.7	25
176	Comparison of daily physical activity between COPD patients from Central Europe and South America. <i>Respiratory Medicine</i> , 2009, 103, 421-426.	2.9	66
177	Physical Activity in Daily Life 1 Year After Lung Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2009, 28, 572-578.	0.6	85
178	Guia prático sobre o tratamento fisioterápico em pacientes com Doença Pulmonar Obstrutiva Crônica (DPOC): unindo evidências científicas e prática clínica. <i>Brazilian Journal of Physical Therapy</i> , 2009, 13, .	2.5	3
179	Heart Rate Variability and Disease Characteristics in Patients with COPD. <i>Lung</i> , 2008, 186, 393-401.	3.3	77
180	Relationship between pulmonary function and physical activity in daily life in patients with COPD. <i>Respiratory Medicine</i> , 2008, 102, 1203-1207.	2.9	100

#	ARTICLE	IF	CITATIONS
181	Validation of the Portuguese version of the London Chest Activity of Daily Living Scale (LCADL) in chronic obstructive pulmonary disease patients. <i>Revista Portuguesa De Pneumologia</i> , 2008, 14, 27-47.	0.7	35
182	Are Patients With COPD More Active After Pulmonary Rehabilitation?. <i>Chest</i> , 2008, 134, 273-280.	0.8	268
183	Validação da versão em português da escala London Chest Activity of Daily Living (LCADL) em doentes com doença pulmonar obstrutiva crônica. <i>Revista Portuguesa De Pneumologia</i> , 2008, 14, 27-47.	0.7	34
184	Validação do Modified Pulmonary Functional Status and Dyspnea Questionnaire e da escala do Medical Research Council para o uso em pacientes com doença pulmonar obstrutiva crônica no Brasil. <i>Jornal Brasileiro De Pneumologia</i> , 2008, 34, 1008-1018.	0.7	190
185	Função pulmonar e força muscular respiratória em pacientes com doença renal crônica submetidos à hemodiálise. <i>Jornal Brasileiro De Pneumologia</i> , 2008, 34, 907-912.	0.7	40
186	Influência do posicionamento de membros superiores sobre os efeitos do treinamento muscular inspiratório de curta duração e alta intensidade em indivíduos jovens saudáveis. <i>Fisioterapia E Pesquisa</i> , 2008, 15, 367-373.	0.1	2
187	[Validation of the Portuguese version of the London Chest Activity of Daily Living Scale (LCADL) in chronic obstructive pulmonary disease patients]. <i>Revista Portuguesa De Pneumologia</i> , 2008, 14, 27-47.	0.7	14
188	Markers of inflammation and disuse in vastus lateralis of chronic obstructive pulmonary disease patients. <i>European Journal of Clinical Investigation</i> , 2007, 37, 897-904.	3.4	103
189	Physical Activity and Hospitalization for Exacerbation of COPD. <i>Chest</i> , 2006, 129, 536-544.	0.8	575
190	Cardiopulmonary stress during exercise training in patients with COPD. <i>European Respiratory Journal</i> , 2006, 27, 1110-1118.	6.7	92
191	Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. <i>European Respiratory Journal</i> , 2006, 27, 1040-1055.	6.7	381
192	Possíveis consequências de não se atingir a mínima atividade física diária recomendada em pacientes com doença pulmonar obstrutiva crônica estável. <i>Jornal Brasileiro De Pneumologia</i> , 2006, 32, 301-308.	0.7	37
193	<![CDATA[Potential consequences for stable chronic obstructive pulmonary disease patients who do not get the recommended minimum daily amount of physical activity]]>. <i>Jornal Brasileiro De Pneumologia</i> , 2006, 32, 301-8.	0.7	33
194	Hypogonadism, Quadriceps Weakness, and Exercise Intolerance in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1105-1111.	5.6	124
195	Characteristics of Physical Activities in Daily Life in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 972-977.	5.6	1,052
196	Activity Monitoring for Assessment of Physical Activities in Daily Life in Patients With Chronic Obstructive Pulmonary Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1979-1985.	0.9	205
197	Effects of Isolated Cycle Ergometer Training on Patients with Moderate-to-Severe Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2004, 71, 477-483.	2.6	12
198	Peripheral Muscle Strength Training in Patients With COPD. <i>Chest</i> , 2004, 125, 1589-1590.	0.8	3

#	ARTICLE	IF	CITATIONS
199	Mechanisms of Improvement in Exercise Capacity Using a Rollator in Patients With COPD. Chest, 2004, 126, 1102-1107.	0.8	127