## Sandra - Pellegrini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/400922/publications.pdf

Version: 2024-02-01

93 papers

10,253 citations

43973 48 h-index 49773 87 g-index

104 all docs

 $\begin{array}{c} 104 \\ \\ \text{docs citations} \end{array}$ 

104 times ranked 11347 citing authors

#	Article	IF	CITATIONS
1	A partial form of inherited human USP18 deficiency underlies infection and inflammation. Journal of Experimental Medicine, 2022, 219, .	4.2	28
2	Integrative genetic and immune cell analysis of plasma proteins in healthy donors identifies novel associations involving primary immune deficiency genes. Genome Medicine, 2022, 14, 28.	3.6	8
3	Rhesus negative males have an enhanced IFN $\hat{I}^3$ -mediated immune response to influenza A virus. Genes and Immunity, 2022, 23, 93-98.	2.2	2
4	A loss-of-function <i>IFNAR1</i> allele in Polynesia underlies severe viral diseases in homozygotes. Journal of Experimental Medicine, 2022, 219, .	4.2	28
5	Early IFN $\hat{I}^2$ secretion determines variable downstream IL-12p70 responses upon TLR4 activation. Cell Reports, 2022, 39, 110989.	2.9	4
6	Immune Profiling Enables Stratification of Patients With Active Tuberculosis Disease or <i>Mycobacteriu m tuberculosis</i> Infection. Clinical Infectious Diseases, 2021, 73, e3398-e3408.	2.9	18
7	Herpes simplex encephalitis in a patient with a distinctive form of inherited IFNAR1 deficiency. Journal of Clinical Investigation, 2021, 131, .	3.9	64
8	Genome-Wide Gene Expression Analysis of Mtb-Infected DC Highlights the Rapamycin-Driven Modulation of Regulatory Cytokines via the mTOR/GSK-3β Axis. Frontiers in Immunology, 2021, 12, 649475.	2.2	4
9	Altered Immune Phenotypes and HLA-DQB1 Gene Variation in Multiple Sclerosis Patients Failing Interferon $\hat{l}^2$ Treatment. Frontiers in Immunology, 2021, 12, 628375.	2.2	0
10	An Old Cytokine Against a New Virus?. Journal of Interferon and Cytokine Research, 2020, 40, 425-428.	0.5	9
11	COPZ1 depletion in thyroid tumor cells triggers type I IFN response and immunogenic cell death. Cancer Letters, 2020, 476, 106-119.	3.2	7
12	Two common disease-associated TYK2 variants impact exon splicing and TYK2 dosage. PLoS ONE, 2020, 15, e0225289.	1.1	25
13	Human Ubiquitin-Specific Peptidase 18 Is Regulated by microRNAs via the 3'Untranslated Region, A Sequence Duplicated in Long Intergenic Non-coding RNA Genes Residing in chr22q11.21. Frontiers in Genetics, 2020, 11, 627007.	1.1	12
14	USP18 and ISG15 coordinately impact on SKP2 and cell cycle progression. Scientific Reports, 2019, 9, 4066.	1.6	30
15	Natural variation in the parameters of innate immune cells is preferentially driven by genetic factors. Nature Immunology, 2018, 19, 302-314.	7.0	205
16	Distinctive roles of age, sex, and genetics in shaping transcriptional variation of human immune responses to microbial challenges. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E488-E497.	3.3	181
17	Tuberculosis and impaired IL-23–dependent IFN-γ immunity in humans homozygous for a common <i>TYK2</i> missense variant. Science Immunology, 2018, 3, .	5.6	148
18	Copy number variations and founder effect underlying complete IL-10RÎ <sup>2</sup> deficiency in Portuguese kindreds. PLoS ONE, 2018, 13, e0205826.	1.1	13

#	Article	IF	Citations
19	Human genetic variants and age are the strongest predictors of humoral immune responses to common pathogens and vaccines. Genome Medicine, 2018, 10, 59.	3.6	113
20	Type I interferon-enhanced IL-10 expression in human CD4 T cells is regulated by STAT3, STAT2, and BATF transcription factors. Journal of Leukocyte Biology, 2017, 101, 1181-1190.	1.5	8
21	STAT2 is an essential adaptor in USP18-mediated suppression of type I interferon signaling. Nature Structural and Molecular Biology, 2017, 24, 279-289.	3 <b>.</b> 6	140
22	ISG15 deficiency and increased viral resistance in humans but not mice. Nature Communications, 2016, 7, 11496.	5.8	156
23	Standardized Whole-Blood Transcriptional Profiling Enables the Deconvolution of Complex Induced Immune Responses. Cell Reports, 2016, 16, 2777-2791.	2.9	84
24	Mycolactone subverts immunity by selectively blocking the Sec61 translocon. Journal of Experimental Medicine, 2016, 213, 2885-2896.	4.2	101
25	Human USP18 deficiency underlies type 1 interferonopathy leading to severe pseudo-TORCH syndrome. Journal of Experimental Medicine, 2016, 213, 1163-1174.	4.2	224
26	The cyclin D1 carboxyl regulatory domain controls the division and differentiation of hematopoietic cells. Biology Direct, 2016, 11, 21.	1.9	7
27	ID: 140. Cytokine, 2015, 76, 92.	1.4	0
28	Assessment of mTOR-Dependent Translational Regulation of Interferon Stimulated Genes. PLoS ONE, 2015, 10, e0133482.	1.1	21
29	IFNA2: The prototypic human alpha interferon. Gene, 2015, 567, 132-137.	1.0	46
30	Receptor dimerization dynamics as a regulatory valve for plasticity of type I interferon signaling. Journal of Cell Biology, 2015, 209, 579-593.	2.3	103
31	The Milieu Intérieur study — An integrative approach for study of human immunological variance. Clinical Immunology, 2015, 157, 277-293.	1.4	71
32	Human intracellular ISG15 prevents interferon- $\hat{l}\pm/\hat{l}^2$ over-amplification and auto-inflammation. Nature, 2015, 517, 89-93.	13.7	432
33	Functional Analysis via Standardized Whole-Blood Stimulation Systems Defines the Boundaries of a Healthy Immune Response to Complex Stimuli. Immunity, 2014, 40, 436-450.	6.6	192
34	Two Rare Disease-Associated Tyk2 Variants Are Catalytically Impaired but Signaling Competent. Journal of Immunology, 2013, 190, 2335-2344.	0.4	63
35	Type <scp>I</scp> interferon potentiates <scp>T</scp> â€cell receptor mediated induction of <scp>IL</scp> â€10â€producing <scp>CD</scp> 4 <sup>+</sup> <scp>T</scp> cells. European Journal of Immunology, 2013, 43, 2730-2740.	1.6	25
36	USP18 establishes the transcriptional and anti-proliferative interferon $\hat{l}\pm/\hat{l}^2$ differential. Biochemical Journal, 2012, 446, 509-516.	1.7	50

#	Article	IF	CITATIONS
37	Hepatitis B virus X protein inhibits extracellular IFN-î±-mediated signal transduction by downregulation of type I IFN receptor. International Journal of Molecular Medicine, 2012, 29, 581-586.	1.8	39
38	Tyk2 and Stat3 Regulate Brown Adipose Tissue Differentiation and Obesity. Cell Metabolism, 2012, 16, 814-824.	7.2	81
39	USP18-Based Negative Feedback Control Is Induced by Type I and Type III Interferons and Specifically Inactivates Interferon $\hat{I}\pm$ Response. PLoS ONE, 2011, 6, e22200.	1.1	225
40	Functional characterization of naturally occurring genetic variants in the human TLR1-2-6 gene family. Human Mutation, 2011, 32, 643-652.	1.1	28
41	Expression of IFN $\hat{I}^3$ R2 mutated in a dileucine internalization motif reinstates IFN $\hat{I}^3$ signaling and apoptosis in human T lymphocytes. Immunology Letters, 2010, 134, 17-25.	1.1	12
42	Biochemical Monitoring of the Early Endocytic Traffic of the Type I Interferon Receptor. Journal of Interferon and Cytokine Research, 2010, 30, 89-98.	0.5	18
43	SS2-3 A cross-talk between the Stat3/SOCS3 and the IRS-1/PI3K/p70S6K pathways regulates antiproliferative activity of IFN $\hat{I}^2$ . Cytokine, 2010, 52, 13.	1.4	0
44	T Cell Receptor Signal Initiation Induced by Low-Grade Stimulation Requires the Cooperation of LAT in Human T Cells. PLoS ONE, 2010, 5, e15114.	1.1	16
45	Receptor Density Is Key to the Alpha2/Beta Interferon Differential Activities. Molecular and Cellular Biology, 2009, 29, 4778-4787.	1.1	91
46	Translational control as the basis of the differential antiproliferative potency of IFN $\hat{l}\pm 2$ and IFN $\hat{l}^2$ . Cytokine, 2009, 48, 120-121.	1.4	0
47	Biochemical monitoring of the early endocytic traffic of the type I interferon receptor. Cytokine, 2009, 48, 129-130.	1.4	0
48	Evolutionary Dynamics of Human Toll-Like Receptors and Their Different Contributions to Host Defense. PLoS Genetics, 2009, 5, e1000562.	1.5	341
49	Ligand-independent pathway that controls stability of interferon alpha receptor. Biochemical and Biophysical Research Communications, 2008, 367, 388-393.	1.0	45
50	Basal Ubiquitin-independent Internalization of Interferon α Receptor Is Prevented by Tyk2-mediated Masking of a Linear Endocytic Motif. Journal of Biological Chemistry, 2008, 283, 18566-18572.	1.6	46
51	Jakmip1 Is Expressed upon T Cell Differentiation and Has an Inhibitory Function in Cytotoxic T Lymphocytes. Journal of Immunology, 2008, 181, 5847-5856.	0.4	15
52	The Stat3-activating Tyk2 V678F Mutant Does Not Up-regulate Signaling through the Type I Interferon Receptor but Confers Ligand Hypersensitivity to a Homodimeric Receptor. Journal of Biological Chemistry, 2008, 283, 18522-18529.	1.6	11
53	NF-κB is required for STAT-4 expression during dendritic cell maturation. Journal of Leukocyte Biology, 2007, 81, 355-363.	1.5	33
54	Comparable potency of IFN $\hat{I}$ ±2 and IFN $\hat{I}$ 2 on immediate JAK/STAT activation but differential down-regulation of IFNAR2. Biochemical Journal, 2007, 407, 141-151.	1.7	66

#	Article	IF	CITATIONS
55	Dendritic-cell maturation alters intracellular signaling networks, enabling differential effects of IFN- $\hat{l}\pm/\hat{l}^2$ on antigen cross-presentation. Blood, 2007, 109, 1113-1122.	0.6	55
56	Genome-wide expression profiling of lymphoblastoid cell lines distinguishes different forms of autism and reveals shared pathways $\hat{a} \in \mathbb{R}$ . Human Molecular Genetics, 2007, 16, 1682-1698.	1.4	290
57	TYK2 activity promotes ligand-induced IFNAR1 proteolysis. Biochemical Journal, 2006, 397, 31-38.	1.7	78
58	Differential responsiveness to IFN-Â and IFN-Â of human mature DC through modulation of IFNAR expression. Journal of Leukocyte Biology, 2006, 79, 1286-1294.	1.5	67
59	A Dual Role of IFN-α in the Balance between Proliferation and Death of Human CD4+ T Lymphocytes during Primary Response. Journal of Immunology, 2004, 173, 3740-3747.	0.4	51
60	Jamip1 (Marlin-1) Defines a Family of Proteins Interacting with Janus Kinases and Microtubules. Journal of Biological Chemistry, 2004, 279, 43168-43177.	1.6	39
61	The tyrosine kinase Tyk2 controls IFNAR1 cell surface expression. EMBO Journal, 2003, 22, 537-547.	3 <b>.</b> 5	183
62	A natural mutation in the Tyk2 pseudokinase domain underlies altered susceptibility of B10.Q/J mice to infection and autoimmunity. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11594-11599.	3.3	120
63	Down-Modulation of Responses to Type I IFN Upon T Cell Activation. Journal of Immunology, 2003, 170, 749-756.	0.4	67
64	Selective Expression of Type I IFN Genes in Human Dendritic Cells Infected with <i>Mycobacterium tuberculosis </i> . Journal of Immunology, 2002, 169, 366-374.	0.4	122
65	The Receptor Interaction Region of Tyk2 Contains a Motif Required for Its Nuclear Localization. Journal of Biological Chemistry, 2001, 276, 30812-30818.	1.6	31
66	Down-modulation of Type 1 Interferon Responses by Receptor Cross-competition for a Shared Jak Kinase. Journal of Biological Chemistry, 2001, 276, 47004-47012.	1.6	35
67	A dual role for the kinase-like domain of the tyrosine kinase Tyk2 in interferon-alpha signaling. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 8991-8996.	3.3	82
68	Downregulation of Interleukin-12 (IL-12) Responsiveness in Human T Cells by Transforming Growth Factor-Î <sup>2</sup> : Relationship With IL-12 Signaling. Blood, 1999, 93, 1448-1455.	0.6	56
69	Induction of $\hat{l}^2$ -R1/I-TAC by Interferon- $\hat{l}^2$ Requires Catalytically Active TYK2. Journal of Biological Chemistry, 1999, 274, 1891-1897.	1.6	29
70	The human papilloma virus (HPV)-18 E6 oncoprotein physically associates with Tyk2 and impairs Jak-STAT activation by interferon-î±. Oncogene, 1999, 18, 5727-5737.	2.6	255
71	The Janus kinase family of protein tyrosine kinases and their role in signaling. Cellular and Molecular Life Sciences, 1999, 55, 1523-1534.	2.4	111
72	Downregulation of Interleukin-12 (IL-12) Responsiveness in Human T Cells by Transforming Growth Factor-Î <sup>2</sup> : Relationship With IL-12 Signaling. Blood, 1999, 93, 1448-1455.	0.6	7

#	Article	IF	Citations
73	Récepteurs aux cytokines et signalisation transmembranaire : le modÃ'le des interférons Î $\pm$ /β. Revue Francaise D'allergologie Et D'immunologie Clinique, 1998, 38, 886-888.	0.1	O
74	Interferon α Inhibits a Src-mediated Pathway Necessary for Shigella-induced Cytoskeletal Rearrangements in Epithelial Cells. Journal of Cell Biology, 1998, 143, 1003-1012.	2.3	52
75	Specific Contribution of Tyk2 JH Regions to the Binding and the Expression of the Interferon $\hat{l}\pm/\hat{l}^2$ Receptor Component IFNAR1. Journal of Biological Chemistry, 1998, 273, 24723-24729.	1.6	87
76	Differences in Activity between $\hat{l}\pm$ and $\hat{l}^2$ Type I Interferons Explored by Mutational Analysis. Journal of Biological Chemistry, 1998, 273, 8003-8008.	1.6	64
77	Janus Kinase-dependent Activation of Insulin Receptor Substrate 1 in Response to Interleukin-4, Oncostatin M, and the Interferons. Journal of Biological Chemistry, 1997, 272, 24183-24190.	1.6	110
78	The amino-terminal region of Tyk2 sustains the level of interferon $\hat{A}$ receptor 1, a component of the interferon $\hat{A}/\hat{A}$ receptor. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 11839-11844.	3.3	113
79	Identification of Signalling Components in Tyrosine Kinase Cascades Using Phosphopeptide Affinity Chromatography. Biochemical and Biophysical Research Communications, 1997, 234, 748-753.	1.0	5
80	The Structure, Regulation and Function of the Janus Kinases (JAKs) and the Signal Transducers and Activators of Transcription (STATs). FEBS Journal, 1997, 248, 615-633.	0.2	244
81	Post-translational up-regulation of the cell surface-associated $\hat{I}\pm$ component of the human type I interferon receptor during differentiation of peripheral blood monocytes: role in the biological response to type I interferon. European Journal of Immunology, 1997, 27, 1075-1081.	1.6	17
82	IL4 and IL13 receptors share the $\hat{I}^3$ c chain and activate STAT6, STAT3 and STAT5 proteins in normal human B cells. FEBS Letters, 1996, 393, 53-56.	1.3	94
83	Interferon-α-dependent Activation of Tyk2 Requires Phosphorylation of Positive Regulatory Tyrosines by Another Kinase. Journal of Biological Chemistry, 1996, 271, 20494-20500.	1.6	162
84	Distinct Domains of the Protein Tyrosine Kinase tyk2 Required for Binding of Interferon- $\hat{l}\pm\hat{l}^2$ and for Signal Transduction. Journal of Biological Chemistry, 1995, 270, 3327-3334.	1.6	140
85	Association and activation of Jak-Tyk kinases by CNTF-LIF-OSM-IL-6 beta receptor components. Science, 1994, 263, 92-95.	6.0	967
86	Association of transcription factor APRF and protein kinase Jak1 with the interleukin-6 signal transducer gp130. Science, 1994, 263, 89-92.	6.0	787
87	Activation of the protein tyrosine kinase tyk2 by interferon alpha/beta. FEBS Journal, 1994, 223, 427-435.	0.2	59
88	The protein tyrosine kinase JAK1 complements defects in interferon- $\hat{l}\pm/\hat{l}^2$ and $-\hat{l}^3$ signal transduction. Nature, 1993, 366, 129-135.	13.7	785
89	Early events in signalling by interferons. Trends in Biochemical Sciences, 1993, 18, 338-342.	3.7	189
90	A protein tyrosine kinase in the interferon $\hat{l}\pm\hat{l}^2$ signaling pathway. Cell, 1992, 70, 313-322.	13.5	903

#	Article	IF	CITATIONS
91	Rat fibroblasts expressing high levels of human c-myc transcripts are anchorage-independent and tumorigenic. Journal of Cellular Physiology, 1986, 126, 107-114.	2.0	12
92	Carcinogen induced asynchronous replication of polyoma DNA is mediated by a trans-acting factor. Carcinogenesis, 1986, 7, 1011-1017.	1.3	35
93	Amplification and excision of integrated polyoma DNA sequences require a functional origin of replication. Cell, 1984, 36, 943-949.	13.5	59