

Dae Hun Suh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4010156/publications.pdf>

Version: 2024-02-01

38
papers

1,101
citations

361413
20
h-index

414414
32
g-index

38
all docs

38
docs citations

38
times ranked

1285
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical efficacy of herbal extracts in treatment of mild to moderate acne vulgaris: an 8-week, double-blinded, randomized, controlled trial. <i>Journal of Dermatological Treatment</i> , 2021, 32, 297-301.	2.2	13
2	A case of cutaneous epithelioid angiosarcoma with multiple metastases. <i>International Journal of Dermatology</i> , 2021, , .	1.0	1
3	Pilot study of fractional microneedling radiofrequency for hidradenitis suppurativa assessed by clinical response and histology. <i>Clinical and Experimental Dermatology</i> , 2021, , .	1.3	3
4	Granulomatous Rosacea in Korean Patients: Diagnosis Based on Combining Clinical and Histological Findings. <i>Dermatology</i> , 2021, 237, 907-911.	2.1	2
5	Gangrenous herpetic whitlow initially misdiagnosed as cellulitis. <i>Australasian Journal of Dermatology</i> , 2020, 61, 274-274.	0.7	0
6	Analysis of acne-related judicial precedents from 1997 to 2018 in South Korea. <i>Journal of Dermatology</i> , 2019, 46, 1210-1214.	1.2	1
7	Atrophic acne scar: a process from altered metabolism of elastic fibres and collagen fibres based on transforming growth factor- β 1 signalling. <i>British Journal of Dermatology</i> , 2019, 181, 1226-1237.	1.5	41
8	Epidemiological and clinical features of rosacea in Korea: A multicenter cross-sectional study. <i>Journal of Dermatology</i> , 2018, 45, 546-553.	1.2	14
9	Combination of platelet rich plasma in fractional carbon dioxide laser treatment increased clinical efficacy of for acne scar by enhancement of collagen production and modulation of laser-induced inflammation. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 302-310.	2.1	53
10	Demographic and clinical features of hidradenitis suppurativa in Korea. <i>Journal of Dermatology</i> , 2018, 45, 1389-1395.	1.2	35
11	Expression of inflammatory and fibrogenetic markers in acne hypertrophic scar formation: focusing on role of TGF- β 2 and IGF-1R. <i>Archives of Dermatological Research</i> , 2018, 310, 665-673.	1.9	24
12	A pilot study for triple combination therapy with a low-fluence 1064-nm Q-switched Nd:YAG laser, hydroquinone cream and oral tranexamic acid for recalcitrant Riehl's Melanosis. <i>Journal of Dermatological Treatment</i> , 2017, 28, 155-159.	2.2	31
13	Seeking new acne treatment from natural products, devices and synthetic drug discovery. <i>Dermato-Endocrinology</i> , 2017, 9, e1356520.	1.8	7
14	Analysis of Korean acne patients according to age groups based on two multicenter studies. <i>Journal of Dermatology</i> , 2017, 44, 186-188.	1.2	0
15	Comparison between Er:YAG laser and bipolar radiofrequency combined with infrared diode laser for the treatment of acne scars: Differential expression of fibrogenetic biomolecules may be associated with differences in efficacy between ablative and non-ablative laser treatment. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 341-347.	2.1	27
16	Recent progress in the research about <i>Propionibacterium acnes</i> strain diversity and acne: pathogen or bystander?. <i>International Journal of Dermatology</i> , 2016, 55, 1196-1204.	1.0	20
17	Clinical manifestation and associated factors of seborrheic dermatitis in Korea. <i>European Journal of Dermatology</i> , 2016, 26, 173-176.	0.6	10
18	Linear extensions of hypopigmentation as a side effect of topical corticosteroid application. <i>International Journal of Dermatology</i> , 2016, 55, e315-7.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Cross-sectional survey of awareness and behavioral pattern regarding acne and acne scar based on smartphone application. International Journal of Dermatology, 2016, 55, 645-652.	1.0	7
20	Do tutorials on application method enhance adapalene-benzoyl peroxide combination gel tolerability in the treatment of acne?. Journal of Dermatology, 2015, 42, 1058-1065.	1.2	11
21	Cutaneous manifestations of the subtypes of polycystic ovary syndrome in Korean patients. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 42-47.	2.4	18
22	What's new in the physiopathology of acne?. British Journal of Dermatology, 2015, 172, 13-19.	1.5	103
23	Activity-Guided Purification Identifies Lupeol, a Pentacyclic Triterpene, As a Therapeutic Agent Multiple Pathogenic Factors of Acne. Journal of Investigative Dermatology, 2015, 135, 1491-1500.	0.7	26
24	Comparison of fractional microneedling radiofrequency and bipolar radiofrequency on acne and acne scar and investigation of mechanism: comparative randomized controlled clinical trial. Archives of Dermatological Research, 2015, 307, 897-904.	1.9	57
25	Clinical effect of bovine amniotic membrane and hydrocolloid on wound by laser treatment: Prospective comparative randomized clinical trial. Wound Repair and Regeneration, 2014, 22, 212-219.	3.0	7
26	Double-blind, randomized non-inferiority trial of a novel botulinum toxin A processed from the strain CBFC26, compared with onabotulinumtoxin A in the treatment of glabellar lines. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 1761-1767.	2.4	16
27	Development and evaluation of an automatic acne lesion detection program using digital image processing. Skin Research and Technology, 2013, 19, e423-32.	1.6	31
28	The clinical and histological effect of home-use, combination blue-red LED phototherapy for mild-to-moderate acne vulgaris in Korean patients: a double-blind, randomized controlled trial. British Journal of Dermatology, 2013, 168, 1088-1094.	1.5	84
29	Epigallocatechin-3-Gallate Improves Acne in Humans by Modulating Intracellular Molecular Targets and Inhibiting P. acnes. Journal of Investigative Dermatology, 2013, 133, 429-440.	0.7	116
30	Analysis of distribution patterns of <i>Propionibacterium acnes</i> phylotypes and <i>Peptostreptococcus</i> species from acne lesions. British Journal of Dermatology, 2013, 169, 1152-1155.	1.5	28
31	The Jefferson Scale of Physician Empathy: A preliminary psychometric study and group comparisons in Korean physicians. Medical Teacher, 2012, 34, e464-e468.	1.8	54
32	A multicenter epidemiological study of acne vulgaris in Korea. International Journal of Dermatology, 2011, 50, 673-681.	1.0	47
33	Intense pulsed light vs. pulsed-dye laser in the treatment of facial acne: a randomized split-face trial. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 773-780.	2.4	60
34	A study of the efficacy of cleansers for acne vulgaris. Journal of Dermatological Treatment, 2010, 21, 201-205.	2.2	23
35	Treatment-Seeking Behaviors and Related Epidemiological Features in Korean Acne Patients. Journal of Korean Medical Science, 2008, 23, 969.	2.5	21
36	Changes of comedonal cytokines and sebum secretion after UV irradiation in acne patients. European Journal of Dermatology, 2002, 12, 139-44.	0.6	36

#	ARTICLE	IF	CITATIONS
37	Comparison of calcipotriol-PUVA with conventional PUVA in the treatment of psoriasis. Journal of Dermatological Treatment, 2000, 11, 125-130.	2.2	8
38	Coexistence of Disseminated Superficial Porokeratosis in Childhood with Congenital Linear Porokeratosis. Pediatric Dermatology, 2000, 17, 466-468.	0.9	57