

Xiao-Ming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/401141/publications.pdf>

Version: 2024-02-01

95
papers

3,153
citations

136740

32
h-index

197535

49
g-index

98
all docs

98
docs citations

98
times ranked

2035
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental and Computational Analysis of the Solution and Solid-State Conformations of Hexadepsipeptides from <i>Beauveria felina</i> . Chinese Journal of Chemistry, 2022, 40, 378-384.	2.6	5
2	Sesquiterpene and Sorbicillinoid Glycosides from the Endophytic Fungus <i>Trichoderma longibrachiatum</i> EN-586 Derived from the Marine Red Alga <i>Laurencia obtusa</i> . Marine Drugs, 2022, 20, 177.	2.2	9
3	Chevalinulins A and B, Proangiogenic Alkaloids with a Spiro[bicyclo[2.2.2]octane-diketopiperazine] Skeleton from Deep-Sea Cold-Seep-Derived Fungus <i>Aspergillus chevalieri</i> CS-122. Organic Letters, 2022, 24, 2684-2688.	2.4	34
4	Six New Antimicrobial Metabolites from the Deep-Sea Sediment-Derived Fungus <i>Aspergillus fumigatus</i> SD-406. Marine Drugs, 2022, 20, 4.	2.2	12
5	Tanzawaic Acid Derivatives: Fungal Polyketides from the Deep-Sea Coral-Derived Endozoic <i>Penicillium steckii</i> AS-324. Journal of Natural Products, 2022, 85, 1398-1406.	1.5	17
6	Uncommon Polyketides from <i>Penicillium steckii</i> AS-324, a Marine Endozoic Fungus Isolated from Deep-Sea Coral in the Magellan Seamount. International Journal of Molecular Sciences, 2022, 23, 6332.	1.8	8
7	Antimicrobial bisabolane-type sesquiterpenoids from the deep-sea sediment-derived fungus <i>Aspergillus versicolor</i> SD-330. Natural Product Research, 2021, 35, 4265-4271.	1.0	21
8	A new steroid with 7 β ,8 β -epoxidation from the deep sea-derived fungus <i>Aspergillus penicillioides</i> SD-311. Journal of Asian Natural Products Research, 2021, 23, 884-891.	0.7	10
9	Ustusaustin A: a new neuraminidase inhibitory meroterpene from the ascidian-derived endophytic fungus <i>Aspergillus ustus</i> TK-5. Natural Product Research, 2021, 35, 4939-4944.	1.0	5
10	Separation and configurational assignment of stereoisomeric phenalenones from the marine mangrove-derived fungus <i>Penicillium herquei</i> MA-370. Bioorganic Chemistry, 2021, 106, 104477.	2.0	14
11	Isolation and Characterization of Antibacterial Carotane Sesquiterpenes from <i>Artemisia argyi</i> Associated Endophytic <i>Trichoderma virens</i> QA-8. Antibiotics, 2021, 10, 213.	1.5	12
12	Structurally diverse alkaloids produced by <i>Aspergillus creber</i> EN-602, an endophytic fungus obtained from the marine red alga <i>Rhodomela confervoides</i> . Bioorganic Chemistry, 2021, 110, 104822.	2.0	9
13	Uncommon N-Methoxyindolediketopiperazines from <i>Acrostalagmus luteoalbus</i> , a Marine Algal Isolate of Endophytic Fungus. Chinese Journal of Chemistry, 2021, 39, 2808-2814.	2.6	14
14	Two New Phenol Derivatives from the Cold Seep-Derived Fungus <i>Aspergillus insuetus</i> SD-512. Chemistry and Biodiversity, 2021, 18, e2100512.	1.0	19
15	Cytochalasin Derivatives from the Endozoic <i>Curvularia verruculosa</i> CS-129, a Fungus Isolated from the Deep-Sea Squat Lobster <i>Shinkaia crosnieri</i> Living in the Cold Seep Environment. Journal of Natural Products, 2021, 84, 3122-3130.	1.5	26
16	Induced terreins production from marine red algal-derived endophytic fungus <i>Aspergillus terreus</i> EN-539 co-cultured with symbiotic fungus <i>Paecilomyces lilacinus</i> EN-531. Journal of Antibiotics, 2020, 73, 108-111.	1.0	27
17	Stereochemical Elucidation of Natural Products from Residual Chemical Shift Anisotropies in a Liquid Crystalline Phase. Journal of the American Chemical Society, 2020, 142, 2301-2309.	6.6	41
18	Highly oxygenated polyketides produced by <i>Trichoderma koningiopsis</i> QA-3, an endophytic fungus obtained from the fresh roots of the medicinal plant <i>Artemisia argyi</i> . Bioorganic Chemistry, 2020, 94, 103448.	2.0	23

#	ARTICLE	IF	CITATIONS
19	New Antibacterial Thiodiketopiperazines from the Deep Sea Sediment-Derived Fungus <i>Epicoccum nigrum</i> SD-388. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000320.	1.0	5
20	Polyketides and Terpenoids with Potent Antibacterial Activities from the <i>Artemisia argyi</i> -Derived Fungus <i>Trichoderma koningiopsis</i> QA-3. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000566.	1.0	10
21	Talascortenes A-G, Highly Oxygenated Diterpenoid Acids from the Sea-Anemone-Derived Endozoic Fungus <i>Talaromyces scorteus</i> AS-242. <i>Journal of Natural Products</i> , 2020, 83, 2528-2536.	1.5	27
22	Secondary Metabolites with Agricultural Antagonistic Potentials from <i>Beauveria felina</i> , a Marine-Derived Entomopathogenic Fungus. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 14824-14831.	2.4	16
23	Ophiobolin Sesterterpenoids and Farnesylated Phthalide Derivatives from the Deep Sea Cold-Seep-Derived Fungus <i>Aspergillus insuetus</i> SD-512. <i>Journal of Natural Products</i> , 2020, 83, 3652-3660.	1.5	43
24	Antibacterial Alkaloids and Polyketide Derivatives from the Deep Sea-Derived Fungus <i>Penicillium cyclopium</i> SD-413. <i>Marine Drugs</i> , 2020, 18, 553.	2.2	18
25	Cladocladasin A, an unusual macrolide with bicyclo 5/9 ring system, and two thiomacrolides from the marine mangrove-derived endophytic fungus, <i>Cladosporium cladosporioides</i> MA-299. <i>Bioorganic Chemistry</i> , 2020, 101, 103950.	2.0	20
26	Cytotoxic Thiodiketopiperazine Derivatives from the Deep Sea-Derived Fungus <i>Epicoccum nigrum</i> SD-388. <i>Marine Drugs</i> , 2020, 18, 160.	2.2	24
27	Chermebilaenes A and B, New Bioactive Meroterpenoids from Co-Cultures of Marine-Derived Isolates of <i>Penicillium bilaiae</i> MA-267 and <i>Penicillium chermesinum</i> EN-480. <i>Marine Drugs</i> , 2020, 18, 339.	2.2	21
28	Three New Sesquiterpenoids from the Algal-Derived Fungus <i>Penicillium chermesinum</i> EN-480. <i>Marine Drugs</i> , 2020, 18, 194.	2.2	21
29	Trichocadinins B-G: Antimicrobial Cadinane Sesquiterpenes from <i>Trichoderma virens</i> QA-8, an Endophytic Fungus Obtained from the Medicinal Plant <i>Artemisia argyi</i> . <i>Journal of Natural Products</i> , 2019, 82, 2470-2476.	1.5	36
30	Prenylated Phenol and Benzofuran Derivatives from <i>Aspergillus terreus</i> EN-539, an Endophytic Fungus Derived from Marine Red Alga <i>Laurencia okamurai</i> . <i>Marine Drugs</i> , 2019, 17, 605.	2.2	16
31	Antimicrobial Sesquiterpenoid Derivatives and Monoterpenoids from the Deep-Sea Sediment-Derived Fungus <i>Aspergillus versicolor</i> SD-330. <i>Marine Drugs</i> , 2019, 17, 563.	2.2	26
32	Isolation and characterization of three pairs of indolediketopiperazine enantiomers containing infrequent N-methoxy substitution from the marine algal-derived endophytic fungus <i>Acrostalagmus luteoalbus</i> TK-43. <i>Bioorganic Chemistry</i> , 2019, 90, 103030.	2.0	28
33	Synthesis, photophysical and solvatochromic properties of diacetoxyboron complexes with curcumin derivatives. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 220, 117126.	2.0	10
34	Polyketides from the Mangrove-Derived Endophytic Fungus <i>Cladosporium cladosporioides</i> . <i>Marine Drugs</i> , 2019, 17, 296.	2.2	23
35	Thiocladospolides A-D, 12-Membered Macrolides from the Mangrove-Derived Endophytic Fungus <i>Cladosporium cladosporioides</i> MA-299 and Structure Revision of Pandangolide 3. <i>Journal of Natural Products</i> , 2019, 82, 1535-1541.	1.5	36
36	Structural Revision of Wentiquinone C and Related Congeners from Anthraquinones to Xanthones Using Chemical Derivatization and NMR Analysis. <i>Marine Drugs</i> , 2019, 17, 8.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Simplerpenoid A, a Meroterpenoid with a Highly Functionalized Cyclohexadiene Moiety Featuring <i>gem</i> -Propane-1,2-dione and Methylformate Groups, from the Mangrove-Derived <i>Penicillium simplicissimum</i> MA-332. <i>Organic Letters</i> , 2018, 20, 1465-1468.	2.4	42
38	Isolation, Synthesis, and Radical-Scavenging Activity of Rhodomelin A, a Ureidobromophenol from the Marine Red Alga <i>Rhodomela confervoides</i> . <i>Organic Letters</i> , 2018, 20, 417-420.	2.4	22
39	Antibacterial anthraquinone derivatives isolated from a mangrove-derived endophytic fungus <i>Aspergillus nidulans</i> by ethanol stress strategy. <i>Journal of Antibiotics</i> , 2018, 71, 778-784.	1.0	28
40	20-Nor-Isopimarane Epimers Produced by <i>Aspergillus wentii</i> SD-310, a Fungal Strain Obtained from Deep Sea Sediment. <i>Marine Drugs</i> , 2018, 16, 440.	2.2	22
41	Wentinoids A–F, six new isopimarane diterpenoids from <i>Aspergillus wentii</i> SD-310, a deep-sea sediment derived fungus. <i>RSC Advances</i> , 2017, 7, 4387-4394.	1.7	16
42	Antioxidant Hydroanthraquinones from the Marine Algal-Derived Endophytic Fungus <i>Talaromyces islandicus</i> EN-501. <i>Journal of Natural Products</i> , 2017, 80, 162-168.	1.5	59
43	Characterization of Cladosporols from the Marine Algal-Derived Endophytic Fungus <i>Cladosporium cladosporioides</i> EN-399 and Configurational Revision of the Previously Reported Cladosporol Derivatives. <i>Journal of Organic Chemistry</i> , 2017, 82, 9946-9954.	1.7	56
44	Antimicrobial alkaloids produced by the mangrove endophyte <i>Penicillium brocae</i> MA-231 using the OSMAC approach. <i>RSC Advances</i> , 2017, 7, 55026-55033.	1.7	39
45	Antimicrobial polyketides from <i>Trichoderma koningiopsis</i> QA-3, an endophytic fungus obtained from the medicinal plant <i>Artemisia argyi</i> . <i>RSC Advances</i> , 2017, 7, 51335-51342.	1.7	30
46	Indolediketopiperazine Alkaloids from <i>Eurotium cristatum</i> EN-220, an Endophytic Fungus Isolated from the Marine Alga <i>Sargassum thunbergii</i> . <i>Marine Drugs</i> , 2017, 15, 24.	2.2	66
47	Three New Indole Diterpenoids from the Sea-Anemone-Derived Fungus <i>Penicillium</i> sp. AS-79. <i>Marine Drugs</i> , 2017, 15, 137.	2.2	30
48	Two New Diphenylketones and a New Xanthone from <i>Talaromyces islandicus</i> EN-501, an Endophytic Fungus Derived from the Marine Red Alga <i>Laurencia okamurai</i> . <i>Marine Drugs</i> , 2016, 14, 223.	2.2	32
49	Varioloid A, a new indolyl-6,10b-dihydro-5aH-[1]benzofuro[2,3-b]indole derivative from the marine alga-derived endophytic fungus <i>Paecilomyces variotii</i> EN-291. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 2012-2018.	1.3	35
50	Aspewentins A–H, 20-Nor-isopimarane Derivatives from the Deep Sea Sediment-Derived Fungus <i>Aspergillus wentii</i> SD-310. <i>Journal of Natural Products</i> , 2016, 79, 1347-1353.	1.5	46
51	Three Diketopiperazine Alkaloids with Spirocyclic Skeletons and One Bisthiodiketopiperazine Derivative from the Mangrove-Derived Endophytic Fungus <i>Penicillium brocae</i> MA-231. <i>Organic Letters</i> , 2016, 18, 5304-5307.	2.4	107
52	Isolation, Stereochemical Study, and Antioxidant Activity of Benzofuranone Derivatives from a Mangrove-derived Fungus <i>Eurotium rubrum</i> MA-150. <i>Chirality</i> , 2016, 28, 581-584.	1.3	19
53	20-Nor-isopimarane cycloethers from the deep-sea sediment-derived fungus <i>Aspergillus wentii</i> SD-310. <i>RSC Advances</i> , 2016, 6, 75981-75987.	1.7	22
54	Rhizovarins A–F, Indole-Diterpenes from the Mangrove-Derived Endophytic Fungus <i>Mucor irregularis</i> QEN-189. <i>Journal of Natural Products</i> , 2016, 79, 2066-2074.	1.5	85

#	ARTICLE	IF	CITATIONS
55	Tetranorlabdane Diterpenoids from the Deep Sea Sediment-Derived Fungus <i>Aspergillus wentii</i> SD-310. <i>Planta Medica</i> , 2016, 82, 877-881.	0.7	26
56	Chermesins Aâ€“D: Meroterpenoids with a Drimane-Type Spirosesquiterpene Skeleton from the Marine Algal-Derived Endophytic Fungus <i>Penicillium chermesinum</i> EN-480. <i>Journal of Natural Products</i> , 2016, 79, 806-811.	1.5	51
57	Oxepineâ€“Containing Diketopiperazine Alkaloids from the Algalâ€“Derived Endophytic Fungus <i>Paecilomyces variotii</i> ENâ€“291. <i>Helvetica Chimica Acta</i> , 2015, 98, 800-804.	1.0	27
58	Penicibrocazines Aâ€“E, Five New Sulfide Diketopiperazines from the Marine-Derived Endophytic Fungus <i>Penicillium brocae</i> . <i>Marine Drugs</i> , 2015, 13, 276-287.	2.2	66
59	Characterization of a Newly Isolated Marine Fungus <i>Aspergillus dimorphicus</i> for Optimized Production of the Anti-Tumor Agent Wentilactones. <i>Marine Drugs</i> , 2015, 13, 7040-7054.	2.2	23
60	Antimicrobial Phenolic Bisabolanes and Related Derivatives from <i>Penicillium aculeatum</i> SD-321, a Deep Sea Sediment-Derived Fungus. <i>Journal of Natural Products</i> , 2015, 78, 844-849.	1.5	75
61	Bisthiodiketopiperazines and Acorane Sesquiterpenes Produced by the Marine-Derived Fungus <i>Penicillium adametzioides</i> AS-53 on Different Culture Media. <i>Journal of Natural Products</i> , 2015, 78, 1294-1299.	1.5	79
62	Structure, absolute configuration, and conformational study of resorcylic acid derivatives and related congeners from the fungus <i>Penicillium brocae</i> . <i>RSC Advances</i> , 2015, 5, 39870-39877.	1.7	27
63	A new phenolic enamide and a new meroterpenoid from marine alga-derived endophytic fungus <i>Penicillium oxalicum</i> EN-290. <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1204-1212.	0.7	24
64	Citrifelins A and B, Citrinin Adducts with a Tetracyclic Framework from Cocultures of Marine-Derived Isolates of <i>Penicillium citrinum</i> and <i>Beauveria felina</i> . <i>Journal of Natural Products</i> , 2015, 78, 2301-2305.	1.5	58
65	Peniciadametizine A, a Dithiodiketopiperazine with a Unique Spiro[furan-2,7'-pyrazino[1,2-b][1,2]oxazine] Skeleton, and a Related Analogue, Peniciadametizine B, from the Marine Sponge-Derived Fungus <i>Penicillium adametzioides</i> . <i>Marine Drugs</i> , 2015, 13, 3640-3652.	2.2	54
66	Rubrumazines Aâ€“C, Indolediketopiperazines of the Isoechinulin Class from <i>Eurotium rubrum</i> MA-150, a Fungus Obtained from Marine Mangrove-Derived Rhizospheric Soil. <i>Journal of Natural Products</i> , 2015, 78, 909-913.	1.5	48
67	New indole-diterpenoids from the algal-associated fungus <i>Aspergillus nidulans</i> . <i>Phytochemistry Letters</i> , 2015, 12, 182-185.	0.6	38
68	Polyketides from the marine mangrove-derived fungus <i>Aspergillus ochraceus</i> MA-15 and their activity against aquatic pathogenic bacteria. <i>Phytochemistry Letters</i> , 2015, 12, 232-236.	0.6	31
69	New butenolide derivatives from the marine-derived fungus <i>Paecilomyces variotii</i> with DPPH radical scavenging activity. <i>Phytochemistry Letters</i> , 2015, 11, 85-88.	0.6	38
70	First Total Syntheses and Antimicrobial Evaluation of Penicimonoterpene, a Marine-Derived Monoterpene, and Its Various Derivatives. <i>Marine Drugs</i> , 2014, 12, 3352-3370.	2.2	9
71	Prenylated Indolediketopiperazine Peroxides and Related Homologues from the Marine Sediment-Derived Fungus <i>Penicillium brefeldianum</i> SD-273. <i>Marine Drugs</i> , 2014, 12, 746-756.	2.2	25
72	Cyclodepsipeptides and Other O-Containing Heterocyclic Metabolites from <i>Beauveria felina</i> EN-135, a Marine-Derived Entomopathogenic Fungus. <i>Marine Drugs</i> , 2014, 12, 2816-2826.	2.2	38

#	ARTICLE	IF	CITATIONS
73	Diphenyl ether and benzophenone derivatives from the marine mangrove-derived fungus <i>Penicillium</i> sp. MA-37. <i>Phytochemistry Letters</i> , 2014, 9, 22-25.	0.6	22
74	Penicibilaenes A and B, Sesquiterpenes with a Tricyclo[6.3.1.0 ^{1,5}]dodecane Skeleton from the Marine Isolate of <i>Penicillium bilaiae</i> MA-267. <i>Organic Letters</i> , 2014, 16, 6052-6055.	2.4	56
75	Prenylated Indole Alkaloid Derivatives from Marine Sediment-Derived Fungus <i>Penicillium paneum</i> SD44. <i>Helvetica Chimica Acta</i> , 2014, 97, 1440-1444.	1.0	18
76	N-Formyllapatin A, a new N-formylspiroquinazoline derivative from the marine-derived fungus <i>Penicillium adametzoides</i> AS-53. <i>Phytochemistry Letters</i> , 2014, 10, 145-148.	0.6	24
77	Antraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus <i>Eurotium cristatum</i> EN-220. <i>Helvetica Chimica Acta</i> , 2014, 97, 973-978.	1.0	33
78	Brocazines A-F, Cytotoxic Bisthiodiketopiperazine Derivatives from <i>Penicillium brocae</i> MA-231, an Endophytic Fungus Derived from the Marine Mangrove Plant <i>Avicennia marina</i> . <i>Journal of Natural Products</i> , 2014, 77, 1921-1927.	1.5	74
79	Brocaeloids C, 4-Oxoquinoline and Indole Alkaloids with Reversed Prenylation from the Mangrove-Derived Endophytic Fungus <i>Penicillium brocae</i> . <i>European Journal of Organic Chemistry</i> , 2014, 2014, 4029-4036.	1.2	35
80	Sesterterpenes and 2-Hydroxypyranones (=Hydroxypyrones) from the Mangrove-Derived Endophytic Fungus <i>Fusarium proliferatum</i> MA84. <i>Helvetica Chimica Acta</i> , 2013, 96, 437-444.	1.0	25
81	Two New Secoantraquinone Derivatives from the Marine-Derived Endophytic Fungus <i>Aspergillus wentii</i> EN48. <i>Helvetica Chimica Acta</i> , 2013, 96, 458-462.	1.0	16
82	Triazoles and Other N-Containing Metabolites from the Marine-Derived Endophytic Fungus <i>Penicillium chrysogenum</i> EN118. <i>Helvetica Chimica Acta</i> , 2013, 96, 682-687.	1.0	26
83	Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus <i>Aspergillus niger</i> MA132. <i>Helvetica Chimica Acta</i> , 2013, 96, 1055-1061.	1.0	34
84	Alkaloid and Anthraquinone Derivatives Produced by the Marine-Derived Endophytic Fungus <i>Eurotium rubrum</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 163-168.	1.0	65
85	Sesquiterpenes and Other Metabolites from the Marine Red Alga <i>Laurencia composita</i> (Rhodomelaceae). <i>Helvetica Chimica Acta</i> , 2010, 93, 2281-2286.	1.0	22
86	7-O-Methylvariecolortide A, a New Spirocyclic Diketopiperazine Alkaloid from a Marine Mangrove Derived Endophytic Fungus, <i>Eurotium Rubrum</i> . <i>Natural Product Communications</i> , 2010, 5, 1934578X1000501.	0.2	8
87	Brominated Metabolites from the Marine Red Alga <i>Laurencia similis</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 87-89.	0.3	15
88	Perylene Derivatives Produced by <i>Alternaria alternata</i> , an Endophytic Fungus Isolated from <i>Laurencia</i> Species. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401.	0.2	10
89	Benzodiazepine Alkaloids from Marine-Derived Endophytic Fungus <i>Aspergillus ochraceus</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1366-1370.	1.0	62
90	Triterpenoids from the Mangrove Plant <i>Hibiscus tiliaceus</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 850-855.	1.0	12

#	ARTICLE	IF	CITATIONS
91	Dioxopiperazine Alkaloids Produced by the Marine Mangrove Derived Endophytic Fungus <i>Eurotium rubrum</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1888-1893.	1.0	68
92	Ergosterimide, a new natural Diels-Alder adduct of a steroid and maleimide in the fungus <i>Aspergillus niger</i> . <i>Steroids</i> , 2007, 72, 723-727.	0.8	51
93	Antioxidative principals of <i>Jussiaea repens</i> : an edible medicinal plant. <i>International Journal of Food Science and Technology</i> , 2007, 42, 1219-1227.	1.3	12
94	Chaetopyranin, a Benzaldehyde Derivative, and Other Related Metabolites from <i>Chaetomium globosum</i> , an Endophytic Fungus Derived from the Marine Red Alga <i>Polysiphonia urceolata</i> . <i>Journal of Natural Products</i> , 2006, 69, 1622-1625.	1.5	254
95	A New Cembranoid Diterpene and Other Related Metabolites from the South-China-Sea Soft Coral <i>Lobophytum crassum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 567-572.	1.0	22