
Samuel M Behar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4011550/publications.pdf Version: 2024-02-01



SAMILEL M REHAD

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Multiplexed Strain Phenotyping Defines Consequences of Genetic Diversity in Mycobacterium tuberculosis for Infection and Vaccination Outcomes. MSystems, 2022, 7, e0011022. | 1.7 | 3 |
| 2 | Multimodal profiling of lung granulomas in macaques reveals cellular correlates of tuberculosis control. Immunity, 2022, 55, 827-846.e10. | 6.6 | 92 |
| 3 | Tissue-resident-like CD4+ T cells secreting IL-17 control Mycobacterium tuberculosis in the human lung. Journal of Clinical Investigation, 2021, 131, . | 3.9 | 51 |
| 4 | CD4 TÂcell help prevents CD8 TÂcell exhaustion and promotes control of Mycobacterium tuberculosis infection. Cell Reports, 2021, 36, 109696. | 2.9 | 69 |
| 5 | Mitochondrial respiration contributes to the interferon gamma response in antigen-presenting cells. ELife, 2021, 10, . | 2.8 | 14 |
| 6 | IFNÎ ³ and iNOS-Mediated Alterations in the Bone Marrow and Thymus and Its Impact on Mycobacterium avium-Induced Thymic Atrophy. Frontiers in Immunology, 2021, 12, 696415. | 2.2 | 2 |
| 7 | Limited recognition of Mycobacterium tuberculosis-infected macrophages by polyclonal CD4 and CD8 T cells from the lungs of infected mice. Mucosal Immunology, 2020, 13, 140-148. | 2.7 | 40 |
| 8 | Tuberculosis vaccine finds an improved route. Nature, 2020, 577, 31-32. | 13.7 | 6 |
| 9 | A natural polymorphism of Mycobacterium tuberculosis in the esxH gene disrupts immunodomination by the TB10.4-specific CD8 T cell response. PLoS Pathogens, 2020, 16, e1009000. | 2.1 | 22 |
| 10 | CD11cHiÂmonocyte-derived macrophages are a major cellular compartment infected by Mycobacterium tuberculosis. PLoS Pathogens, 2020, 16, e1008621. | 2.1 | 36 |
| 11 | Title is missing!. , 2020, 16, e1008621. | | 0 |
| 12 | Title is missing!. , 2020, 16, e1008621. | | 0 |
| 13 | Title is missing!. , 2020, 16, e1008621. | | Ο |
| 14 | Title is missing!. , 2020, 16, e1008621. | | 0 |
| 15 | Apoptosis inhibition by intracellular bacteria and its consequence on host immunity. Current Opinion in Immunology, 2019, 60, 103-110. | 2.4 | 49 |
| 16 | TRAV1-2+ CD8+ T-cells including oligoconal expansions of MAIT cells are enriched in the airways in human tuberculosis. Communications Biology, 2019, 2, 203. | 2.0 | 60 |
| 17 | Functionally Overlapping Variants Control Tuberculosis Susceptibility in Collaborative Cross Mice. MBio, 2019, 10, . | 1.8 | 36 |
| 18 | Differential skewing of donor-unrestricted and γδT cell repertoires in tuberculosis-infected human lungs. Journal of Clinical Investigation, 2019, 130, 214-230. | 3.9 | 45 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | A new vaccine for tuberculosis in rhesus macaques. Nature Medicine, 2018, 24, 124-126. | 15.2 | 12 |
| 20 | Mycobacterium tuberculosis-specific CD4+ and CD8+ T cells differ in their capacity to recognize infected macrophages. PLoS Pathogens, 2018, 14, e1007060. | 2.1 | 78 |
| 21 | Role of Granulocyte-Macrophage Colony-Stimulating Factor Production by T Cells during <i>Mycobacterium tuberculosis</i> Infection. MBio, 2017, 8, . | 1.8 | 65 |
| 22 | Vaccine-elicited memory CD4+ T cell expansion is impaired in the lungs during tuberculosis. PLoS Pathogens, 2017, 13, e1006704. | 2.1 | 20 |
| 23 | Inflammatory signaling in human tuberculosis granulomas is spatially organized. Nature Medicine, 2016, 22, 531-538. | 15.2 | 273 |
| 24 | Tuberculosis Susceptibility and Vaccine Protection Are Independently Controlled by Host Genotype. MBio, 2016, 7, . | 1.8 | 116 |
| 25 | IL-21 signaling is essential for optimal host resistance against Mycobacterium tuberculosis infection. Scientific Reports, 2016, 6, 36720. | 1.6 | 37 |
| 26 | Multiple Inflammatory Cytokines Converge To Regulate CD8+ T Cell Expansion and Function during Tuberculosis. Journal of Immunology, 2016, 196, 1822-1831. | 0.4 | 24 |
| 27 | A Higher Activation Threshold of Memory CD8+ T Cells Has a Fitness Cost That Is Modified by TCR Affinity during Tuberculosis. PLoS Pathogens, 2016, 12, e1005380. | 2.1 | 44 |
| 28 | TIM3 Mediates T Cell Exhaustion during Mycobacterium tuberculosis Infection. PLoS Pathogens, 2016, 12, e1005490. | 2.1 | 147 |
| 29 | Autophagy is not the answer. Nature, 2015, 528, 482-483. | 13.7 | 25 |
| 30 | Human and Murine Clonal CD8+ T Cell Expansions Arise during Tuberculosis Because of TCR Selection. PLoS Pathogens, 2015, 11, e1004849. | 2.1 | 29 |
| 31 | Chromatin Decondensation and T Cell Hyperresponsiveness in Diabetes-Associated Hyperglycemia. Journal of Immunology, 2014, 193, 4457-4468. | 0.4 | 34 |
| 32 | iNKT Cell Production of GM-CSF Controls Mycobacterium tuberculosis. PLoS Pathogens, 2014, 10, e1003805. | 2.1 | 108 |
| 33 | Macrophages clean up: efferocytosis and microbial control. Current Opinion in Microbiology, 2014, 17, 17-23. | 2.3 | 134 |
| 34 | In search of a new paradigm for protective immunity to TB. Nature Reviews Microbiology, 2014, 12, 289-299. | 13.6 | 259 |
| 35 | Orchestration of pulmonary T cell immunity during Mycobacterium tuberculosis infection: Immunity interruptus. Seminars in Immunology, 2014, 26, 559-577. | 2.7 | 53 |
| 36 | Fixing the odds against tuberculosis. Nature, 2014, 511, 39-40. | 13.7 | 6 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Tolerance has its limits: how the thymus copes with infection. Trends in Immunology, 2013, 34, 502-510. | 2.9 | 86 |
| 38 | Tryptophan Biosynthesis Protects Mycobacteria from CD4 T-Cell-Mediated Killing. Cell, 2013, 155, 1296-1308. | 13.5 | 296 |
| 39 | T Cells Home to the Thymus and Control Infection. Journal of Immunology, 2013, 190, 1646-1658. | 0.4 | 39 |
| 40 | Antigen-Specific CD8+ T Cells and Protective Immunity to Tuberculosis. Advances in Experimental Medicine and Biology, 2013, 783, 141-163. | 0.8 | 77 |
| 41 | Dying to Live: How the Death Modality of the Infected Macrophage Affects Immunity to Tuberculosis. Advances in Experimental Medicine and Biology, 2013, 783, 103-120. | 0.8 | 113 |
| 42 | Recognition of microbial and mammalian phospholipid antigens by NKT cells with diverse TCRs. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1827-1832. | 3.3 | 129 |
| 43 | IL-1β Promotes Antimicrobial Immunity in Macrophages by Regulating TNFR Signaling and Caspase-3 Activation. Journal of Immunology, 2013, 190, 4196-4204. | 0.4 | 180 |
| 44 | Efferocytosis Is an Innate Antibacterial Mechanism. Cell Host and Microbe, 2012, 12, 289-300. | 5.1 | 226 |
| 45 | The Tim3–Galectin 9 Pathway Induces Antibacterial Activity in Human Macrophages Infected with <i>Mycobacterium tuberculosis</i> . Journal of Immunology, 2012, 189, 5896-5902. | 0.4 | 80 |
| 46 | Apoptosis is an innate defense function of macrophages against Mycobacterium tuberculosis. Mucosal Immunology, 2011, 4, 279-287. | 2.7 | 361 |
| 47 | Critical role for invariant chain in CD1d-mediated selection and maturation of Vα14-invariant NKT cells. Immunology Letters, 2011, 139, 33-41. | 1.1 | 16 |
| 48 | Emerging Tim-3 functions in antimicrobial and tumor immunity. Trends in Immunology, 2011, 32, 345-349. | 2.9 | 215 |
| 49 | A Comparative Lipidomics Platform for Chemotaxonomic Analysis of Mycobacterium tuberculosis. Chemistry and Biology, 2011, 18, 1537-1549. | 6.2 | 188 |
| 50 | Lipids, apoptosis, and cross-presentation: links in the chain of host defense against Mycobacterium tuberculosis. Microbes and Infection, 2011, 13, 749-756. | 1.0 | 62 |
| 51 | Requirement for Invariant Chain in Macrophages for Mycobacterium tuberculosis Replication and CD1d Antigen Presentation. Infection and Immunity, 2011, 79, 3053-3063. | 1.0 | 11 |
| 52 | Cardiolipin Binds to CD1d and Stimulates CD1d-Restricted γδT Cells in the Normal Murine Repertoire. Journal of Immunology, 2011, 186, 4771-4781. | 0.4 | 97 |
| 53 | Mycobacterium tuberculosisDirects Immunofocusing of CD8+T Cell Responses Despite Vaccination. Journal of Immunology, 2011, 186, 1627-1637. | 0.4 | 29 |
| 54 | Development of a Glycoprotein D-Expressing Dominant-Negative and Replication-Defective Herpes Simplex Virus 2 (HSV-2) Recombinant Viral Vaccine against HSV-2 Infection in Mice. Journal of Virology, 2011, 85, 5036-5047. | 1.5 | 25 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Regulation of neutrophils by interferon-Î ³ limits lung inflammation during tuberculosis infection. Journal of Experimental Medicine, 2011, 208, 2251-2262. | 4.2 | 314 |
| 56 | Synovial fibroblasts selfâ€direct multicellular lining architecture and synthetic function in threeâ€dimensional organ culture. Arthritis and Rheumatism, 2010, 62, 742-752. | 6.7 | 102 |
| 57 | Eicosanoid pathways regulate adaptive immunity to Mycobacterium tuberculosis. Nature Immunology, 2010, 11, 751-758. | 7.0 | 232 |
| 58 | Evasion of innate immunity by Mycobacterium tuberculosis: is death an exit strategy?. Nature Reviews Microbiology, 2010, 8, 668-674. | 13.6 | 380 |
| 59 | Tim3 binding to galectin-9 stimulates antimicrobial immunity. Journal of Experimental Medicine, 2010, 207, 2343-2354. | 4.2 | 165 |
| 60 | Primary deficiency of microsomal triglyceride transfer protein in human abetalipoproteinemia is associated with loss of CD1 function. Journal of Clinical Investigation, 2010, 120, 2889-2899. | 3.9 | 71 |
| 61 | EspA Acts as a Critical Mediator of ESX1-Dependent Virulence in Mycobacterium tuberculosis by Affecting Bacterial Cell Wall Integrity. PLoS Pathogens, 2010, 6, e1000957. | 2.1 | 84 |
| 62 | α-Calactosylceramide as a Therapeutic Agent for Pulmonary <i>Mycobacterium tuberculosis</i> Infection. American Journal of Respiratory and Critical Care Medicine, 2010, 182, 841-847. | 2.5 | 51 |
| 63 | Use of the T-SPOT. <i>TB</i> Assay to Detect Latent Tuberculosis Infection Among Rheumatic Disease Patients on Immunosuppressive Therapy. Journal of Rheumatology, 2009, 36, 546-551. | 1.0 | 42 |
| 64 | Vaccine-Induced Antibody Isotypes Are Skewed by Impaired CD4 T Cell and Invariant NKT Cell Effector Responses in MyD88-Deficient Mice. Journal of Immunology, 2009, 183, 2252-2260. | 0.4 | 12 |
| 65 | Mycobacterium tuberculosis evades macrophage defenses by inhibiting plasma membrane repair. Nature Immunology, 2009, 10, 899-906. | 7.0 | 303 |
| 66 | Discordant QuantiFERON-TB Gold Test Results Among US Healthcare Workers With Increased Risk of Latent Tuberculosis Infection: A Problem or Solution?. Infection Control and Hospital Epidemiology, 2008, 29, 878-886. | 1.0 | 51 |
| 67 | Lipid mediators in innate immunity against tuberculosis: opposing roles of PGE2 and LXA4 in the induction of macrophage death. Journal of Experimental Medicine, 2008, 205, 2791-2801. | 4.2 | 325 |
| 68 | Mycolyltransferase-mediated Glycolipid Exchange in Mycobacteria. Journal of Biological Chemistry, 2008, 283, 28835-28841. | 1.6 | 47 |
| 69 | Vaccine-Elicited 10-Kilodalton Culture Filtrate Protein-Specific CD8 + T Cells Are Sufficient To Mediate Protection against Mycobacterium tuberculosis Infection. Infection and Immunity, 2008, 76, 2249-2255. | 1.0 | 45 |
| 70 | Tuberculosis Triggers a Tissue-Dependent Program of Differentiation and Acquisition of Effector Functions by Circulating Monocytes. Journal of Immunology, 2008, 181, 6349-6360. | 0.4 | 91 |
| 71 | Innate Invariant NKT Cells Recognize Mycobacterium tuberculosis–Infected Macrophages, Produce Interferon-γ, and Kill Intracellular Bacteria. PLoS Pathogens, 2008, 4, e1000239. | 2.1 | 177 |
| 72 | <i>Mycobacterium tuberculosis</i> -Specific CD8+ T Cells Require Perforin to Kill Target Cells and Provide Protection In Vivo. Journal of Immunology, 2008, 181, 8595-8603. | 0.4 | 126 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Bacterial Protein Secretion Is Required for Priming of CD8 ⁺ T Cells Specific for the <i>Mycobacterium tuberculosis</i> Antigen CFP10. Infection and Immunity, 2008, 76, 4199-4205. | 1.0 | 40 |
| 74 | Next generation: tuberculosis vaccines that elicit protective CD8+T cells. Expert Review of Vaccines, 2007, 6, 441-456. | 2.0 | 40 |
| 75 | Natural killer T cells recognize diacylglycerol antigens from pathogenic bacteria. Nature Immunology, 2006, 7, 978-986. | 7.0 | 567 |
| 76 | The LFA-1 Adhesion Molecule Is Required for Protective Immunity during Pulmonary <i>Mycobacterium tuberculosis</i> Infection. Journal of Immunology, 2006, 176, 4914-4922. | 0.4 | 48 |
| 77 | Antigen-Specific CD8+T Cells and the Development of Central Memory duringMycobacterium tuberculosisInfection. Journal of Immunology, 2006, 177, 6361-6369. | 0.4 | 89 |
| 78 | Mycobacterium tuberculosis-Specific CD8+ T Cells and Their Role in Immunity. Critical Reviews in Immunology, 2006, 26, 317-352. | 1.0 | 135 |
| 79 | The role of group 1 and group 2 CD1-restricted T cells in microbial immunity. Microbes and Infection, 2005, 7, 544-551. | 1.0 | 23 |
| 80 | Primary type II alveolar epithelial cells present microbial antigens to antigen-specific CD4+T cells. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2005, 289, L274-L279. | 1.3 | 92 |
| 81 | Interplay of Cytokines and Microbial Signals in Regulation of CD1d Expression and NKT Cell Activation. Journal of Immunology, 2005, 175, 3584-3593. | 0.4 | 99 |
| 82 | In Vivo Depletion of CD11c+ Cells Delays the CD4+ T Cell Response to <i>Mycobacterium tuberculosis</i> and Exacerbates the Outcome of Infection. Journal of Immunology, 2005, 175, 3268-3272. | 0.4 | 162 |
| 83 | Anamnestic Responses of Mice following Mycobacterium tuberculosis Infection. Infection and Immunity, 2005, 73, 6110-6118. | 1.0 | 23 |
| 84 | Cytolytic CD8+ T Cells Recognizing CFP10 Are Recruited to the Lung after Mycobacterium tuberculosis Infection. Journal of Experimental Medicine, 2004, 200, 1479-1489. | 4.2 | 123 |
| 85 | The Major Histocompatibility Complex Haplotype Affects T-Cell Recognition of Mycobacterial Antigens but Not Resistance to Mycobacterium tuberculosis in C3H Mice. Infection and Immunity, 2004, 72, 6790-6798. | 1.0 | 37 |
| 86 | Susceptibility to Mycobacterium tuberculosis: lessons from inbred strains of mice. Tuberculosis, 2003, 83, 279-285. | 0.8 | 63 |
| 87 | Structural Features of the Acyl Chain Determine Self-phospholipid Antigen Recognition by a CD1d-restricted Invariant NKT (iNKT) Cell. Journal of Biological Chemistry, 2003, 278, 47508-47515. | 1.6 | 123 |
| 88 | Toll-Like Receptor 4-Defective C3H/HeJ Mice Are Not More Susceptible than Other C3H Substrains to Infection with Mycobacterium tuberculosis. Infection and Immunity, 2003, 71, 4112-4118. | 1.0 | 72 |
| 89 | Role of CD1d-Restricted NKT Cells in Microbial Immunity. Infection and Immunity, 2003, 71, 5447-5455. | 1.0 | 153 |
| 90 | Lysosomal Localization of Murine CD1d Mediated by AP-3 Is Necessary for NK T Cell Development. Journal of Immunology, 2003, 171, 4149-4155. | 0.4 | 85 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Conservation of CD1 Intracellular Trafficking Patterns Between Mammalian Species. Journal of Immunology, 2002, 169, 6951-6958. | 0.4 | 22 |
| 92 | Activation of NKT Cells Protects Mice from Tuberculosis. Infection and Immunity, 2002, 70, 6302-6309. | 1.0 | 172 |
| 93 | Fine Specificity of TCR Complementarity-Determining Region Residues and Lipid Antigen Hydrophilic Moieties in the Recognition of a CD1-Lipid Complex. Journal of Immunology, 2002, 168, 3933-3940. | 0.4 | 58 |
| 94 | Dissemination of Mycobacterium tuberculosis Is Influenced by Host Factors and Precedes the Initiation of T-Cell Immunity. Infection and Immunity, 2002, 70, 4501-4509. | 1.0 | 352 |
| 95 | Characterization of guinea-pig group 1 CD1 proteins. Immunology, 2002, 106, 159-172. | 2.0 | 61 |
| 96 | Regulation of CD1 Function and NK1.1+ T Cell Selection and Maturation by Cathepsin S. Immunity, 2001, 15, 909-919. | 6.6 | 75 |
| 97 | Gamma Interferon-Producing CD4+ T Lymphocytes in the Lung Correlate with Resistance to Infection withMycobacterium tuberculosis. Infection and Immunity, 2001, 69, 2666-2674. | 1.0 | 150 |
| 98 | Molecular Recognition of Human CD1b Antigen Complexes: Evidence for a Common Pattern of Interaction with $\hat{I}\pm\hat{I}^2$ TCRs. Journal of Immunology, 2000, 165, 4494-4504. | 0.4 | 49 |
| 99 | Diverse CD1d-restricted T cells: diverse phenotypes, and diverse functions. Seminars in Immunology, 2000, 12, 551-560. | 2.7 | 43 |
| 100 | Murine CD1d-Restricted T Cell Recognition of Cellular Lipids. Immunity, 2000, 12, 211-221. | 6.6 | 445 |
| 101 | Susceptibility of Mice Deficient in CD1D or TAP1 to Infection with Mycobacterium tuberculosis. Journal of Experimental Medicine, 1999, 189, 1973-1980. | 4.2 | 329 |
| 102 | CD1—A New Paradigm for Antigen Presentation and T Cell Activation. Clinical Immunology and Immunopathology, 1998, 87, 8-14. | 2.1 | 39 |
| 103 | Clonally expanded V?12+ (AV12S1),CD8+ T cells from a patient with rheumatoid arthritis are autoreactive. Arthritis and Rheumatism, 1998, 41, 498-506. | 6.7 | 11 |
| 104 | The Mannose Receptor Delivers Lipoglycan Antigens to Endosomes for Presentation to T Cells by CD1b Molecules. Immunity, 1997, 6, 187-197. | 6.6 | 320 |
| 105 | Cytoplasmic Tail-Dependent Localization of CD1b Antigen-Presenting Molecules to MIICs. Science, 1996, 273, 349-352. | 6.0 | 224 |
| 106 | Mechanisms of autoimmune disease induction. Arthritis and Rheumatism, 1995, 38, 458-476. | 6.7 | 98 |
| 107 | A pathway of costimulation that prevents anergy in CD28- T cells: B7-independent costimulation of CD1-restricted T cells Journal of Experimental Medicine, 1995, 182, 2007-2018. | 4.2 | 93 |
| 108 | Expansions of V?12 CD8+ T-Cells in Rheumatoid Arthritis. Annals of the New York Academy of Sciences, 1995, 756, 130-137. | 1.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Recognition of a lipid antigen by CD1-restricted $\hat{I} \pm \hat{I}^2 + T$ cells. Nature, 1994, 372, 691-694. | 13.7 | 962 |
| 110 | Characterization of somatically mutated S107 VH11-encoded anti-DNA autoantibodies derived from autoimmune (NZB x NZW)F1 mice Journal of Experimental Medicine, 1991, 173, 731-741. | 4.2 | 53 |
| 111 | The Molecular Origin of Anti-DNA Antibodies. International Reviews of Immunology, 1989, 5, 23-42. | 1.5 | 14 |
| 112 | Somatic Diversification of Anti-DNA Antibodies. Annals of the New York Academy of Sciences, 1988, 546, 188-188. | 1.8 | 0 |
| 113 | Somatic diversification of the S107 (T15) VH11 germ-line gene that encodes the heavy-chain variable region of antibodies to double-stranded DNA in (NZB x NZW)F1 mice Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 3970-3974. | 3.3 | 41 |
| 114 | Studies on the Somatic Instability of Immunoglobulin Genes in vivo and in Cultured Cells. Immunological Reviews, 1987, 96, 75-90. | 2.8 | 10 |
| 115 | The role of monoclonal antibodies and the recombinant DNA technology in studying autoantibody production. Cellular Immunology, 1986, 99, 29-37. | 1.4 | 1 |
| 116 | Analysis of Peripheral Blood and Salivary Gland Lymphocytes in Sjogren's Syndrome. , 1983, , 290-290. | | 0 |
| 117 | Eicosanoid pathways regulate adaptive immunity to Mycobacterium tuberculosis. , 0, . | | 1 |