

# Rui-di Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4011555/publications.pdf>

Version: 2024-02-01

134  
papers

5,190  
citations

136740

32  
h-index

102304

66  
g-index

135  
all docs

135  
docs citations

135  
times ranked

3406  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microstructure and Mechanical Properties of Selective Laser Melted Al <sup>2.51</sup> Mn <sup>2.71</sup> Mg <sup>0.55</sup> Sc <sup>0.29</sup> Cu <sup>0.31</sup> Zn Alloy Designed by Supersaturated Solid Solution. Acta Metallurgica Sinica (English Letters), 2022, 35, 354-368.	1.5	5
2	Microstructure and Mechanical Properties of TiC-Reinforced Al <sup>4</sup> Mg <sup>4</sup> Sc <sup>4</sup> Zr Composites Additively Manufactured by Laser Direct Energy Deposition. Acta Metallurgica Sinica (English Letters), 2022, 35, 411-424.	1.5	8
3	Novel approach of the evaluation of electric current density during the spark plasma sintering: Effect on the densification mechanisms of B <sub>4</sub> C-based ceramics. International Journal of Refractory Metals and Hard Materials, 2022, 102, 105703.	1.7	3
4	Microstructure and mechanical properties of in-situ oxide-dispersion-strengthened NiCrFeY alloy produced by laser powder bed fusion. , 2022, 1, 100056.		10
5	Composition inhomogeneity reduces cracking susceptibility in additively manufactured AlCoCrFeNi <sub>2.1</sub> eutectic high-entropy alloy produced by laser powder bed fusion. Additive Manufacturing, 2022, 56, 102941.	1.7	1
6	Microstructure and mechanical properties of additive manufactured Inconel 718 alloy strengthened by oxide dispersion with 0.3Åwt% Sc addition. Journal of Alloys and Compounds, 2022, 918, 165763.	2.8	7
7	Densification and grain growth kinetics of boron carbide powder during ultrahigh temperature spark plasma sintering. Transactions of Nonferrous Metals Society of China, 2022, 32, 1948-1960.	1.7	2
8	Corrosion performance of selective laser-melted equimolar CrCoNi medium-entropy alloy vs its cast counterpart in 3.5Åwt% NaCl. Journal of Alloys and Compounds, 2021, 864, 158105.	2.8	20
9	Selective laser melting of Al-3.48Cu-2.03Si-0.48Sc-0.28Zr alloy: Microstructure evolution, properties and metallurgical defects. Intermetallics, 2021, 129, 107008.	1.8	19
10	A Comparative Study on the Microstructure and Properties of ITO Targets and Thin Films Prepared from Two Different Powders. Acta Metallurgica Sinica (English Letters), 2021, 34, 675-693.	1.5	3
11	Microstructure, Properties, and Metallurgical Defects of an Equimolar CoCrNi Medium Entropy Alloy Additively Manufactured by Selective Laser Melting. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2021, 52, 753-766.	1.1	34
12	Microstructure and mechanical property of additively manufactured NiTi alloys: A comparison between selective laser melting and directed energy deposition. Journal of Central South University, 2021, 28, 1028-1042.	1.2	17
13	Displacive transformation as pathway to prevent micro-cracks induced by thermal stress in additively manufactured strong and ductile high-entropy alloys. Transactions of Nonferrous Metals Society of China, 2021, 31, 1059-1073.	1.7	18
14	Hall-Petch relationship in selective laser melting additively manufactured metals: using grain or cell size?. Journal of Central South University, 2021, 28, 1043-1057.	1.2	47
15	Comparative study on microstructure and electrochemical corrosion resistance of Al7075 alloy prepared by laser additive manufacturing and forging technology. Journal of Central South University, 2021, 28, 1058-1067.	1.2	22
16	Microstructure and Mechanical Properties of a Combination Interface between Direct Energy Deposition and Selective Laser Melted Al-Mg-Sc-Zr Alloy. Metals, 2021, 11, 801.	1.0	6
17	Additive manufacturing of TRIP-assisted dual-phases Fe <sub>50</sub> Mn <sub>30</sub> Co <sub>10</sub> Cr <sub>10</sub> high-entropy alloy: Microstructure evolution, mechanical properties and deformation mechanisms. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2021, 814, 141264.	2.6	31
18	Microstructure and Corrosion Behavior of Ti-Nb Coatings on NiTi Substrate Fabricated by Laser Cladding. Coatings, 2021, 11, 597.	1.2	7

#	ARTICLE	IF	CITATIONS
19	Additive manufacturing of Al <sub>0.3</sub> CoCrFeNi high-entropy alloy by powder feeding laser melting deposition. <i>Journal of Alloys and Compounds</i> , 2021, 862, 158286.	2.8	25
20	Selective laser melted near-beta titanium alloy Ti-5Al-5Mo-5V-1Cr-1Fe: Microstructure and mechanical properties. <i>Journal of Central South University</i> , 2021, 28, 1601-1614.	1.2	14
21	Selective laser melted AlSi10Mg alloy under melting mode transition: Microstructure evolution, nanomechanical behaviors and tensile properties. <i>Journal of Alloys and Compounds</i> , 2021, 873, 159823.	2.8	54
22	The growth kinetic behaviors of the intermetallics at W/Co interface under the current of spark plasma sintering. <i>Materials Research Express</i> , 2021, 8, 106511.	0.8	2
23	Microstructure and mechanical properties of Al-Fe-Sc-Zr alloy additively manufactured by selective laser melting. <i>Materials Characterization</i> , 2021, 180, 111397.	1.9	22
24	Accelerated precipitation of the B <sub>2</sub> particles and its effect on Al <sub>0.3</sub> CoCrFeNi high-entropy alloy by electric current assisted annealing. <i>Materials Characterization</i> , 2021, 181, 111434.	1.9	13
25	Transparent and conductive applications of tin oxide. , 2020, , 579-597.		4
26	Diffusivity of Ti-Ni Diffusion Couple Enhanced by Pulse Current During Spark Plasma Sintering. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2020, 51, 6-10.	1.0	11
27	Microstructures and mechanical properties of Si and Zr modified Al-Zn-Mg-Cu alloy-A comparison between selective laser melting and spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2020, 821, 153520.	2.8	32
28	Tribological and biological behaviors of laser clad Ti-based metallic glass composite coatings. <i>Applied Surface Science</i> , 2020, 507, 145104.	3.1	25
29	Effect of phase transformation on densification kinetics and properties of spark plasma sintered Al <sub>0.7</sub> CoCrFeNi high-entropy alloy. <i>Materials Characterization</i> , 2020, 160, 110098.	1.9	9
30	Effect of cerium doping on the microstructure and photoelectric properties of Ce-doped ITO films. <i>Applied Surface Science</i> , 2020, 509, 144810.	3.1	9
31	Multi-stage spark plasma sintering to study the densification mechanisms of boron carbide. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 93, 105351.	1.7	6
32	Densification, Microstructure, and Mechanical Properties of Additively Manufactured 2124 Al-Cu Alloy by Selective Laser Melting. <i>Materials</i> , 2020, 13, 4423.	1.3	11
33	The preferential growth behaviors of the intermetallics at the W/Co interface during spark plasma sintering. <i>Applied Physics Letters</i> , 2020, 117, .	1.5	13
34	The effect of particle size on the densification kinetics of tungsten powder during spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 93, 105358.	1.7	17
35	The effect of carbon doping on microstructure, mechanical properties, wear resistance and cutting performance of AlTiCN coating. <i>Thin Solid Films</i> , 2020, 713, 138344.	0.8	7
36	Corrosion Behavior of an Equiatomic CoCrFeMnNi High-Entropy Alloy- a Comparison Between Selective Laser Melting and Cast. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	12

#	ARTICLE	IF	CITATIONS
37	Striped Non-Uniform Corrosion Behavior of Non-Equiatomic FeMnCoCr High-Entropy Alloy Prepared by Laser Melting Deposition in 0.1 M H <sub>2</sub> SO <sub>4</sub> Solution. <i>Materials</i> , 2020, 13, 5554.	1.3	4
38	Microstructures and tensile properties of a selective laser melted Al–Zn–Mg–Cu (Al7075) alloy by Si and Zr microalloying. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 787, 139492.	2.6	81
39	The Influence of Porous Structure on the Interdiffusion Kinetics of Cu-Ni System During Spark Plasma Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 1799-1807.	1.1	1
40	Effect of element evaporation on the microstructure and properties of CuZnAl shape memory alloys prepared by selective laser melting. <i>Optics and Laser Technology</i> , 2020, 127, 106164.	2.2	18
41	Effects of Co <sup>2+</sup> in diaphragm electrolysis on the electrochemical and corrosion behaviors of Pb Ag and Pb anodes for zinc electrowinning. <i>Hydrometallurgy</i> , 2020, 195, 105412.	1.8	7
42	Microstructures and properties of equimolar AlCoCrCuFeNi high-entropy alloy additively manufactured by selective laser melting. <i>Intermetallics</i> , 2020, 120, 106746.	1.8	54
43	Effects of Ag <sup>+</sup> in diaphragm electrolysis on oxygen evolution and corrosion behaviors of Pb and Pb Ag anodes. <i>Hydrometallurgy</i> , 2020, 192, 105254.	1.8	8
44	Hot cracking, crystal orientation and compressive strength of an equimolar CoCrFeMnNi high-entropy alloy printed by selective laser melting. <i>Optics and Laser Technology</i> , 2020, 127, 106147.	2.2	59
45	Microstructure tailoring to enhance strength and ductility in pure tantalum processed by selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 785, 139352.	2.6	25
46	Analysis of abnormal grain growth behavior during hot-press sintering of boron carbide. <i>Ceramics International</i> , 2020, 46, 16345-16353.	2.3	19
47	Developing a high-strength Al-Mg-Si-Sc-Zr alloy for selective laser melting: Crack-inhibiting and multiple strengthening mechanisms. <i>Acta Materialia</i> , 2020, 193, 83-98.	3.8	321
48	Microstructure, metallurgical defects and hardness of Al–Cu–Mg–Li–Zr alloy additively manufactured by selective laser melting. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155372.	2.8	50
49	Densification kinetics of boron carbide with medium entropy alloy as a sintering aid during spark plasma sintering. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 389-399.	1.1	6
50	Microstructure and mechanical properties of additive manufactured porous Ti–33Nb–4Sn scaffolds for orthopaedic applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2019, 30, 91.	1.7	21
51	Effects of cerium oxide doping on the microstructure and properties of ITO targets and the photoelectric properties of the films. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 15469-15481.	1.1	5
52	Microstructure and mechanical properties of Al-Si-Ni coating on Cu-Cr substrate prepared by multi-permeation and friction stir processing. <i>Nano Materials Science</i> , 2019, 1, 224-228.	3.9	4
53	Synergistic effects of WC nanoparticles and MC nanoprecipitates on the mechanical and tribological properties of Fe <sub>40</sub> Mn <sub>40</sub> Cr <sub>10</sub> Co <sub>10</sub> medium-entropy alloy. <i>Journal of Materials Research and Technology</i> , 2019, 8, 3550-3564.	2.6	11
54	Electrochemical corrosion behaviors of Pb-Ag anodes by electric current pulse assisted casting. <i>Journal of Electroanalytical Chemistry</i> , 2019, 847, 113250.	1.9	13

#	ARTICLE	IF	CITATIONS
55	Effect of pulse current on the diffusion behavior of FeCoCrNiMox-Al couples. <i>Materials Letters</i> , 2019, 253, 381-383.	1.3	16
56	The influence of the local effect of electric current on densification of tungsten powder during spark plasma sintering. <i>Powder Technology</i> , 2019, 356, 769-777.	2.1	11
57	Mechanical properties and wear resistance of medium entropy Fe <sub>40</sub> Mn <sub>40</sub> Cr <sub>10</sub> Co <sub>10</sub> /TiC composites. <i>Transactions of Nonferrous Metals Society of China</i> , 2019, 29, 1484-1494.	1.7	14
58	Effect of heat treatment on the microstructural evolution of a precipitation-hardened superalloy produced by selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 748, 275-285.	2.6	68
59	Mechanical and corrosion behavior of titanium alloys additively manufactured by selective laser melting – A comparison between nearly $\beta^2$ titanium, $\beta$ titanium and $\beta^2 + \beta$ titanium. <i>Optics and Laser Technology</i> , 2019, 119, 105625.	2.2	73
60	Effect of heating rate on microstructure and mechanical properties of AlCoCrFeNi high entropy alloy produced by spark plasma sintering. <i>Materials Characterization</i> , 2019, 154, 169-180.	1.9	23
61	Electrochemical Behaviors of Powder-Processed Pb-Ag Anodes. <i>Jom</i> , 2019, 71, 2498-2504.	0.9	3
62	Microstructures and mechanical property of AlMgScZrMn - A comparison between selective laser melting, spark plasma sintering and cast. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 756, 354-364.	2.6	31
63	Microstructural evolution and wear performance of the high-entropy FeMnCoCr alloy/TiC/CaF <sub>2</sub> self-lubricating composite coatings on copper prepared by laser cladding for continuous casting mold. <i>Journal of Materials Research</i> , 2019, 34, 1714-1725.	1.2	23
64	Thermo-electromagnetic effect on weld microstructure in magnetically assisted laser welding of austenite steel. <i>Journal of Manufacturing Processes</i> , 2019, 41, 111-118.	2.8	28
65	Electromigration-Enhanced Densification Kinetics During Spark Plasma Sintering of Tungsten Powder. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019, 50, 2886-2897.	1.1	20
66	Effect of aging treatment on the microstructure and mechanical properties of Al-3.02Mg-0.2Sc-0.1Zr alloy printed by selective laser melting. <i>Materials and Design</i> , 2019, 168, 107668.	3.3	86
67	Electrochemical properties of powder-pressed Pb-Ag-PbO <sub>2</sub> anodes. <i>Transactions of Nonferrous Metals Society of China</i> , 2019, 29, 2422-2429.	1.7	13
68	Microstructure, grain orientation, and properties of ITO ceramics sintered with various heating rates. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 654-665.	1.1	2
69	A novel Fe <sub>40</sub> Mn <sub>40</sub> Cr <sub>10</sub> Co <sub>10</sub> /SiC medium-entropy nanocomposite reinforced by the nanoparticles-woven architectural structures. <i>Journal of Alloys and Compounds</i> , 2019, 772, 272-279.	2.8	22
70	Oxygen evolution and corrosion behavior of Pb-CeO <sub>2</sub> anodes in sulfuric acid solution. <i>Hydrometallurgy</i> , 2019, 183, 221-229.	1.8	23
71	Densification and properties of B <sub>4</sub> C-based ceramics with CrMnFeCoNi high entropy alloy as a sintering aid by spark plasma sintering. <i>Powder Technology</i> , 2019, 343, 58-67.	2.1	26
72	Two ways of evaluating the wear property of Ti-13Nb-13Zr fabricated by selective laser melting. <i>Materials Letters</i> , 2019, 242, 9-12.	1.3	14

#	ARTICLE	IF	CITATIONS
73	Effect of low-melting-point sintering aid on densification mechanisms of boron carbide during spark plasma sintering. <i>Scripta Materialia</i> , 2019, 163, 34-39.	2.6	21
74	Selective Laser Melting of Gas Atomized Al <sub>3.02</sub> Mg <sub>0.2</sub> Sc <sub>0.1</sub> Zr Alloy Powder: Microstructure and Mechanical Properties. <i>Advanced Engineering Materials</i> , 2019, 21, 1800650.	1.6	19
75	Microstructure and mechanical performance tailoring of Ti-13Nb-13Zr alloy fabricated by selective laser melting after post heat treatment. <i>Journal of Alloys and Compounds</i> , 2019, 775, 1164-1176.	2.8	21
76	Densification, microstructure evolution and fatigue behavior of Ti-13Nb-13Zr alloy processed by selective laser melting. <i>Powder Technology</i> , 2019, 342, 11-23.	2.1	39
77	Effect of heat treatment on the dispersion and sintering behaviour of tin doped indium oxide powders. <i>Ceramics International</i> , 2018, 44, 7491-7499.	2.3	6
78	Selective laser melting of an equiatomic CoCrFeMnNi high-entropy alloy: Processability, non-equilibrium microstructure and mechanical property. <i>Journal of Alloys and Compounds</i> , 2018, 746, 125-134.	2.8	378
79	Influence of electric current on interdiffusion kinetics of W-Ti system during spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2018, 75, 184-190.	1.7	28
80	Microstructure and mechanical properties of selective laser melted biomaterial Ti-13Nb-13Zr compared to hot-forging. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 725, 329-340.	2.6	48
81	Laser deposition technology assisted by friction stir processing for preparation of nanostructured Fe-Cr-Si alloy layer. <i>Surface and Coatings Technology</i> , 2018, 337, 426-433.	2.2	9
82	Effects of particle size and dispersion methods of In <sub>2</sub> O <sub>3</sub> -SnO <sub>2</sub> mixed powders on the sintering properties of indium tin oxide ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 89-100.	1.1	15
83	Effects of sintering processes on the element chemical states of In, Sn and O in ITO targets. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 7931-7940.	1.1	9
84	Viscous flow activation energy adaptation by isothermal spark plasma sintering applied with different current mode. <i>Scripta Materialia</i> , 2018, 149, 125-128.	2.6	15
85	Laser cladding assisted by friction stir processing for preparation of deformed crack-free Ni-Cr-Fe coating with nanostructure. <i>Optics and Laser Technology</i> , 2018, 99, 374-381.	2.2	33
86	Micro-structure of ITO ceramics sintered at different temperatures and its effect on the properties of deposited ITO films. <i>Journal of the European Ceramic Society</i> , 2018, 38, 521-533.	2.8	29
87	Direct current-enhanced densification kinetics during spark plasma sintering of tungsten powder. <i>Scripta Materialia</i> , 2018, 143, 25-29.	2.6	83
88	Selective laser melting of W-Ni-Cu composite powder: Densification, microstructure evolution and nano-crystalline formation. <i>International Journal of Refractory Metals and Hard Materials</i> , 2018, 70, 9-18.	1.7	47
89	Densification mechanisms and microstructural evolution during spark plasma sintering of boron carbide powders. <i>Ceramics International</i> , 2018, 44, 3571-3579.	2.3	37
90	Effect of spark plasma sintering on microstructure and friction characteristics of boron carbide. <i>Journal of Micromechanics and Molecular Physics</i> , 2018, 03, 1750014.	0.7	7

#	ARTICLE	IF	CITATIONS
91	Texture evolution, phase transformation and mechanical properties of selective laser melted Ti-13Nb-13Zr. <i>Materials Characterization</i> , 2018, 145, 185-195.	1.9	20
92	Anisotropic mechanical behavior of biomedical Ti-13Nb-13Zr alloy manufactured by selective laser melting. <i>Journal of Alloys and Compounds</i> , 2018, 762, 289-300.	2.8	75
93	Improving the densification of indium tin oxide targets via secondary cold isostatic pressing and oxygen exchange treatments. <i>Scripta Materialia</i> , 2018, 155, 109-113.	2.6	8
94	Microstructure evolution and grain orientation in ITO targets and their effects on the film characteristics. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 14620-14634.	1.1	8
95	Laser solid forming assisted by friction stir processing for preparation of Ni <sup>60</sup> Cr <sup>16</sup> Fe alloys: Crack repairing and grain refinement. <i>Journal of Materials Research</i> , 2018, 33, 3521-3529.	1.2	2
96	Effect of electric current on crystal orientation and its contribution to densification during spark plasma sintering. <i>Materials Letters</i> , 2018, 229, 126-129.	1.3	15
97	Spark plasma sintering of pure tungsten powder: Densification kinetics and grain growth. <i>Powder Technology</i> , 2017, 310, 264-271.	2.1	73
98	Spark plasma sintering of pure TiCN: Densification mechanism, grain growth and mechanical properties. <i>International Journal of Refractory Metals and Hard Materials</i> , 2017, 66, 68-75.	1.7	47
99	Effects of second-phase particles and elemental distributions of ITO targets on the properties of deposited ITO films. <i>Ceramics International</i> , 2017, 43, 8866-8872.	2.3	32
100	Microstructural Modification of Laser-Deposited High-Entropy CrFeCoNiMoWC Alloy by Friction Stir Processing: Nanograin Formation and Deformation Mechanism. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 841-854.	1.1	28
101	Laser cladding Ni-based alloy/nano-Ni encapsulated h-BN self-lubricating composite coatings. <i>Surface and Coatings Technology</i> , 2017, 332, 422-427.	2.2	44
102	Selective laser melting of pure tantalum: Densification, microstructure and mechanical behaviors. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 707, 443-451.	2.6	95
103	Effects of element chemical states and grain orientation growth of ITO targets on photoelectric properties of the film. <i>Ceramics International</i> , 2017, 43, 14732-14741.	2.3	10
104	Effects of sintering processes on second-phase grain morphology of ITO ceramics and grain growth. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 15996-16007.	1.1	7
105	Microstructural evolution and sintering kinetics during spark plasma sintering of Fe and Al blended powder. <i>Transactions of Nonferrous Metals Society of China</i> , 2017, 27, 1594-1601.	1.7	8
106	Effects of oxygen flow velocity on the sintering properties of ITO targets. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 14711-14719.	1.1	18
107	Anisotropic tensile behavior of in situ precipitation strengthened Inconel 718 fabricated by additive manufacturing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 701, 344-351.	2.6	265
108	Selective laser melting of a novel Sc and Zr modified Al-6.2 Mg alloy: Processing, microstructure, and properties. <i>Powder Technology</i> , 2017, 319, 117-128.	2.1	203

#	ARTICLE	IF	CITATIONS
109	Effect of laser parameters on microstructure, metallurgical defects and property of AlSi10Mg printed by selective laser melting. <i>Journal of Micromechanics and Molecular Physics</i> , 2017, 02, 1750017.	0.7	38
110	Microstructures and tribological properties of laser clad Ti-based metallic glass composite coatings. <i>Materials Characterization</i> , 2016, 120, 82-89.	1.9	45
111	Hydrogenation reaction of metallic titanium prepared by molten salt electrolysis. <i>Transactions of Nonferrous Metals Society of China</i> , 2016, 26, 1425-1432.	1.7	4
112	Enhanced atomic diffusion of Fe-Al diffusion couple during spark plasma sintering. <i>Scripta Materialia</i> , 2016, 110, 105-108.	2.6	92
113	Preparation of ultra-fine grain Ni-Al-WC coating with interlocking bonding on austenitic stainless steel by laser clad and friction stir processing. <i>Transactions of Nonferrous Metals Society of China</i> , 2015, 25, 3685-3693.	1.7	9
114	Producing nanostructured Co-Cr-W alloy surface layer by laser cladding and friction stir processing. <i>Journal of Materials Research</i> , 2015, 30, 717-726.	1.2	12
115	Extraction of rubidium from kaolin clay waste: Process study. <i>Hydrometallurgy</i> , 2015, 158, 61-67.	1.8	18
116	Recovery of indium by acid leaching waste ITO target based on neural network. <i>Transactions of Nonferrous Metals Society of China</i> , 2014, 24, 257-262.	1.7	19
117	Valence states, impurities and electrocrystallization behaviors during molten salt electrorefining for preparation of high-purity titanium powder from sponge titanium. <i>Transactions of Nonferrous Metals Society of China</i> , 2014, 24, 553-560.	1.7	14
118	Removal of tin and extraction of indium from acid-dissolved solution of waste indium-tin targets. <i>Journal of Central South University</i> , 2014, 21, 1741-1746.	1.2	7
119	Nanostructured Co-Cr-Fe alloy surface layer fabricated by combination of laser clad and friction stir processing. <i>Surface and Coatings Technology</i> , 2014, 258, 415-425.	2.2	19
120	A model to describe the surface gradient-nanograin formation and property of friction stir processed laser Co-Cr-Ni-Mo alloy. <i>Applied Surface Science</i> , 2014, 308, 176-183.	3.1	10
121	Microstructural evolution and formation of selective laser melting W-Ni-Cu composite powder. <i>International Journal of Advanced Manufacturing Technology</i> , 2013, 67, 2233-2242.	1.5	26
122	Viscoplastic friction and microstructural evolution behavior of laser-clad Co-Cr-Ni-Mo coating. <i>Transactions of Nonferrous Metals Society of China</i> , 2013, 23, 681-691.	1.7	6
123	Friction heat production and atom diffusion behaviors during Mg-Ti rotating friction welding process. <i>Transactions of Nonferrous Metals Society of China</i> , 2012, 22, 2665-2671.	1.7	15
124	Balling behavior of stainless steel and nickel powder during selective laser melting process. <i>International Journal of Advanced Manufacturing Technology</i> , 2012, 59, 1025-1035.	1.5	507
125	Development and characterization of laser surface cladding (Ti,W)C reinforced Ni-30Cu alloy composite coating on copper. <i>Optics and Laser Technology</i> , 2012, 44, 1351-1358.	2.2	59
126	The key metallurgical features of selective laser melting of stainless steel powder for building metallic part. <i>Powder Metallurgy and Metal Ceramics</i> , 2011, 50, 141-150.	0.4	15



#	ARTICLE	IF	CITATIONS
127	Research on Process and Microstructure Formation of W-Ni-Fe Alloy Fabricated by Selective Laser Melting. Journal of Materials Engineering and Performance, 2011, 20, 1049-1054.	1.2	31
128	Selective laser melting Wâ€“10Âwt.% Cu composite powders. International Journal of Advanced Manufacturing Technology, 2010, 48, 597-605.	1.5	55
129	316L Stainless Steel with Gradient Porosity Fabricated by Selective Laser Melting. Journal of Materials Engineering and Performance, 2010, 19, 666-671.	1.2	177
130	Densification behavior of gas and water atomized 316L stainless steel powder during selective laser melting. Applied Surface Science, 2010, 256, 4350-4356.	3.1	372
131	Development of the machines and materials for rapid prototyping & tooling technologies and 3D measurement in Huazhong University of Science and Technology. , 2010, , .		0
132	Effects of processing parameters on the temperature field of selective laser melting metal powder. Powder Metallurgy and Metal Ceramics, 2009, 48, 186-195.	0.4	56
133	Effect of Pr <sub>2</sub> O <sub>3</sub> on the microstructure and hydrogen evolution property of nickel sulphur coatings electrodeposited on the nickel foam substrate. Materials Letters, 2008, 62, 3462-3464.	1.3	3
134	Electrocatalytic properties of Ni-S-Co coating electrode for hydrogen evolution in alkaline medium. Transactions of Nonferrous Metals Society of China, 2007, 17, 762-765.	1.7	29