

Shinsuke Koike

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4011829/publications.pdf>

Version: 2024-02-01

129
papers

3,247
citations

159358

30
h-index

223531

46
g-index

137
all docs

137
docs citations

137
times ranked

4670
citing authors

#	ARTICLE	IF	CITATIONS
1	Abnormal asymmetries in subcortical brain volume in schizophrenia. <i>Molecular Psychiatry</i> , 2016, 21, 1460-1466.	4.1	300
2	Differential Alterations of Auditory Gamma Oscillatory Responses Between Pre-Onset High-Risk Individuals and First-Episode Schizophrenia. <i>Cerebral Cortex</i> , 2016, 26, 1027-1035.	1.6	125
3	Reduced Frontal Glutamate + Glutamine and N-Acetylaspartate Levels in Patients With Chronic Schizophrenia but not in Those at Clinical High Risk for Psychosis or With First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1128-1139.	2.3	94
4	Comprehensive DNA methylation analysis of peripheral blood cells derived from patients with first-episode schizophrenia. <i>Journal of Human Genetics</i> , 2013, 58, 91-97.	1.1	91
5	A snapshot of plasma metabolites in first-episode schizophrenia: a capillary electrophoresis time-of-flight mass spectrometry study. <i>Translational Psychiatry</i> , 2014, 4, e379-e379.	2.4	78
6	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
7	Machine-learning classification using neuroimaging data in schizophrenia, autism, ultra-high risk and first-episode psychosis. <i>Translational Psychiatry</i> , 2020, 10, 278.	2.4	72
8	Localized gray matter volume reductions in the pars triangularis of the inferior frontal gyrus in individuals at clinical high-risk for psychosis and first episode for schizophrenia. <i>Schizophrenia Research</i> , 2012, 137, 124-131.	1.1	69
9	Altered Metabolites in the Plasma of Autism Spectrum Disorder: A Capillary Electrophoresis Time-of-Flight Mass Spectroscopy Study. <i>PLoS ONE</i> , 2013, 8, e73814.	1.1	66
10	Cohort Profile: The Tokyo Teen Cohort study (TTC). <i>International Journal of Epidemiology</i> , 2019, 48, 1414-1414g.	0.9	61
11	Near-Infrared Spectroscopy in Schizophrenia: A Possible Biomarker for Predicting Clinical Outcome and Treatment Response. <i>Frontiers in Psychiatry</i> , 2013, 4, 145.	1.3	55
12	Electrophysiological evidence for abnormal glutamate-GABA association following psychosis onset. <i>Translational Psychiatry</i> , 2018, 8, 211.	2.4	55
13	A multimodal approach to investigate biomarkers for psychosis in a clinical setting: The integrative neuroimaging studies in schizophrenia targeting for early intervention and prevention (IN-STEP) project. <i>Schizophrenia Research</i> , 2013, 143, 116-124.	1.1	54
14	Different hemodynamic response patterns in the prefrontal cortical sub-regions according to the clinical stages of psychosis. <i>Schizophrenia Research</i> , 2011, 132, 54-61.	1.1	53
15	Increased Occipital Gyrfication and Development of Psychotic Disorders in Individuals With an At-Risk Mental State: A Multicenter Study. <i>Biological Psychiatry</i> , 2017, 82, 737-745.	0.7	50
16	Development of a Japanese version of the Reported and Intended Behaviour Scale: Reliability and validity. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 448-455.	1.0	48
17	Comparison of traveling subject and ComBat harmonization methods for assessing structural brain characteristics. <i>Human Brain Mapping</i> , 2021, 42, 5278-5287.	1.9	47
18	Reduced but broader prefrontal activity in patients with schizophrenia during n-back working memory tasks: A multi-channel near-infrared spectroscopy study. <i>Journal of Psychiatric Research</i> , 2013, 47, 1240-1246.	1.5	46

#	ARTICLE	IF	CITATIONS
19	A randomised controlled trial of repeated filmed social contact on reducing mental illness-related stigma in young adults. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 199-208.	1.8	46
20	Help-seeking intention for depression in early adolescents: Associated factors and sex differences. <i>Journal of Affective Disorders</i> , 2018, 238, 359-365.	2.0	45
21	Associations between renaming schizophrenia and stigma-related outcomes: A systematic review. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 347-362.	1.0	44
22	Long-term effects of filmed social contact or internet-based self-study on mental health-related stigma: a 2-year follow-up of a randomised controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 33-42.	1.6	44
23	Dopaminergic dysfunction and excitatory/inhibitory imbalance in treatment-resistant schizophrenia and novel neuromodulatory treatment. <i>Molecular Psychiatry</i> , 2022, 27, 2950-2967.	4.1	44
24	Detection of resting state functional connectivity using partial correlation analysis: A study using multi-distance and whole-head probe near-infrared spectroscopy. <i>NeuroImage</i> , 2016, 142, 590-601.	2.1	40
25	Effect of Name Change of Schizophrenia on Mass Media Between 1985 and 2013 in Japan: A Text Data Mining Analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, 552-559.	2.3	39
26	Identifying neurocognitive markers for outcome prediction of global functioning in individuals with first-episode and ultra-high risk for psychosis. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 318-327.	1.0	39
27	Reduced Mismatch Negativity is Associated with Increased Plasma Level of Glutamate in First-episode Psychosis. <i>Scientific Reports</i> , 2017, 7, 2258.	1.6	39
28	The effect of duration of illness and antipsychotics on subcortical volumes in schizophrenia: Analysis of 778 subjects. <i>NeuroImage: Clinical</i> , 2018, 17, 563-569.	1.4	39
29	Duration and frequency mismatch negativity shows no progressive reduction in early stages of psychosis. <i>Schizophrenia Research</i> , 2017, 190, 32-38.	1.1	37
30	Distinct effects of duration of untreated psychosis on brain cortical activities in different treatment phases of schizophrenia: A multi-channel near-infrared spectroscopy study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 49, 63-69.	2.5	35
31	Characterizing prefrontal cortical activity during inhibition task in methamphetamine-associated psychosis versus schizophrenia: a multi-channel near-infrared spectroscopy study. <i>Addiction Biology</i> , 2016, 21, 489-503.	1.4	34
32	Association between mismatch negativity and global functioning is specific to duration deviance in early stages of psychosis. <i>Schizophrenia Research</i> , 2018, 195, 378-384.	1.1	34
33	Brain/MINDS beyond human brain MRI project: A protocol for multi-level harmonization across brain disorders throughout the lifespan. <i>NeuroImage: Clinical</i> , 2021, 30, 102600.	1.4	34
34	Auditory gamma oscillations predict global symptomatic outcome in the early stages of psychosis: A longitudinal investigation. <i>Clinical Neurophysiology</i> , 2018, 129, 2268-2275.	0.7	33
35	Dissociation mediates the relationship between peer victimization and hallucinatory experiences among early adolescents. <i>Schizophrenia Research: Cognition</i> , 2016, 4, 18-23.	0.7	31
36	The association between changes in depression/anxiety and trajectories of psychotic-like experiences over a year in adolescence. <i>Schizophrenia Research</i> , 2018, 195, 149-153.	1.1	31

#	ARTICLE	IF	CITATIONS
37	Abnormal asymmetries in subcortical brain volume in early adolescents with subclinical psychotic experiences. <i>Translational Psychiatry</i> , 2018, 8, 254.	2.4	30
38	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
39	Association between severe dorsolateral prefrontal dysfunction during random number generation and earlier onset in schizophrenia. <i>Clinical Neurophysiology</i> , 2011, 122, 1533-1540.	0.7	28
40	Long-term effect of a name change for schizophrenia on reducing stigma. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1519-1526.	1.6	28
41	Population neuroscience study of the Tokyo TEEN Cohort (pnâ€TTC): Cohort longitudinal study to explore the neurobiological substrates of adolescent psychological and behavioral development. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 231-242.	1.0	27
42	Differentiation of schizophrenia using structural MRI with consideration of scanner differences: A real world multisite study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 56-63.	1.0	27
43	Association of decreased prefrontal hemodynamic response during a verbal fluency task with EGR3 gene polymorphism in patients with schizophrenia and in healthy individuals. <i>NeuroImage</i> , 2014, 85, 527-534.	2.1	26
44	A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , 2015, 41, 1266-1275.	2.3	26
45	Similar Age-Related Decline in Cortical Activity Over Frontotemporal Regions in Schizophrenia: A Multichannel Near-Infrared Spectroscopy Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 268-279.	2.3	25
46	Association between impaired brain activity and volume at the sub-region of Broca's area in ultra-high risk and first-episode schizophrenia: A multi-modal neuroimaging study. <i>Schizophrenia Research</i> , 2016, 172, 9-15.	1.1	25
47	Application of functional near infrared spectroscopy as supplementary examination for diagnosis of clinical stages of psychosis spectrum. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 794-806.	1.0	24
48	Psychological symptom and social functioning subscales of the modified Global Assessment of Functioning scale: Reliability and validity of the Japanese version. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 126-127.	1.0	23
49	Severity-dependent and -independent brain regions of major depressive disorder: A long-term longitudinal near-infrared spectroscopy study. <i>Journal of Affective Disorders</i> , 2019, 243, 249-254.	2.0	23
50	Enuresis and Hyperactivity-Inattention in Early Adolescence: Findings from a Population-Based Survey in Tokyo (Tokyo Early Adolescence Survey). <i>PLoS ONE</i> , 2016, 11, e0158786.	1.1	23
51	Mismatch Negativity Predicts Remission and Neurocognitive Function in Individuals at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 770.	1.3	22
52	Lithium Levels in Tap Water and the Mental Health Problems of Adolescents. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e252-e256.	1.1	22
53	Mental health-related stigma among Japanese children and their parents and impact of renaming of schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 170-179.	1.0	21
54	Altered expression of microRNA-223 in the plasma of patients with first-episode schizophrenia and its possible relation to neuronal migration-related genes. <i>Translational Psychiatry</i> , 2019, 9, 289.	2.4	21

#	ARTICLE	IF	CITATIONS
55	Maternal diabetes in early pregnancy, and psychotic experiences and depressive symptoms in 10-year-old offspring: A population-based birth cohort study. <i>Schizophrenia Research</i> , 2019, 206, 52-57.	1.1	21
56	Replication of enhanced carbonyl stress in a subpopulation of schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 83-84.	1.0	20
57	Differences in Functional Connectivity Networks Related to the Midbrain Dopaminergic System-Related Area in Various Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2020, 46, 1239-1248.	2.3	20
58	Subcortical Brain Volume Abnormalities in Individuals With an At-risk Mental State. <i>Schizophrenia Bulletin</i> , 2020, 46, 834-845.	2.3	19
59	Gamma-band auditory steady-state response is associated with plasma levels of d-serine in schizophrenia: An exploratory study. <i>Schizophrenia Research</i> , 2019, 208, 467-469.	1.1	18
60	Global DNA hypomethylation and its correlation to the betaine level in peripheral blood of patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109855.	2.5	18
61	An fMRI study of visual lexical decision in patients with schizophrenia and clinical high-risk individuals. <i>Schizophrenia Research</i> , 2014, 157, 218-224.	1.1	17
62	Reliability of a paperâ€”andâ€”pencil version of the Japanese Adult Reading Test short version. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 362-362.	1.0	17
63	Adolescent self-control behavior predicts body weight through the life course: a prospective birth cohort study. <i>International Journal of Obesity</i> , 2016, 40, 71-76.	1.6	17
64	Age relative to school class peers and emotional well-being in 10-year-olds. <i>PLoS ONE</i> , 2019, 14, e0214359.	1.1	17
65	Purpose in life and tobacco use among community-dwelling mothers of early adolescents. <i>BMJ Open</i> , 2018, 8, e020586.	0.8	16
66	Diffusional kurtosis imaging and white matter microstructure modeling in a clinical study of major depressive disorder. <i>NMR in Biomedicine</i> , 2018, 31, e3938.	1.6	16
67	Disciplinary slapping is associated with bullying involvement regardless of warm parenting in early adolescence. <i>Journal of Adolescence</i> , 2018, 68, 207-216.	1.2	16
68	Lithium levels in tap water and psychotic experiences in a general population of adolescents. <i>Schizophrenia Research</i> , 2018, 201, 294-298.	1.1	16
69	Surface morphology of the orbitofrontal cortex in individuals at risk of psychosis: a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 397-406.	1.8	15
70	Auditory Mismatch Negativity Under Predictive Coding Framework and Its Role in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 557932.	1.3	15
71	Promoter Activity-Based Case-Control Association Study on <i>SLC6A4</i> Highlighting Hypermethylation and Altered Amygdala Volume in Male Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1577-1586.	2.3	15
72	The Association of Current Violence from Adult Family Members with Adolescent Bullying Involvement and Suicidal Feelings. <i>PLoS ONE</i> , 2016, 11, e0163707.	1.1	15

#	ARTICLE	IF	CITATIONS
73	Application of a Machine Learning Algorithm for Structural Brain Images in Chronic Schizophrenia to Earlier Clinical Stages of Psychosis and Autism Spectrum Disorder: A Multiprotocol Imaging Dataset Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 563-574.	2.3	15
74	The regulation of soluble receptor for AGEs contributes to carbonyl stress in schizophrenia. <i>Biochemical and Biophysical Research Communications</i> , 2016, 479, 447-452.	1.0	14
75	Development of a neurofeedback protocol targeting the frontal pole using near-infrared spectroscopy. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 507-516.	1.0	14
76	Association between rostral prefrontal cortical activity and functional outcome in first-episode psychosis: a longitudinal functional near-infrared spectroscopy study. <i>Schizophrenia Research</i> , 2016, 170, 304-310.	1.1	14
77	Neural basis for inferring false beliefs and social emotions in others among individuals with schizophrenia and those at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2017, 259, 34-41.	0.9	14
78	Social distance toward people with schizophrenia is associated with favorable understanding and negative stereotype. <i>Psychiatry Research</i> , 2018, 261, 264-268.	1.7	14
79	Effects of biomedical messages and expert-recommended messages on reducing mental health-related stigma: a randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e74.	1.8	14
80	Using social epidemiology and neuroscience to explore the relationship between job stress and frontotemporal cortex activity among workers. <i>Social Neuroscience</i> , 2015, 10, 230-242.	0.7	12
81	Potential biomarker of subjective quality of life: Prefrontal activation measurement by near-infrared spectroscopy. <i>Social Neuroscience</i> , 2014, 9, 63-73.	0.7	11
82	Genetic influences on prefrontal activation during a verbal fluency task in adults: A twin study based on multichannel near-infrared spectroscopy. <i>NeuroImage</i> , 2014, 85, 508-517.	2.1	11
83	Effect of metabotropic glutamate receptor-3 variants on prefrontal brain activity in schizophrenia: An imaging genetics study using multi-channel near-infrared spectroscopy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 62, 14-21.	2.5	10
84	Difference in neural reactivity to taste stimuli and visual food stimuli in neural circuits of ingestive behavior. <i>Brain Imaging and Behavior</i> , 2020, 14, 1395-1405.	1.1	10
85	Association of Disinhibited Eating and Trait of Impulsivity With Insula and Amygdala Responses to Palatable Liquid Consumption. <i>Frontiers in Systems Neuroscience</i> , 2021, 15, 647143.	1.2	10
86	Idiopathic carbonyl stress in a drug-naïve case of at-risk mental state. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 606-607.	1.0	9
87	Anatomical Templates of the Midbrain Ventral Tegmental Area and Substantia Nigra for Asian Populations. <i>Frontiers in Psychiatry</i> , 2018, 9, 383.	1.3	9
88	Neurometabolic and functional connectivity basis of prosocial behavior in early adolescence. <i>Scientific Reports</i> , 2019, 9, 732.	1.6	9
89	Comprehensive early intervention for patients with first-episode psychosis in Japan (J-CAP): study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 156.	0.7	8
90	A randomized controlled trial of comprehensive early intervention care in patients with first-episode psychosis in Japan: 1.5-year outcomes from the J-CAP study. <i>Journal of Psychiatric Research</i> , 2018, 102, 136-141.	1.5	8

#	ARTICLE	IF	CITATIONS
91	Cognitive profiles in childhood and adolescence differ between adult psychotic and affective symptoms: a prospective birth cohort study. <i>Psychological Medicine</i> , 2018, 48, 11-22.	2.7	8
92	Caudate Functional Connectivity Associated With Weight Change in Adolescents. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 587763.	1.0	8
93	Functional connectomes linking child-parent relationships with psychological problems in adolescence. <i>NeuroImage</i> , 2020, 219, 117013.	2.1	8
94	Volumetric differences in gray and white matter of cerebellar Crus I/ II across the different clinical stages of schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 256-264.	1.0	8
95	Reduced cortical thickness of the paracentral lobule in at-risk mental state individuals with poor 1-year functional outcomes. <i>Translational Psychiatry</i> , 2021, 11, 396.	2.4	8
96	Shared functional impairment in the prefrontal cortex affects symptom severity across psychiatric disorders. <i>Psychological Medicine</i> , 2022, 52, 2661-2670.	2.7	8
97	Intergenerational transmission of the patterns of functional and structural brain networks. <i>IScience</i> , 2021, 24, 102708.	1.9	7
98	Interoception is associated with the impact of eye contact on spontaneous facial mimicry. <i>Scientific Reports</i> , 2020, 10, 19866.	1.6	6
99	Development of Metacognition in Adolescence: The Congruency-Based Metacognition Scale. <i>Frontiers in Psychology</i> , 2020, 11, 565231.	1.1	6
100	Catechol O-methyltransferase (COMT) functional haplotype is associated with recurrence of affective symptoms: A prospective birth cohort study. <i>Journal of Affective Disorders</i> , 2018, 229, 437-442.	2.0	5
101	Fat mass and obesity-associated (FTO) rs9939609 polymorphism modifies the relationship between body mass index and affective symptoms through the life course: a prospective birth cohort study. <i>Translational Psychiatry</i> , 2018, 8, 62.	2.4	5
102	Association between duration of breastfeeding based on maternal reports and dorsal and ventral striatum and medial orbital gyrus volumes in early adolescence. <i>NeuroImage</i> , 2020, 220, 117083.	2.1	5
103	Response inhibition and anxiety in adolescents: Results from a population-based community sample.. <i>Journal of Affective Disorders</i> , 2019, 246, 89-95.	2.0	4
104	Smaller anterior subgenual cingulate volume mediates the effect of girls'™ early sexual maturation on negative psychobehavioral outcome. <i>NeuroImage</i> , 2020, 209, 116478.	2.1	4
105	Use of social networking sites and desire for slimness among 10-year-old girls and boys: A population-based birth cohort study. <i>International Journal of Eating Disorders</i> , 2020, 53, 288-295.	2.1	4
106	Prefrontal dysfunction associated with a history of suicide attempts among patients with recent onset schizophrenia. <i>NPJ Schizophrenia</i> , 2020, 6, 29.	2.0	4
107	The Association Between Amygdala Subfield-Related Functional Connectivity and Stigma Reduction 12 Months After Social Contacts: A Functional Neuroimaging Study in a Subgroup of a Randomized Controlled Trial. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 356.	1.0	4
108	Neurometabolic underpinning of the intergenerational transmission of prosociality. <i>NeuroImage</i> , 2020, 218, 116965.	2.1	4

#	ARTICLE	IF	CITATIONS
109	Assessing the hierarchy of personal values among adolescents: A comparison of rating scale and paired comparison methods. <i>Journal of Adolescence</i> , 2020, 80, 53-59.	1.2	4
110	Recent Advances and Future Directions in Brain MR Imaging Studies in Schizophrenia: Toward Elucidating Brain Pathology and Developing Clinical Tools. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 539-552.	1.1	4
111	A Team Intervention for First-Episode Psychosis in Japan. <i>Psychiatric Services</i> , 2013, 64, 932-933.	1.1	3
112	Bi-Directional Relationships Between Psychological Symptoms and Environmental Factors in Early Adolescence. <i>Frontiers in Psychiatry</i> , 2020, 11, 574182.	1.3	3
113	Impact of parents' mental health-related stigma on their adolescent children' response to anti-stigma interventions over 24 months: Secondary exploratory analysis of a randomized controlled trial. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 508-510.	1.0	3
114	Abnormality of Resting-State Functional Connectivity in Major Depressive Disorder: A Study With Whole-Head Near-Infrared Spectroscopy. <i>Frontiers in Psychiatry</i> , 2021, 12, 664859.	1.3	3
115	Unique Morphometric Features of the Cerebellum and Cerebellocerebral Structural Correlation Between Autism Spectrum Disorder and Schizophrenia. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 219-228.	1.0	3
116	The association between clinical symptoms and later subjective quality of life in individuals with ultra-high risk for psychosis and recent-onset psychotic disorder: A longitudinal investigation. <i>Psychiatry and Clinical Neurosciences</i> , 2022, , .	1.0	3
117	AKR1A1 Variant Associated With Schizophrenia Causes Exon Skipping, Leading to Loss of Enzymatic Activity. <i>Frontiers in Genetics</i> , 2021, 12, 762999.	1.1	3
118	Multi-modal brain imaging showing brain damage to the orbitofrontal cortex and left hemisphere, in a case of prolonged hypoglycemia-induced transient hemiplegia followed by persistent encephalopathy. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 360-362.	1.0	2
119	Development of the Brief Personal Values Inventory for Sense of Values. <i>Japanese Psychological Research</i> , 2020, 62, 72-86.	0.4	2
120	Dietary Restraint Related to Body Weight Maintenance and Neural Processing in Value-Coding Areas in Adolescents. <i>Journal of Nutrition</i> , 2021, 151, 2059-2067.	1.3	2
121	T22. RELATIONSHIP BETWEEN CORTICAL THICKNESS AND FUNCTIONAL OUTCOME IN INDIVIDUALS AT RISK OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S239-S240.	2.3	1
122	Neurocognitive Deficits Mediate the Relationship Between Structural Abnormalities and Clinical Outcomes in Individuals With Ultrahigh Risk for Psychosis: A Multimodal Neuroimaging and Longitudinal Neurocognitive Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	1
123	Birth order and prosociality in the early adolescent brain. <i>Scientific Reports</i> , 2021, 11, 21806.	1.6	1
124	Surface area in the insula was associated with 28-month functional outcome in first-episode psychosis. <i>NPJ Schizophrenia</i> , 2021, 7, 56.	2.0	1
125	Editorial: Biotyping in Psychiatry. <i>Frontiers in Psychiatry</i> , 2022, 13, 844206.	1.3	1
126	Role of advanced glycation end products in the longitudinal association between muscular strength and psychotic symptoms among adolescents. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	1

#	ARTICLE	IF	CITATIONS
127	â€œWorld-Informedâ€•Neuroscience for Diversity and Inclusion: An Organizational Change in Cognitive Sciences. Clinical EEG and Neuroscience, 0, , 155005942211057.	0.9	1
128	Longitudinal Bidirectional Relationships Between Maternal Depressive/Anxious Symptoms and Children's Tic Frequency in Early Adolescence. Frontiers in Psychiatry, 2021, 12, 767571.	1.3	0
129	Personalized values in life as point of interaction with the world: Developmental/neurobehavioral basis and implications for psychiatry. , 2022, 1, .		0