Jisen Shi

List of Publications by Citations

Source: https://exaly.com/author-pdf/4012611/jisen-shi-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers1,810
citations23
h-index37
g-index116
ext. papers2,448
ext. citations4.6
avg, IF4.8
L-index

#	Paper	IF	Citations
107	A vacuolar phosphate transporter essential for phosphate homeostasis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6571-8	11.5	120
106	Nitric oxide enhances desiccation tolerance of recalcitrant Antiaris toxicaria seeds via protein S-nitrosylation and carbonylation. <i>PLoS ONE</i> , 2011 , 6, e20714	3.7	102
105	Liriodendron genome sheds light on angiosperm phylogeny and species-pair differentiation. <i>Nature Plants</i> , 2019 , 5, 18-25	11.5	77
104	: drawing SVG graphics to visualize and map genome-wide data on the idiograms. <i>PeerJ Computer Science</i> , 2020 , 6, e251	2.7	73
103	Arabidopsis Transporter MGT6 Mediates Magnesium Uptake and Is Required for Growth under Magnesium Limitation. <i>Plant Cell</i> , 2014 , 26, 2234-2248	11.6	72
102	Photothermal and biodegradable polyaniline/porous silicon hybrid nanocomposites as drug carriers for combined chemo-photothermal therapy of cancer. <i>Acta Biomaterialia</i> , 2017 , 51, 197-208	10.8	69
101	The complete chloroplast genome sequence of the relict woody plant Metasequoia glyptostroboides Hu et Cheng. <i>Frontiers in Plant Science</i> , 2015 , 6, 447	6.2	61
100	Deep sequencing and microarray hybridization identify conserved and species-specific microRNAs during somatic embryogenesis in hybrid yellow poplar. <i>PLoS ONE</i> , 2012 , 7, e43451	3.7	52
99	Overexpression of two cambium-abundant Chinese fir (Cunninghamia lanceolata) Expansin genes ClEXPA1 and ClEXPA2 affect growth and development in transgenic tobacco and increase the amount of cellulose in stem cell walls. <i>Plant Biotechnology Journal</i> , 2011 , 9, 486-502	11.6	50
98	Quantitative proteomics analysis reveals that S-nitrosoglutathione reductase (GSNOR) and nitric oxide signaling enhance poplar defense against chilling stress. <i>Planta</i> , 2015 , 242, 1361-90	4.7	49
97	Proteome profiling of early seed development in Cunninghamia lanceolata (Lamb.) Hook. <i>Journal of Experimental Botany</i> , 2010 , 61, 2367-81	7	48
96	Physiological and proteomic analyses of leaves from the halophyte Tangut Nitraria reveals diverse response pathways critical for high salinity tolerance. <i>Frontiers in Plant Science</i> , 2015 , 6, 30	6.2	36
95	Inner Envelope CHLOROPLAST MANGANESE TRANSPORTER 1 Supports Manganese Homeostasis and Phototrophic Growth in Arabidopsis. <i>Molecular Plant</i> , 2018 , 11, 943-954	14.4	36
94	Danger-Associated Peptides Close Stomata by OST1-Independent Activation of Anion Channels in Guard Cells. <i>Plant Cell</i> , 2018 , 30, 1132-1146	11.6	35
93	Near-Infrared Light-Triggered Intracellular Delivery of Anticancer Drugs Using Porous Silicon Nanoparticles Conjugated with IR820 Dyes. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500715	4.6	33
92	Hydrogen sulfide enhances poplar tolerance to high-temperature stress by increasing S-nitrosoglutathione reductase (GSNOR) activity and reducing reactive oxygen/nitrogen damage. <i>Plant Growth Regulation</i> , 2018 , 84, 11-23	3.2	32
91	In vitro mutagenesis and identification of mutants via ISSR in lily (Lilium longiflorum). <i>Plant Cell Reports</i> , 2012 , 31, 1043-51	5.1	29

(2016-2003)

90	Moderate-density molecular maps of Eucalyptus urophylla S. T. Blake and E. tereticornis Smith genomes based on RAPD markers. <i>Genetica</i> , 2003 , 118, 59-67	1.5	29	
89	De novo SNP discovery and genetic linkage mapping in poplar using restriction site associated DNA and whole-genome sequencing technologies. <i>BMC Genomics</i> , 2016 , 17, 656	4.5	28	
88	Chromosome painting and comparative physical mapping of the sex chromosomes in Populus tomentosa and Populus deltoides. <i>Chromosoma</i> , 2018 , 127, 313-321	2.8	26	
87	Floral Nectary Morphology and Proteomic Analysis of Nectar of Liriodendron tulipifera Linn. <i>Frontiers in Plant Science</i> , 2016 , 7, 826	6.2	25	
86	Desiccation Treatment and Endogenous IAA Levels Are Key Factors Influencing High Frequency Somatic Embryogenesis in (Lamb.) Hook. <i>Frontiers in Plant Science</i> , 2017 , 8, 2054	6.2	24	
85	Co-loading of photothermal agents and anticancer drugs into porous silicon nanoparticles with enhanced chemo-photothermal therapeutic efficacy to kill multidrug-resistant cancer cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 164, 291-298	6	23	
84	A hidden Markov model approach to multilocus linkage analysis in a full-sib family. <i>Tree Genetics and Genomes</i> , 2010 , 6, 651-662	2.1	22	
83	Development of 240 novel EST-SSRs in Eucalyptus LHfit. <i>Molecular Breeding</i> , 2014 , 33, 221-225	3.4	21	
82	Development of 198 novel EST-derived microsatellites in Eucalyptus (Myrtaceae). <i>American Journal of Botany</i> , 2012 , 99, e134-48	2.7	21	
81	Construction of High-Density Linkage Maps of Populus deltoides IP. simonii Using Restriction-Site Associated DNA Sequencing. <i>PLoS ONE</i> , 2016 , 11, e0150692	3.7	21	
80	Multifunctional Chitosan/Porous Silicon@Au Nanocomposite Hydrogels for Long-Term and Repeatedly Localized Combinatorial Therapy of Cancer via a Single Injection. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 1857-1867	5.5	20	
79	Transcriptome analysis and metabolic profiling reveal the key role of carotenoids in the petal coloration of. <i>Horticulture Research</i> , 2020 , 7, 70	7.7	20	
78	Biodegradable and Magnetic-Fluorescent Porous Silicon@Iron Oxide Nanocomposites for Fluorescence/Magnetic Resonance Bimodal Imaging of Tumor. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 2579-2587	5.5	20	
77	Arabidopsis choline transporter-like 1 (CTL1) regulates secretory trafficking of auxin transporters to control seedling growth. <i>PLoS Biology</i> , 2017 , 15, e2004310	9.7	19	
76	High loading of doxorubicin into styrene-terminated porous silicon nanoparticles via Estacking for cancer treatments in vitro. <i>RSC Advances</i> , 2015 , 5, 44660-44665	3.7	18	
75	Transcriptome characteristics and six alternative expressed genes positively correlated with the phase transition of annual cambial activities in Chinese Fir (Cunninghamia lanceolata (Lamb.) Hook). <i>PLoS ONE</i> , 2013 , 8, e71562	3.7	18	
74	Establishment of transient gene expression systems in protoplasts from Liriodendron hybrid mesophyll cells. <i>PLoS ONE</i> , 2017 , 12, e0172475	3.7	18	
73	The Complete Chloroplast Genome Sequence of a Relict Conifer Glyptostrobus pensilis: Comparative Analysis and Insights into Dynamics of Chloroplast Genome Rearrangement in Cupressophytes and Pinaceae. <i>PLoS ONE</i> , 2016 , 11, e0161809	3.7	18	

72	Expansion and Functional Divergence of AP2 Group Genes in Spermatophytes Determined by Molecular Evolution and Mutant Analysis. <i>Frontiers in Plant Science</i> , 2016 , 7, 1383	6.2	18
71	Highly efficient uptake of ultrafine mesoporous silica nanoparticles with excellent biocompatibility by Liriodendron hybrid suspension cells. <i>Science China Life Sciences</i> , 2013 , 56, 82-9	8.5	17
70	Proteomic analysis of early seed development in Pinus massoniana L. <i>Plant Physiology and Biochemistry</i> , 2012 , 54, 97-104	5.4	16
69	Genetic parameters and genotype\(\text{Bnvironment interactions of Chinese fir (Cunninghamia lanceolata) in Fujian Province. Canadian Journal of Forest Research, \(\text{2014}\), 44, 582-592	1.9	15
68	Identification and analysis of differentially expressed genes in differentiating xylem of Chinese fir (Cunninghamia lanceolata) by suppression subtractive hybridization. <i>Genome</i> , 2007 , 50, 1141-55	2.4	15
67	Comparative Analysis of the Chloroplast Genomic Information of Cunninghamia lanceolata (Lamb.) Hook with Sibling Species from the Genera Cryptomeria D. Don, Taiwania Hayata, and Calocedrus Kurz. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	15
66	Carbon Monoxide Potentiates High Temperature-Induced Nicotine Biosynthesis in Tobacco. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
65	Expression of a conifer COBRA-like gene ClCOBL1 from Chinese fir (Cunninghamia lanceolata) alters the leaf architecture in tobacco. <i>Plant Physiology and Biochemistry</i> , 2013 , 70, 483-91	5.4	14
64	Photoluminescence enhancement of porous silicon particles by microwave-assisted activation. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 2247-2250	1.6	14
63	Near-infrared light and magnetic field dual-responsive porous silicon-based nanocarriers to overcome multidrug resistance in breast cancer cells with enhanced efficiency. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 546-557	7-3	14
62	Vacuolar Phosphate Transporters Contribute to Systemic Phosphate Homeostasis Vital for Reproductive Development in Arabidopsis. <i>Plant Physiology</i> , 2019 , 179, 640-655	6.6	14
61	Spatial analysis increases efficiency of progeny testing of Chinese fir. <i>Journal of Forestry Research</i> , 2017 , 28, 445-452	2	13
60	Quantitative genetics of cold hardiness and growth in Eucalyptus as estimated from E. urophylla 🛭 E. tereticornis hybrids. <i>New Forests</i> , 2012 , 43, 383-394	2.6	13
59	The LIKE SEX FOUR2 regulates root development by modulating reactive oxygen species homeostasis in Arabidopsis. <i>Scientific Reports</i> , 2016 , 6, 28683	4.9	13
58	Danger-Associated Peptides Interact with PIN-Dependent Local Auxin Distribution to Inhibit Root Growth in Arabidopsis. <i>Plant Cell</i> , 2019 , 31, 1767-1787	11.6	12
57	Discovery and experimental analysis of microsatellites in an oil woody plant Camellia chekiangoleosa. <i>Plant Systematics and Evolution</i> , 2013 , 299, 1387-1393	1.3	11
56	The role of Eminobutyric acid in aluminum stress tolerance in a woody plant, Liriodendron chinense Eulipifera. <i>Horticulture Research</i> , 2021 , 8, 80	7.7	11
55	NIR light-triggered gelling in situ of porous silicon nanoparticles/PEGDA hybrid hydrogels for localized combinatorial therapy of cancer cells. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47443	2.9	11

(2021-2018)

54	Vacuolar Proton Pyrophosphatase Is Required for High Magnesium Tolerance in. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11	
53	: A Calcineurin B-Like Protein-Interacting Protein Kinase From the Halophyte , Enhances Arabidopsis Salt Tolerance. <i>Frontiers in Plant Science</i> , 2020 , 11, 1112	6.2	10	
52	Phylogenetic studies and comparative chloroplast genome analyses elucidate the basal position of halophyte Nitraria sibirica (Nitrariaceae) in the Sapindales. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis,</i> 2018 , 29, 745-755	1.3	9	
51	Evaluation of sample extraction methods for proteomic analysis of coniferous seeds. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 1623-1630	2.6	8	
50	Genetic Diversity and Differentiation of Relict Plant Liriodendron Populations Based on 29 Novel EST-SSR Markers. <i>Forests</i> , 2019 , 10, 334	2.8	7	
49	Transcriptional Analysis Provides New Insights into Cold- and Dehydration-Tolerance Signaling Pathways and on Regulation of Stem Cell Activity in the Vascular Cambium of Poplar. <i>Plant Molecular Biology Reporter</i> , 2013 , 31, 75-86	1.7	7	
48	Characterization of the Gene Family and Its Role in Abiotic Stress Response. <i>Frontiers in Plant Science</i> , 2021 , 12, 641280	6.2	7	
47	Peptide Hormone Genes Promote Primary Root Growth and Adventitious Root Formation. <i>Plants</i> , 2019 , 8,	4.5	7	
46	The investigation of inhibiting quorum sensing and methicillin-resistant Staphylococcus aureus biofilm formation from Liriodendron hybrid. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015 , 28, 903-	8 ^{0.4}	7	
45	Model selection for quantitative trait loci mapping in a full-sib family. <i>Genetics and Molecular Biology</i> , 2012 , 35, 622-31	2	6	
44	A B Functional Gene Cloned from Lily Encodes an Ortholog of Arabidopsis PISTILLATA (PI). <i>Plant Molecular Biology Reporter</i> , 2010 , 28, 684-691	1.7	6	
43	Mitochondria-Targeted Nanomedicine for Enhanced Efficacy of Cancer Therapy. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 720508	5.8	6	
42	MVQTLCIM: composite interval mapping of multivariate traits in a hybrid F population of outbred species. <i>BMC Bioinformatics</i> , 2017 , 18, 515	3.6	5	
41	Complete Chloroplast Genome of Fokienia hodginsii (Dunn) Henry et Thomas: Insights into Repeat Regions Variation and Phylogenetic Relationships in Cupressophyta. <i>Forests</i> , 2019 , 10, 528	2.8	5	
40	Phylogeny and molecular evolution analysis of PIN-FORMED 1 in angiosperm. <i>PLoS ONE</i> , 2014 , 9, e8928	93.7	5	
39	Genome-wide identification of the Liriodendron chinense WRKY gene family and its diverse roles in response to multiple abiotic stress <i>BMC Plant Biology</i> , 2022 , 22, 25	5.3	5	
38	CIPK11: a calcineurin B-like protein-interacting protein kinase from Nitraria tangutorum, confers tolerance to salt and drought in Arabidopsis. <i>BMC Plant Biology</i> , 2021 , 21, 123	5.3	5	
37	The PIN gene family in relic plant L. chinense: Genome-wide identification and gene expression profiling in different organizations and abiotic stress responses. <i>Plant Physiology and Biochemistry</i> , 2021 , 162, 634-646	5.4	5	

36	Gibberellin Oxidase Gene Family in : Genome-Wide Identification and Gene Expression Analysis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
35	Pinus massoniana Introgression Hybrids Display Differential Expression of Reproductive Genes. <i>Forests</i> , 2019 , 10, 230	2.8	4
34	Proteomics of embryogenic and non-embryogenic calli of a Liriodendron hybrid. <i>Acta Physiologiae Plantarum</i> , 2015 , 37, 1	2.6	4
33	The Transcriptome of Cunninghamia lanceolata male/female cone reveal the association between MIKC MADS-box genes and reproductive organs development. <i>BMC Plant Biology</i> , 2020 , 20, 508	5.3	4
32	Inter-simple sequence repeat data reveals high genetic diversity in wild populations of the narrowly distributed endemic Lilium regale in the Minjiang River Valley of China. <i>PLoS ONE</i> , 2015 , 10, e0118831	3.7	4
31	Genome-wide identification and cold stress-induced expression analysis of the CBF gene family in Liriodendron chinense. <i>Journal of Forestry Research</i> ,1	2	4
30	Selection of reference genes for gene expression analysis in Liriodendron hybrids' somatic embryogenesis and germinative tissues. <i>Scientific Reports</i> , 2021 , 11, 4957	4.9	4
29	Morphological, phenological, and transcriptional analyses provide insight into the diverse flowering traits of a mutant of the relic woody plant Liriodendron chinense. <i>Horticulture Research</i> , 2021 , 8, 174	7.7	4
28	Identification and characterization of genic microsatellites in Cunninghamia lanceolata (Lamb.) Hook (Taxodiaceae). <i>Archives of Biological Sciences</i> , 2016 , 68, 417-425	0.7	3
27	Identification of Reference Genes for Quantitative Gene Expression Studies in Pinus massoniana and Its Introgression Hybrid. <i>Forests</i> , 2019 , 10, 787	2.8	2
26	Cell synchronization and isolation of chromosomes from Chinese fir root tips for flow cytometric analysis. <i>Biotechnology Letters</i> , 2015 , 37, 1309-14	3	2
25	Genome Sequence and Comparative Analysis of Isolated from Leaves. <i>Phytopathology</i> , 2020 , 110, 1260	-1;2%69	2
24	ClRTL1 Encodes a Chinese Fir RNase III-Like Protein Involved in Regulating Shoot Branching. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 25691-710	6.3	2
23	RIdeogram: drawing SVG graphics to visualize and map genome-wide data on the idiograms		2
22	The Liriodendron chinense MKK2 Gene Enhances Arabidopsis thaliana Salt Resistance. <i>Forests</i> , 2020 , 11, 1160	2.8	2
21	Mitochondria-Targeted Bovine Serum Albumin@Copper Sulfide Nanocomposites Conjugated with Rhodamine-110 Dye for an Enhanced Efficacy of Cancer Photothermal Therapy. <i>Particle and Particle Systems Characterization</i> , 2021 , 38, 2100013	3.1	2
20	Integrative analysis of transcriptome and proteome revealed nectary and nectar traits in the plant-pollinator interaction of Nitraria tangutorum Bobrov. <i>BMC Plant Biology</i> , 2021 , 21, 230	5.3	2
19	Genome-wide characterization of bZIP transcription factors and their expression patterns in response to drought and salinity stress in Jatropha curcas. <i>International Journal of Biological Macromolecules</i> , 2021 , 181, 1207-1223	7.9	2

(2016-2016)

18	Pachytene Chromosome Preparation in Populus deltoides Marsh. <i>Current Protocols in Plant Biology</i> , 2016 , 1, 566-573	2.8	1
17	A computational algorithm for functional clustering of proteome dynamics during development. <i>Current Genomics</i> , 2014 , 15, 237-43	2.6	1
16	Chitosan Oligosaccharides Stimulate the Efficacy of Somatic Embryogenesis in Different Genotypes of the Liriodendron Hybrid. <i>Forests</i> , 2021 , 12, 557	2.8	1
15	Genomewide comparative analysis of codon usage bias in three sequenced Jatropha curcas. <i>Journal of Genetics</i> , 2021 , 100, 1	1.2	1
14	Small Proline-Rich Protein 2A and 2D Are Regulated by the RBM38-p73 Axis and Associated with p73-Dependent Suppression of Chronic Inflammation. <i>Cancers</i> , 2021 , 13,	6.6	1
13	Transcriptome and proteome analysis suggest enhanced photosynthesis in tetraploid Liriodendron sino-americanum. <i>Tree Physiology</i> , 2021 , 41, 1953-1971	4.2	1
12	Identification of miR397a and Its Functional Characterization in Callus Growth and Development by Regulating Its Target in Liriodendron. <i>Forests</i> , 2021 , 12, 912	2.8	1
11	Overexpression of From Halophyte Plant Enhances Tolerance to Salt Stress in. <i>Frontiers in Plant Science</i> , 2021 , 12, 716855	6.2	1
10	Exploring the (Lamb.) Hook Genome by BAC Sequencing <i>Frontiers in Bioengineering and Biotechnology</i> , 2022 , 10, 854130	5.8	1
9	-Mediated Genetic Transformation of Embryogenic Callus in a Hybrid (I) <i>Frontiers in Plant Science</i> , 2022 , 13, 802128	6.2	1
8	EAminobutyric acid a novel candidate for rapid induction in somatic embryogenesis of Liriodendron hybrid. <i>Plant Growth Regulation</i> , 2022 , 96, 293-302	3.2	О
7	Molecular Cloning and Functional Characterization of the DELLA Gene Family in Liriodendron Hybrids. <i>Forests</i> , 2020 , 11, 1363	2.8	О
6	The complete chloroplast genome of (Thunb.) Sweet, a traditional Chinese medicinal plant. <i>Mitochondrial DNA Part B: Resources</i> , 2021 , 6, 851-852	0.5	О
5	The complete chloroplast genome sequence of. Mitochondrial DNA Part B: Resources, 2021, 6, 555-556	0.5	О
4	The complete chloroplast genome sequence of. Mitochondrial DNA Part B: Resources, 2021, 6, 3046-304	8 0.5	О
3	PIN3 from Liriodendron May Function in Inflorescence Development and Root Elongation. <i>Forests</i> , 2022 , 13, 568	2.8	О
2	Multiple Methods Synergistically Promote the Synchronization of Somatic Embryogenesis Through Suspension Culture in the New Hybrid Between and <i>Frontiers in Plant Science</i> , 2022 , 13, 857972	6.2	O
1	Inheritance of growth and survival in two 9-year-old, open-pollinated progenies of an advanced breeding population of Chinese firs in southeastern China. <i>Journal of Forestry Research</i> , 2016 , 27, 1067-	1075	