

Jisen Shi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4012611/jisen-shi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

1,810
citations

23
h-index

37
g-index

116
ext. papers

2,448
ext. citations

4.6
avg, IF

4.8
L-index

#	Paper	IF	Citations
107	β-Aminobutyric acid a novel candidate for rapid induction in somatic embryogenesis of Liriodendron hybrid. <i>Plant Growth Regulation</i> , 2022 , 96, 293-302	3.2	0
106	Genome-wide identification of the Liriodendron chinense WRKY gene family and its diverse roles in response to multiple abiotic stress.. <i>BMC Plant Biology</i> , 2022 , 22, 25	5.3	5
105	Exploring the (Lamb.) Hook Genome by BAC Sequencing.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022 , 10, 854130	5.8	1
104	-Mediated Genetic Transformation of Embryogenic Callus in a Hybrid (L).. <i>Frontiers in Plant Science</i> , 2022 , 13, 802128	6.2	1
103	PIN3 from Liriodendron May Function in Inflorescence Development and Root Elongation. <i>Forests</i> , 2022 , 13, 568	2.8	0
102	Multiple Methods Synergistically Promote the Synchronization of Somatic Embryogenesis Through Suspension Culture in the New Hybrid Between and .. <i>Frontiers in Plant Science</i> , 2022 , 13, 857972	6.2	0
101	The complete chloroplast genome of (Thunb.) Sweet, a traditional Chinese medicinal plant. <i>Mitochondrial DNA Part B: Resources</i> , 2021 , 6, 851-852	0.5	0
100	Mitochondria-Targeted Bovine Serum Albumin@Copper Sulfide Nanocomposites Conjugated with Rhodamine-110 Dye for an Enhanced Efficacy of Cancer Photothermal Therapy. <i>Particle and Particle Systems Characterization</i> , 2021 , 38, 2100013	3.1	2
99	CIPK11: a calcineurin B-like protein-interacting protein kinase from Nitraria tangutorum, confers tolerance to salt and drought in Arabidopsis. <i>BMC Plant Biology</i> , 2021 , 21, 123	5.3	5
98	Chitosan Oligosaccharides Stimulate the Efficacy of Somatic Embryogenesis in Different Genotypes of the Liriodendron Hybrid. <i>Forests</i> , 2021 , 12, 557	2.8	1
97	The role of β-Aminobutyric acid in aluminum stress tolerance in a woody plant, Liriodendron chinense Tulipifera. <i>Horticulture Research</i> , 2021 , 8, 80	7.7	11
96	Genomewide comparative analysis of codon usage bias in three sequenced Jatropha curcas. <i>Journal of Genetics</i> , 2021 , 100, 1	1.2	1
95	Integrative analysis of transcriptome and proteome revealed nectary and nectar traits in the plant-pollinator interaction of Nitraria tangutorum Bobrov. <i>BMC Plant Biology</i> , 2021 , 21, 230	5.3	2
94	The PIN gene family in relic plant L. chinense: Genome-wide identification and gene expression profiling in different organizations and abiotic stress responses. <i>Plant Physiology and Biochemistry</i> , 2021 , 162, 634-646	5.4	5
93	Small Proline-Rich Protein 2A and 2D Are Regulated by the RBM38-p73 Axis and Associated with p73-Dependent Suppression of Chronic Inflammation. <i>Cancers</i> , 2021 , 13,	6.6	1
92	Genome-wide characterization of bZIP transcription factors and their expression patterns in response to drought and salinity stress in Jatropha curcas. <i>International Journal of Biological Macromolecules</i> , 2021 , 181, 1207-1223	7.9	2
91	Gibberellin Oxidase Gene Family in : Genome-Wide Identification and Gene Expression Analysis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5

90	Characterization of the Gene Family and Its Role in Abiotic Stress Response. <i>Frontiers in Plant Science</i> , 2021 , 12, 641280	6.2	7
89	The complete chloroplast genome sequence of. <i>Mitochondrial DNA Part B: Resources</i> , 2021 , 6, 555-556	0.5	0
88	Selection of reference genes for gene expression analysis in Liriodendron hybrids' somatic embryogenesis and germinative tissues. <i>Scientific Reports</i> , 2021 , 11, 4957	4.9	4
87	Transcriptome and proteome analysis suggest enhanced photosynthesis in tetraploid Liriodendron sino-americanum. <i>Tree Physiology</i> , 2021 , 41, 1953-1971	4.2	1
86	Identification of miR397a and Its Functional Characterization in Callus Growth and Development by Regulating Its Target in Liriodendron. <i>Forests</i> , 2021 , 12, 912	2.8	1
85	Mitochondria-Targeted Nanomedicine for Enhanced Efficacy of Cancer Therapy. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 720508	5.8	6
84	Morphological, phenological, and transcriptional analyses provide insight into the diverse flowering traits of a mutant of the relic woody plant Liriodendron chinense. <i>Horticulture Research</i> , 2021 , 8, 174	7.7	4
83	Overexpression of From Halophyte Plant Enhances Tolerance to Salt Stress in. <i>Frontiers in Plant Science</i> , 2021 , 12, 716855	6.2	1
82	The complete chloroplast genome sequence of. <i>Mitochondrial DNA Part B: Resources</i> , 2021 , 6, 3046-3048	0.5	0
81	The Transcriptome of Cunninghamia lanceolata male/female cone reveal the association between MIKC MADS-box genes and reproductive organs development. <i>BMC Plant Biology</i> , 2020 , 20, 508	5.3	4
80	Genome Sequence and Comparative Analysis of Isolated from Leaves. <i>Phytopathology</i> , 2020 , 110, 1260-1269	12.9	2
79	Transcriptome analysis and metabolic profiling reveal the key role of carotenoids in the petal coloration of. <i>Horticulture Research</i> , 2020 , 7, 70	7.7	20
78	: drawing SVG graphics to visualize and map genome-wide data on the idiograms. <i>PeerJ Computer Science</i> , 2020 , 6, e251	2.7	73
77	Near-infrared light and magnetic field dual-responsive porous silicon-based nanocarriers to overcome multidrug resistance in breast cancer cells with enhanced efficiency. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 546-557	7.3	14
76	The Liriodendron chinense MKK2 Gene Enhances Arabidopsis thaliana Salt Resistance. <i>Forests</i> , 2020 , 11, 1160	2.8	2
75	: A Calcineurin B-Like Protein-Interacting Protein Kinase From the Halophyte , Enhances Arabidopsis Salt Tolerance. <i>Frontiers in Plant Science</i> , 2020 , 11, 1112	6.2	10
74	Molecular Cloning and Functional Characterization of the DELLA Gene Family in Liriodendron Hybrids. <i>Forests</i> , 2020 , 11, 1363	2.8	0
73	Identification of Reference Genes for Quantitative Gene Expression Studies in Pinus massoniana and Its Introgression Hybrid. <i>Forests</i> , 2019 , 10, 787	2.8	2

72	Genetic Diversity and Differentiation of Relict Plant <i>Liriodendron</i> Populations Based on 29 Novel EST-SSR Markers. <i>Forests</i> , 2019 , 10, 334	2.8	7
71	Danger-Associated Peptides Interact with PIN-Dependent Local Auxin Distribution to Inhibit Root Growth in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2019 , 31, 1767-1787	11.6	12
70	Multifunctional Chitosan/Porous Silicon@Au Nanocomposite Hydrogels for Long-Term and Repeatedly Localized Combinatorial Therapy of Cancer via a Single Injection. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 1857-1867	5.5	20
69	<i>Pinus massoniana</i> Introgression Hybrids Display Differential Expression of Reproductive Genes. <i>Forests</i> , 2019 , 10, 230	2.8	4
68	Complete Chloroplast Genome of <i>Fokienia hodginsii</i> (Dunn) Henry et Thomas: Insights into Repeat Regions Variation and Phylogenetic Relationships in Cupressophyta. <i>Forests</i> , 2019 , 10, 528	2.8	5
67	Peptide Hormone Genes Promote Primary Root Growth and Adventitious Root Formation. <i>Plants</i> , 2019 , 8,	4.5	7
66	NIR light-triggered gelling in situ of porous silicon nanoparticles/PEGDA hybrid hydrogels for localized combinatorial therapy of cancer cells. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47443	2.9	11
65	<i>Liriodendron</i> genome sheds light on angiosperm phylogeny and species-pair differentiation. <i>Nature Plants</i> , 2019 , 5, 18-25	11.5	77
64	Vacuolar Phosphate Transporters Contribute to Systemic Phosphate Homeostasis Vital for Reproductive Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2019 , 179, 640-655	6.6	14
63	Chromosome painting and comparative physical mapping of the sex chromosomes in <i>Populus tomentosa</i> and <i>Populus deltoides</i> . <i>Chromosoma</i> , 2018 , 127, 313-321	2.8	26
62	Co-loading of photothermal agents and anticancer drugs into porous silicon nanoparticles with enhanced chemo-photothermal therapeutic efficacy to kill multidrug-resistant cancer cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 164, 291-298	6	23
61	Danger-Associated Peptides Close Stomata by OST1-Independent Activation of Anion Channels in Guard Cells. <i>Plant Cell</i> , 2018 , 30, 1132-1146	11.6	35
60	Phylogenetic studies and comparative chloroplast genome analyses elucidate the basal position of halophyte <i>Nitraria sibirica</i> (Nitrariaceae) in the Sapindales. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018 , 29, 745-755	1.3	9
59	Hydrogen sulfide enhances poplar tolerance to high-temperature stress by increasing S-nitrosogluthathione reductase (GSNOR) activity and reducing reactive oxygen/nitrogen damage. <i>Plant Growth Regulation</i> , 2018 , 84, 11-23	3.2	32
58	Vacuolar Proton Pyrophosphatase Is Required for High Magnesium Tolerance in. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11
57	Carbon Monoxide Potentiates High Temperature-Induced Nicotine Biosynthesis in Tobacco. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
56	Inner Envelope CHLOROPLAST MANGANESE TRANSPORTER 1 Supports Manganese Homeostasis and Phototrophic Growth in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2018 , 11, 943-954	14.4	36
55	Photothermal and biodegradable polyaniline/porous silicon hybrid nanocomposites as drug carriers for combined chemo-photothermal therapy of cancer. <i>Acta Biomaterialia</i> , 2017 , 51, 197-208	10.8	69

54	Spatial analysis increases efficiency of progeny testing of Chinese fir. <i>Journal of Forestry Research</i> , 2017 , 28, 445-452	2	13
53	MVQTL-CIM: composite interval mapping of multivariate traits in a hybrid F population of outbred species. <i>BMC Bioinformatics</i> , 2017 , 18, 515	3.6	5
52	Biodegradable and Magnetic-Fluorescent Porous Silicon@Iron Oxide Nanocomposites for Fluorescence/Magnetic Resonance Bimodal Imaging of Tumor. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 2579-2587	5.5	20
51	Desiccation Treatment and Endogenous IAA Levels Are Key Factors Influencing High Frequency Somatic Embryogenesis in (Lamb.) Hook. <i>Frontiers in Plant Science</i> , 2017 , 8, 2054	6.2	24
50	Arabidopsis choline transporter-like 1 (CTL1) regulates secretory trafficking of auxin transporters to control seedling growth. <i>PLoS Biology</i> , 2017 , 15, e2004310	9.7	19
49	Establishment of transient gene expression systems in protoplasts from Liriodendron hybrid mesophyll cells. <i>PLoS ONE</i> , 2017 , 12, e0172475	3.7	18
48	De novo SNP discovery and genetic linkage mapping in poplar using restriction site associated DNA and whole-genome sequencing technologies. <i>BMC Genomics</i> , 2016 , 17, 656	4.5	28
47	Pachytene Chromosome Preparation in <i>Populus deltoides</i> Marsh. <i>Current Protocols in Plant Biology</i> , 2016 , 1, 566-573	2.8	1
46	Near-Infrared Light-Triggered Intracellular Delivery of Anticancer Drugs Using Porous Silicon Nanoparticles Conjugated with IR820 Dyes. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500715	4.6	33
45	Construction of High-Density Linkage Maps of <i>Populus deltoides</i> P. <i>simonii</i> Using Restriction-Site Associated DNA Sequencing. <i>PLoS ONE</i> , 2016 , 11, e0150692	3.7	21
44	Identification and characterization of genic microsatellites in <i>Cunninghamia lanceolata</i> (Lamb.) Hook (Taxodiaceae). <i>Archives of Biological Sciences</i> , 2016 , 68, 417-425	0.7	3
43	Comparative Analysis of the Chloroplast Genomic Information of <i>Cunninghamia lanceolata</i> (Lamb.) Hook with Sibling Species from the Genera <i>Cryptomeria</i> D. Don, <i>Taiwania</i> Hayata, and <i>Calocedrus</i> Kurz. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	15
42	The Complete Chloroplast Genome Sequence of a Relict Conifer <i>Glyptostrobus pensilis</i> : Comparative Analysis and Insights into Dynamics of Chloroplast Genome Rearrangement in Cupressophytes and Pinaceae. <i>PLoS ONE</i> , 2016 , 11, e0161809	3.7	18
41	Floral Nectary Morphology and Proteomic Analysis of Nectar of <i>Liriodendron tulipifera</i> Linn. <i>Frontiers in Plant Science</i> , 2016 , 7, 826	6.2	25
40	Expansion and Functional Divergence of AP2 Group Genes in Spermatophytes Determined by Molecular Evolution and Mutant Analysis. <i>Frontiers in Plant Science</i> , 2016 , 7, 1383	6.2	18
39	The LIKE SEX FOUR2 regulates root development by modulating reactive oxygen species homeostasis in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2016 , 6, 28683	4.9	13
38	Inheritance of growth and survival in two 9-year-old, open-pollinated progenies of an advanced breeding population of Chinese firs in southeastern China. <i>Journal of Forestry Research</i> , 2016 , 27, 1067-1075	2	7
37	Physiological and proteomic analyses of leaves from the halophyte <i>Tangut Nitraria</i> reveals diverse response pathways critical for high salinity tolerance. <i>Frontiers in Plant Science</i> , 2015 , 6, 30	6.2	36

36	Quantitative proteomics analysis reveals that S-nitrosoglutathione reductase (GSNOR) and nitric oxide signaling enhance poplar defense against chilling stress. <i>Planta</i> , 2015 , 242, 1361-90	4.7	49
35	Cell synchronization and isolation of chromosomes from Chinese fir root tips for flow cytometric analysis. <i>Biotechnology Letters</i> , 2015 , 37, 1309-14	3	2
34	Proteomics of embryogenic and non-embryogenic calli of a Liriodendron hybrid. <i>Acta Physiologiae Plantarum</i> , 2015 , 37, 1	2.6	4
33	CLRTL1 Encodes a Chinese Fir RNase III-Like Protein Involved in Regulating Shoot Branching. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 25691-710	6.3	2
32	Inter-simple sequence repeat data reveals high genetic diversity in wild populations of the narrowly distributed endemic <i>Lilium regale</i> in the Minjiang River Valley of China. <i>PLoS ONE</i> , 2015 , 10, e0118831	3.7	4
31	The complete chloroplast genome sequence of the relict woody plant <i>Metasequoia glyptostroboides</i> Hu et Cheng. <i>Frontiers in Plant Science</i> , 2015 , 6, 447	6.2	61
30	High loading of doxorubicin into styrene-terminated porous silicon nanoparticles via β -stacking for cancer treatments in vitro. <i>RSC Advances</i> , 2015 , 5, 44660-44665	3.7	18
29	A vacuolar phosphate transporter essential for phosphate homeostasis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6571-8	11.5	120
28	The investigation of inhibiting quorum sensing and methicillin-resistant <i>Staphylococcus aureus</i> biofilm formation from Liriodendron hybrid. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015 , 28, 903-8 ^{0.4}		7
27	Genetic parameters and genotype \times environment interactions of Chinese fir (<i>Cunninghamia lanceolata</i>) in Fujian Province. <i>Canadian Journal of Forest Research</i> , 2014 , 44, 582-592	1.9	15
26	Arabidopsis Transporter MGT6 Mediates Magnesium Uptake and Is Required for Growth under Magnesium Limitation. <i>Plant Cell</i> , 2014 , 26, 2234-2248	11.6	72
25	Phylogeny and molecular evolution analysis of PIN-FORMED 1 in angiosperm. <i>PLoS ONE</i> , 2014 , 9, e89289 ^{3.7}	3.7	5
24	Development of 240 novel EST-SSRs in Eucalyptus L ^{hit} . <i>Molecular Breeding</i> , 2014 , 33, 221-225	3.4	21
23	A computational algorithm for functional clustering of proteome dynamics during development. <i>Current Genomics</i> , 2014 , 15, 237-43	2.6	1
22	Expression of a conifer COBRA-like gene CLCOBL1 from Chinese fir (<i>Cunninghamia lanceolata</i>) alters the leaf architecture in tobacco. <i>Plant Physiology and Biochemistry</i> , 2013 , 70, 483-91	5.4	14
21	Highly efficient uptake of ultrafine mesoporous silica nanoparticles with excellent biocompatibility by Liriodendron hybrid suspension cells. <i>Science China Life Sciences</i> , 2013 , 56, 82-9	8.5	17
20	Transcriptional Analysis Provides New Insights into Cold- and Dehydration-Tolerance Signaling Pathways and on Regulation of Stem Cell Activity in the Vascular Cambium of Poplar. <i>Plant Molecular Biology Reporter</i> , 2013 , 31, 75-86	1.7	7
19	Discovery and experimental analysis of microsatellites in an oil woody plant <i>Camellia chekiangoleosa</i> . <i>Plant Systematics and Evolution</i> , 2013 , 299, 1387-1393	1.3	11

18	Transcriptome characteristics and six alternative expressed genes positively correlated with the phase transition of annual cambial activities in Chinese Fir (<i>Cunninghamia lanceolata</i> (Lamb.) Hook). <i>PLoS ONE</i> , 2013 , 8, e71562	3.7	18
17	Proteomic analysis of early seed development in <i>Pinus massoniana</i> L. <i>Plant Physiology and Biochemistry</i> , 2012 , 54, 97-104	5.4	16
16	Photoluminescence enhancement of porous silicon particles by microwave-assisted activation. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 2247-2250	1.6	14
15	Development of 198 novel EST-derived microsatellites in <i>Eucalyptus</i> (Myrtaceae). <i>American Journal of Botany</i> , 2012 , 99, e134-48	2.7	21
14	Model selection for quantitative trait loci mapping in a full-sib family. <i>Genetics and Molecular Biology</i> , 2012 , 35, 622-31	2	6
13	Quantitative genetics of cold hardiness and growth in <i>Eucalyptus</i> as estimated from <i>E. urophylla</i> × <i>E. tereticornis</i> hybrids. <i>New Forests</i> , 2012 , 43, 383-394	2.6	13
12	In vitro mutagenesis and identification of mutants via ISSR in lily (<i>Lilium longiflorum</i>). <i>Plant Cell Reports</i> , 2012 , 31, 1043-51	5.1	29
11	Deep sequencing and microarray hybridization identify conserved and species-specific microRNAs during somatic embryogenesis in hybrid yellow poplar. <i>PLoS ONE</i> , 2012 , 7, e43451	3.7	52
10	Nitric oxide enhances desiccation tolerance of recalcitrant <i>Antiaris toxicaria</i> seeds via protein S-nitrosylation and carbonylation. <i>PLoS ONE</i> , 2011 , 6, e20714	3.7	102
9	Overexpression of two cambium-abundant Chinese fir (<i>Cunninghamia lanceolata</i>) expansin genes CLEXP1 and CLEXP2 affect growth and development in transgenic tobacco and increase the amount of cellulose in stem cell walls. <i>Plant Biotechnology Journal</i> , 2011 , 9, 486-502	11.6	50
8	Evaluation of sample extraction methods for proteomic analysis of coniferous seeds. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 1623-1630	2.6	8
7	Proteome profiling of early seed development in <i>Cunninghamia lanceolata</i> (Lamb.) Hook. <i>Journal of Experimental Botany</i> , 2010 , 61, 2367-81	7	48
6	A hidden Markov model approach to multilocus linkage analysis in a full-sib family. <i>Tree Genetics and Genomes</i> , 2010 , 6, 651-662	2.1	22
5	A B Functional Gene Cloned from Lily Encodes an Ortholog of Arabidopsis PISTILLATA (PI). <i>Plant Molecular Biology Reporter</i> , 2010 , 28, 684-691	1.7	6
4	Identification and analysis of differentially expressed genes in differentiating xylem of Chinese fir (<i>Cunninghamia lanceolata</i>) by suppression subtractive hybridization. <i>Genome</i> , 2007 , 50, 1141-55	2.4	15
3	Moderate-density molecular maps of <i>Eucalyptus urophylla</i> S. T. Blake and <i>E. tereticornis</i> Smith genomes based on RAPD markers. <i>Genetica</i> , 2003 , 118, 59-67	1.5	29
2	Rideogram: drawing SVG graphics to visualize and map genome-wide data on the idiograms		2
1	Genome-wide identification and cold stress-induced expression analysis of the CBF gene family in <i>Liriodendron chinense</i> . <i>Journal of Forestry Research</i> , 1	2	4

