

Dan-Ran Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4014/dan-ran-li-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

2,749
citations

31
h-index

48
g-index

122
ext. papers

3,396
ext. citations

7.2
avg, IF

5.4
L-index

#	Paper	IF	Citations
107	Miniaturized fiber taper reflective interferometer for high temperature measurement. <i>Optics Express</i> , 2010 , 18, 14245-50	3.3	130
106	Going beyond the limit of an LCD's color gamut. <i>Light: Science and Applications</i> , 2017 , 6, e17043	16.7	114
105	Broadband tunable liquid crystal terahertz waveplates driven with porous graphene electrodes. <i>Light: Science and Applications</i> , 2015 , 4, e253-e253	16.7	111
104	An all-optical modulator based on a stereo graphene-microfiber structure. <i>Light: Science and Applications</i> , 2015 , 4, e360-e360	16.7	101
103	Digitalizing Self-Assembled Chiral Superstructures for Optical Vortex Processing. <i>Advanced Materials</i> , 2018 , 30, 1705865	24	99
102	Light-Patterned Crystallographic Direction of a Self-Organized 3D Soft Photonic Crystal. <i>Advanced Materials</i> , 2017 , 29, 1703165	24	94
101	Demonstration of a compact temperature sensor based on first-order Bragg grating in a tapered fiber probe. <i>Optics Express</i> , 2011 , 19, 18452-7	3.3	94
100	Microfiber-based Bragg gratings for sensing applications: a review. <i>Sensors</i> , 2012 , 12, 8861-76	3.8	91
99	Fast switchable grating based on orthogonal photo alignments of ferroelectric liquid crystals. <i>Applied Physics Letters</i> , 2012 , 101, 031112	3.4	80
98	Digitalized Geometric Phases for Parallel Optical Spin and Orbital Angular Momentum Encoding. <i>ACS Photonics</i> , 2017 , 4, 1333-1338	6.3	69
97	Meta-q-plate for complex beam shaping. <i>Scientific Reports</i> , 2016 , 6, 25528	4.9	67
96	Chirality invertible superstructure mediated active planar optics. <i>Nature Communications</i> , 2019 , 10, 25181-7.4	17.4	63
95	Self-polarizing terahertz liquid crystal phase shifter. <i>AIP Advances</i> , 2011 , 1, 032133	1.5	63
94	Microfiber-probe-based ultrasmall interferometric sensor. <i>Optics Letters</i> , 2010 , 35, 2308-10	3	60
93	Polarization independent liquid crystal gratings based on orthogonal photoalignments. <i>Applied Physics Letters</i> , 2012 , 100, 111116	3.4	56
92	Liquid-Crystal-Mediated Geometric Phase: From Transmissive to Broadband Reflective Planar Optics. <i>Advanced Materials</i> , 2020 , 32, e1903665	24	49
91	Light-Driven Reversible Transformation between Self-Organized Simple Cubic Lattice and Helical Superstructure Enabled by a Molecular Switch Functionalized Nanocage. <i>Advanced Materials</i> , 2018 , 30, e1800237	24	46

90	Generation of Equal-Energy Orbital Angular Momentum Beams via Photopatterned Liquid Crystals. <i>Physical Review Applied</i> , 2016 , 5,	4.3	46
89	Rationally Designed Dynamic Superstructures Enabled by Photoaligning Cholesteric Liquid Crystals. <i>Advanced Optical Materials</i> , 2015 , 3, 1691-1696	8.1	46
88	Photoprogrammable Mesogenic Soft Helical Architectures: A Promising Avenue toward Future Chiro-Optics. <i>Advanced Materials</i> , 2020 , 32, e1905318	24	45
87	Polarization-controllable Airy beams generated via a photoaligned director-variant liquid crystal mask. <i>Scientific Reports</i> , 2015 , 5, 17484	4.9	42
86	A miniature reflective micro-force sensor based on a microfiber coupler. <i>Optics Express</i> , 2014 , 22, 2443-503	3.3	42
85	Polarization-independent blue-phase liquid-crystal gratings driven by vertical electric field. <i>Journal of the Society for Information Display</i> , 2012 , 20, 341	2.1	42
84	Broadband Optical-Fiber-Compatible Photodetector Based on a Graphene-MoS ₂ -WS ₂ Heterostructure with a Synergetic Photogenerating Mechanism. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800562	6.4	41
83	Optical electrical current sensor utilizing a graphene-microfiber-integrated coil resonator. <i>Applied Physics Letters</i> , 2015 , 107, 053502	3.4	39
82	Teflon-coated microfiber resonator with weak temperature dependence. <i>Optics Express</i> , 2011 , 19, 22923-8	3.8	37
81	An Optical Fiber Tip Micrograting Thermometer. <i>IEEE Photonics Journal</i> , 2011 , 3, 810-814	1.8	35
80	Vortex Airy beams directly generated via liquid crystal q-Airy-plates. <i>Applied Physics Letters</i> , 2018 , 112, 121101	3.4	33
79	Optical Microfiber Sensors: Sensing Mechanisms, and Recent Advances. <i>Journal of Lightwave Technology</i> , 2019 , 37, 2577-2589	4	33
78	Beam shaping via photopatterned liquid crystals. <i>Liquid Crystals</i> , 2016 , 43, 2051-2061	2.3	31
77	Ultra-Sensitive Refractive Index Sensor With Slightly Tapered Photonic Crystal Fiber. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 1771-1774	2.2	31
76	Smectic Layer Origami via Preprogrammed Photoalignment. <i>Advanced Materials</i> , 2017 , 29, 1606671	24	30
75	Microfiber-coupler-assisted control of wavelength tuning for Q-switched fiber laser with few-layer molybdenum disulfide nanoplates. <i>Optics Letters</i> , 2015 , 40, 3576-9	3	30
74	Tunable and enhanced light emission in hybrid WS ₂ -optical-fiber-nanowire structures. <i>Light: Science and Applications</i> , 2019 , 8, 8	16.7	29
73	Liquid crystal enabled dynamic cloaking of terahertz Fano resonators. <i>Applied Physics Letters</i> , 2019 , 114, 041106	3.4	26

72	Differential twin receiving fiber-optic magnetic field and electric current sensor utilizing a microfiber coupler. <i>Optics Express</i> , 2015 , 23, 9407-14	3.3	26
71	Ferroelectric domain inversion and its stability in lithium niobate thin film on insulator with different thicknesses. <i>AIP Advances</i> , 2016 , 6, 075011	1.5	24
70	Vector Vortex Beam Emitter Embedded in a Photonic Chip. <i>Physical Review Letters</i> , 2020 , 124, 153601	7.4	24
69	Drone-based entanglement distribution towards mobile quantum networks. <i>National Science Review</i> , 2020 , 7, 921-928	10.8	23
68	Miniature optical fiber current sensor based on a graphene membrane. <i>Laser and Photonics Reviews</i> , 2015 , 9, 517-522	8.3	23
67	A Compact Sagnac Loop Based on a Microfiber Coupler for Twist Sensing. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 2579-2582	2.2	23
66	Self-Assembled Asymmetric Microlenses for Four-Dimensional Visual Imaging. <i>ACS Nano</i> , 2019 , 13, 13709-13715	16.3	15
65	Metallic Grating on a D-Shaped Fiber for Refractive Index Sensing. <i>IEEE Photonics Journal</i> , 2013 , 5, 4800708-4800706	10.8	10
64	Miniaturized Metal-Dielectric-Hybrid Fiber Tip Grating for Refractive Index Sensing. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 1712-1714	2.2	22
63	Perfect Higher-Order Poincaré Sphere Beams from Digitalized Geometric Phases. <i>Physical Review Applied</i> , 2018 , 10,	4.3	22
62	An All-Fiber Reflective Hydrogen Sensor Based on a Photonic Crystal Fiber In-Line Interferometer. <i>IEEE Sensors Journal</i> , 2014 , 14, 1133-1136	4	21
61	Optical-Relayed Entanglement Distribution Using Drones as Mobile Nodes. <i>Physical Review Letters</i> , 2021 , 126, 020503	7.4	20
60	Light-Activated Liquid Crystalline Hierarchical Architecture Toward Photonics. <i>Advanced Optical Materials</i> , 2019 , 7, 1900393	8.1	19
59	Planar Terahertz Photonics Mediated by Liquid Crystal Polymers. <i>Advanced Optical Materials</i> , 2020 , 8, 1902124	8.1	18
58	Light-Driven Rotation and Pitch Tuning of Self-Organized Cholesteric Gratings Formed in a Semi-Free Film. <i>Polymers</i> , 2017 , 9,	4.5	18
57	Highly Birefringent Slot-Microfiber. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 1034-1036	2.2	18
56	Generation of N00N State With Orbital Angular Momentum in a Twisted Nonlinear Photonic Crystal. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015 , 21, 225-230	3.8	17
55	Silica optical fiber integrated with two-dimensional materials: towards opto-electro-mechanical technology. <i>Light: Science and Applications</i> , 2021 , 10, 78	16.7	17

54	Towards an all-in fiber photodetector by directly bonding few-layer molybdenum disulfide to a fiber facet. <i>Nanoscale</i> , 2017 , 9, 3424-3428	7.7	15
53	Ethanol Gas Sensor Based on a Hybrid Polymethyl Methacrylate-Silica Microfiber Coupler. <i>Journal of Lightwave Technology</i> , 2018 , 36, 2031-2036	4	14
52	Mechanical Modulation of a Hybrid Graphene-Microfiber Structure. <i>Advanced Optical Materials</i> , 2016 , 4, 853-857	8.1	14
51	Generation of strong cylindrical vector pulses via stimulated Brillouin amplification. <i>Applied Physics Letters</i> , 2017 , 110, 141104	3.4	13
50	Periodic micro-structures in optical microfibers induced by Plateau-Rayleigh instability and its applications. <i>Optics Express</i> , 2017 , 25, 4326-4334	3.3	12
49	Generating, Separating and Polarizing Terahertz Vortex Beams via Liquid Crystals with Gradient-Rotation Directors. <i>Crystals</i> , 2017 , 7, 314	2.3	12
48	Dispersion Study of Optical Nanowire Microcoil Resonators. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011 , 17, 1102-1106	3.8	12
47	Approaching Quantum-Limited Metrology with Imperfect Detectors by Using Weak-Value Amplification. <i>Physical Review Letters</i> , 2020 , 125, 080501	7.4	11
46	Reversible On/Off of Chirality and Anisotropy in Patterned Coexistence of Achiral-Anisotropic and Chiral-Isotropic Soft Materials. <i>Advanced Optical Materials</i> , 2020 , 8, 2000155	8.1	10
45	Photonic Entanglement Based on Nonlinear Metamaterials. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900146	8.5	10
44	Low-temperature-applicable polymer-stabilized blue-phase liquid crystal and its Kerr effect. <i>Journal of the Society for Information Display</i> , 2012 , 20, 326	2.1	10
43	Fiber-Optic Point-Based Sensor Using Specklegram Measurement. <i>Sensors</i> , 2017 , 17,	3.8	9
42	Tailoring entanglement through domain engineering in a lithium niobate waveguide. <i>Scientific Reports</i> , 2014 , 4, 4812	4.9	9
41	Multifunctional optical nanofiber polarization devices with 3D geometry. <i>Optics Express</i> , 2014 , 22, 1789036	5.6	9
40	Surface Plasmon Interferometer Based on Wedge Metal Waveguide and Its Sensing Applications. <i>IEEE Photonics Journal</i> , 2012 , 4, 291-299	1.8	8
39	A Heterodyne Optical Fiber Current Sensor Based on a Nanowire-Grid In-Line Polarizer. <i>IEEE Photonics Journal</i> , 2012 , 4, 1288-1294	1.8	8
38	Spin-controlled massive channels of hybrid-order Poincaré sphere beams. <i>Applied Physics Letters</i> , 2020 , 117, 081101	3.4	8
37	Tunable band-pass optical vortex processor enabled by wash-out-refill chiral superstructures. <i>Applied Physics Letters</i> , 2021 , 118, 151102	3.4	8

36	Smectic Defect Engineering Enabled by Programmable Photoalignment. <i>Advanced Optical Materials</i> , 2020 , 8, 2000593	8.1	7
35	Manipulation of Nonlinear Optical Properties of Graphene Bonded Fiber Devices by Thermally Engineering FermiDirac Distribution. <i>Advanced Optical Materials</i> , 2017 , 5, 1700630	8.1	7
34	Orbital angular momentum (OAM) conversion and multicasting using N-core supermode fiber. <i>Scientific Reports</i> , 2017 , 7, 1062	4.9	7
33	Self-Assembled Wavy Optical Microfiber for Stretchable Wearable Sensor. <i>Advanced Optical Materials</i> , 2021 , 9, 2002206	8.1	7
32	Switchable Second-Harmonic Generation of Airy Beam and Airy Vortex Beam. <i>Advanced Optical Materials</i> , 2021 , 9, 2001776	8.1	7
31	Creating Composite Vortex Beams with a Single Geometric Metasurface.. <i>Advanced Materials</i> , 2022 , e2102714	7.1	7
30	Liquid-Crystal-Mediated Active Waveguides toward Programmable Integrated Optics. <i>Advanced Optical Materials</i> , 2020 , 8, 1902033	8.1	6
29	Tailoring the photon spin via lightmatter interaction in liquid-crystal-based twisting structures. <i>Npj Quantum Materials</i> , 2017 , 2,	5	6
28	A Flexible Wireless Dielectric Sensor for Noninvasive Fluid Monitoring. <i>Sensors</i> , 2019 , 20,	3.8	6
27	Spin-Decoupled Transflective Spatial Light Modulations Enabled by a Piecewise-Twisted Anisotropic Monolayer. <i>Advanced Science</i> , 2202424	13.6	6
26	Generation of second-harmonic Ince-Gaussian beams. <i>Applied Physics Letters</i> , 2018 , 113, 081105	3.4	5
25	Quantum entanglement based on surface phonon polaritons in condensed matter systems. <i>AIP Advances</i> , 2013 , 3, 042122	1.5	5
24	Measurement of Surface Plasmon Polariton Enhanced GoosHanchen Shift Based on Grating and Liquid Crystal Technologies. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 1829-1831	2.2	5
23	Programmable self-propelling actuators enabled by a dynamic helical medium. <i>Science Advances</i> , 2021 , 7,	14.3	5
22	Simultaneous Realization of Dynamic and Hybrid Multiplexed Holography via Light-Activated Chiral Superstructures. <i>Laser and Photonics Reviews</i> , 2200011	8.3	5
21	Pancharatnam-Berry phase reversal via opposite-chirality-coexisted superstructures.. <i>Light: Science and Applications</i> , 2022 , 11, 135	16.7	5
20	Optical field control via liquid crystal photoalignment. <i>Molecular Crystals and Liquid Crystals</i> , 2017 , 644, 3-11	0.5	4
19	Photon-phonon Interaction in a Microfiber Induced by Optical and Electrostrictive Forces. <i>Scientific Reports</i> , 2017 , 7, 41849	4.9	3

18	Visible and Online Detection of Near-Infrared Optical Vortices via Nonlinear Photonic Crystals. <i>Advanced Optical Materials</i> ,2101098	8.1	3
17	Lead silicate fiber-based, refractive index-independent temperature sensor. <i>Journal of Modern Optics</i> , 2013 , 60, 851-853	1.1	2
16	Magnetic Field Sensing Based on Multimode Fiber Specklegrams. <i>Journal of Lightwave Technology</i> , 2021 , 39, 3614-3619	4	2
15	Nonlinear Wavy Metasurfaces with Topological Defects for Manipulating Orbital Angular Momentum States. <i>ACS Photonics</i> , 2021 , 8, 1896-1902	6.3	2
14	Synthesis of single-crystal low-loss LiBO nanowire and its optical properties. <i>Scientific Reports</i> , 2016 , 6, 39389	4.9	2
13	Quasi-Phase-Matching Method Based on Coupling Compensation for Surface Second-Harmonic Generation in Optical Fiber Nanowire Coupler. <i>ACS Photonics</i> , 2018 , 5, 3916-3922	6.3	2
12	3D Engineering of Orbital Angular Momentum Beams via Liquid-Crystal Geometric Phase. <i>Laser and Photonics Reviews</i> ,2200118	8.3	2
11	Heterostructures: Broadband Optical-Fiber-Compatible Photodetector Based on a Graphene-MoS ₂ -WS ₂ Heterostructure with a Synergetic Photogenerating Mechanism (Adv. Electron. Mater. 1/2019). <i>Advanced Electronic Materials</i> , 2019 , 5, 1970005	6.4	1
10	A Fiber Laser Using Graphene-Integrated 3-D Microfiber Coil. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-7	1.8	1
9	34.4: Invited Paper: THz Devices based on High Birefringence Liquid Crystals. <i>Digest of Technical Papers SID International Symposium</i> , 2014 , 45, 491-494	0.5	1
8	Photoresponsive Materials: Photoprogrammable Mesogenic Soft Helical Architectures: A Promising Avenue toward Future Chiro-Optics (Adv. Mater. 41/2020). <i>Advanced Materials</i> , 2020 , 32, 2070305	24	1
7	Photoinduced Liquid Crystal Domain Engineering for Optical Field Control 2019 , 361-387		1
6	Photo-Actuated Chiral Smectic Superstructures. <i>Advanced Optical Materials</i> ,2102754	8.1	1
5	A Liquid Crystal Tunable Wavelength-Interleaved Isolator With Flat Spectral Response. <i>Journal of Lightwave Technology</i> , 2010 , 28, 2890-2896	4	
4	Single Nanowire Integrated Microfiber Devices. <i>Results in Optics</i> , 2021 , 100199	1	
3	Visible and Online Detection of Near-Infrared Optical Vortices via Nonlinear Photonic Crystals (Advanced Optical Materials 1/2022). <i>Advanced Optical Materials</i> , 2022 , 10, 2270002	8.1	
2	Self-Assembled Wavy Optical Microfiber for Stretchable Wearable Sensor (Advanced Optical Materials 11/2021). <i>Advanced Optical Materials</i> , 2021 , 9, 2170042	8.1	
1	Adaptive Materials: Light-Driven Reversible Transformation between Self-Organized Simple Cubic Lattice and Helical Superstructure Enabled by a Molecular Switch Functionalized Nanocage (Adv. Mater. 26/2018). <i>Advanced Materials</i> , 2018 , 30, 1870187	24	

